

## DAFTAR REFERENSI

- Alexopoulos, C. J., Mims, C. W. & Blackwell., M. 1996. *Introductory Mycology, Four Edition*. New York: John Wiley and Sons, Inc.
- Allen, J. W. & Gartz, J., 2009. *Magic Mushroom in Some Third World Country. Psilly Publication*. Seattle, Washington.
- Amandeep, K., Atri, N. S. & Munruchi, K., 2015. Ecology, Distribution Perspective, Economic Utility and Conservation of Coprophilous Agarics (*Agaricales*, Basidiomycota) Occurring in Punjab, India. *Current Research in Environmental & Applied Mycology*, 5(3), pp.213-247.
- Andersson, C., Kristinsson, J. & Gry, J., 2009. *Occurrence and use of hallucinogenic mushrooms containing psilocybin alkaloids*.Nordic Council of Ministers. Copenhagen.
- Angel, K. & Wicklow, D. T., 1975. Relationship between coprophilous fungi and fecal substrate in Colorado grassland. *Mycologia*, 67, pp.63-74.
- Anwar., 2011. *Pedoman inventarisasi flora dan ekosistem*. Direktorat Perlindungan dan Pengawetan Alam, Bogor.
- Barrasa, J. M., Esteve-Raventos, F. & Dahncke, R. M., 2006. *Clitocybula canariensis* (Tricholomataceae), a new brown-rot fungus from the Canary Islands (Spain). *Fungal Diversity*, 22, pp.1-11.
- Bas, C., Kuyper, T. W., Noordeloos, M. E. & Vellinga, E. C., 1999. *Flora Agaricina Neerlandica 4*. Food And Agriculture Organization of the United Nations. Rotterdam.
- Beug, M. W., 2000. Poisonous and hallucinogenic Mushrooms. The Evergreen State College Olympia WS. [http// www. academicevergreen. Edu / projects / mushrooms / phm / index. htm](http://www.academicevergreen.edu/projects/mushrooms/phm/index.htm) diakses tanggal 16 Februari 2017.
- Brower, J. E., Zar, J. H. & Von, E. C., 1998. *Field and Laboratory methods for genus ecology*. W. M. Brown Company Publ, Iowa.
- Bustillos, R. G., Dulay, R. M. R., Kalaw, S.P., & Reyes, R. G. 2014. Optimization of culture conditions for mycelial growth and basidiocarp production of Philippine strains of *Panaeolus antillarum* and *Panaeolus cyanescens*. *Mycosphere*, 5(3), pp.398-404.
- Cavet, J. & Martin, M., 2008. Second Contribution to the Knowledge of the Mycological Flora From Bron-Parilly Departemental Park (Rhone, France). First Part. *Bull. Mens. Soc. Linn. Lyon*, 77(7-8), pp.117-132.
- Doljak, B. M., Stegnar, U., Urleb, S., Kreft, A., Umek, M., Ciglaric, B., Strukelj. & Popovi, T., 2001. Screening for selective thrombin inhibitorsin mushrooms. *BloodCoagulation and Fibrinolysis*, 12, pp.123-128.
- Ebersohn, C. & Eicker, A., 1992. Coprophilus Fungal Special Composition and Spesies Diversity on Various Dung Substrates Of Afican Game Animals. *Bot. Bull Academia Sinica*, 33, pp.85-95.

- Farouq, A. A., Abdullah, D. K., Foo, H. L. & Abdullah, N., 2012. Isolation and characterization of coprophilous cellulolytic fungi from asian elephant (*Elephas maximus*) dung. *J Biol Agric Healthcare*. 2(7), pp.44–51.
- Genest, K., Hughes, D. W. & Rice, W. B., 1968. Muscarine In *Clitocybe* Species. *Journal of Pharmaceutical Sciences*, 57, pp.331-333.
- Govindasamy, G., Husin, U. A., Syukriani, Y. F., Sudigdoadi, S. & Mulyana, Y., 2014. Isolation and Identification of Pathogenic Fungi from Air Conditioners in Tutorial Rooms of the Faculty of Medicine, Universitas Padjadjaran. *Althea Medical Journal*, 1(1), pp.21-23.
- Hansen, L. & Knudsen, H., 1992. Nordic macromycetes 2. Polyporales, Boletales, Agaricales, Russulales. *Nordsvamp Copenhagen*, 474, pp.255-258.
- Haridjaja, O., Baskoro, D. P. T. & Setianingsih, M., 2013. Perbedaan Nilai Kaar Air Kapasitas Lapang Berdasarkan Metode Alhricks, Drainise Bebas dan Pressure Plate pada Berbagai Tekstur Tanah dan Hubungannya dengan Pertumbuhan Bunga Matahari(*Helianthus annuus* L.). *Jurnal Tanah Lingkungan*, 15(2), pp.52-59.
- Harper, E. T., 1918. *Hypoloma Aggeratum* and *H. Delineatum*. *Mycologia*, 10(5), pp.231-234.
- Hartono, R., 2009. Produksi Biogas dari Jerami Padi dengan Penambahan Kotoran Kerbau. Seminar Nasional Teknik Kimia Indonesia – SNTKI 2009 ISBN 978-979-98300-1-2. Bandung. pp.19-20.
- Herliyana, L. E., 2014. *Biodivrsitas dan Potensi Cendawan di Indonesia: Seputar Ilmu Pengetahuan Dasar Cendawan Khususnya Makrofungi dan Cara Identifikasi*. IPB Press, Bogor.
- Hidayati, Y. A., Eulis, T. M., Benito, A. K. & Ellin, H., 2010. Pengaruh Campuran Feses Sapi Potong dan Feses Kuda Pada Proses Pengomposan Terhadap Kualitas Kompos. *Jurnal Ilmiah Ilmu-Ilmu Peternakan*, 13(6), pp.299-302.
- JinShan, Z., LiuJie, H., JianFei, L., Yan, L., Duan, Y., LianJie, M., MuYe, F., &DunXiu, L. 2015. Characteristics Of Pb Enrichment In Pig Manure by *Coprinopsis Atramentaria*. *Southwest China Journal of Agricultural Sciences*, 28(3), pp.1197-1200.
- Keirle, M. R., Hemmes, D. E. & Desjardin, D.E., 2004. Agaricales of the Hawaiian Islands 8 Agaricaceae: *Coprinus* and *Podaxis*, *Psathyrellaceae*: *Coprinopsis*, *Coprinellus* and *Parasola*. *Fungal Diversity*, 15, pp.33-124.
- Krug, J. C., Benny, G. L. & Keller, H. W., 2004. Coprophilous fungi. Di dalam: Mueller GM, Bills GF, Foster MS editor. *Biodiversity of Fungi*. Amsterdam (NL): Elsevier, pp.467–499.
- Kumar, R. N., Pasricha, R., Singh, N. & Mukherjee, K. G., 1995. Taxo-ecological studies of coprophilous fungi- a review. In: *Advances in Ecology and Environmental Sciences* (eds PC Mishra, N 245 Behera, BK Senapatik, BC Guru). *Ashish Publishing House New Delhi*. pp.65.
- Largent. D. L., 1977. *How to Identify Mushroom to Genus I*. California: Mad Rivers Press, Inc.

- Lee, J. C. I., Michael, C. & Adrian, L., 2000. Identification of members of the genera *Panaeolus* and *Psilocybe* by a DNA test A preliminary test for hallucinogenic fungi. *Forensic Science International*, 112, pp.123-133.
- Luo, H., Mo, M., Huang, X., Li, X. & Zhang, K., 2004. *Coprinus comatus*: a Basidiomycetes fungus forms novel spiny structures and infects nematode. *Mycologia*, 96(6), pp.1218–1225.
- Masunga, G. S., Andersen, O., Taylor, J. E. & Dhillion, S. S., 2006. Elephant dung decomposition and coprophilous fungi in two habitats of semi-arid Botswana. *Mycological Research*, 110(10), pp.1214-1226.
- Mungai, P. G., Njogu, J. G., Chukeatirote, E. & Hyde, K. D., 2012. Studies of coprophilous ascomycetes in Kenya. Coprophilous Schizothecium from wildlife dung. *Current Research in Environmental & Applied Mycology*, 2(2), pp.84-97.
- Nicholas, L. G. & Ogame, K. 2006. *Psilocybin Mushroom Handbook-Easy Indoor and Outdoor Cultivation*. Quick Trading, Canada.
- Odum, E. P. 1996. *Dasar – Dasar Ekologi*. Edisi Ketiga. Terjemahan oleh Tjahjono Samingan. Gadjah Mada University Press. Yogyakarta.
- Ola'h, G. M., 1969. *Le Genre Panaeolus*. Mus Nat d'Hist Nat. Paris.
- O'Reilly, P. 1995. *Fasciated by Fungi*. New York.
- Pacioni, G., 1981. *Guide to Mushrooms*. Ed. Gary H. Lincoff. Simon & Schuster's, Inc. New York.
- Pemerintah Kabupaten Purbalingga., 2009. Profil Topografi Purbalingga, dalam: [www.purbalinggakab.go.id/v1/2009/12/31/topografi](http://www.purbalinggakab.go.id/v1/2009/12/31/topografi), diakses tanggal 28 April 2017.
- Petersen, J. H., Gabba, A. & Laessoe, T., 2016. *The Morphing Mushroom Identifier (MMI) software-mycology.org*.
- Piovano, M., Clericuzio, M., Tabasso, S., Chamy, M. C., Garbarino, J. A., Vidari, G. & Finzi, P. V., 2005. Studies on Chilean Fungi III. Free and Bound Sterols from *Mycena Chlorinella* (Basidiomycetes). *Journal of the Chilean Chemical Society*, 50(1).
- Pornpakakul, S., Suwancharoen, S., Petsom, A., Roengsumran, S., Muangsin, N., Chaichit, N., Piapukiew, J., Sihanonth, P. & Allen, J. W., 2009. A new sesquiterpenoid metabolite from *Psilocybe samuiensis*. *Journal of Asian Natural Products Research*, 11(1), pp.12–17.
- Raut, J. K., Suzuki, A., Fukiharu, T., Shimizu, K., Kawamoto, S. & Tanaka, C., 2011. *Coprinopsis neophlyctidospora* sp. nov., A New Ammonia Fungus From Boreal Forests in Canada. *Mycotaxon*, 115, pp.227-238.
- Redhead, S. A. R., Vilgalys, J. M., Moncalvo, J., Jhonson. & Hopple, J. S. Jr., 2001. *Journal Coprinus Pers. and the Disposition of Coprinus Species sensu lato*, 5(1), pp.203-241.
- Reid, D., 1980. *Mushrooms and Toadstools*. Kingfisher Guides. London.
- Reyes, R. G., Lani, L. M. A., Lopezl., Kei, K., Safroni. P., Kalawl., Tadhiro, K. & Fumio, E., 2009. *Coprinus comatus*, a newly domesticated wild nutraceutical

- mushroom in the Philippines. *Journal of Agricultural Technology*, 5(2), pp.299-316.
- Ridderbusch, D. C., Weber, R. W. S., Anke, T. & Sternerb, O., 2004. Tulasnein and podospirone from the coprophilous xylariaceous fungus *Podosordaria tulasnei*. *Z Naturforsch*, 59(6), pp.379-383.
- Robich, G., 2003. *Mycena* d'Europa. A. M. B. *Fondazione Centro Studi Micologici*. pp.728.
- Samingan, T., 1979. Beberapa catatan tentang vegetasi di daerah pasang surut Sumatera Selatan. Proceed. Simposium Nasional III Pengembangan daerah pasang surut di Indonesia. Dirjen Pengairan. Departemen Pekerjaan Umum-Institut Pertanian Bogor.
- Santiago, A. L. C. M. D. A., Sandra, F. B. T., Elaine, M., Paulo, J., Parreira, D. S. & Maria, A. D. Q. C. V., 2011. Zygomycetes from Herbivore Dung in the Ecological Reserve Of Dois Irmãos, Northeast Brazil. *Brazilian Journal of Microbiology*, 42, pp.89-95.
- Sediadi., 2004. *Keanekaragaman, Pola Penyebaran dan Ciri-ciri Substrat Cacing Laut (Polychaeta) di Perairan Pantai Timur Lampung Selatan*. [Thesis]. Bogor: Institut Pertanian Bogor.
- Segedin, B. P., 1991. Studies in the agaricales of New Zealand: Some *Mycena* species in sections Longisetae, Polyadelphia, Rubromarginatae, Galactopoda, Lactipedes, and Calodontes. *New Zealand Journal of Botany*, 29(1), pp.43-62.
- Siallagan, R., 2010. *Pengaruh waktu tinggal dan komposisi bahan baku pada proses fermentasi limbah cair industri tahu terhadap produksi biogas*. Fakultas Teknik Program Magister Teknik Kimia Universitas Sumatera Utara, Medan.
- Silva, P. S. D., Cortez, V. G. & Silveira, R. M. B. D., 2006. The Mycobiota of Itapua Park, Rio Grande Do Sul, Brazil. I. Species Of *Strophariaceae* (Agaricales). *Mycotaxon*, 97, pp.219-229.
- Singer, R., 1978. *Keys for the identification of the Species of Agaricales II*. Sydowia, 31, pp.193-237.
- Stamets, P., 1996. *Psilocybin Mushroom of the World*. Ten Speed Press. Berkeley, USA.
- Verhagen, F. J. M., Van Assema, F. B. J., Boekema, B. K. H. L., Swarts, H. J., Wijnberg, J. B. P. A. & Field, J. A., 1998. Dynamics of organohalogen production by the ecologically important fungus *Hypholoma fasciculare*. *FEMS Microbiology Letters*, 158, pp.167-178.
- Windyasmara, L., Ambar, P. & Lies, M., 2012. Pengaruh Jenis Kotoran Ternak Sebagai Substrat Dengan Penambahan Serasah Daun Jati (*Tectona grandis*) Terhadap Karakteristik Biogas pada Proses Fermentasi. *letin Peternakan*, 36(1), pp. 40-47.
- Wiratmana, P. A., Gusti, K. S. & Gusti, N. P. T., 2012. Studi Eksperimental Pengaruh Variasi Bahan Kering Terhadap Produksi dan Nilai Kalor Biogas Kotoran Sapi. *Jurnal Energi dan Manufaktur*, 5(1), pp.1-97.
- Zuber, A., Kowalczyk, M., Sekula, A., Mleczko, P. & Kupiec, T., 2011. Methods in species identification of hallucinogenic and other poisonous mushrooms in forensic investigation. *Problems of Forensic Sciences*, LXXXVI. pp.151-161.