

DAFTAR PUSTAKA

- Arlene, A. (2013) 'Ekstraksi kemiri dengan metode soxhlet dan karakterisasi minyak kemiri', *Jurnal Teknik Kimia USU*, 2(2), pp. 6–10.
- Asagiri, M. and Takayanagi, H., 2007. The molecular understanding of osteoclast differentiation. *Bone*, 40(2), pp.251-264.
- Barbosa, A.P. and Mascarenhas, M.. (2015) 'Iatrogenic osteoporosis', *International Endocrinology Journal*, 8(72), pp. 61–66.
- Barrett, K.E. *et al.* (2019) *Ganong's review of medical physiology*. 26th ed.
- Brunton, L., Hilal-Dandan, R. and Goodman, L.. (2018) *Goodman and Gilman manual of pharmacology and therapeutics*. Mcgraw Hill Professional. pp. 1163.
- Budiati, T. *et al.* (2018) 'Antimicrobial activity of essential oil from Indonesian medicinal plants against food-borne pathogens', *Conference Series: Earth and Environmental Science*, 207, p. 012036.
- Canalis, E. and Zanotti, S., 2017. Hairy and enhancer of split-related with YRPW motif-like (HeyL) is dispensable for bone remodeling in mice. *Journal of cellular biochemistry*, 118(7), pp.1819-1826.
- Castilho, P.F. *et al.* (2021) 'General and genetic toxicology studies of *Aleurites moluccana* (L.) Willd. seeds in vitro and in vivo assays', *Journal of Ethnopharmacology*, 280, p. 114478.
- Cesca, T.G., Faqueti, L.G., Rocha, L.W., Meira, N.A., Meyre-Silva, C., De Souza, M.M., Quintão, N.L.M., Silva, R.M.L., Cechinel Filho, V. and Bresolin, T.M.B. (2012) 'Antinociceptive, anti-inflammatory and wound healing features in animal models treated with a semisolid herbal medicine based on *Aleurites moluccana* L. Willd. Euforbiaceae standardized leaf extract: semisolid herbal', *Journal of ethnopharmacology*, 143(1), pp. 355–362.
- Chabner, B.A. and Longo, D.. (2011) *Cancer chemotherapy and biotherapy: principles and practice*. Lippincott Williams & Wilkins.
- Chan, E.S. and Cronstein, B.. (2010) 'Methotrexate—how does it really work?.', *Nature Reviews Rheumatology*, 6(3), pp. 175–178.
- Costanzo, L.S. ed (2018) *Physiology*. Elsevier Health Sciences.
- Costi, S. *et al.* (2022) 'Drug Treatment of Low Bone Mass and Other Bone Conditions in Pediatric Patients', *Pediatric Drugs*, pp. 1–17.
- Damron, T.A. *et al.* (2003) 'Critical evaluation of Mirels' rating system for impending pathologic fractures', *Clinical Orthopaedics and Related Research*®, 415, pp. S201–S207.

- Dhanesh, S.B., Subashini, C. and James, J., 2016. Hes1: the maestro in neurogenesis. *Cellular and molecular life sciences*, 73, pp.4019-4042.
- Fan, C.M., Foster, B.K., Hui, S.K. and Xian, C.. (2012) 'Prevention of bone growth defects, increased bone resorption and marrow adiposity with folinic acid in rats receiving long-term methotrexate'.
- Fan, C. *et al.* (2009) 'Damaging effects of chronic low-dose methotrexate usage on primary bone formation in young rats and potential protective effects of folinic acid supplementary treatment', *Bone*, 44(1), pp. 61–70.
- Fan, C. *et al.* (2011) 'Methotrexate toxicity in growing long bones of young rats: a model for studying cancer chemotherapy-induced bone growth defects in children', *Journal of Biomedicine and Biotechnology* [Preprint].
- Fan, J. *et al.* (2021) ' β -Catenin signaling is important for osteogenesis and hematopoiesis recovery following methotrexate chemotherapy in rats', *Journal of Cellular Physiology*, 236(5), pp. 3740–3751.
- Fetissov, S.O., Lucas, N. and Legrand, R. (2017) 'Ghrelin-reactive immunoglobulins in conditions of altered appetite and energy balance', *Frontiers in Endocrinology*, 8, p. 10.
- Finzel, S. *et al.* (2019) 'Comparison of the effects of tocilizumab monotherapy and adalimumab in combination with methotrexate on bone erosion repair in rheumatoid arthritis', *Annals of the rheumatic diseases*, 78(9), pp. 1186–1191.
- François, M. *et al.* (2016) 'Increased ghrelin but low ghrelin-reactive immunoglobulins in a rat model of methotrexate chemotherapy-induced anorexia. *Frontiers in nutrition*', 3, p. 23.
- Gabet, Y. *et al.* (2008) 'Trabecular bone gradient in rat long bone metaphyses: mathematical modeling and application to morphometric measurements and correction of implant positioning', *Journal of bone and mineral research*, 23(1), pp. 48–57.
- Georgiou, K.R., Scherer, M.A., Fan, C.M., Cool, J.C., King, T.J., Foster, B.K. and Xian, C.J. (2012) 'Methotrexate chemotherapy reduces osteogenesis but increases adipogenic potential in the bone marrow', *Journal of cellular physiology*, 227(3), pp. 909–918.
- Georgiou, K.R. *et al.* (2015) 'Methotrexate-Induced bone marrow adiposity is mitigated by folinic acid supplementation through the regulation of wnt/ β -Catenin signalling', *Journal of cellular physiology*, 230(3), pp. 648–656.
- Glass, D.A., Bialek, P., Ahn, J.D., Starbuck, M., Patel, M.S., Clevers, H., Taketo, M.M., Long, F., McMahan, A.P., Lang, R.A. and Karsenty, G., 2005. Canonical Wnt signaling in differentiated osteoblasts controls osteoclast differentiation. *Developmental cell*, 8(5), pp.751-764.

- Hakim, A. *et al.* (2022) 'Ethnopharmacology, phytochemistry, and biological activity review of *Aleurites moluccana*', *Journal of Applied Pharmaceutical Science*, 12(4), pp. 170–178.
- Hammer, G.D., McPhee, S.J. and Education, M.H. (2019) *Pathophysiology of disease: an introduction to clinical medicine*. McGraw-Hill Education Medical.
- He, W., Xie, Z., Wittig, N.K., Zachariassen, L.F., Andersen, A., Andersen, H.J., Birkedal, H., Nielsen, D.S., Hansen, A.K. and Bertram, H.C. (2022) 'Yogurt Benefits Bone Mineralization in Ovariectomized Rats with Concomitant Modulation of the Gut Microbiome', *Molecular Nutrition & Food Research*, 66(20), p. 2200174.
- He, W. *et al.* (2022) 'Yogurt Benefits Bone Mineralization in Ovariectomized Rats with Concomitant Modulation of the Gut Microbiome', *Molecular Nutrition & Food Research*, 66(20), p. 2200174.
- Hidayat, S. *et al.* (2021) 'The commercial potential of forest trees as medicinal and health ingredients', *Biodiversitas Journal of Biological Diversity*, 22(7).
- Hoepers, S.M. *et al.* (2015) 'Topical anti-inflammatory activity of semisolid containing standardized *Aleurites moluccana* L. WILLD (EUPHORBIACEAE) leaves extract', *Journal of ethnopharmacology*, 173.
- Holmboe, L. *et al.* (2012) 'High dose methotrexate chemotherapy: pharmacokinetics, folate and toxicity in osteosarcoma patients', *British journal of clinical pharmacology*, 73(1), pp. 106–114.
- Jobke, B., Milovanovic, P., Amling, M. and Busse, B., 2014. Bisphosphonate-osteoclasts: changes in osteoclast morphology and function induced by antiresorptive nitrogen-containing bisphosphonate treatment in osteoporosis patients. *Bone*, 59, pp.37-43.
- Junqueira, L.C. and Mescher, A.. (2013) *Junqueira's basic histology: text & atlas*. Anthony L. Mescher.
- Junqueira, L.C. and Mescher, A.L. (2013) *Junqueira's basic histology: text & atlas/Anthony L. Mescher*. New York: McGraw-Hill Medical.
- Kang, J.H., Ko, H.M., Moon, J.S., Yoo, H.I., Jung, J.Y., Kim, M.S., Koh, J.T., Kim, W.J. and Kim, S.H. (2014) 'Osteoprotegerin expressed by osteoclasts: an autoregulator of osteoclastogenesis', *Journal of Dental Research*, 93(11), pp. 1116–1123.
- Kang, M.J. and Lim, J.S. (2013) 'Bone mineral density deficits in childhood cancer survivors: Pathophysiology, prevalence, screening, and management', *Clinical and Experimental Pediatrics*, 56(2), pp. 60–67.

- Kang, Y. *et al.* (2014) 'Effects of high glucose on the OPG/RANK/RANKL/TRAIL system in the progression of vascular calcification in rat aortic vascular smooth muscle cells', *Diabetologia*, 57.
- Katzung, B.G. and Trevor, A.J. eds. (2018) 'Basic & clinical pharmacology'. pp. 651-659, 957.
- Kementerian Pertanian (2020) *Mengenal Tanaman Kemiri (Aleurites moluccana Willd) Sebagai Tanaman Rempah Dan Obat*. Available at: <http://cybex.pertanian.go.id/artikel/92636/mengenal-tanaman-kemiri-aleurites-moluccana-willd-sebagai-tanaman-rempah-dan-obat/> (Accessed: 11 January 2023).
- Kemkes RI (2019) *Osteoporosis, The Silent Epidemic, Osteoporosis, The Silent Epidemic - Direktorat P2PTM*. Available at: <https://p2ptm.kemkes.go.id/infographic-p2ptm/penyakit-gangguan-metabolik/osteoporosis-the-silent-epidemic>
- Kemkes RI (2021) *Situasi Osteoporosis di Indonesia. InfoDATIN: Pusat Data dan Informasi Kementerian Kesehatan RI*. Available at: <https://www.kemkes.go.id/downloads/resources/download/pusdatin/infodatin/Infodatin-Osteoporosis-2020.pdf>.
- King, T.J. *et al.* (2012) 'Methotrexate chemotherapy promotes osteoclast formation in the long bone of rats via increased pro-inflammatory cytokines and enhanced NF- κ B activation', *The American journal of pathology*, 181(1), pp. 121–129.
- Kirbas, A. *et al.* (2015) 'Effect of infliximab on renal injury due to methotrexate in rat', *Iranian journal of kidney diseases*, 9(3), p. 221.
- Krisnawati, H., Kallio, M. and Kanninen, M. (2011) *Aleurites moluccana (L.) Willd.: ecology, silviculture and productivity*. CIFOR.
- Le, T.H. *et al.* (2021) 'Anti-osteoclastogenesis potential agents from plants naturalized in Vietnam', *Pharmacognosy Magazine*, 17(75), p. 525.
- Lee, A.M. *et al.* (2017) 'Effects of resveratrol supplementation on methotrexate chemotherapy-induced bone loss', *Nutrients*, 9(3), p. 255.
- Lim, T.. (2012) 'Aleurites moluccanus', *Edible Medicinal And Non-Medicinal Plants*, pp. 465–471.
- Ma, X., Wang, D., Zhao, W., & Xu, L. (2018). Deciphering the Roles of PPAR γ in Adipocytes via Dynamic Change of Transcription Complex. *Frontiers in endocrinology*, 9, 473. <https://doi.org/10.3389/fendo.2018.00473>
- Machate, D.J. *et al.* (2020) 'Fatty acid diets: regulation of gut microbiota composition and obesity and its related metabolic dysbiosis', *International journal of molecular sciences*, 21(11), p. 4093.
- Maksimovic, V. *et al.* (2020) 'Molecular mechanism of action and

- pharmacokinetic properties of methotrexate', *Molecular biology reports*, 47(6), pp. 4699–4708.
- Martini, F.H., Nath, J.L. and Bartholomew, E.F. (2012) 'Introduction to Anatomy and Physiology'.
- Mashhadi, M.A., Kaykhaei, M.A. and Sanadgol, H. (2012) 'Low prevalence of high-dose methotrexate nephropathy in patients with malignancy'.
- Maurya, R., Singh, G. and Yadav, P.. (2008) 'Antiosteoporotic agents from natural sources', *Studies in natural products chemistry*, 35, pp. 517–548.
- May, K.P. *et al.* (1996) 'The effect of methotrexate on mouse bone cells in culture', *Arthritis & Rheumatism: Official Journal of the American College of Rheumatology*, 39(3), pp. 489–494.
- Meyre-Silva, C. *et al.* (1998) 'reliminary phytochemical and pharmacological studies of *Aleurites moluccana* leaves [L.] Willd', *Phytomedicine*, 5(2), pp. 109–113.
- Moe, P.J. and Holen, A. (2000) 'High-dose methotrexate in childhood all', *Pediatric hematology and oncology*, 17(8), pp. 615–622.
- National Research Council (2010) 'Guide for the care and use of laboratory animals'.
- Niazi, J., Gupta, V., Chakarborty, P. and Kumar, P. (2010) 'Antiinflammatory and antipyretic activity of *Aleuritis moluccana* leaves', *Asian J Pharm Clin Res*, 3(1), pp. 35–37.
- Noh, S.H., Ha, Y., Obeid, I., Park, J.Y., Kuh, S.U., Chin, D.K., Kim, K.S., Cho, Y.E., Lee, H.S. and Kim, K.. (2020) 'Modified global alignment and proportion scoring with body mass index and bone mineral density (GAPB) for improving predictions of mechanical complications after adult spinal deformity surgery', *The spine journal*, 20(5), pp. 776–784.
- Ohlsson, C. and Sjögren, K. (2015) 'Effects of the gut microbiota on bone mass', *Trends in Endocrinology & Metabolism*, 26(2), pp. 69–74.
- Panday, K., Gona, A. and Humphrey, M.B. (2014) 'Medication-induced osteoporosis: screening and treatment strategies', *Therapeutic advances in musculoskeletal disease*, 6(5), pp. 185–202.
- Peng, C.H., Lin, W.Y., Yeh, K.T., Chen, H., Wu, W.T. and Lin, M.. (2021) 'The molecular etiology and treatment of glucocorticoid-induced osteoporosis', *Tzu-Chi Medical Journal*, 33(3), p. 212.
- Peymanfar, Y., Su, Y.W. and Xian, C.. (2022) 'Notch2 Blockade Mitigates Methotrexate Chemotherapy-Induced Bone Loss and Marrow Adiposity', *Cells*, 11(9), p. 1521.
- Pujo, J., Petitfils, C., Le Faouder, P., Eeckhaut, V., Payros, G., Maurel, S., Perez-

- Berezo, T., Van Hul, M., Barreau, F., Blanpied, C. and Chavanas, S. (2021) 'Bacteria-derived long chain fatty acid exhibits anti-inflammatory properties in colitis', *Gut*, 70(6), pp. 1088–1097.
- Quintao, N.L. *et al.* (2011) 'Aleurites moluccana (L.) Willd. leaves: mechanical antinociceptive properties of a standardized dried extract and its chemical markers', *Evidence-Based Complementary and Alternative Medicine* [Preprint].
- Quintão, N.L.M. *et al.* (2014) 'Contribution of α , β -Amyrenone to the Anti-Inflammatory and Antihypersensitivity Effects of Aleurites moluccana (L.) Willd', *BioMed Research International* [Preprint].
- Quintão, N.L.M. *et al.* (2019) 'Aleurites moluccanus and its main active constituent, the flavonoid 2"-O-rhamnosylswertisin, in experimental model of rheumatoid arthritis', *Journal of Ethnopharmacology*, 235, pp. 248–254.
- Radka, C.D. *et al.* (2020) 'atty acid activation and utilization by Alistipes finegoldii, a representative Bacteroidetes resident of the human gut microbiome', *Molecular microbiology*, 113(4), pp. 807–825.
- Rosa, M. and Campos, M.E. (2021) 'Therapeutic Properties Of Aleurites moluccana', *Encyclopedia Biosphere*, 18(38).
- Ruffer, N. *et al.* (2022) 'Clinical features of methotrexate osteopathy in rheumatic musculoskeletal disease: A systematic review', *Seminars in Arthritis and Rheumatism*, 52, p. 151952.
- Salari, N. *et al.* (2021) 'The global prevalence of osteoporosis in the world: a comprehensive systematic review and meta-analysis', *Journal of orthopaedic surgery and research*, 16(1), pp. 1–20.
- Scheven, B.A., van der Veen, M.J., Damen, C.A., Lafeber, F.P., van Rijn, H.J., Bijlsma, J.W. and Duursma, S.. (1995) 'cts of methotrexate on human osteoblasts in vitro: Modulation by 1, 25-dihydroxyvitamin D3', *Journal of Bone and Mineral Research*, 10(6), pp. 874–880.
- Schwartz, A.M. and Leonidas, J.C. (1984) 'Methotrexate osteopathy', *Skeletal radiology*, 11, pp. 13–16.
- Susilowati, A. *et al.* (2020) 'Morphology and germination of the candlenut seed (Aleurites moluccana) from Samosir Island-North Sumatra', *IOP Conference Series: Earth and Environmental Science*, 454.
- Udagawa, N. *et al.* (2021) 'Osteoclast differentiation by RANKL and OPG signaling pathways', *Journal of bone and mineral metabolism*, 39, pp. 19–26.
- Uehara, R.I.T.S.U.K.O., Suzuki, Y.A.S.U.O. and Ichikawa, Y.O.I.C.H.. (2001) 'Methotrexate (MTX) inhibits osteoblastic differentiation in vitro: possible

- mechanism of MTX osteopathy', *The Journal of Rheumatology*, 28(2), pp. 251–256.
- Villa, C.R., Ward, W.E. and Comelli, E.. (2017) 'Gut microbiota-bone axis', *Critical reviews in food science and nutrition*, 57(8), pp. 1664–1672.
- Weinstein, R.S. *et al.* (2002) 'Promotion of osteoclast survival and antagonism of bisphosphonate-induced osteoclast apoptosis by glucocorticoids', *The Journal of clinical investigation*, 109(8), pp. 1041–1048.
- Wong, R.W. and Rabie, A.B.. (2008) 'Effect of quercetin on bone formation', *Journal of orthopaedic research*, 26(8), pp. 1061–1066.
- Wong, S.K., Chin, K.Y. and Ima-Nirwana, S. (2020) 'Quercetin as an agent for protecting the bone: a review of the current evidence', *International journal of molecular sciences*, 21(7), p. 6448.
- World Health Organization (2021) *Cancer*. Available at: who.int (Accessed: 1 June 2022).
- Xian, C.J. *et al.* (2007) 'Cellular mechanisms for methotrexate chemotherapy-induced bone growth defects', *Bone*, 41(5), pp. 842–850.
- Zanotti, S., Smerdel-Ramoya, A. and Canalis, E., 2011. HES1 (hairly and enhancer of split 1) is a determinant of bone mass. *Journal of Biological Chemistry*, 286(4), pp.2648-2657.
- Zhu, X. and Wei, S. (2005) 'Protective effect of quercetin on ovariectomy-induced bone loss in rats', *Chinese Journal of Osteoporosis*, 11(4), p. 504.