

DAFTAR PUSTAKA

- Alexandru, I. 2011, 'Experimental use of animals in research spa', *Balneo-Research Journal*, Vol. 2, no. 1, pp. 65–69.
- Alvarenga, M. B et al. 2015, 'Episotomy healing assesment: redness, oedema, ecchymosis, discharge, approximation (REEDA) scale reliability', *Rev. Latino-Am. Enfermagem*, vol. 23, no. 1, pp. 162-8.
- American Diabetes Association. 2014, 'Standards of medical care in diabetes-2018', *Diabetes Care : The Journal of Clinical and Applied Research and Education*, vol. 41, Supplement 1.
- Antari, A. L. 2017, '*Imunologi dasar*', Yogyakarta : Deepublish.
- Aragona, M et al. 2017, 'Defining stem cell dynamics and migration during wound healing in mouse skin epidermis', *NATURE COMMUNICATIONS*. doi: 10.1038/ncomms14684.
- Aumiller, W. D & Dollahite, H. A. 2015, 'Pathogenesis and management of diabetic foot ulcers', *Journal American Academy of Physician Assistants*, vol. 28, no. 5, pp. 28–34. doi: 10.1097/01.JAA.0000464276.44117.b1.
- Barky, A. R. E & Mohamed, T. M. 2017, 'Marine sea cucumber saponins and diabetes', *Austin Pancreat Disord*, vol. 1, no. 1, Austin Publishing Group.
- Bilous, R & Donnelly, R. 2015, '*Buku pegangan diabetes*', Edisi 4. Jakarta : Bumi Medika.
- Becker, D. L., Thrasivoulou, C & Phillips, A. R. J. 2012, 'Connexins in wound healing; perspectives in diabetic patients', *BBA - Biochimica et Biophysica Acta*, vol. 1818, no. 8, pp. 2068–2075. doi: 10.1016/j.bbamem.2011.11.017.
- Bordbar, S., Anwar, F & Saari, N. 2011, 'High-value components and bioactives from sea cucumbers for functional foods — a review', *Marine Drugs*, vol. 9, pp. 1761–1805. doi: 10.3390/md9101761.
- Budiharto, I., Pranggono, E. H., Kurniawan, T., & Haryanto. 2016, 'Effect of sea cucumber extract on diabetic foot ulcers', *WCET Journal*, vol. 36, no. 1, pp. 34-39.
- Brown, A. 2013, 'The role of debridement in the healing process', *Nurs Times*, vol. 109, no. 40, pp. 16–19.

- Conand, C., Purcell, S & Gamboa, R. 2013, 'Stichopus herrmanni, curryfish assessment', *The IUCN Red List of Threatened Species: Stichopus herrmanni*. doi: 10.2305/IUCN.UK.2013-1.RLTS.T180238A1604460.en.
- Cong L, Liang W, Wu Y, Li C, Chang Y, Dong L, et al. 2014, 'High-level soluble expression of the functional peptide derived from the C-terminal domain of the sea cucumber lysozyme and analysis of its antimicrobial activity', *EJBT*, vol. 17, no. 6, pp. 280–286. doi: 10.1016/j.ejbt.2014.09.001.
- Desbois, A. P & Smith, V. J. 2010, 'Antibacterial free fatty acids: Activities, mechanisms of action and biotechnological potential', *Applied Microbiology and Biotechnology*, vol. 85, pp. 1629-1642. doi: 10.1007/s00253-009-2355-3
- Doddy, Y. P., Mardiyono, M & Kusuma, H. 2017, 'Studi kasus uji pra klinik perawatan ulkus kaki diabetic dengan topikal hidrokoloid kunyit', *Jurnal Kebidanan dan Keperawatan*, vol. 13, no. 2, pp.111-119.
- Dinh, T et al. 2012, 'Mechanisms Involved in the Development and Healing of Diabetic Foot Ulceration', *DIABETES*, vol. 61, pp. 2937–2947. doi: 10.2337/db12-0227.
- Dubsky, M et al. 2012, 'Risk factor for recurrence of diabetic foot ulcers : prospective follow up analysis in the Eurodiale subgroup', *International Wound Journal*. p. 555-561.
- Ekaputra, E. 2013, '*Evolusi manajemen luka*', Jakarta : Trans info media.
- Eming, S. A., Martin, P & Tomic, C. M. 2014, 'Wound repair and regeneration: mechanisms, signaling, and translation', *Sci Transl Med*, vol. 6, no. 265, pp. 265-276.
- Hartono, Istanti, Y. P & Rosa, E. M. 2011, 'Perbedaan pemberian gamat jelly dan hidrogel dalam penyembuhan luka kronik pada tikus putih', *Muhammadiyah Journal of Nursing*, vol. 1, no. 2. pp. 137–145.
- Haryanto, Ogai, K., Nakagami, G., Oe, M., Nakatani, T et al. 2017, 'A prospective observational study using sea cucumber and honey as topical therapy for diabetic foot ulcers in Indonesia', *Journal of Wellness and Health Care*, vol. 41, no. 2, pp. 41–56.
- Hocstim, C. J et al. 2010, 'Biofilm detection with hematoxylin-eosin staining', *Archives of Otolaryngology-Head and Neck Surgery*, vol. 135, no. 5, pp.

453-456. doi : 10.1001/archoto.2010.62.

International Diabetes Federation. 2017, '*IDF Diabetes Atlas. 7th edition*', Brussels, Belgium, International Diabetes Federations.

Ismail, D. 2009, 'Penggunaan balutan modern memperbaiki proses penyembuhan luka diabetik', *Jurnal Kedokteran Brawijaya*, vol. XXV, no. 1. doi: 10.21776/ub.jkb.2009.025.01. p. 32-35.

Janakiram, N. B., Mohammed, A & Rao, C. V. 2015, 'Sea cucumbers metabolites as potent anti-cancer agents', *Marine Drugs*, vol. 13, no. 5, pp. 2909–2923. doi: 10.3390/md13052909.

Kamarudin, K. R & Rehan, M. M. 2015, 'Morphological and molecular identification of *Holothuria (Merthensiothuria) leucospilota* and *Stichopus horrens* from Pangkor Island, Malaysia', *Tropical Life Sciences Research*, vol. 26, no. 1, pp. 87–99.

Kasuya, A & Tokura, Y. 2014, 'Attempts to accelerate wound healing', *Journal of Dermatological Science Elsevier*, vol. 76, pp. 169–172. doi: 10.1016/j.jdermsci.2014.11.001.

Majdina, S., Mulawarmanti, D & Rizka, Y. 2016, 'Efektifitas kombinasi terapi oksigen hiperbarik dan gel teripang emas (*stichopus hermannii*) terhadap peningkatan jumlah osteoblas pada tikus diabetes melitus yang diinduksi bakteri *porphyromonas gingivalis*', *Denta : Jurnal Kedokteran Gigi*, vol. 10, no. 1, pp. 31-41.

Masre, S. F., Yip, G. W., Sirajudeen, K. N. S., Gozali, F. C. 2015, 'Wound healing potential of total sulfated glycosaminoglycan (GAG) from Malaysian sea cucumber, *Stichopus vastus* coelomic fluid', *Research Journal of Medical Science*, vol. 9, no. 3, pp. 67–72.

McCulloch, J, M & Kloth, L, C. 2010, '*Wound Healing: Evidence Based Management*', 4th ed. Philadelphia: F A Davis Company.

Monghadam, F. D et al. 2016, 'Effect of holothurian extracted saponin on maturation of mice oocyte and granulosa cells', *Research in Pharmaceutical Sciences*, vol. 11, no. 2, pp. 130-137.

Nontji, W., Hariati, S & Arafat, R. 2010, 'Teknik perawatan luka modern dan konvensional terhadap kadar interleukin 1 dan interleukin 6 pada pasien luka

- diabetik’, *Jurnal Ners*, vol. 10, no. 1, pp. 133–137.
- Percival, S. L & Suleman, I. 2015, ‘Slough and biofilm : removal of barriers to wound healing by desloughing’, *JWC*, vol. 24, no. 11, pp. 498-510. doi : 10.12968/jowc.2015.24.11.498.
- PERKENI. 2015, ‘*Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2015*’, Jakarta : PB. PERKENI.
- Pradhan, L et al. 2009. ‘Inflammation and neuropeptides: the connection in diabetic wound healing’, *Expert Rev Mol Med*, vol. 11, no. e2, p. 9.
- Price, Gaskill, & Winnicker. 2014, ‘*Effects of nesting material in two strains (buffalo and wistar) of laboratory rats in C. R. Tufts University*’, American College of Laboratory Animal Medicine.
- Rakel, R, E & Rakel, D, P. 2011, ‘*Textbook of family medicine*’, 8th ed, Philadelphia: Elsevier Saunders.
- Ridzwan, B. H., Hanita, M. H., Nurafirah, M., Norsuhadaa, M. P. S., Hanis, Z. F., & Collection, A. S.. 2014, ‘Free fatty acids composition in lipid extracts of several sea cucumbers species from Malaysia’, *IJBBB*, vol. 4, no. 3, pp. 1–4.
- Rosique, R. G., Rosique, M. J & Junior, J. A. F. 2015, ‘Curbing Inflammation in Skin Wound Healing : A Review’, *International Journal of Inflammation*, vol. 2015, no. iv, doi : 10.1155/2015/316235
- Roza, R. L., Rudy, A & Edward, Z. 2015, ‘Faktor risiko terjadinya ulkus diabetikum pada pasien diabetes mellitus yang dirawat jalan dan inap di RSUP dr. M. Djamil dan RSI Ibnu Sina Padang’, *Jurnal Kesehatan Andalas*, vol. 4, no. 1, pp. 243–248.
- Serhan, C. N et al. 2010, ‘*Fundamental of inflammation*’, New York: Cambridge University Press 32 Avenue of the Americas, New York, NY 10013-2473, USA.
- Song, M., Park, D. K., Cho, M, et al. 2013, ‘Anti-inflammatory and anti-allergic activities of sea cucumber (Stichopus japonicus) extract’, *Food Sci Biotechnol*, vol. 2, no. 6, pp. 1661-1666.
- Sorg, H., Tilkorn, D. J., Mirastchijski, U., & Hager, S. 2017, ‘Skin Wound healing : an update on the current knowledge and concepts’, *Eur Surg Res*, vol. 58, pp. 81–94. doi: 10.1159/000454919.

- Subramaniam, B., Amuthan, A & Almeida, P. D. 2013, 'Efficacy of gamat extract in wound healing in albino wistar rats', *International Journal of Pharmaceutical Sciences Review and Research*, ISSN 0976 – 044X
- Tanto, C. 2014, '*Kapita selekta kedokteran*', edisi 4. vol 2. Jakarta: Media aesculapius.
- Turksen, K. 2018, '*Wound healing: stem cells repair and restorations, basic and clinical aspects*', Hoboken: Wiley-Blackwell.
- Ueda, K et al. 2010, 'A possible animal model for critical colonisation', *Journal of wound care*, vol. 19, no. 7, pp 295-300.
- Wiig, H. 2011, 'Pathophysiology of tissue fluid accumulation in inflammation', *JPhysiol*, vol. 589, no. 12, pp. 2945-2953, doi:10.1113/jphysiol.2011. 206136
- Xu, F., Zhang, C., & Graves, D. T. 2013, 'Abnormal cell responses and role of TNF- α in impaired diabetic wound healing', *BioMed Research International*, vol. 2013, doi : 10.1155/2013/754802
- Yulistiani, M., Purwito, D. 2016, 'Efektifitas minyak jinten hitam (*Nigella Sativa*) dan jelly gamat emas (*Golden Stichopus Variegatus*) pada perawatan luka kanker di RSUD Prof DR. Magono Soekarjo Purwokerto, Jawa Tengah', *MEDISAINS: Jurnal Ilmiah Ilmu-Ilmu Kesehatan*, vol. 14, no. 3, pp. 56–64.
- Sari, Y., Sutrisna, E & Hartono. 2016, 'Pengaruh Frekuensi Vibrasi terhadap Penyembuhan Luka Diabetes', *Jurnal Ners*, vol.4, no. 2, pp. 117-126.
- Zhang, J et al. 2015, 'Exosomes released from human induced pluripotent stem cells-derived mscs facilitate cutaneous wound healing by promoting collagen synthesis and angiogenesis', *JTM*, vol. 13, no. 49.
- Zhang, X. & Mosser, D.M. 2008, 'Macrophage activation by endogenous danger signals', *Journal of Pathology*, vol. 214, pp. 161-178
- Zohdi, R. M et al. 2011, 'Sea cucumber (*Stichopus hermanii*) based hydrogel to treat burn wounds in rats', *Journal of Biomedical Materials Research B; Applied Biomaterials*, vol. 98B, no. 1, pp. 30–37, doi: 10.1002/jbm.b.31828.
- World Health Organisation. 1993, '*Research guidelines for evaluating the safety and efficacy of herbal medicines*', Manila : WHO.