

DAFTAR PUSTAKA

- Anggorowati, L., (2013). Faktor risiko kanker payudara wanita. *KEMAS: Jurnal Kesehatan Masyarakat*.pp.05-13
- Arnold, M., Morgan, E., Rumgay, H., Mafra, A., Singh, D., Laversanne, M., Vignat, J., Gralow, J. R., Cardoso, F., Siesling, S., & Soerjomataram, I. (2022). Current and future burden of breast cancer: Global statistics for 2020 and 2040. *Breast*, 66, pp.15–23.
- Arwansyah, A., Ambarsari, L. and Sumaryada, T.I., (2014). Simulasi docking senyawa kurkumin dan analognya sebagai inhibitor reseptor androgen pada kanker prostat. *Current Biochemistry*, 1(1), pp.11-19.
- Balko, J.M., Schwarz, L.J., Luo, N., Estrada, M.V., Giltnane, J.M., Dávila-González, D., Wang, K., Sánchez, V., Dean, P.T., Combs, S.E. and Hicks, D., (2016). Triple-negative breast cancers with amplification of JAK2 at the 9p24 locus demonstrate JAK2-specific dependence. *Science translational medicine*, 8(334), pp.334ra53-334ra53.
- Basry, S., Ibrahim, K., & Maryati, I. (2022). Pengalaman Menggunakan Terapi Komplementer pada Pasien Kanker Payudara. *Jurnal Keperawatan Silampari*, 6(1), pp.794-809.
- Beetham, H., Griffith, B.G., Murina, O., Loftus, A.E., Parry, D.A., Temps, C., Culley, J., Muir, M., Unciti-Broceta, A., Sims, A.H. and Byron, A., (2022). Loss of integrin-linked kinase sensitizes breast cancer to SRC inhibitors. *Cancer Research*, 82(4), pp.632-647.
- Bruton L., Lazo JS, Parker KL. (2005). Goodman & Gilman's The Pharmacological Basis of Therapeutics, 11th Edition, McGrawHill, Lange
- Cheah, Y. H. (2015). Xanthorrhizol: A review of its pharmacological activities and anticancer properties. *Cancer Cell International*, 15(1), pp.1–15.4
- Cheah, Y. H., Azimahtol, H. L. P., & Abdullah, N. R. (2006). Xanthorrhizol exhibits antiproliferative activity on MCF-7 breast cancer cells via apoptosis induction. *Anticancer research*, 26(6B), pp. 4527-4534.
- Chehab, M., Caza, T., Skotnicki, K., Landas, S., Bratslavsky, G., Mollapour, M. and Bourboulia, D., (2015). Targeting Hsp90 in urothelial carcinoma. *Oncotarget*, 6(11), pp.8454.
- Chen, Z., Gao, Y., Wu, T., Yang, T. and Zhang, Y., (2021). The Mechanism and Potential Targets of Betulinic Acid in the Treatment of Breast Cancer Using Network Pharmacology and Molecular Docking. *J Mol Biol Biochem*, 1, p.102.

- Condelli, V., Crispo, F., Pietrafesa, M., Lettini, G., Matassa, D.S., Esposito, F., Landriscina, M. and Maddalena, F., (2019). HSP90 molecular chaperones, metabolic rewiring, and epigenetics: impact on tumor progression and perspective for anticancer therapy. *Cells*, 8(6), pp.532.
- Dalal, H., Dahlgren, M., Gladchuk, S., Brueffer, C., Gruvberger-Saal, S. K., dan Saal, L. H. (2022). Clinical associations of ESR2 (estrogen receptor beta) expression across thousands of primary breast tumors. *Scientific Reports*, 12(1), pp.4696
- Dewi, P.P.P., 2019. Molecular Docking Terpinen-4-ol pada Protein IKK sebagai Antiinflamasi pada Aterosklerosis secara In Silico. *Jfu* 44.
- Edi, E. (2017). Bioinformatika: Komputer, Statistika, Matematika, Biologi. *Jurnal TIMES*, 6(1), pp.23-25.
- Febriani, A., & Furqon, A. (2018). Metastasis Kanker. *Jurnal Respirasi*, 4(3), pp.94- 101.
- Finn RS, Dering J, Ginther C, (2017). Dasatinib, an orally active small molecule inhibitor of both the src and abl kinases, selectively inhibits growth of basal-type/“triple-negative” breast cancer cell lines growing in vitro. *Breast Cancer Res Treat* pp.105:319–2
- Giaquinto, A. N., Sung, H., Miller, K. D., Kramer, J. L., Newman, L. A., Minihan, A., Jemal, A., & Siegel, R. L. (2022). Breast Cancer Statistics, 2022. *CA: A Cancer Journal for Clinicians*, pp.72(6), 524–541.
- Globocan. (2020). Cancer Incident in Indonesia. *International Agency for Research on Cancer*. pp.1–2.
- Gupta, V., Markmann, K., Pedersen, C. N. S., Stougaard, J., & Andersen, S. U. (2012). Bioinformatics Applications Note *shortran : a pipeline for small RNA-seq data analysis*. 28(20), pp.2698–2700.
- Hairunnisa, H. (2019). Sulitnya Menemukan Obat Baru di Indonesia. *Majalah Farmasetika*, 4(1), 16-21.
- Hamurcu, Z. et al. (2018) ‘Targeting LC3 and Beclin-1 autophagy genes suppresses proliferation, survival, migration and invasion by inhibition of Cyclin-D1 and uPAR/Integrin β1/Src signaling in triple negative breast cancer cells’, *Journal of cancer research and clinical oncology*, 144(3), pp. 415–430
- Hanif, A.U., Lukis, P.A., Fadlan, A., (2020). Pengaruh Minimisasi Energi MMFF94 dengan MarvinSketch dan Open Babel PyRx pada Penambatan Molekular Turunan Oksindola Tersubstitusi. *AL*. 8, pp.33–40.
- Hartman, Z.C., Poage, G.M., Den Hollander, P., Tsimelzon, A., Hill, J., Panupinthu, N., Zhang, Y., Mazumdar, A., Hilsenbeck, S.G., Mills, G.B. and Brown, P.H., (2013). Growth of Triple-Negative Breast Cancer Cells Relies upon Coordinate Autocrine Expression of the Proinflammatory Cytokines IL-6 and IL-8Tandem Expression of IL-6 and IL-8 Are Critical for TNBCs. *Cancer research*, 73(11), pp.3470-3480.

- Humber CE, Tierney JF, Symonds RP, Collingwood M, Kirwan J, Williams C, (2007). Chemotherapy for advanced, recurrent or metastatic endometrial cancer: a systematic review of Cochrane collaboration. *Ann Oncol.*;18:pp. 409–420.
- Ikeda K, Ogawa S, Tsukui T, Horie-Inoue K, Ouchi Y, Kato S, Muramatsu M, Inoue S. (2014). Protein phosphatase 5 is a negative regulator of estrogen receptor-mediated transcription. *Mol Endocrinol* 18: pp.1131- 1143.
- Irawan, E. (2018). Faktor-faktor pelaksanaan sadari/breast self examination (BSE) kanker payudara (literature review). *Jurnal Keperawatan BSI*, 6(1).
- Kang, S., Kim, E.-O., Kim, S.-H., Lee, J.-H., Ahn, K.S., Yun, M. and Lee, S.-G., (2017). Morusin induces apoptosis by regulating expression of Bax and Survivin in human breast cancer cells. *Oncology letters*, 13(6), pp.4558–4562.
- Kementerian Kesehatan Republik Indonesia. (2020). PanduanPenatalaksanaan Kanker Payudara. Komite Penanggulangan Kanker Nasional
- Khorshidi, M. M. Haghghi, E. Nazemalhosseini Mojarrad (2014).prostaglandin synthase 2/cyclooxygenase 2 (PTGS2/COX2) rs5277 polymorphism does not influence risk of colorectal cancer in an Iranian population,*Asian Pacific Journal of Cancer Prevention*, vol. 15, no. 8, pp. 3507–3511, 2014.
- Lascorz, Jesus, Bowang Chen, Kari Hemminki, and Asta Försti (2011) "Consensus pathways implicated in prognosis of colorectal cancer identified through systematic enrichment analysis of gene expression profiling studies." *PloS one* 6, no. 4. e18867.
- Lele, M.N.E., Ahmad, N.I. and Bare, Y., (2022). Molecular Interaction Analysis of Homodihydrocapsaicin as COX-2 Inhibitor. *Spizaetus: Jurnal Biologi dan Pendidikan Biologi*, 3(2), pp.36-42.
- Li, J., Kong, X., Zhang, J., Luo, Q., Li, X. and Fang, L., (2013). MiRNA-26b inhibits proliferation by targeting PTGS2 in breast cancer. *Cancer cell international*, 13, pp.1-6.
- Liu, Q., Ai, B., Kong, X., Wang, X., Qi, Y., Wang, Z., Fang, Y. and Wang, J., (2021). JAK2 expression is correlated with the molecular and clinical features of breast cancer as a favorable prognostic factor. *International Immunopharmacology*, 90, p.107186.
- Marcotte R, Zhou L, Kim H, (2019). c-Src associates with ErbB2 through an interaction between catalytic domains and confers enhanced transforming potential. *Mol Cell Biol*;29:5858–71.
- Mayer, E.L. and Krop, I.E., (2010). Advances in targeting SRC in the treatment of breast cancer and other solid malignancies. *Clinical CancerResearch*, 16(14), pp.3526-3532

- Mishra, A., Srivastava, A., Pateriya, A., Tomar, M.S., Mishra, A.K. and Shrivastava, A., (2021). Metabolic reprogramming confers tamoxifen resistance in breast cancer. *Chemico-Biological Interactions*, 347, p.109602.
- Mohtar, K., Fatimawali, F., Rumondor, E.M., Datu, O.S. and Tallei, T.E., (2021). Studi In Silico Senyawa Eugenol Cengkeh (*Syzygium Aromaticum L.*) Terhadap Reseptor Er-A, Er-B Dan Her-2 Pada Kanker Payudara. *Pharmacon*, 10(3), pp.1001-1008.
- Morris, G.M. and Lim-Wilby, M., (2008). Molecular docking. *Molecular modeling of proteins*, pp.365-382.
- Mukti, L.S. and Hermady, U., (2020). Pharmalogical activities of curcuma xanthorrhiza. *Infokes*, 10(1), pp.270-278.
- Mulyati, B. (2019). Peran Genestein Pada Pengikatan Reseptor Estrogen α . Jurnal Industri Elektro Dan Penerbangan, 8(2).
- Ningrum, A., Wardani, D.W., Vanidia, N., Sarifudin, A., Kumalasari, R., Ekafitri, R., Kristanti, D., Setiaboma, W. and Munawaroh, H.S.H., (2022). In Silico Approach of Glycinin and Conglycinin Chains of Soybean By-Product (Okara) Using Papain and Bromelain. *Molecules*, 27(20), p.6855.
- Nurcholis, W., Ajruddin, A., & Ambarsari, L. (2018). activities in ethyl acetate fraction of Curcuma zanthorrhiza accessions from Indonesia. *Revista Brasileira de Farmacognosia*, 28(1),pp.44–49.
- O'Donovan PJ (2010). Livingston DM. BRCA1 and BRCA2: breast/ovarian cancer susceptibility gene products and participants in DNA double-strand break repair. *Carcinogenesis* ;31(6):961-7.
- Park SI, Zhang J, Phillips KA, (2018). Targeting SRC family kinases inhibits growth and lymph node metastases of prostate cancer in an orthotopic nude mouse model. *Cancer Res*; 68:pp.3323–33
- Park, H.-J. and Park, S.-H., (2018). Induction of cytoprotective autophagy by morusin via AMP-activated protein kinase activation in human non-small cell lung cancer cells. *Nutrition research and practice*, 14(5), pp.478–489.
- Patil, R., Das, S., Stanley, A., Yadav, L., Sudhakar, A. and Varma, A.K., (2010). Optimized hydrophobic interactions and hydrogen bonding at the target-ligand interface leads the pathways of drug-designing. *Plos One*, 5(8), p.e12029
- Perdama, A.T. and Permana, A.A., (2021). Molecular Docking Senyawa Potensial Anticovid-19 Secara in Silico. *JIKA (Jurnal Informatika)*, 5(2), pp.159-166.
- Pinzi, L., Rastelli, G., (2019). Molecular docking: shifting paradigms in drug discovery. *Int. J. Mol. Sci.* 20. doi:10.3390/ijms20184331

- Pommier Y, Sordet O, Antony S, Hayward RL, Kohn KW (2014). Apoptosis defects and chemotherapy resistance: molecular interaction maps and networks. *Oncogene* ;23:2934–2949.
- Pons, D. G., Torrens-Mas, M., Nadal-Serrano, M., Sastre-Serra, J., Roca, P., dan Oliver, J. (2015). The presence of Estrogen Receptor β modulates the response of breast cancer cells to therapeutic agents. *The International Journal of Biochemistry and Cell Biology*, 66, pp. 85–94.
- Puente, L.G., Carrière, J.F., Kelly, J.F. and Megeney, L.A.,(2020). Comparative analysis of phosphoprotein-enriched myocyte proteomes reveals widespread alterations during differentiation. *FEBS letters*, 574(1-3), pp.138-144.
- Rakhmina, D. (2015). Ekspresi Mirna-21 Dan Mrna Pten (Phosphatase and Tensin Homolog) Pada Plasma Pasien Kanker Payudara Ditinjau Dari Status Klinikopatologi Dan Molekuler Di Rsup Dr. Sardjito (Doctoral Dissertation, Universitas Gadjah Mada).
- Rompis, A. Y., & Nyoman, A. D. N. (2020). Aspek Genetik Kanker Kolorektal. *Jurnal Sains dan Kesehatan (J. Sains Kes.)*, 2(3), 236-245.
- Ruddy, S. C., Lau, R., Cabrita, M. A., McGregor, C., McKay, B. C., Murphy, L. C., Wright, J. S., Durst, T., dan Pratt, M. A. C. (2014). Preferential Estrogen Receptor β Ligands Reduce Bcl-2 Expression in Hormone-Resistant Breast Cancer Cells to Increase Autophagy. *Molecular Cancer Therapeutics*, 13(7), 1882–1893. <https://doi.org/10.1158/1535-7163.MCT-13-1066>
- Ruswanto, R., Garna, I.M., Tuslinah, L., Mardianingrum, R., Lestari, T. and Nofianti, T., (2018). Kuersetin, Penghambat Uridin 5-Monofosfat Sintase Sebagai Kandidat Anti-kanker. *Alchemy Jurnal Penelitian Kimia*, 14(2), pp.236-252.
- Sangavi and K. Langeswaran, (2020) “Anti-tumorigenic efficacy of tangeretin in liver cancer - an in-silico approach,” *Current Computer-Aided Drug Design*, vol. 16,
- Sari, I.W., Junaidin, J., Pratiwi, D., (2020). Studi Molecular Docking Senyawa Flavonoid Herba Kumis Kucing (*Orthosiphon stamineus* B.) pada Reseptor α -Glukosidase sebagai Antidiabetes Tipe 2. *FARM*. 7, 54.
- Shah, R., Rosso, K. and Nathanson, S.D., (2014). Pathogenesis, prevention, diagnosis and treatment of breast cancer. *World journal of clinical oncology*, 5(3), pp.283.
- Shiovitz, S., & Korde, L. A. (2015). Genetics of breast cancer: A topic in evolution. *Annals of Oncology*, 26(7) 1291–1299.
- Shivanika, C., S, D.K., Ragunathan, V., Tiwari, P., A, S., P, B.D., 2020 Molecular docking, validation, dynamic simulations, and pharmacokinetic prediction of natural compounds against the SARS-CoV-2 main protease. *J. Biomol. Struct. Dyn.* 40, 585-61

- Simon A, Robb K. (2021). Breast Cancer. Cambridge Handb Psychol Heal Med Second Ed. 7;577–80.
- Singh, B., Berry, J.A., Shoher, A., Ayers, G.D., Wei, C. and Lucci, A., (2017). COX-2 involvement in breast cancer metastasis to bone. *Oncogene*, 26(26), pp.3789-3796.
- Sinha, N. and Smith-Gill, S.J., (2002). Electrostatics in protein binding and function. *Current Protein and Peptide Science*, 3(6), pp.601-614.
- Sun, Y., & Yang, J. (2017). A bioinformatics investigation into the pharmacological mechanisms of the effect of Fufang Danshen on pain based on methodologies of network pharmacology. *Scientific Reports*, 9(1), 1–13.
- Susanti, I. (2018). Analisis Bioinformatika Terhadap Gen TP53 (Tumor Protein 53) Tumor Suppressor pada Kanker Payudara. *Majalah Kedokteran UKI*, 34(4), 165-176.
- Syahid, Z. M. (2021). Faktor yang Berhubungan dengan Kepatuhan Pengobatan Diabetes Mellitus. *Jurnal Ilmiah Kes ehatan Sandi Husada*, 10(1), 147–155.
- Syahputra, G., (2015). Peran bioinformatika dalam desain kandidat molekul obat. *Biotrends*, 6(1), pp.26-27.
- Te Boekhorst, V. and Friedl, P., (2016). Plasticity of cancer cell invasion Mechanisms and implications for therapy. *Advances in cancer research*, 132, pp.209-264.
- Tian, Y., Li, H., Gao, Y., Liu, C., Qiu, T., Wu, H., Cao, M., Zhang, Y., Ding, H., Chen, J. and Cai, H., (2019). Quantitative proteomic characterization of lung tissue in idiopathic pulmonary fibrosis. *Clinical proteomics*, 16(1), pp.1-11.
- Udin, Z. (2013). Cytotoxic Activity of Xanthorrhizol from Curcuma Xanthorrhiza Roxb.S Volatile Oil Toward YMB-1 Breast Cancer Cell. *Journal of Indonesia Applied Chemistry*, 15(1), 23.
- Wang, D. S., Hu, M. T., Wang, Z. Q., Ren, C., Qiu, M. Z., Luo, H. Y.,& Li, Y. (2021). Effect of aprepitant for the prevention of chemotherapy-induced nausea and vomiting in women: a randomized clinical trial. *JAMA Network Open*, 4(4), e215250-e215250.
- Wibisono, I.S. and Putri, M.A., (2021). Analisis Ekspresi Gen Menggunakan Medical Imaging untuk Pendekripsi Penyakit. *Jurnal Cakrawala Informasi*, 1(2), pp.42-50.
- Widodo, A., Widiyanti, P., Prajogo, B., & Sciences, N. (2018). *Department of Pharmacy, Faculty of Mathematics and Natural Sciences , Tadulako University , Palu ,* . 12, 36–43.
- Wu, J., Liu, T., Rios, Z., Mei, Q., Lin, X. and Cao, S., (2017). Heat shock proteins and cancer. *Trends in pharmacological sciences*, 38(3), pp.226-256.

- Yamashita, N., Tokunaga, E., Iimori, M., Inoue, Y., Tanaka, K., Kitao, H., Saeki, H., Oki, E. and Maehara, Y., (2018). Epithelial paradox: clinical significance of coexpression of E-cadherin and vimentin with regard to invasion and metastasis of breast cancer. *Clinical breast cancer*, 18(5), pp.e1003-e1009.
- Yang, S. C., Chang, S. S., & Chen, C. Y. C. (2011). Identifying HER2 inhibitors from natural products database. *PLoS One*, 6(12), e28793.
- Yu, J.S., Lee, D., Lee, S.R., Lee, J.W., Choi, C.-I., Jang, T.S., Kang, K.S. and Kim, K.H., (2018). Chemical characterization of cytotoxic indole acetic acid derivative from mulberry fruit (*Morus alba L.*) against human cervical cancer. *Bioorganic Chemistry*, 76, pp.28–36.
- Zhang, X., Shen, T., Zhou, X., Tang, X., Gao, R., Xu, L., Wang, L., Zhou, Z., Lin, J. and Hu, Y., (2018). Network pharmacology based virtual screening of active constituents of *Prunella vulgaris L.* and the molecular mechanism against breast cancer. *Scientific Reports*, 10(1), p.15730.
- Zhang, X., Wu, F., Yang, N., Zhan, X., Liao, J., Mai, S., & Huang, Z. (2022). In silico methods for identification of potential therapeutic targets. *Interdisciplinary Sciences: Computational Life Sciences*, 1-26.
- Zhang, Y., He, Y., Lu, L.L., Zhou, Z.Y., Wan, N.B., Li, G.P., He, X. and Deng, H.W., (2019). miRNA-192-5p impacts the sensitivity of breast cancer cells to doxorubicin via targeting peptidylprolyl isomerase A. *The Kaohsiung journal of medical sciences*, 35(1), pp.17-23.
- Zhou, Y., Sun, Y., Hou, W., Ma, L., Tao, Y., Li, D., Xu, C., Bao, J. and Fan, W., (2020). The JAK2/STAT3 pathway inhibitor, AG490, suppresses the abnormal behavior of keloid fibroblasts in vitro. *International journal of molecular medicine*, 46(1), pp.191-200.
- Zhu, N., Hou, J., & Yang, N. (2021). Network pharmacology integrated with experimental validation revealed the anti - inflammatory effects of *Andrographis paniculata* Encyclopedia of Traditional Chinese Medicine. *Scientific Reports*, 1–16.