

REFERENCES

- Akbar, N. N., and Labenua, R. 2018. Keragaman genetik ikan cakalang (Katsuwonus pelamis) di perairan laut Maluku Utara. *Depik*, 7(2), 164-176.
- Alberts, B. W., 1994. *Biologi Molekuler Sel edisi kedua 1. Mengenal sel*. Jakarta: PT Gramedia Pustaka utama.
- Avise, J. C., and Walker, D. 1999. Species realities and numbers in sexual vertebrates: perspectives from an asexually transmitted genome. *Proceedings of the National Academy of Sciences*, 96(3), 992-995.
- Baksir, A., Akbar, N., and Ismail, F. 2022. Keragaman Genetik dan Filogenetik Kepiting Biola (Uca Spp.) di Pesisir Pantai Jailolo, Kabupaten Halmahera Barat. *Jurnal Kelautan Tropis*, 25(1), 57-69.
- Bass, A.L., Epperly, S.P. and McNeill, J.B., 2006. Green turtle (*Chelonia mydas*) foraging and nesting aggregations in the caribbean and atlantic: impact of current ang behavior dispersal. *Journal of Heredity*, 97(4), pp.346-54.
- Burns, J.M.; Janzen, D.H.; Hajibabaei, M.; Hallwachs, W.; Hebert, P.D., 2008. DNA barcodes and cryptic species of skipper butterflies in the genus Perichares in Area de Conservacion Guanacaste, Costa Rica. *Proc. Natl. Acad. Sci. USA*, 105, 6350–6355.
- Collins R.A, Armstrong K.F, Meier R, Yi Y, Brown S.D, Cruickshank R.H, Keeling S, Johnston C., 2012. Barcoding and border biosecurity: identifying cyprinid fishes in the aquarium trade. *PLoS One*. 7: e28381.
- Coyne, V. E., James, M. D., Reid, S. J., and Rybicki, E. P., 2001. Molecular biology techniques manual. *Department of Molecular and Cell Biology, University of Cape Town, South Africa*, 3-25.
- De Man J.G. 1892. Decapoden des Indischen Archipels. In: Weber M (ed.), *Zoologische Ergebnisse einer Reise in Niederlandisch OstIndien*, 2. Pp. 265–527, pls. 15–29.
- Dhar, B., and Ghosh, S. K., 2015. Genetic assessment of ornamental fish species from Northeast India. *Gene*, 555(2), 382-392.
- Edgar, R. C. 2018. Updating the 97% identity threshold for 16S ribosomal RNA OTUs. *Bioinformatics*, 34(14), 2371-2375.
- Felsenstein, J., 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution*, 39(4), 783-791.
- Felsenstein, J. 2004. *Inferring phylogenies (Vol. 2, p. 664)*. Sunderland, MA: Sinauer associates.
- Ferguson, J. W. H. 2002. On the use of genetic divergence for identifying species. *Biological journal of the Linnean Society*, 75(4), 509-516.
- Franca, L.T.C., E. Carrilho, and T.B.L. Kist. 2002. A review of DNA sequencing techniques. *Quaterly Reviews of Biophysics* 35: 169–200.

- Folmer O, Black M, Hoeh W, Lutz R, *et al.*, 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Mol. Mar. Biol. Biotechnol.* 3: 294-299.
- Garibyan, L., and Avashia, N., 2013. Polymerase Chain Reaction. *Journal of Investigative Dermatology*, 133(3), 1-4.
- Ghozali, Imam. 2018. *Aplikasi Analisis Multivariate dengan Program IBM SPSS 25*. Semarang: Badan Penerbit Universitas Diponegoro.
- Hajibabaei M, Singer GA, Hebert PD, Hickey DA. 2007. DNA barcoding: how it complements taxonomy, molecular phylogenetics and population genetics. *Trends Gen.* 23:167-172.
- Handoyo, D. and A. Rudiretna. 2001. Prinsip Umum dan Pelaksanaan Polimerase Chain Reaction (PCR). *Unitas*. 9(1), pp. 17-29.
- Hartl, D. L., Clark, A. G., and Clark, A. G., 1997. *Principles of population genetics (Vol. 116)*. Sunderland: Sinauer associates.
- Hebert, P. D., Cywinska, A., Ball, S. L., and DeWaard, J. R., 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 270(1512), 313-321.
- Hebert, P.D.N.; Penton, E.H.; Burns, J.M.; Janzen, D.H.; Hallwachs, W., 2004. Ten species in one: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proc. Natl. Acad. Sci. USA*, 101: 14812–14817.
- Hebert, P. D. N., Stoeckle, M. Y., Zemlak, T. S., and Francis, C. M., 2004. Identification of birds through DNA barcodes. *PLoS biology*, 2(10), e312.
- Hernawati, R. T. 2021. KEPITING AIR TAWAR (DECAPODA: BRACHYURA) DARI LERENG SELATAN GUNUNG SLAMET, KABUPATEN BANYUMAS, PROVINSI JAWA TENGAH. *Zoo Indonesia*, 28(2).
- Hillis, D. M., and Bull, J. J., 1993. An empirical test of bootstrapping as a method for assessing confidence in phylogenetic analysis. *Systematic Biology*, 42(2), 182-192.
- Hollingsworth, P. M., Forrest, L. L., Spouge, J. L., Hajibabaei, M., Ratnasingham, S., van der Bank, M., Chase, M. W., Cowan, R. S., Erickson, D. L., Fazekas, A. J., Graham, S. W., James, K. E., Kim, K.-J., Kress, W. J., Schneider, H., van AlphenStahl, J., Barrett, S. C. H., van den Berg, C., Little, D. P., 2009. A DNA barcode for land plants. *Proceedings of the National Academy of Sciences*, 106(31), pp. 12794–12797.
- Hou, G.; Chen, W.T.; Lu, H.S.; Cheng, F.; Xie, S.G. 2018. Developing a DNA barcode library for perciform fishes in the South China Sea: Species identification, accuracy, and cryptic diversity. *Mol. Ecol. Resour.* 18: 137–146.
- Huelsenbeck, J. P., and Hillis, D. M., 1993. Success of phylogenetic methods in the four-taxon case. *Systematic Biology*, 42(3), 247-264.
- Johnson, J. S., Spakowicz, D. J., Hong, B. Y., Petersen, L. M., Demkowicz, P., Chen, L., and Weinstock, G. M., 2019. Evaluation of 16S rRNA gene sequencing for

- species and strain-level microbiome analysis. *Nature communications*, 10(1), pp. 1-11.
- Kim, M., and Chun, J., 2014. 16S rRNA Gene-Based Identification of Bacteria and Archaea using the EzTaxon Server. *New Approaches to Prokaryotic Systematics*, 61–74.
- Kimura, M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of molecular evolution*, 16(2), 111-120.
- Kundu S, Kumar V, Laskar BA, Chandra K, Tyagi K., 2016. Mitochondrial DNA effectively detects non-native Testudines: invisible wildlife trade in northeast India. *Gene Rep*. 4: 10-15.
- Kundu S, Kumar V, Laskar BA, Tyagi K, Chandra K., 2018a. Pet and turtle: DNA barcoding identified twelve Geoemydid species in northeast India. *Mitochondrial DNA Part B*. 3: 513–518.
- Larget, B., and Simon, D. L., 1999. Markov chain Monte Carlo algorithms for the Bayesian analysis of phylogenetic trees. *Molecular Biology and Evolution*, 16(6), 750-759.
- Laskar B.A, Bhattacharjee M.J, Dhar B, Mahadani P, Kundu S, Ghosh S.K., 2013. The species dilemma of Northeast Indian Mahseer (Actinopterygii: Cyprinidae): DNA barcoding in clarifying the riddle. *PLoS One*. 8: e53704.
- Laskar B.A, Kumar V, Kundu S, Darshan A, Tyagi K, Chandra K., 2018a. DNA barcoding of fishes from River Diphlu within Kaziranga National Park in northeast India. *Mitochondrial DNA Part A*. 18:1–9.
- Laskar B.A, Kumar V, Kundu S, Tyagi K, Chandra K., 2018b. Taxonomic quest: validating two mahseer fishes (Actinopterygii: Cyprinidae) through molecular and morphological data from biodiversity hotspots in India. *Hydrobiologia*. 815:113–124.
- Leaché, A. D., Banbury, B. L., Felsenstein, J., de Oca, A. nieto-M., and Stamatakis, A., 2015. Short Tree, Long Tree, Right Tree, Wrong Tree: New Acquisition Bias Corrections for Inferring SNP Phylogenies. *Systematic Biology*, 64(6), 1032–1047.
- Lu, G. and Moriyama, E.N., 2004. Vector NTI, a balanced all-in-one sequence analysis suite. *Brief. Bioinform.*, 5: 378–388.
- Lynch, M., Crease, T.J., 1990. The analysis of population survey data on DNA sequence variation. *Mol. Biol. Evol*. 7: 377–394.
- Mabragaña, E, Astarloa J.M.D, Hanner R, Zhang J, Castro M.G., 2011. DNA Barcoding Identifies Argentine Fishes from Marine and Brackish Waters. *PLoS One*. 6:e28655.
- Michael, S.C., E.Y. Kaligis, and J.R.T.S.L. Rimper. 2020. Deskripsi, keanekargamanan jenis dan kelimpahan kepiting (Brachyura Decapoda) di perairan bahowo kelurahan tongkeina kecamatan bunaken kota manado. *Jurnal Pesisir dan Laut Tropis* 8(1):91–97.

- Mohapatra, A., Ray, D., Kumar, V., 2013. A new fish species of the Genus *Hapalogenys* (Perciformes: Hapalogenyidae) from the Bay of Bengal, India. *Zootaxa*. 3718:367–377.
- Moritz, C and Cicero, C. 2004. DNA barcoding: promise and pitfalls. *PLoS Biol.* 2: e354.
- Naruse, T., and Ng, P. K., 2020. Revision of the sesarmid crab genera *Labuanium* Serène and Soh, 1970, *Scandarma* Schubart, Liu and Cuesta, 2003 and *Namlacium* Serène and Soh, 1970 (Crustacea: Decapoda: Brachyura: Sesarmidae), with descriptions of four new genera and two new species. *Journal of Natural History*, 54(7-8), 445-532.
- Nei, M. 1987. *Molecular Evolutionary Genetics*. New York, USA: Columbia University Press, pp. 10–88.
- Nei, M., and Kumar, S., 2000. Molecular evolution and phylogenetics. Oxford University Press, USA.
- Ng, PKL. 2004. Crustacea: Decapoda, Brachyura (Freshwater Invertebrate of the Malaysian Region). In Yule, C. M., Sen, Y. H. 2004. Freshwater Invertebrates of the Malaysian Region. Academy of Sciences Malaysia, Kuala Lumpur.
- Ng, PKL. 2017. On the identities of the highland vampire crabs, *Geosesarma foxi* (Kemp, 1918) and *G. serenei* Ng, 1986, with description of a new phytotelmic species from Penang, Peninsular Malaysia (Crustacea: Decapoda: Brachyura: Sesarmidae). *Raffles Bulletin of Zoology*, 65: 226–242.
- Ng, PKL., 1988. The Freshwater Crabs of Peninsular Malaysia and Singapore. *Department of Zoology, National University of Singapore, Shinglee Press, Singapore*, pp. i–viii, 1–156, figs. 1–63, 4 colour pls.
- Ng, P. K., Yule, C., and Yong, H. S. 2004. Crustacea: decapoda, brachyura. Freshwater Invertebrates of the Malaysian Region. *Malaysian Academy of Sciences*, 311-336.
- Ng, PKL., Guinot, D., and Davie, P. J., 2008. Systema Brachyurorum: Part I. An annotated checklist of extant brachyuran crabs of the world. *The raffles bulletin of zoology*, 17(1), 1-286.
- Ng, PKL, Schubart, CD and Lukhaup, C., 2015. New species of “vampire crabs” (*Geosesarma* De Man, 1892) from central Java, Indonesia, and the identity of *Sesarma* (*Geosesarma*) *nodulifera* De Man, 1892 (Crustacea, Brachyura, Thoracotremata, Sesarmidae). *Raffles Bulletin of Zoology*, 63: 3–13.
- Ng, PKL and Tan, CGS., 1995. *Geosesarma notophorum* sp. nov. (Decapoda, Brachyura, Grapsidae, Sesarminae), a terrestrial crab from Sumatra, with novel brooding behaviour. *Crustaceana*, 68(3): 390–395.
- Ng, PKL., and Wowor, D., 2019. The vampire crabs of Java, with descriptions of five new species from Mount Halimun Salak National Park, West Java, Indonesia (Crustacea: Brachyura: Sesarmidae: *Geosesarma*). *Raffles Bulletin of Zoology*, 67.
- Ng, PKL., and Wowor, D., 2022. *Geosesarma garutense* n. sp., a new species of vampire crab (Crustacea, Brachyura, Sesarmidae) from Garut in western Java. *Zootaxa*, 5159 (1): 145–150.

- Olsvik, O., J. Whalberg, B. Petterson, M. Uhlen, T. Popovic, I.K. Wachmuth, and P.I. Fields., 1993. Use of automated sequencing of polymerase chain reaction-generated amplicons to indentify three types of cholera toxin subunit B in *Vibrio cholerae* O1 strains. *Journal of Clinical Microbiology* 31: 22–25.
- Palumbi, S.R. 1996 Nucleic acids II: the polymerase chain reaction. In: Hillis, D.M., Mable, B.K. and Moritz, C. (Eds.), *Molecular systematics*. Sinauer Associates, Sunderland, USA, pp. 205–247.
- Pereira, L. H., Hanner, R., Foresti, F., and Oliveira, C. 2013. Can DNA barcoding accurately discriminate megadiverse Neotropical freshwater fish fauna? *BMC Genetics*, 14(1), 20.
- Poore, G. C. B., 2004. Marine Decapode Crustacea Of Southern Australia. A Guide To Identification. CSIRO Publishing. Australia. Hal. 578.
- Rademacher, M and Mengedoht, O., 2011. Krabben-Fibel. Die schönsten Krabben für das Aquaterrarium. Dähne Verlag, Ettlingen, Germany, pp. 95.
- Ratnasingham, S., and Hebert, P. D. 2007. BOLD: The Barcode of Life Data System (<http://www.barcodinglife.org>). *Molecular ecology notes*, 7(3), 355-364.
- Ratnasingham, S.; Hebert, P.D.N., 2013. A DNA-based registry for all animal species: The Barcode Index Number (BIN) system. *PLoS ONE*, 8, e66213
- Ronquist F, Teslenko M, van der Mark P, Ayres DL, Darling A, Höhna S, Larget B, Liu L, Suchard MA, Huelsenbeck JP., 2012. MrBayes 3.2: efficient Bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology* 61: 539–542. <https://doi.org/10.1093/sysbio/sys029>.
- Rosserberg, M. S., and Kumar, S., 2003. Taxon Sampling, Bioinformatics, and Phylogenomics. *Systematic Biology*, 52(1), 119–124.
- Rozas, J., Sanchez-DelBarrio, J. C., Messeguer, X., and Rozas, R., 2003. DnaSP, DNA polymorphism analyses by the coalescent and other methods. *Bioinformatics*, 19(18), 2496–2497.
- Sanger, F., S. Nicklen, and A.R. Coulson., 1997. DNA sequencing with chain-terminating inhibitors. *Proc. Nat. Acad. Sci. USA* 74: 5463–5467.
- Schubart, C. D., and Koller, P., 2005. Genetic diversity of freshwater crabs (Brachyura: Sesarmidae) from central Jamaica with description of a new species. *Journal of Natural History*, 39(6), 469–481.
- Serène, R. 1968a. Note préliminaire sur de nouvelles espèces de Sesarma (Decapoda Brachyura). *Bulletin du Muséum naturelle d'Histoire National, Paris*, (2)39(5): 1084–1095, pls. 1, 2.
- Shy, J. Y., and Ng, P. K. 2019. *Geosesarmamirum*, a new species of semi-terrestrial sesarmid crab (Crustacea, Decapoda, Brachyura) from central Taiwan. *ZooKeys*, 858, 1.
- Silvestro, D., and Michalak, I. 2012. raxmlGUI: a graphical front-end for RAxML. *Organisms Diversity and Evolution*, 12, 335-337.
- Smith, M.A.; Fernandez-Triana, J.L.; Eveleigh, E.; Gomez, J.; Guclu, C.; Hallwachs, W.; Hebert, P.D.N.; Hrcek, J.; Huber, J.T.; Janzen, D.; et al., 2013. DNA barcoding

- and the taxonomy of Microgastrinae wasps (Hymenoptera, Braconidae): Impacts after 8 years and nearly 20,000 sequences. *Mol. Ecol. Resour.* 13, 168–176.
- Solanki, G. 2012. Polymerase chain reaction. *IJPR*, 2(3), 98-102.
- Stahlhut, J.K.; Fernandez-Triana, J.; Adamowicz, S.J.; Buck, M.; Goulet, H.; Hebert, P.D.N.; Huber, J.T.; Merilo, M.T.; Sheffield, C.S.; Woodcock, T.; *et al.*, 2013. DNA barcoding reveals diversity of Hymenoptera and the dominance of parasitoids in a sub-arctic environment. *BMC Ecol.* 13, 2.
- Steinke, D., Zemlak, T.S., Hebert, P.D., 2009. Barcoding nemo: DNA-based identifications for the ornamental fish trade. *PLoS One*. 4: e6300.
- Stoeckle, M. 2003. Taxonomy, DNA, and the bar code of life. *Bioscience* 53: 2-3.
- Taanman, J.W. 1999. The mitochondrial genome: structure, transcription, translation and replication. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*, 1410(2), 103–123.
- Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M., and Kumar, S. (2011). MEGA5: Molecular Evolutionary Genetics Analysis Using Maximum Likelihood, Evolutionary Distance, and Maximum Parsimony Methods. *Molecular Biology and Evolution*, 28(10), 2731–2739.
- Tsang, C. T., Schubart, C. D., Chu, K. H., Ng, P. K., and Tsang, L. M. 2022. Molecular phylogeny of Thoracotremata crabs (Decapoda, Brachyura): Toward adopting monophyletic superfamilies, invasion history into terrestrial habitats and multiple origins of symbiosis. *Molecular Phylogenetics and Evolution*, 177, 107596.
- Ward, RD, Hanner, R, Hebert, PD. 2009. The campaign to DNA barcodes all fishes, FISH-BOL. *J Fish Biol.* 74:329–356.
- Woese, C. R. 1987. Bacterial evolution. *Microbiological reviews*, 51(2), 221-271.
- Wowor, D., and Ng, P. K., 2007. The giant freshwater prawns of the Macrobrachium rosenbergii species group (Crustacea: Decapoda: Caridea: Palaemonidae). *The Raffles Bulletin of Zoology*, 55(2), 321-336.
- Zhang, H., and Bu, W., 2022. Exploring large-scale patterns of genetic variation in the COI gene among Insecta: Implications for DNA barcoding and threshold-based species delimitation studies. *Insects*, 13(5), 425.