

DAFTAR PUSTAKA

- A. Gita Maulidyah Indraswari, Magdalena Litaay, & Eddy Soekendarsi. 2014. Morfometri Kerang Tahu *Meretrix meretrix Linnaeus*, 1758 di Pasar Rakyat Makassar. *Berita Biologi*, **13**(2): 137-142.
- Ackerly S. 1992. The structure of ontogenetic variation in the shell of Pecten. *Palaeontology* **34**(12):847-867.
- Aya, F. A., Hidaka, Y., & Kudo, I. 2013. Clearance rates and ingestion efficiency of the Japanese scallop *Patinopecten yessoensis*. *Plankton and Benthos Research*, **8**(3): 134-140.
- Aya, F. A., & Kudo, I. 2010. Isotopic shifts with size, culture habitat, and enrichment between the diet and tissues of the Japanese scallop *Mizuhopecten yessoensis* (Jay, 1857). *Marine Biology*, **157**(10): 2157-2167.
- Bargione, G., Vasapollo, C., Donato, F., Virgili, M., Petetta, A., & Lucchetti, A. 2020. Age and Growth of Striped Venus Clam *Chamelea gallina* (Linnaeus, 1758) in the Mid-Western Adriatic Sea: A Comparison of Three Laboratory Techniques. *Frontiers in Marine Science*, **7**(5): 13-25.
- Bouchet, P., Rocroi, J.-P., Bieler, R., Carter, J. G., & Coan, E. V. 2010. Nomenclator of Bivalve Families with a Classification of Bivalve Families. *Malacologia*, **52**(2): 1-184.
- Bradshaw, M. A. 1978. Position of soft parts in fossil palaeotaxodont bivalves as suggested by features of the shell interior. *Alcheringa: An Australasian Journal of Palaeontology*, **2**(3): 203-215.
- Brand Elisabeth von, Kijima Akihiro, & Fujio Yoshihisa. 1994. Shell Color Polymorphism and Growth in the Japanese Scallop, *Patinopecten yessoensis*. *Tohoku Journal of Agricultural Research*, **44**(4): 67-76.
- Culver, C. S., Richards, J. B., & Page, H. M. 2006. Plasticity of attachment in the purple-hinge rock scallop, *Crassadoma gigantea*: Implications for commercial culture. *Aquaculture*, **254**(1-4): 361-369.
- Cyr, H. 2020. The growth of juvenile native mussels (*Elliptio complanata*) in lakes varies with sediment characteristics and site exposure. *Freshwater Biology*, **65**(2): 278-288.
- Dadswell MJ, & Weihs D. 1990. Size-related hydrodynamic characteristics of the giant scallop *Placopecten magellanicus* (Bivalvia: Pectinidae). *Can J Zool* **68**(17):778-785.
- Daly, H. v. 1985. Insect Morphometrics. *Annual Review of Entomology*, **30**(1): 415-438.

- Donovan, D. A., Bingham, B. L., Farren, H. M., Gallardo, R., & Vigilant, V. L. 2002. Effects of sponge encrustation on the swimming behaviour, energetics and morphometry of the scallop *Chlamys hastata*. *Journal of the Marine Biological Association of the United Kingdom*, **82**(3): 469–476.
- Dvoretzky, A. G., & Dvoretzky, V. G. 2022. Biological Aspects, Fisheries, and Aquaculture of Yesso Scallops in Russian Waters of the Sea of Japan. *Diversity*, **14**(5): 399-413.
- Dwi Ulfa Apriliana, & Reni Ambarwati. 2018. Karakter Morfologi dan Morfometrik Kerang Eres dan Jubing (*Bivalvia: Pharidae*). *Lentera Bio*, **7**(3): 209–213.
- Eka Sulistyaningsih & Ucu Yanu Arbi. 2020. Aspek Bio-Ekologi dan Pemanfaatan Kerang Marga Anadara (*Mollusca: Bivalvia: Arcidae*). *Oseana*, **45**(2): 69–85.
- Ellen Sofie Grefsrud, Yannicke Dauphin, Jean-Pierre Cuif, Alain Denis, & Oivind Strand. 2008. Modifications in Microstructure of Cultured and Wild Scallop Shells (*Pecten maximus*). *Journal of Shellfish Research*, **27**(4): 633–641.
- Etikan, I. 2016. Comparison of Convenience Sampling and Purposive Sampling. *American Journal of Theoretical and Applied Statistics*, **5**(1): 1.
- FAO. 2018. *Integrating Food into Urban Planning*. UCL Press.
- FAO. 2022. *The State of World Fisheries and Aquaculture 2022*. FAO.
- Gaspar, M. B., Alexandre M. Pereira, Paulo Vasconcelos, & Carlos C. Monteiro. 2004. Age and Growth of *Chamelea Gallina* from The Algarve Coast (Southern Portugal) nfluence of Seawater Temperature and Gametogenic Cycle on Growth Rate. *Journal Molluscan Studies*, **70**(4): 371–377.
- Gizzi, F., Caccia, M. G., Simoncini, G. A., Mancuso, A., Reggi, M., Fermani, S., Brizi, L., Fantazzini, P., Stagioni, M., Falini, G., Piccinetti, C., & Goffredo, S. 2016. Shell properties of commercial clam *Chamelea gallina* are influenced by temperature and solar radiation along a wide latitudinal gradient. *Scientific Reports*, **6**(1): 36420.
- Gosling, E. 2003. *Bivalve Molluscs: Biology, Ecology and Culture* (A. Blackwell Science Asia Pty, 550 Swanston Street, Carlton, Victoria 3053, Ed.). www.blackwellpublishing.com.
- Gould SJ. 1971. Muscular mechanics and the ontogeny of swimming in scallops. *Palaeontology* **14**(3):61–94.
- Graham E. Gillespie, Susan M. Bower, Kerry L. Marcus, & Dorothee Kieser. 2013. Biological synopses for three exotic molluscs, Manila Clam (*Venerupis philippinarum*), Pacific Oyster (*Crassostrea gigas*) and Japanese Scallop

- (*Mizuhopecten yessoensis*) licensed for Aquaculture in British Columbia. *Fisheries and Oceans Canada Science*, **57**(3): 1–95.
- Grant, J., Emerson, C. W., Mallet, A., & Carver, C. 2003. Growth advantages of ear hanging compared to cage culture for sea scallops, *Placopecten magellanicus*. *Aquaculture*, **217**(1–4): 301–323.
- Hamada, T., Yamashita, N., Watanabe, T., & Natsume, S. 2001. Drilling position of the ear affects growth and mortality of scallop (*Patinopecten yessoensis*, Jay) in ear-hanging culture. *Aquaculture*, **193**(3–4): 249–256.
- Heald, D. 1978. a Successful Marking Method for the Saucer Scallop *Amusium balloti* (Bernardi). *Marine and Freshwater Research*, **29**(6): 845.
- I Putu Sudayasa. 2020. *Hubungan Konsumsi Kerang Pokea (Batissa violacea var. Celebencis), Profil Lipid, Nitric Oxyde Plasma, Ekspresi Gen m-RNA Endothelial Nitric Oxyde Synthase dengan Tekanan Darah pada Masyarakat Kecamatan Sampara, Kabupaten Konawe, Sulawesi Tenggara* [Thesis. Universitas Hasanuddin. Makassar.152 hal].
- Ian Cris Raquinia Buban, Victor Salcedo Soliman, Renan Ugto Bobiles, & Alex Pulvinar Camaya. 2019. Morpho-biometric Relationship, Relative Condition Factor and Meat Yield of Distant Scallop *Bractechlamys vexillum* (Reeve, 1853) in Asid Gulf, Philippines. *Asian Fisheries Society*, **32**(1): 147–153.
- Inoue, J., Kawashima, M., Ohshima, K. I., Fujiyoshi, Y., & Maruyama, K. 2000. Wind fields over the Funka Bay and their effect on water circulation in the bay. *Journal of Oceanography*, **56**(5): 507–515.
- Irdyanti Musair, Yusnaini, & Muhammad Idris. 2019. Pengaruh Ukuran Awal Tinggi Cangkang Terhadap Pertumbuhan dan Ketebalan Lapisan Mutiara Pasca Implantasi pada Kerang Mutiara Mabe (*Pteria penguin*). *Media Akuatika*, **4**(1): 9–18.
- J. Andrews J. Akroyd, A. Hough, & P. Kimura. 2010. *Japanese Scallop Hanging and Seabed Enhanced Fisheries: Vol. Ref: 82120/v4*. Moody Marine Ltd.
- James S. Gutsell. 1931. *Natural History of The Bay Scallop: Vol. XLVI*. U.S. Departement of Commerce.
- Jay. 1857. *MolluscaBase.Patinopecten yessoensis*. World Register of Marine Species at : <https://www.marinespecies.org>.
- Jerzy Trammer, Andrzej Kaim, & Krzysztof Malkowski Warszawa. 1996. Disturbance Rings and Shell Shape in The Triassic Brachiopod *Coenothyris vulgaris*. *N. Jb. Geol. Palaont. Abh*, **201**(1): 95–105.
- Kanamori, M., Baba, K., Natsuike, M., & Goshima, S. 2017. Life history traits and population dynamics of the invasive ascidian, *Ascidrella aspersa*, on cultured

- scallops in Funka Bay, Hokkaido, northern Japan. *Journal of the Marine Biological Association of the United Kingdom*, **97**(2): 387–399.
- Khalil, M., Ezraneti, R., Rusydi, R., Yasin, Z., & Tan, S. H. 2021. Biometric Relationship of *Tegillarca granosa* (Bivalvia: Arcidae) from the Northern Region of the Strait of Malacca. *Ocean Science Journal*, **56**(2): 156–166.
- Lalu Panji Imam Agamawan. 2016. *Pengelolaan Sumberdaya Kerang Darah (Anadara granosa L.) di Perairan Banten dan Cirebon Berdasarkan Kajian Karakter Morfologi dan Genetik*. Tesis. Sekolah Pascasarjana. Institut Pertanian Bogor. Bogor.
- Lee, A. M. 2010. *Spatial-Temporal Factor Affecting the Growth of Cultured Silver-Lip Pearl Oyster *Pinctada maxima* (Jameson) (Mollusca:Pteriidae) in West Papua, Indonesia*. Ph.D Thesis. James Cook University. Australia. 378 hal.
- Li, R., Zhang, L., Li, W., Zhang, Y., Li, Y., Zhang, M., Zhao, L., Hu, X., Wang, S., & Bao, Z. 2018. FOXL2 and DMRT1L Are Yin and Yang Genes for Determining Timing of Sex Differentiation in the Bivalve Mollusk *Patinopecten yessoensis*. *Frontiers in Physiology*, **9**(3):3-11.
- Liang, J., Zhang, G., & Zheng, H. 2010. Divergent selection and realized heritability for growth in the Japanese scallop, *Patinopecten yessoensis* Jay. *Aquaculture Research*, **41**(9): 1315–1321.
- Liu, T., Li, R., Liu, L., Wu, S., Zhang, L., Li, Y., Wei, H., Shu, Y., Yang, Y., Wang, S., Xing, Q., Zhang, L., & Bao, Z. 2022. The Effect of Temperature on Gonadal Sex Differentiation of Yesso Scallop *Patinopecten yessoensis*. *Frontiers in Cell and Developmental Biology*, **9**(5):12-17.
- Lorrain, A., Paulet, Y.-M., Chauvaud, L., Dunbar, R., Mucciarone, D., & Fontugne, M. 2004. $\delta^{13}\text{C}$ variation in scallop shells: Increasing metabolic carbon contribution with body size? *Geochimica et Cosmochimica Acta*, **68**(17): 3509–3519.
- Lowell W. Fritz. 2001. Shell Structure and Age Determination. In *Biology of the Hard Clam* (pp. 53–76).
- Mao, J., Zhang, Q., Yuan, C., Zhang, W., Hu, L., Wang, X., Liu, M., Han, B., Ding, J., & Chang, Y. 2020. Genome-wide identification, characterisation and expression analysis of the ALAS gene in the Yesso scallop (*Patinopecten yessoensis*) with different shell colours. *Gene*, **757**, 144925.
- Márquez, F., Amoroso, R., Gowland Sainz, M., & Van der Molen, S. 2010. Shell morphology changes in the scallop *Aequipecten tehuelchus* during its life span: a geometric morphometric approach. *Aquatic Biology*, **11**(2): 149–155.
- Nagasawa, K., Thitiphuree, T., & Osada, M. 2019. Phenotypic Stability of Sex and Expression of Sex Identification Markers in the Adult Yesso Scallop

- Mizuhopecten yessoensis* throughout the Reproductive Cycle. *Animals*, **9**(277): 2–19.
- Odate, T. 2003. Seasonal variation in chlorophyll-specific growth and microzooplankton grazing of phytoplankton in Japanese coastal water. *Journal of Plankton Research*, **25**(12): 1497–1505.
- Radiarta, I. N., Saitoh, S.-I., & Miyazono, A. 2008. GIS-based multi-criteria evaluation models for identifying suitable sites for Japanese scallop (*Mizuhopecten yessoensis*) aquaculture in Funka Bay, southwestern Hokkaido, Japan. *Aquaculture*, **284**(1–4): 127–135.
- Samsul Rizal, & Anugrah Aditya Budiarsa. 2010. The Correlation of Morfometry and Biometry of Shell clam *Polymesoda erosa* (Solander, 1786) From Mahakam Delta. *Jurnal Aquarine*, **1**(2): 1–7.
- Sarkis, A. and L. A. (ed). 2022. *Hatchery-based seed production of the Japanese scallop, Mizuhopecten yessoensis*. FAO Fisheries and Aquaculture Technical Paper No. 683.
- Sasaki, H., Miyamura, T., Saitoh, S., & Ishizaka, J. 2005. Seasonal variation of absorption by particles and colored dissolved organic matter (CDOM) in Funka Bay, southwestern Hokkaido, Japan. *Estuarine, Coastal and Shelf Science*, **64**(2–3): 447–458.
- Sato, M., Kawamata, K., Zaslavskaya, N., Nakamura, A., Ohta, T., Nishikiori, T., Brykov, V., & Nagashima, K. 2005. Development of microsatellite markers for Japanese scallop (*Mizuhopecten yessoensis*) and their application to a population genetic study. *Marine Biotechnology*, **7**(6): 713–728.
- Serb, J. M., Alejandrino, A., Otarola-Castillo, E., & Adams, D. C. 2011. Morphological convergence of shell shape in distantly related scallop species (Mollusca: Pectinidae). *Zoological Journal of the Linnean Society*, **163**(2): 571–584.
- Shimada, H., Nishida, Y., Ito, Y., & Mizushima, T. 2000. Relationship among growth and survival of cultured scallops (*Patinopecten yessoensis* JAY), and environmental condition in the coastal area off Yakumo, Funka Bay, Hokkaido, Japan. *Sci. Rep. Hokkaido Fish. Exp. Stn.* **58**, 49–62 (in Japanese with English Abstract).
- Silfia Eka Dewi, Eddiwan, & Efawani. 2018. Morfometrik dan Pola Pertumbuhan Kerang Darah (*Anadara granosa*) di Perairan Bagan Siapi-ApiI Kabupaten Rokan Hilir. *Berkala Perikanan Terubuk*, **46**(3): 38–45.
- Silina, A. V. 1996. Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay). *Aquaculture*, **141**(1–2): 97–105.

- Silina, A. V., & Zhukova, N. V. 2007. Growth variability and feeding of scallop *Patinopecten yessoensis* on different bottom sediments: Evidence from fatty acid analysis. *Journal of Experimental Marine Biology and Ecology*, **348**(1-2): 46-59.
- Sofie Grefsrud, E., & Strand, Ø. 2006. Comparison of shell strength in wild and cultured scallops (*Pecten maximus*). *Aquaculture*, **251**(2-4): 306-313.
- Sriyanti I A Salmanu. 2021. Variasi Morfometrik Cangkang Gastropoda Family Strombidae pada Ekosistem Lamun Desa Suli Pulau Ambon. *Jurnal Biologi*, **7**(2): 117-122.
- Sulistiyaningsih, E., & Arbi, U. Y. 2020. Aspek Bio-Ekologi dan Pemanfaatan Kerang Marga Anadara (Mollusca: Bivalvia: Arcidae). *Oseana*, **45**(2): 69-85.
- Sun, X., Yang, A., Wu, B., Zhou, L., & Liu, Z. 2015. Characterization of the Mantle Transcriptome of Yesso Scallop (*Patinopecten yessoensis*): Identification of Genes Potentially Involved in Biomineralization and Pigmentation. *PLOS ONE*, **10**(4): e0122967.
- Tlig-Zouari, S., Rabaoui, L., Irathni, I., Diawara, M., & Ben Hassine, O. K. 2010. Comparative morphometric study of the invasive pearl oyster *Pinctada radiata* along the Tunisian coastline. *Biologia*, **65**(2): 294-300.
- Torang J. P Silalahi, C. L. 2022. Morfometrik cangkang kerang mutiara *Pinctada margaritifera* untuk budidaya perairan. *Jurnal Moluska Indonesia*, **6**(2): 54-58.
- Widowati, I., Suprijanto, J., & Kristiani, N. 2006. Pertumbuhan Kerang Bakau *Polymesoda erosa* (Molluska, Bivalve) yang Ditransplantasikan. *Seminar Nasional Tahunan III Hasil Penelitian Perikanan Dan Kelautan*.
- Williams, S. T. 2017. Molluscan shell colour. *Biological Reviews*, **92**(2): 1039-1058.
- Williams, S. T., Lockyer, A. E., Dyal, P., Nakano, T., Churchill, C. K. C., & Speiser, D. I. 2017. Colorful seashells: Identification of haem pathway genes associated with the synthesis of porphyrin shell color in marine snails. *Ecology and Evolution*, **7**(23): 10379-10397.
- Xie, X., Wang, Q., Xu, Y., Teng, W., Chen, W., Liu, W., Yu, Z., Zhang, M., & Zhou, Z. 2019. Comparative study of the adductor muscle ratio and fatty acid composition in selective breeding families of Japanese scallop (*Patinopecten yessoensis*). *Journal of Fisheries of China*, **43**(4): 1018-1028.
- Zheng, H., Zhang, G., Liu, X., Zhang, F., & Guo, X. 2004. Different responses to selection in two stocks of the bay scallop, *Argopecten irradians irradians* Lamarck (1819). *Journal of Experimental Marine Biology and Ecology*, **313**(2): 213-223.