

DAFTAR PUSTAKA

- Abdul Rahman, I. and Purqon, A. (2015) 'Studi Density Functional Theory (DFT) dan Aplikasinya Pada Perhitungan Struktur Elektronik Monolayer MoS₂', *Prosiding Skf 2015*, pp. 497–503.
- Ahamed, I. *et al.* (2018) 'Magnetoelectric ϵ -Fe₂O₃: DFT study of a potential candidate for electrode material in photoelectrochemical cells', *Journal of Chemical Physics*, 148(21). Available at: <https://doi.org/10.1063/1.5025779>.
- Ahmed, M.G. *et al.* (2015) 'A Facile Surface Passivation of Hematite Photoanodes with TiO₂ Overlayers for Efficient Solar Water Splitting', *ACS Applied Materials and Interfaces*, 7(43), pp. 24053–24062. Available at: <https://doi.org/10.1021/acsami.5b07065>.
- Akhavan, O. and Azimirad, R. (2009) 'Photocatalytic property of Fe₂O₃ nanograin chains coated by TiO₂ nanolayer in visible light irradiation', *Applied Catalysis A: General*, 369(1–2), pp. 77–82. Available at: <https://doi.org/10.1016/j.apcata.2009.09.001>.
- Alfianto, E. (2015) 'Implementasi Metode Teori Fungsional Kerapatan pada bahasa C untuk menghitung energi keadaan dasar berbagai atom', *elektronik Jurnal Arus Elektro Indonesia*, 1(3), pp. 1–6.
- Bhatt, M.D. and Lee, J.S. (2015) 'Recent theoretical progress in the development of photoanode materials for solar water splitting photoelectrochemical cells', *Journal of Materials Chemistry A*, 3(20), pp. 10632–10659. Available at: <https://doi.org/10.1039/c5ta00257e>.
- Castro Neto, A.H. *et al.* (2009) 'The electronic properties of graphene', *Reviews of Modern Physics*, 81(1), pp. 109–162. Available at: <https://doi.org/10.1103/RevModPhys.81.109>.
- Chen, C. *et al.* (2021) 'DFT study on the interaction of H₂O and O₂ with α -Fe₂O₃ (001) surface', *Vacuum*, 188(February), p. 110164. Available at: <https://doi.org/10.1016/j.vacuum.2021.110164>.
- Dong, Y. *et al.* (2018) 'Efficient removal of organic dyes molecules by grain-like α -Fe₂O₃ nanostructures under visible light irradiation', *Vacuum*, 150, pp. 35–40. Available at: <https://doi.org/10.1016/j.vacuum.2018.01.023>.
- Eidsvåg, H. *et al.* (2021) 'TiO₂ as a photocatalyst for water splitting—an experimental and theoretical review', *Molecules*, 26(6), pp. 1–30. Available at: <https://doi.org/10.3390/molecules26061687>.
- Giuliani, G. and Vignale, G. (2010) 'Density functional theory', *Quantum Theory of the Electron Liquid*, pp. 327–404. Available at: <https://doi.org/10.1017/cbo9780511619915.008>.
- Griffiths, David J & D.F. Schroeter. 2018. *Introduction to Quantum Mechanics 3rd ed.* United Kingdom: Cambridge University Press.
- Ismadji, S. *et al.* (2021) *Adsorpsi Pada Fase Cair Kesetimbangan, Kinetika Dan Termodinamika*.
- Kant, R., Pathak, S. and Dutta, V. (2018) 'Design and fabrication of sandwich-structured α -Fe₂O₃/Au/ZnO photoanode for photoelectrochemical water splitting', *Solar Energy Materials and Solar Cells*, 178(January), pp. 38–45. Available at: <https://doi.org/10.1016/j.solmat.2018.01.005>.

- Kirchner-Hall, N.E. *et al.* (2021) 'Extensive benchmarking of DFT+U calculations for predicting band gaps', *Applied Sciences (Switzerland)*, 11(5), pp. 1–23. Available at: <https://doi.org/10.3390/app11052395>.
- Kment, S.; Riboni, F.; Pausova, S.; Wang, L.; Wang, L.; Han, H.; Hubicka, Z.; Krysa, J.; Schmuki, P.; Zboril, R. 2017. *Photoanodes based on TiO₂ and α -Fe₂O₃ for solar water splitting – superior role of 1D nanoarchitectures and of combined heterostructures*. *Chem. Soc. Rev.*, DOI: 10.1039/c6cs00015k
- Lianos, P. (2017) 'Review of recent trends in photoelectrocatalytic conversion of solar energy to electricity and hydrogen', *Applied Catalysis B: Environmental*, 210, pp. 235–254. Available at: <https://doi.org/10.1016/j.apcatb.2017.03.067>.
- Liao, P. and Carter, E.A. (2011) 'Testing variations of the GW approximation on strongly correlated transition metal oxides: Hematite (α -Fe₂O₃) as a benchmark', *Physical Chemistry Chemical Physics*, 13(33), pp. 15189–15199. Available at: <https://doi.org/10.1039/c1cp20829b>.
- Liao, P., Keith, J.A. and Carter, E.A. (2012) 'Water oxidation on pure and doped hematite (0001) surfaces: Prediction of Co and Ni as effective dopants for electrocatalysis', *Journal of the American Chemical Society*, 134(32), pp. 13296–13309. Available at: <https://doi.org/10.1021/ja301567f>.
- Liu, Zhihua *et al.* (2016) 'High-efficiency nanorod-nanosheet arrays sandwich photoelectrode for photoelectrochemical water splitting', *International Journal of Hydrogen Energy*, 41(31), pp. 13359–13367. Available at: <https://doi.org/10.1016/j.ijhydene.2016.05.107>.
- Najaf, Z. *et al.* (2021) 'Recent trends in development of hematite (α -Fe₂O₃) as an efficient photoanode for enhancement of photoelectrochemical hydrogen production by solar water splitting', *International Journal of Hydrogen Energy*, 46(45), pp. 23334–23357. Available at: <https://doi.org/10.1016/j.ijhydene.2020.07.111>.
- Souvi, S.M.O. *et al.* (2013) 'A DFT study of the hematite surface state in the presence of H₂, H₂O and O₂', *Surface Science*, 610, pp. 7–15. Available at: <https://doi.org/10.1016/j.susc.2012.12.012>.
- Taspika, A.M. (2015) 'Pembuatan Elektroda Kapasitor Karbon Berpori Dari Tempurung Kemiri (Aleurites Moluccana) Sebagai Sistem Capacitive Deionization', *Jurnal Fisika Unand*, 4(2), pp. 173–177.
- Timuda, G.E. *et al.* (2022) 'ZnO with spiked-nanosheet structure as photoanode for photoelectrochemical water splitting', *AIP Conference Proceedings*, 2652(November). Available at: <https://doi.org/10.1063/5.0106287>.
- Tolba, S.A. *et al.* (2018) 'The DFT+U: Approaches, Accuracy, and Applications', *Density Functional Calculations - Recent Progresses of Theory and Application*, pp. 3–30. Available at: <https://doi.org/10.5772/intechopen.72020>.
- Tombesi, A. *et al.* (2019) 'Aerosol-assisted chemical vapour deposition of transparent superhydrophobic film by using mixed functional alkoxysilanes', *Scientific Reports*, 9(1), pp. 1–12. Available at: <https://doi.org/10.1038/s41598-019-43386-1>.

- Wahyuni, N., Hi Manrulu, R. and Ramli, I. (2022) *studi sifat elektronik pyrochlore $nd_2ir_2o_7$ menggunakan dft*, *Jurnal Ilmu dan Inovasi Fisika*).
- Richard.B. Wang, Anders Hellman; *Initial water adsorption on hematite (α - Fe_2O_3) (0001): A DFT + U study*. *J. Chem. Phys.* 7 March 2018; 148 (9): 094705. DOI: <https://doi.org/10.1063/1.5020358>.
- Yu, L. *et al.* (2018) 'Enhanced photoelectrochemical properties of α - Fe_2O_3 nanoarrays for water splitting', *Journal of Alloys and Compounds*, 753, pp. 601–606. Available at: <https://doi.org/10.1016/j.jallcom.2018.04.258>.
- Zhou, L., Zhu, H. and Zeng, W. (2021) 'Density functional theory study on the adsorption mechanism of sulphide gas molecules on α - Fe_2O_3 (001) surface', *Inorganics*, 9(11). Available at: <https://doi.org/10.3390/inorganics9110080>.

