

DAFTAR PUSTAKA

- Abdullah, A. P. P., Syafrizal, & Susanto, D. (2019). Studi ragam morfologi polen mangga (*Mangifera* sp.) di Kecamatan Loa Janan Kabupaten Kutai Kartanegara. *Bioprospek*, 14(1), 61–66. <https://fmipa.unmul.ac.id/jurnal/index/Bioprospek>
- Acquaah, G. (2012). *Principles of Plant Genetics and Breeding* (2nd ed., Vol. 1). Wiley - Blackwell. www.wiley.com/go/acquaah/plantgeneticsandbreeding
- Akoto, S. H., Billah, M. K., Nuamah, A., & Owusu, K. &. (2011). The effect of fruit fly larval density on some quality parameters of mango. In *Journal of Animal & Plant Sciences* (Vol. 12). <http://www.m.elewa.org/JAPS>;
- Ambele, F. C., Billah, M. K., Afreh-Nuamah, K., & Obeng-Ofari, D. (2012). Susceptibility of four mango varieties to the Africa Invader fly, *Bactrocera invadens* Drew, Tsuruta and White (Diptera : Tephritidae) in Ghana. *Journal of Applied Biosciences*, 49, 3425–3434.
- Amur, A., Memon, N., Shah, M. A., Ansari, A., Solangi, D. A., & Mal, B. (2017). Biology and morphometric of different life stages of the Oriental fruit fly (*Bactrocera dorsalis* Hendle) (Diptera: Tephritidae) on three varieties of mango of Sindh, Pakistan. *The J. Anim. Plant Sci*, 27(5), 2017.
- Anwarudin Syah, M. J., Sukartini, Sunarwati, D., Rebin, & Sutrisno, N. (2012). Seleksi dini hibrida F1 mangga produktif dan berwarna merah berdasarkan aktivitas enzim esterase dan kandungan antosianin. *J. Hort.*, 22(3), 217–223.
- Araujo, L., Bispo, W. M. S., Rios, J. A., Fernandes, S. A., & Rodrigues, F. de Á. (2016). Alkaloids and phenolics biosynthesis increases mango resistance to infection by *Ceratocystis fimbriata*. *Bragantia*, 75(2), 199–211. <https://doi.org/10.1590/1678-4499.261>
- Arriel, D. A. A., Guimarães, L. M. da S., Resende, M. D. V. de, Lima Neto, F. P., Silva, D. F. S. H. S., Siqueira, D. L. de, & Alfenas, A. C. (2016). Genetic control of resistance on *Mangifera indica* to *Ceratocystis* wilt. *Scientia Horticulturae*, 211, 312–318. <https://doi.org/10.1016/j.scienta.2016.09.001>
- Astriyani, N. K. N. K., Supartha, I. W., & Sudiarta, I. P. (2016). Population availability and percentage of fruit fly attacks attacking fruit plants in Bali. *J. Agric. Sci. and Biotechnol.*, 5(1), 19–27. <http://ojs.unud.ac.id/index.php/JASB>
- Astuti, W., Trisnaningsih, U., & Budirokhman, D. (2022). Penentuan umur panen beberapa kultivar mangga (*Mangifera indica* L.). *Jurnal Agro*, 9(2), 280–292. <https://doi.org/10.15575/19684>
- Aung, Y. L., Lorjaroenphon, Y., Rumpagaporn, P., Sittipod, S., Jirapakkul, W., & Na Jom, K. (2022). Integrative metabolomics–flavoromics approach to assess metabolic shifts during ripening of mango (*Mangifera indica* L.)

- cultivar Nam Dok Mai Si Thong. *Chemical and Biological Technologies in Agriculture*, 9(1). <https://doi.org/10.1186/s40538-022-00289-0>
- Aye, M. M. (2018). Life cycle, Mortality and Survival of Oriental Fruit Fly *Bactrocera dorsalis* (Hendel, 1912) on Mango in Meiktila. *Sagaing University Research Journal*, 5(1), 1–15.
- Azizah, E. (2016). Peningkatan kualitas mangga Gedong Gincu melalui culture endospermic. *Jurnal Agrotek Indonesia*, 1(1), 47–56.
- Badriasih, K., Supartha, I. W., & Susila, I. W. (2019). Population density and distribution pattern fruit flies (*Bactrocera* spp.) (Diptera: Tephritidae) that attacking mangoes (*Mangifera indica* L.) in Buleleng Regency. *Jurnal Agroekoteknologi Tropika*, 8(3), 294–301. <https://www.researchgate.net/publication/335452865>
- Bally, I. S. E., & De Faveri, J. (2021). Genetic analysis of multiple fruit quality traits in mango across sites and years. *Euphytica*, 217(3). <https://doi.org/10.1007/s10681-020-02750-3>
- Bana, J. K., Sharma, H., Kumar, S., & Singh, P. (2017). Impact of weather parameters on population dynamics of Oriental fruit fly, *Bactrocera dorsalis* (Hendel) (Diptera: Tephritidae) under south Gujarat mango ecosystem. *Journal of Agrometeorology*, 19(1), 78–90.
- Beale, D. J., Pinu, F. R., Kouremenos, K. A., Poojary, M. M., Narayana, V. K., Boughton, B. A., Kanojia, K., Dayalan, S., Jones, O. A. H., & Dias, D. A. (2018). Review of recent developments in GC–MS approaches to metabolomics-based research. In *Metabolomics* (Vol. 14, Issue 11). Springer New York LLC. <https://doi.org/10.1007/s11306-018-1449-2>
- Belete, T. (2018). Defense mechanisms of plants to insect pests: from morphological to biochemical approach. *Trends Tech Sci Res*, 2(2), 001–009.
- Bota, L. D., Fabião, B. G., Virgilio, M., Mwatawala, M., Canhanga, L., Cugala, D. R., & de Meyer, M. (2018). Seasonal abundance of fruit flies (Diptera: Tephritidae) on mango orchard and its relation with biotic and abiotic factors in Manica Province, Mozambique. *Fruits*, 73(4), 218–227. <https://doi.org/10.17660/th2018/73.4.3>
- BPS. (2022). *Statistik Hortikultura 2021* (H. dan P. Direktorat Statistik Tanaman Pangan, Ed.; 1st ed., Vol. 1). BPS-RI.
- Broto, W. (2011). Peran teknologi penanganan pascapanen di sentra produksi mangga. *Buletin Teknologi Pascapanen Pertanian*, 7(2).
- Camacho-Vázquez, C., Ruiz-May, E., Guerrero-Analco, J. A., Elizalde-Contreras, J. M., Enciso-Ortiz, E. J., Rosas-Saito, G., López-Sánchez, L., Kiel-Martínez, A. L., Bonilla-Landa, I., Monribot-Villanueva, J. L., Olivares-Romero, J. L., Gutiérrez-Martínez, P., Tafolla-Arellano, J. C., Tiznado-

- Hernandez, M. E., Quiroz-Figueroa, F. R., Birke, A., & Aluja, M. (2019). Filling gaps in our knowledge on the cuticle of mangoes (*Mangifera indica*) by analyzing six fruit cultivars: Architecture/structure, postharvest physiology and possible resistance to fruit fly (Tephritidae) attack. *Postharvest Biology and Technology*, *148*, 83–96. <https://doi.org/10.1016/j.postharvbio.2018.10.006>
- Capuano, E., & Fogliano, V. (2011). Acrylamide and 5-hydroxymethylfurfural (HMF): A review on metabolism, toxicity, occurrence in food and mitigation strategies. In *LWT* (Vol. 44, Issue 4, pp. 793–810). Academic Press. <https://doi.org/10.1016/j.lwt.2010.11.002>
- Chacón-Fuentes, M., Parra, L., Lizama, M., Seguel, I., Urzúa, A., & Quiroz, A. (2017). Plant flavonoid content modified by domestication. *Environmental Entomology*, *46*(5), 1080–1089. <https://doi.org/10.1093/ee/nvx126>
- Choudary, J. S., Rao, M. S., Mali, S. S., Das, B., Kumari, A., & Mukherjee, D. (2017). Potential changes in number of generations of oriental fruit fly, *Bactrocera dorsalis* (Diptera: Tephritidae) on mango in India in response to climate change scenarios. *Journal of Agrometeorology*, *19*(3), 200–206.
- Damodaram, K. J. P., Aurade, R. M., Kempraj, V., Roy, T. K., Shivashankara, K. S., & Verghese, A. (2015). Salicylic acid induces changes in mango fruit that affect oviposition behavior and development of the oriental fruit fly, *Bactrocera dorsalis*. *PLoS ONE*, *10*(9). <https://doi.org/10.1371/journal.pone.0139124>
- Dar, S. A., Rather, B. A., Wani, A. R., & Ganie, M. A. (2017). Resistance against Insect Pests by Plant Phenolics and their Derivative Compounds. *Chem Sci Rev Lett*, *6*(23).
- Davey, M. W., Kenis, K., & Keulemans, J. (2006). Genetic control of fruit vitamin C contents. *Plant Physiology*, *142*(1), 343–351. <https://doi.org/10.1104/pp.106.083279>
- Dhillon, M. K., & Sharma, H. C. (2012a). Paradigm shifts in research on host plant resistance to insect pests. *Indian Journal of Plant Protection*, *40*(1), 1–11.
- Dinesh, M. R., Ravishankar, K. V., & Sangma, D. (2016). Mango breeding in India - Past and future. *J. Hort. Sci.*, *11*(1), 1–12.
- Dwi Tania, A., Juliana Suoth, E., & Ekawati Tallei, T. (2021). Identification of chemical compound in nut grass (*Cyperus rotundus* L.) tuber N-hexane extract by GC-MS. *Pharmacon*, *10*(3), 975–984.
- Fahri, N., Purwanto, Y. A., & Budiastira, I. W. (2016). Penggolongan mangga Gedong Gincu berdasarkan rasio kandungan gula asam menggunakan

- prediksi Near Infrared Spectroscopy. *Jurnal Keteknik Pertanian*, 04(1), 31–36. <https://doi.org/10.19028/jtep.04.1.31-36>
- Farina, V., Gentile, C., Sortino, G., Gianguzzi, G., Palazzolo, E., & Mazzaglia, A. (2020). Tree-Ripe mango fruit: Physicochemical characterization, antioxidant properties and sensory profile of six mediterranean grown cultivars. *Agronomy*, 10(6). <https://doi.org/10.3390/agronomy10060884>
- Gao, A., Chen, Y., Luo, R., Huang, J., Zhao, Z., Wang, W., Wang, Y., & Dang, Z. (2019). Development status of Chinese mango industry in 2018. / *Advances in Agriculture, Horticulture and Entomology*, 2019(01), 1–6. www.kosmospublishers.com
- Gatehouse, J. A. (2002). Plant resistance towards insect herbivores: a dynamic interaction. *New Phytologist*, 156, 145–169. www.newphytologist.com
- Guillén, L., Adaime, R., Birke, A., Velázquez, O., Angeles, G., Ortega, F., Ruíz, E., & Aluja, M. (2017). Effect of resin ducts and sap content on infestation and development of immature stages of *Anastrepha obliqua* and *Anastrepha ludens* (Diptera: Tephritidae) in four mango (Sapindales: Anacardiaceae) cultivars. *Journal of Economic Entomology*, 110(2), 719–730. <https://doi.org/10.1093/jee/tow279>
- Hakim M. L., Abdullah M, Rahayu E.S., & Retnoningsih A. (2021). Variasi morfologi mangga Wirasangka (*Mangifera indica* var Wirasangka) sebagai flora identitas Kabupaten Tegal. *Prosiding Semnas Biologi Tahun 2021 FMIPA UNS*, 29–34.
- Haldhar, S. M., Choudhary, B. R., Bhargava, R., & Gurjar, K. (2015). Host plant resistance (HPR) traits of ridge gourd (*Luffa acutangula* (Roxb.) L. against melon fruit fly, (*Bactrocera cucurbitae* (Coquillett)) in hot arid region of India. *Scientia Horticulturae*, 194, 168–174. <https://doi.org/10.1016/j.scienta.2015.08.001>
- Haryono, T., Sastrahidayat, I. R., Mudjiono, G., & Himawan, T. (2016). The exploration of fruit flies *Bactrocera* (Diptera: Tephritidae) and its parasitoid in Madura Island Region. *Journal of Biological Researches*, 21(2), 75–80. www.berkalahayati.org
- Heldt, H.-W., & Piechulla, B. (2011). *Plant Biochemistry* (4th ed.). Academic Press.
- Himawan, T., Wijayanto, P., & Karindah, S. (2013). Pengaruh beberapa aroma buah terhadap preferensi oviposisi *Bactrocera carambolae* Drew and Hancock (Diptera;Tephritidae). *Jurnal HPT*, 1(2), 72–79.
- Hopkins, W. G., & Hunner, N. P. A. (2009). *Introduction to Plant Physiology* (4th ed.). John Willey & Sons.

- Husni, A., Karsinah, Fatimah, & Kosmiatin, M. (2015). Peningkatan kualitas mangga (*Mangifera indica*) melalui aplikasi pemuliaan in vitro (Study Embriogenesis Somatic pada tanaman mangga Gariftra dan Gedong Gincu). *Seminar Tahunan Penelitian Dan Pengembangan Bioteknologi Dan Sumber Daya Genetik Pertanian*, 24–27.
- Iheagwam, P. N., Onyeike, E. N., & Amadi, B. A. (2019). Phytochemical and Vitamin Contents of *Mangifera indica* (Mango) Fruits Subjected to Ripening by Artificial Methods. *International Journal of Environment, Agriculture and Biotechnology*, 4(3), 677–684. <https://doi.org/10.22161/ijeab/4.3.13>
- Indriyanti, D. R., Isnaini, Y. N., & Priyono, B. (2014). Identification and abundance of *Bactrocera* fruit flies on various infected fruits. *Biosaintifika*, 6(1), 38–44. <http://journal.unnes.ac.id/nju/index.php/biosaintifika/Fax>.
- Ishartati, E., & Husen, S. (2007). Induksi pembungaan, kompatibilitas dan karakterisasi semai hibrida persilangan antar-kultivar mangga (*Mangifera indica* L.). *Jurnal Akta Agrosia, Edisi Khusus*, 1, 77–85.
- Jaleel, W., Saeed, R., Shabbir, M. Z., Azad, R., Ali, S., Sial, M. U., Aljedani, D. M., Ghramh, H. A., Khan, K. A., Wang, D., & He, Y. (2021). Olfactory response of two different *Bactrocera* fruit flies (Diptera: Tephritidae) on banana, guava, and mango fruits. *Journal of King Saud University - Science*, 33(5). <https://doi.org/10.1016/j.jksus.2021.101455>
- Jamwal, K., Bhattacharya, S., & Puri, S. (2018). Plant growth regulator mediated consequences of secondary metabolites in medicinal plants. In *Journal of Applied Research on Medicinal and Aromatic Plants* (Vol. 9, pp. 26–38). Elsevier GmbH. <https://doi.org/10.1016/j.jarmap.2017.12.003>
- Jayanthi, P. D. K., Dinesh, M. R., Kumar, P. S., Kempura, V., Ravindra, M. A., & Rao, D. V. S. (2019). *Mangifera camptosperma* Pierre, a wild relative of mango exhibits ovipositional antixenosis to Oriental fruit fly, *Bactrocera dorsalis* (Hendel). *Current Science*, 119(3), 433–435.
- Karsinah, Indriyani, N. L. P., & Ali, R. J. (2022). Perbaikan varietas mangga Agri Gardina 45 melalui persilangan. *Jurnal Agrotechbiz*, 9(1), 21–29.
- Khakimov, B., Mongi, R. J., Sørensen, K. M., Ndabikunze, B. K., Chove, B. E., & Engelsen, S. B. (2016). A comprehensive and comparative GC–MS metabolomics study of non-volatiles in Tanzanian grown mango, pineapple, jackfruit, baobab and tamarind fruits. *Food Chemistry*, 213, 691–699. <https://doi.org/10.1016/j.foodchem.2016.07.005>
- Khan, R. A., & Naveed, M. (2017). Occurrence and seasonal abundance of Fruit fly, *Bactrocera zonata* Saunders (Diptera: Tephritidae) in relation to meteorological factors. *Pakistan Journal of Zoology*, 49(3), 999–1003. <https://doi.org/10.17582/journal.pjz/2017.49.3.999.1003>

- Kuganesan, A., Thiripuranathar, G., Navaratne, A. N., & Panaragama, P. A. (2017). Antioxidant and anti-inflammatory activities of peels, pulp and seed kernels of three common mango (*Mangifera indica* L.) varieties in Sri Lanka. *International Journal of Pharmaceutical Sciences and Research*, 8(1), 70–78. [https://doi.org/http://dx.doi.org/10.13040/IJPSR.0975-8232.8\(1\).70-78](https://doi.org/http://dx.doi.org/10.13040/IJPSR.0975-8232.8(1).70-78)
- Kuhn, D. N., Bally, I. S. E., Dillon, N. L., Innes, D., Groh, A. M., Rahaman, J., Ophir, R., Cohen, Y., & Sherman, A. (2017). Genetic map of mango: A tool for mango breeding. *Frontiers in Plant Science*, 8. <https://doi.org/10.3389/fpls.2017.00577>
- Lahiri, S., Reising, D. D., Dean, L. L., Reay-Jones, F. P. F., Greene, J. K., Carter, T. E., Mian, R., Fallen, B. D., & Naranjo, S. (2020). Mechanisms of Soybean Host-Plant Resistance against *Megacopta cribraria* (Hemiptera: Plataspidae). *Environmental Entomology*, 49(4), 876–885. <https://doi.org/10.1093/ee/nvaa075>
- Lantican, D. V., Cortaga, C. Q., Manohar, A. N. C., dela Cueva, F. M., & Sison, M. L. J. (2020). Resistance gene analogs of mango: Insights on molecular defenses and evolutionary dynamics. *Philippine Journal of Science*, 149(3), 915–934. <https://doi.org/10.56899/149.3a.18>
- Liu, H., Zhang, D. ju, Xu, Y. J., Wang, L., Cheng, D. F., Qi, Y. xiang, Zeng, L., & Lu, Y. (2019). Invasion, expansion, and control of *Bactrocera dorsalis* (Hendel) in China. *Journal of Integrative Agriculture*, 18(4), 771–787. [https://doi.org/10.1016/S2095-3119\(18\)62015-5](https://doi.org/10.1016/S2095-3119(18)62015-5)
- Luz, M., Sison, J., Cortaga, C. Q., Barcos, A. K. S., Laurel, N. R., Marty, J., Mateo, C., & Dela Cueva, F. M. (2020). Resistance screening and influence of fruit physico-biochemical properties of “Carabao” and other mango varieties against oriental fruit fly, *Bactrocera dorsalis* (Diptera: Tephritidae), in the Philippines. *Philippine Journal of Science*, 149(4), 1175–1187.
- Mada, S. B., Garba, A., Muhammad, A., Mohammed, A., & Adekunle, D. O. (2012). Phytochemical screening and antimicrobial efficacy of aqueous and methanolic extract of *Mangifera indica* (Mango Stem Bark). *J Life Sci. and Medical Research*, 2(2), 81–86. <http://www.rppjournals.com/>
- Maharani, R., & Fernandes, A. (2021). Profil fitokimia dan GC-MS daun sirih hitam (*Piper betle* L.) dari sekitar KHDTK Labanan, Kabupaten Berau. *Majalah Farmasi Dan Farmakologi*, 25(1), 11–14. <https://doi.org/10.20956/mff.v25i1.11966>
- Maklad, M. F. (2015). Studies on sexual compatibility and or incompatibility in Langra mango cultivar. *Egypt J. Plant Breed.*, 19(3), 343–356. <https://www.researchgate.net/publication/281744071>
- Mansyah, E., & Sutanto, A. (2020). Tropical fruit research and development programs of Indonesian Tropical Fruits Research Institute (ITFRI). *IOP*

- Conference Series: Earth and Environmental Science*, 583(1).
<https://doi.org/10.1088/1755-1315/583/1/012013>
- Maung, K. L., Mon, Y. Y., Khine, M. P., Chan, K. N., Phyoe, A., Soe, A. T., Han, T. Y. Y., Myo, W. W., San, S. S. S., & Khai, A. A. (2021). Current Knowledge of Mango and Fruit Fly (Diptera: Tephritidae) Control in Myanmar: A Review. *Advances in Entomology*, 09(01), 49–58. <https://doi.org/10.4236/ae.2021.91005>
- Mazid, M., Khan, T., & Mohammad, F. (2011). Role of secondary metabolites in defense mechanisms of plants. *Biology and Medicine*, 3(2), 232–249.
- Mazid, M., Khan TA, & Mohammad F. (2011). Role of secondary metabolites in defense mechanisms of plants. *Biology and Medicine*, 3(2), 232–249. www.biolmedonline.com
- Menzler-Hokkanen, I., Ruhanen, H., & Hokkanen, H. M. T. (2022). Mortality of the oriental fruit fly, *Bactrocera dorsalis*, during pupation in insect pest suppressive soils. *Entomologia Experimentalis et Applicata*, 170(7), 565–572. <https://doi.org/10.1111/eea.13176>
- Metusala, D., Supriatna, J., Nisyawati, & Sopandie, D. (2017). Comparative leaf and root anatomy of two *Dendrobium* species (Orchidaceae) from different habitat in relation to their potential adaptation to drought. *AIP Conference Proceedings*, 1862. <https://doi.org/10.1063/1.4991222>
- Meuna, R. A., Syaokani, & Ali, M. S. (2016). Inventory of fruit flies (Tephritidae) which attacking mango tree (*Mangifera* sp.). *Jurnal EduBio Tropika*, 4(2), 1–52.
- Mitchell, C., Brennan, R. M., Graham, J., & Karley, A. J. (2016). Plant defense against herbivorous pests: Exploiting resistance and tolerance traits for sustainable crop protection. *Frontiers in Plant Science*, 7(JULY2016). <https://doi.org/10.3389/fpls.2016.01132>
- Morales, M., Santiago, Z., Tania, R. J., Stephania, R., Andrés, F. A., Maria, E. M., Pedro, Z., & Benjamín, A. R. (2017). Mangiferin content, carotenoids, tanins and oxygen radical absorbance capacity (ORAC) values of six mango (*Mangifera indica*) cultivars from the Colombian Caribbean. *Journal of Medicinal Plants Research*, 11(7), 144–152. <https://doi.org/10.5897/jmpr2017.6335>
- Mouly, R., Shivananda, T. N., & Verghese, A. (2017). Prediction models for *Bactrocera dorsalis* (Hendel) (Diptera: Tephritidae) based on weather parameters in an organic mango orchard. ~ 345 ~ *Journal of Entomology and Zoology Studies*, 5(6).
- Muiruri, J., Ambuko, J., Nyankanga, R., & Owino, W. O. (2017). Determination of maturity indices of three mango varieties produced in Embu County of

- Kenya. In J. Ambuko & C. Wilson (Eds.), *The 1st All Africa Post Harvest Congress & Exhibition* (pp. 36–38). University of Nairobi.
- Muralidhara, B. M., Veena, G. L., Rajan, S., Bhattacharjee, A. K., & Malav, P. K. (2018). Effect of post harvest ripening on bioactive secondary metabolites and antioxidant activity in mango cv. Amrapali. In *J. Hortl. Sci* (Vol. 13, Issue 2).
- Muryati, M., Trisyono, Y. A., Witjaksono, W., & Wahyono, W. (2017). Oviposition deterrent of *Bactrocera carambolae* resulted from eggs deposition on mango. *Agrivita*, 39(2), 201–213. <https://doi.org/10.17503/agrivita.v39i2.1097>
- National Center for Biotechnology Information. (n.d.). *PubChem Compound Summary for CID 119838, 4H-Pyran-4-one, 2,3-dihydro-3,5-dihydroxy-6-methyl-*. Retrieved June 19, 2023, from https://pubchem.ncbi.nlm.nih.gov/compound/3_5-dihydroxy-6-methyl-2_3-dihydropyran-4-one
- National Center for Biotechnology Information . (2023, September). *PubChem Compound Summary for CID 237332, 5-Hydroxymethylfurfural*. <https://pubchem.ncbi.nlm.nih.gov/compound/5-Hydroxymethylfurfural>
- Ngginak, J., Rupidara, A. D. N., & Daud, Y. (2019). Analisis kandungan vitamin C dari ekstrak buah ara (*Ficus carica* L) dan markisa hutan (*Passiflora foetida* L). *Jurnal Sains Dan Edukasi Sains*, 2(2), 54–59. <https://doi.org/10.24246/juses.v2i2p54-59>
- Nilasari, A. N., Suwasono Heddy, J. B., & Wardiyati, T. (2013). Identifikasi keragaman morfologi daun mangga (*Mangifera indica* L.) pada tanaman hasil persilangan antara varietas Arumanis 143 dengan Podang Urang umur 2 tahun. *Jurnal Produksi Tanaman*, 1(1), 61–69.
- Noor, A., Dirgahayu Ningsih, R., Hasbianto, A., & Sabur, A. (2015). Sebaran dan keragaman plasma nutfah mangga di Kalimantan Selatan. *Prosiding Seminar Nasional Sumber Daya Genetik Pertanian*, 208–218.
- Nor, S. M., Mohamed, S., Sajili, M. H., & Ngah, N. (2018). Ovipositional behaviour preference of Oriental fruit fly, *Bactrocera dorsalis* Hendel (Diptera: Tephritidae) on different host fruits. *J. Agrobiotech*, 9(1S), 173–181.
- Ogata, T., Yamanaka, S., Shoda, M., Urasaki, N., & Yamamoto, T. (2016). Current status of tropical fruit breeding and genetics for three tropical fruit species cultivated in Japan: Pineapple, mango, and papaya. In *Breeding Science* (Vol. 66, Issue 1, pp. 69–81). Japanese Society of Breeding. <https://doi.org/10.1270/jsbbs.66.69>

- Peterson, R. K. D., Varella, A. C., & Higley, L. G. (2017). Tolerance: The forgotten child of plant resistance. *PeerJ*, 2017(10). <https://doi.org/10.7717/peerj.3934>
- Pierson, J. T., Monteith, G. R., Roberts-Thomson, S. J., Dietzgen, R. G., Gidley, M. J., & Shaw, P. N. (2014). Phytochemical extraction, characterisation and comparative distribution across four mango (*Mangifera indica* L.) fruit varieties. *Food Chemistry*, 149, 253–263. <https://doi.org/10.1016/j.foodchem.2013.10.108>
- Pothitirat, W., Chomnawang, M. T., Supabphol, R., & Gritsanapan, W. (2009). Comparison of bioactive compounds content, free radical scavenging and anti-acne inducing bacteria activities of extracts from the mangosteen fruit rind at two stages of maturity. *Fitoterapia*, 80(7), 442–447. <https://doi.org/10.1016/j.fitote.2009.06.005>
- Prabawati, S. Y., Iskandar, D., & Suci, L. P. (2018). The synthesis and evaluation of vanillin derivatives as the fruit fly attractant. *Oriental Journal of Chemistry*, 34(4), 2197–2202. <https://doi.org/10.13005/ojc/3404063>
- Pranowo, D., & Dwi Wahyuningsih, T. (2006). Synthesis of 4-(3,4-Dimethoxyphenyl)-3-butene-2-on and activity it's test as a fruit flies attractant. *Indo. J. Chem.*, 6(1), 99–103.
- Pusat Data dan Sistem Informasi Pertanian. (2014). *OUTLOOK KOMODITI MANGGA 2014* (Vol. 1).
- Rahadianoro, A. (2014). Keanekaragaman jenis dan potensi mangga (*Mangifera* spp., Anacardiaceae) koleksi Kebun Raya Purwodadi. *Proceeding Seminar Nasional Biodiversitas V*, 304–308.
- Rahman, N., Ofika, M., & Said, I. (2015). Analisis kadar vitamin C mangga gadung (*Mangifera* sp.) dan mangga golek (*Mangifera indica* L.) berdasarkan tingkat kematangan dengan menggunakan metode iodimetri. *J. Akademika Kim.*, 4(1), 33–37.
- Rakholiya, K., Kaneria, M., & Chanda, S. (2016). Physicochemical and phytochemical analysis of different parts of Indian Kesar Mango - A unique variety from Saurashtra Region of Gujarat. *Pharmacognosy Journal*, 8(5), 502–506. <https://doi.org/10.5530/pj.2016.5.16>
- Ramaroson, M. L., Koutouan, C., Helesbeux, J. J., Le Clerc, V., Hamama, L., Geoffriau, E., & Briard, M. (2022). Role of phenylpropanoids and flavonoids in plant resistance to pests and diseases. *Molecules*, 27(23), 1–24. <https://doi.org/10.3390/molecules27238371>
- Rashmi, M., Verghese, A., Shivashankar S., Chakravarthy AK, Sumathi M., & Kandakoor, S. (2017). Does change in tanin content in mango (*Mangifera indica*) fruits influence the extent of fruit fly (*Bactrocera dorsalis* Hendel)

- herbivory? *ArticJournal of Entomology and Zoology Studies*, 5(4), 381–385.
<https://www.researchgate.net/publication/318729832>
- Rattanapun, W., Amornsak, W., & Clarke, A. R. (2009). *Bactrocera dorsalis* preference and performance on two mango varieties at three stages of ripeness. *Entomologi Experimentalis et Applicata*, 131, 243–253.
- Rayner, K., & Lu, P. (2017). Two new mango cultivars from Australia: “Lady Jane” and “Lady Grace.” *Acta Horticulturae*, 1183, 89–93.
<https://doi.org/10.17660/ActaHortic.2017.1183.13>
- Reddy, M. S. S., Agnihotri, M., Divija, S. D., Belal, B., & Karthik, S. (2022). Host plant resistance profiling of chickpea genotypes against *Helicoverpa armigera* (Hübner) through SEM and GC–MS studies. *International Journal of Tropical Insect Science*, 42(2), 1627–1638.
<https://doi.org/10.1007/s42690-021-00684-4>
- Rini Indriyanti, D., Martono, E., Trisyono, A., & Witjaksono. (2008). Ketertarikan *Bactrocera carambolae* (Diptera: Tephritidae) pada berbagai limbah yang mengandung protein. *Jurnal Perlindungan Tanaman Indonesia*, 14(2), 86–91.
- Rizzo R, & Caleca V. (2006). Resistance to the attack of *Bactrocera oleae* (Gmelin) of some sicilian olive cultivars. *Olivebioteq*, 2, 35–42.
- Rosalie, R., Joas, J., Mertz, C., Dufossé, L., & Léchaudel, M. (2022). Impact of Water Supply Reduction and Cold Storage on Phenolic Compounds from Mango (*Mangifera indica* L. cv. Cogshall) Pulp and Peel. *Plants*, 11(22).
<https://doi.org/10.3390/plants11223038>
- Rossetto, C. J., Bortoletto, N., Walder, J. M. M., Mastrângelo, T. D. A., Castro, J. V. De, Pinto, A. C. D. Q., & Cortelazzo, A. L. (2006). Mango Resistance to Fruit Flies. II Resistance of the Alfa Cultivar. *Proceedings of the 7th International Symposium on Fruit Flies of Economic Importance 10-15 September 2006, Salvador, Brazil, September*, 171–174.
- Rossetto, C. J., Carvalho, R. L., & Walder, J. M. M. (2017). Mango resistance to fruit fly: method of evaluation, resistant cultivars and resistance factors. *Acta Horticulturae*, 1183, 251–254.
<https://doi.org/10.17660/ActaHortic.2017.1183.36>
- Rumainum, I. M., Worarad, K., Srilaong, V., & Yamane, K. (2018). Fruit quality and antioxidant capacity of six Thai mango cultivars. *Agriculture and Natural Resources*, 52(2), 208–214.
<https://doi.org/10.1016/j.anres.2018.06.007>
- Rwomushana, I., Ekesi, S., Ogol, C. K. P. O., & Gordon, I. (2009). Mechanisms contributing to the competitive success of the invasive fruit fly *Bactrocera invadens* over the indigenous mango fruit fly, *Ceratitis cosyra*: The role of

- temperature and resource pre-emption. *Entomologia Experimentalis et Applicata*, 133(1), 27–37. <https://doi.org/10.1111/j.1570-7458.2009.00897.x>
- Salmah, M., Adam, N. A., Muhamad, R., Lau, W. H., & Ahmad, H. (2018). Infestation of fruit fly, *Bactrocera* (Diptera: Tephritidae) on mango (*Mangifera indica* L.) in peninsular Malaysia. *Journal of Fundamental and Applied Sciences*, 9(2S), 799. <https://doi.org/10.4314/jfas.v9i2s.49>
- Salvi, B. R., Varadkar, R. S., & Dalvi, N. V. (2019). Recent developments in conventional mango breeding. *Advanced Agricultural Research & Technology Journal*, 3(1), 30–42.
- Santoso, P., Djamas, N., Rebin, & Pancoro, A. (2014). Analisis diversitas dan paternitas progeni F1 hasil persilangan Arumanis 143 x Mangga Merah menggunakan marka mikrosatelit. *J. Hort*, 24(3), 210–219.
- Sarjan, M., Yulistiono, H., & Haryanto, H. (2010). Abundance and composition of fruit flies species on dry land of West Lombok Distric. *Crop Agro.*, 3(2), 108–116.
- Sarwar, M. (2015). Field tests for exploiting the behavioral control tactics to pest Tephritid fruit flies (Insecta: Diptera). *International Journal of Animal Biology*, 1(5), 243–248. <http://www.aiscience.org/journal/ijabhttp://creativecommons.org/licenses/by-nc/4.0/>
- Sarwar, M., Hamed, M., Rasool, B., Yousaf, M., & Hussain, M. (2013). Host preference and performance of fruit flies *Bactrocera zonata* (Saunders) and *Bactrocera cucurbitae* (Coquillett) (Diptera: Tephritidae) For various fruits and vegetables. *International Journal of Scientific Research in Environmental Sciences*, 1(8), 188–194. <https://doi.org/10.12983/ijres-2013-p188-194>
- Sato, M., Ikram, M. M. M., Pranamuda, H., Agusta, W., Putri, S. P., & Fukusaki, E. (2021). Characterization of five Indonesian mangoes using gas chromatography–mass spectrometry-based metabolic profiling and sensory evaluation. *Journal of Bioscience and Bioengineering*, 132(6), 613–620. <https://doi.org/10.1016/j.jbiosc.2021.09.006>
- Schováňková, J., & Opatová, H. (2011). Changes in phenols composition and activity of phenylalanine-ammonia lyase in apples after fungal infections. *Horticultural Science*, 38(1), 1–10.
- Shahabuddin. (2012). Teknik Pengendalian Lalat Buah *Bactrocera* SP . (Diptera: Tephritidae) pada Pertanaman Cabai Menggunakan Perangkap dengan Isyarat Kimia dan Visual. *J. Agroland*, 19(1), 56–62.
- Shapla, U. M., Solayman, M., Alam, N., Khalil, M. I., & Gan, S. H. (2018). 5-Hydroxymethylfurfural (HMF) levels in honey and other food products:

- effects on bees and human health. In *Chemistry Central Journal* (Vol. 12, Issue 1). Springer. <https://doi.org/10.1186/s13065-018-0408-3>
- Somsri, S. (2018). Plant breeding of some tropical fruits in Thailand; durian, mango, rambutan, tangerine, pummelo and papaya. *Acta Horticulturae*, 1205, 563–575. <https://doi.org/10.17660/ActaHortic.2018.1205.71>
- Sugianti, C., Hasbullah, R., Purwanto, Y. A., & Setyabudi, D. A. (2012). Study on the effect of Gamma rays irradiation on fruit flies mortality and quality of mango cv. Gedong during storage. *Jurnal Keteknik Pertanian*, 26(1), 67–76. <https://doi.org/10.19028/jtep.26.1.67-76>
- Suhartono, E., Biworo, A., Santosa, P. B., Siahaan, S. C., Marisa, D., Muthmainah, N., & Komari, N. (2022). Molecular docking studies of 4-ethyl-2-methoxyphenol and 1,3-cyclopentanedione compounds from gemor (*Nothaphoebe coriacea*) with glucagon like-peptide-1 (GLP-1) receptor. *IOP Conference Series: Earth and Environmental Science*, 976(1). <https://doi.org/10.1088/1755-1315/976/1/012050>
- Sukartini, & Anwarudin Syah, M. J. (2009). Potensi kandungan antosianin pada daun muda tanaman mangga sebagai kriteria seleksi dini zuriat mangga. *J. Hort.*, 19(1), 23–27.
- Sukri, A., & Prayitno, G. H. (2016). Potensi penggunaan parasitoid dalam pengendalian lalat buah *Bactrocera* di Pulau Lombok. *Jurnal Edukasi Matematika Dan Sains*, 1(2), 48–53.
- Susanto, A., Djaya, L., & Roziana, E. (2020). Diversity of *Bactrocera* spp. on some mango varieties at Kecamatan Talun, Kabupaten Cirebon. *IOP Conference Series: Earth and Environmental Science*, 458(1). <https://doi.org/10.1088/1755-1315/458/1/012042>
- Susanto, A., Natawigena, W. D., Puspasari, L. T., & Atami, N. I. N. (2018). Pengaruh penambahan beberapa esens buah pada perangkap metil eugenol terhadap ketertarikan lalat buah *Bactrocera dorsalis* Kompleks pada pertanaman mangga di Desa Pasirmuncang, Majalengka. *Jurnal Perlindungan Tanaman Indonesia*, 22(2), 150. <https://doi.org/10.22146/jpti.27001>
- Susanto, A., Permana, A. D., Subahar, T. S., Soesilohadi, R. C. H., Leksono, A. S., & Fernandes, A. A. R. (2022). Population dynamics and projections of fruit flies *Bactrocera dorsalis* and *B. carambolae* in Indonesian mango plantation. *Agriculture and Natural Resources*, 56(1), 169–179. <https://doi.org/10.34044/j.anres.2021.56.1.16>
- Susilawati, M. (2015). *Perancangan Percobaan* (D. P. E. Nilakusmawati, Ed.; 1st ed., Vol. 1). Jurusan Matematika, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Udayana.

- Syahfari, H., & Mujiyanto, D. (2013). Identifikasi hama lalat buah (Diptera: Tephritidae) pada berbagai macam buah-buahan. *Ziraa'ah*, 36(1), 32–39.
- Tafolla-Arellano, J. C., Zheng, Y., Sun, H., Jiao, C., Ruiz-May, E., Hernández-Oñate, M. A., González-León, A., Báez-Sañudo, R., Fei, Z., Domozych, D., Rose, J. K. C., & Tiznado-Hernández, M. E. (2017). Transcriptome Analysis of Mango (*Mangifera indica* L.) Fruit Epidermal Peel to Identify Putative Cuticle-Associated Genes. *Scientific Reports*, 7. <https://doi.org/10.1038/srep46163>
- Tasliyah, Karsinah, & Prasetyono, J. (2016). Keragaman sebelas klon mangga komersial Indonesia. *Jurnal Hortikultura*, 26(1), 31–40.
- Tasliyah, Rijzaani, H., Hariyadi, T. Z., Yuriyah, S., & Silitonga, T. S. (2013). Genetic diversity analysis of 161 Indonesian mango accessions based on microsatellite markers. *Jurnal AgroBiogen*, 9(3), 125–134.
- Trong, L. V., Khanh, N. N., Huyen, L. T., & Lam, L. T. (2020). Changes in physiological and biochemical parameters during growth and development of mango fruit (*Mangifera indica* L.) grown in Vietnam. *Journal of Applied Horticulture*, 22(2), 137–142. <https://doi.org/10.37855/jah.2020.v22i02.25>
- Tyagi, T., & Agarwal, M. (2017). GC-MS analysis of invasive aquatic weed, *Pististia stratiotes* L. and *Eichhornia crassipes* (Mart.) Solms. *Int. J. Curr. Pharm. Res.*, 9(3), 111–117. <https://doi.org/10.22159/ijcpr.2017v9i3.19970>
- Umamahesh, K., Ramesh, B., Kumar, B. V., & Reddy, O. V. S. (2019). In vitro anti-oxidant, anti-microbial and anti-inflammatory activities of five Indian cultivars of mango (*Mangifera indica* L.) fruit peel extracts. *Journal of HerbMed Pharmacology*, 8(3), 238–247. <https://doi.org/10.15171/jhp.2019.35>
- Valencia, L. D., Alcasid, ; C E, Rosuman, ; K K S, & Ocampo, ; E T M. (2015). Development of mango hybrid and detection of hybridity using simple sequence repeats (SSR) markers. *AARJMD*, 2(6), 162–175. www.asianacademicresearch.org
- Verghese, A., Soumya, C. B., Shivashankar, S., & Manivannan, S. (2012). Phenolics as chemical barriers to female fruit fly, *Bactrocera dorsalis* (Hendel) in mango. *Current Science*, 103(5), 563–566.
- Verghese, A., Soumya, C. B., Shivashankar, S., Manivannan, S., & Krishnamurthy, S. V. (2012). Phenolics as chemical barriers to female fruit fly, *Bactrocera dorsalis* (Hendel) in mango. *Current Science*, 103(5).
- Vladić, J., Janković, T., Živković, J., Tomić, M., Zdunić, G., Šavikin, K., & Vidović, S. (2020). Comparative Study of Subcritical Water and Microwave-Assisted Extraction Techniques Impact on the Phenolic Compounds and 5-Hydroxymethylfurfural Content in Pomegranate Peel. *Plant Foods for*

- Human Nutrition*, 75(4), 553–560. <https://doi.org/10.1007/s11130-020-00848-6>
- Wallis, C. M., & Galarneau, E. R. A. (2020). Phenolic Compound Induction in Plant-Microbe and Plant-Insect Interactions: A Meta-Analysis. In *Frontiers in Plant Science* (Vol. 11). Frontiers Media S.A. <https://doi.org/10.3389/fpls.2020.580753>
- War, A. R., Paulraj, M. G., Ahmad, T., Buhroo, A. A., Hussain, B., Ignacimuthu, S., & Sharma, H. C. (2012). Mechanisms of plant defense against insect herbivores. In *Plant Signaling and Behavior* (Vol. 7, Issue 10). Landes Bioscience. <https://doi.org/10.4161/psb.21663>
- War, A. R., Taggar, G. K., Hussain, B., Taggar, M. S., Nair, R. M., & Sharma, H. C. (2018). Special Issue: Using non-model systems to explore plant-pollinator and plant-herbivore interactions: Plant defence against herbivory and insect adaptations. In *AoB PLANTS* (Vol. 10, Issue 4). Oxford University Press. <https://doi.org/10.1093/aobpla/ply037>
- Weems, H. V., Heppner, J. B., Nation, J. L., & Steck, G. J. (2016). Oriental fruit fly, *Bactrocera dorsalis* (Hendel) (Insecta: Diptera: Tephritidae). *IFAS Extension*, 1–7. <http://edis.ifas>.
- Wei, D. D., He, W., Lang, N., Miao, Z. Q., Xiao, L. F., Dou, W., & Wang, J. J. (2019). Recent research status of *Bactrocera dorsalis*: insights from resistance mechanisms and population structure. *Archives of Insect Biochemistry and Physiology*, 102(3). <https://doi.org/10.1002/arch.21601>
- Wen-Li Lee, K. D. C., & Chang, K. S. (2018). Tropical fruit breeding in Taiwan: Technology and cultivars. *Acta Horticulturae*, 1205, 577–587. <https://doi.org/10.17660/ActaHortic.2018.1205.72>
- Widayanti, S. M., Mulyawanti, I., Dewandari, K., Winarti, C., & Hayuningtyas, M. (2023). Effect of maturity stage on physico-chemical properties of Garifta-merah mango fruit. *IOP Conference Series: Earth and Environmental Science*, 1172(1). <https://doi.org/10.1088/1755-1315/1172/1/012050>
- Widiastuti, E., & Hadiawati, L. (2020). Keragaan karakter morfologi dan kekerabatan buah mangga lokal di Kabupaten Lombok Utara - NTB. *Prosiding Seminar Nasional PERHORTI 2020*, 25–38.
- Yuniastuti, S., & Titiek Purbiati, S. (2016). Pengaruh penambahan pupuk hayati dan PPC terhadap keberhasilan pembuahan mangga Podang di luar musim. *J. Hort.*, 26(2), 207–216.
- Zayed, M. Z., Ahmad, F. B., & Pang, S.-L. (2014). GC-MS analysis of phytochemical constituent in leaf extracts of *Neolamarckia cadamba*

(Rubiaceae) from Malaysia. *Intenational Journal of Pharmacy and Pharmaceutical Sciences*, 6(9), 123–127.

Zeng, Y., Reddy, G. V. P., Li, Z., Qin, Y., Wang, Y., Pan, X., Jiang, F., Gao, F., & Zhao, Z. H. (2019). Global distribution and invasion pattern of oriental fruit fly, *Bactrocera dorsalis* (Diptera: Tephritidae). *Journal of Applied Entomology*, 143(3), 165–176. <https://doi.org/10.1111/jen.12582>

