

DAFTAR PUSTAKA

- Abbasi i.B.H, Khan T, Khurshid R, Nadeem M, Drouet S , & Hano C, (2021). UV-C mediated accumulation of pharmacologically significant phytochemical under light regimes in in vitro culture of *Fagonia indica* L. *Scientific Report*. 11: 679.
- Abbasi, B. H., Stiles, A. R., Saxena, P. K., & Liu, C. Z. (2012). Gibberellic Acid Increases Secondary Metabolite Production in *Echinacea purpurea* Hairy Roots. *Applied Biochemistry and Biotechnology*, 168(7), 2057–2066. <https://doi.org/10.1007/s12010-012-9917-z>
- Adil, M., Ren, X., & Jeong, B. R. (2019). Light elicited growth, antioxidant enzymes activities and production of medicinal compounds in callus culture of *Cnidium officinale* Makino. *Journal of Photochemistry and Photobiology B: Biology*, 196(May), 111509. <https://doi.org/10.1016/j.jphotobiol.2019.05.006>
- Afshari, T. R., Angoshtari, R., & Kalantari, S. (2011). Effects of light and different plant growth regulators on induction of callus growth in rapeseed (*Brassica napus* L.) genotypes. *Plant OMICS*, 4(2), 60–67.
- Al-Khayri, JM; Al Bahrani. (n.d.). *Al-Khayri and Al-Bahrany, 2022. Callus Growth and Proline Accumulation in Response to Sorbitol and Sucrose-Induced Osmotic Stress in Rice.pdf*.
- Alexou, M., & Peuke, A. D. (2013). chapter 13 Methods for Xylem Sap Collection. *Plant Mineral Nutrients*, 953(July), 195–207. <https://doi.org/10.1007/978-1-62703-152-3>
- Ali, H., Yesmin, R., Satter, M. A., Habib, R., & Yeasmin, T. (2018). Antioxidant and antineoplastic activities of methanolic extract of *Kaempferia galanga* Linn. Rhizome against Ehrlich ascites carcinoma cells. *Journal of King Saud University - Science*, 30(3), 386–392. <https://doi.org/10.1016/j.jksus.2017.05.009>
- Ali, M., Abbasi, B. H., Ahmad, N., Ali, S. S., Ali, S., & Ali, G. S. (2016). Sucrose-enhanced biosynthesis of medicinally important antioxidant secondary metabolites in cell suspension cultures of *Artemisia absinthium* L. *Bioprocess and Biosystems Engineering*, 39(12), 1945–1954. <https://doi.org/10.1007/s00449-016-1668-8>
- Álvarez-Gómez, F., Korbee, N., & Figueroa, F. L. (2019). Effects of UV Radiation on Photosynthesis, Antioxidant Capacity and the Accumulation of Bioactive Compounds in *Gracilaria longissima*, *Hydropuntia cornea* and *Halopithys incurva* (Rhodophyta). *Journal of Phycology*, 55(6), 1258–1273. <https://doi.org/10.1111/jpy.12899>
- Ammar, M. A. A., Mawahib, E. M. E.-N., & Sakina, M. Y. (2016). Callus induction, direct and indirect organogenesis of ginger (*Zingiber officinale* Rosc). *African Journal of Biotechnology*, 15(38), 2106–2114. <https://doi.org/10.5897/ajb2016.15540>
- Anandan, R., Sudhakar, D., Balasubramanian, P., & Gutierrez-Mora, A. (2012). In vitro somatic embryogenesis from suspension cultures of *Carica papaya* L. *Scientia Horticulturae*, 136, 43–49. <https://doi.org/10.1016/j.scienta.2012.01.003>

- Anasori, P., & Asghari, G. (2009). Effects of light and differentiation on gingerol and zingiberene production in cultured cells of *Zingiber officinale*. *Planta Medica*, 75(09), 59–63. <https://doi.org/10.1055/s-0029-1234839>
- Andaryani, Setyaningrum , Samanhudi, Yunus, A. (2022). Effect of BAP and 2,4-D on callus induction of *Jatropha curcas* in vitro. *Cell Biology and Development*, 3(2), 56–65. <https://doi.org/10.13057/cellbioldev/v030202>
- André, S. B., Mongomaké, K., Modeste, K. K., Abrogoua, U. N., De, S., & Biologie, L. De. (2015). *Effects of plant growth regulators and carbohydrates on callus induction and proliferation from leaf explant of Lippia multiflora Moldenke (Verbenaceae)*. 2002, 118–127.
- Anggraito, Y.U., Susanti, R., Iswari,R.S., Yiniastuti, A., Lisdiana, Nugrahaning, W.H., Habibah. N.A., Bintari, S.H. (2018). Metabolit Sekunder Tanaman Aplikasi Dan Produksi (*Anggraito*). UNNES Pres. ISBN: 978-602-5728-05-1
- Anjusha, S., & Gangaprasad, A. (2017). Callus culture and in vitro production of anthraquinone in *Gynochthodes umbellata* (L.) Razafim. & B. Bremer (Rubiaceae). *Industrial Crops and Products*, 95, 608–614. <https://doi.org/10.1016/j.indcrop.2016.11.021>
- Antognoni, F., Zheng, S., Pagnucco, C., Baraldi, R., Poli, F., & Biondi, S. (2007). Induction of flavonoid production by UV-B radiation in *Passiflora quadrangularis* callus cultures. *Fitoterapia*, 78(5), 345–352. <https://doi.org/10.1016/j.fitote.2007.02.001>
- Ayoola-Oresanya, I. O., Sonibare, M. A., Gueye, B., Abberton, M. T., & Morlock, G. E. (2021). Elicitation of antioxidant metabolites in *Musa* species in vitro shoot culture using sucrose, temperature and jasmonic acid. *Plant Cell, Tissue and Organ Culture*, 146(2), 225–236. <https://doi.org/10.1007/s11240-021-02062-x>
- Azarafshan, M., Peyvandi, M., Abbaspour, H., Noormohammadi, Z., & Majd, A. (2019). The impact of UV-B radiation on antioxidant activity, essential oil composition and physiological factors of *Pelargonium graveolens* L'Hér. *Acta Agriculturae Slovenica*, 113(2), 211–219. <https://doi.org/10.14720/aas.2019.113.2.2>
- Bakrudeen Ali Ahmed, A., Rao, A. S., Rao, M. V., & Taha, R. M. (2012). Different wavelengths light to induce physiological changes callus for the biosynthesis of gymnemic acid in *Gymnema sylvestre*. *Agro Food Industry Hi-Tech*, 23(3), 31–34.
- Bano, A. S., Khattak, A. M., Basit, A., Alam, M., Shah, S. T., Ahmad, N., Gilani, S. A. Q., Ullah, I., Anwar, S., & Mohamed, H. I. (2022). Callus Induction, Proliferation, Enhanced Secondary Metabolites Production and Antioxidants Activity of *Salvia moorcroftiana* L. as Influenced by Combinations of Auxin, Cytokinin and Melatonin. *Brazilian Archives of Biology and Technology*, 65, 1–16. <https://doi.org/10.1590/1678-4324-2022210200>
- Barus, R. (2009). Amidasi Etil p-Metoksi Sinamat yang diisolasi dari Kencur (*Kempferia galanga* L.). *Tesis. Sekolah Pascasarjana, Universitas Sumatera Utara*.
- Bhatt, A., Kean, O. B., & Keng, C. L. (2012). Sucrose, benzylaminopurine and photoperiod effects on in vitro culture of *Kaempferia galanga* Linn. *Plant Biosystems*, 146(4), 900–905. <https://doi.org/10.1080/11263504.2012.706238>

- Bhattacharya, M., & Sen, A. (2013). In vitro regeneration of pathogen free Kaempferia galanga L.-a rare medicinal plant. *Research in Plant Biology*, 3(3), 24–30.
- Blinstrubiene, A., Burbulis, N., Juškevičiute, N., Vaitkevičiene, N., & Žukiene, R. (2020). Effect of growth regulators on Stevia rebaudiana bertoni callus genesis and influence of auxin and proline to steviol glycosides, phenols, flavonoids accumulation, and antioxidant activity in vitro. *Molecules*, 25(12). <https://doi.org/10.3390/molecules25122759>
- Bojnoordi, M. M., Ramezannejad, R., Aghdasi, M., & Fatemi, M. (2023). *Production of Phenolic Acids Improved in Callus Cultures of Lactuca undulata by Ultraviolet-B Irradiation*. 9–16.
- Bondarev, N., Reshetnyak, O., & Nosov, A. (2001). Peculiarities of diterpenoid steviol glycoside production in in vitro cultures of Stevia rebaudiana bertoni. *Plant Science*, 161(1), 155–163. [https://doi.org/10.1016/S0168-9452\(01\)00400-9](https://doi.org/10.1016/S0168-9452(01)00400-9)
- Caretto, S., Linsalata, V., Colella, G., Mita, G., & Lattanzio, V. (2015). Carbon fluxes between primary metabolism and phenolic pathway in plant tissues under stress. *International Journal of Molecular Sciences*, 16(11), 26378–26394. <https://doi.org/10.3390/ijms161125967>
- Carvalho, I. S., Cavaco, T., Carvalho, L. M., & Duque, P. (2010). Effect of photoperiod on flavonoid pathway activity in sweet potato (*Ipomoea batatas* (L.) Lam.) leaves. *Food Chemistry*, 118(2), 384–390. <https://doi.org/10.1016/j.foodchem.2009.05.005>
- Çelik, M., Keskin, N., & Özdemir, F. A. (2020). The Effects of UV Irradiation and Incubation Time on in vitro Phenolic Compound Production in “Karaerik” Callus Culture. *Kahramanmaraş Sütçü İmam Üniversitesi Tarım ve Doğa Dergisi*, 3(6), 1428–1434. <https://doi.org/10.18016/ksutarimdoga.vi.714642>
- Chattopadhyay, S., Farkya, S., Srivastava, A. K., & Bisaria, V. S. (2002). Bioprocess considerations for production of secondary metabolites by plant cell suspension cultures. *Biotechnology and Bioprocess Engineering*, 7(3), 138–149. <https://doi.org/10.1007/BF02932911>
- Chen, Y. M., Huang, J. Z., Hou, T. W., & Pan, I. C. (2019). Effects of light intensity and plant growth regulators on callus proliferation and shoot regeneration in the ornamental succulent Haworthia. *Botanical Studies*, 60(1). <https://doi.org/10.1186/s40529-019-0257-y>
- Chugh, A., & Khurana, P. (2002). Gene expression during somatic embryogenesis - Recent advances. *Current Science*, 83(6), 715–730.
- Coimbra, M. C., Chagas, R. C. R., Duarte-Almeida, J. M., & Castro, A. H. F. (2017). Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in *Pyrostegia venusta* (Bignoniaceae). *Indian Journal of Experimental Biology*, 55(8), 584–590.
- Cui, X. H., Murthy, H. N., Wu, C. H., & Paek, K. Y. (2010). Sucrose-induced osmotic stress affects biomass, metabolite, and antioxidant levels in root suspension cultures of *Hypericum perforatum* L. *Plant Cell, Tissue and Organ Culture*, 103(1), 7–14. <https://doi.org/10.1007/s11240-010-9747-z>

- Das, A. B., Goud, V. V., & Das, C. (2019). Phenolic Compounds as Functional Ingredients in Beverages. In *Value-Added Ingredients and Enrichments of Beverages: Volume 14: The Science of Beverages* (Issue 1). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-816687-1.00009-6>
- de Castro, K. M., Batista, D. S., Fortini, E. A., Silva, T. D., Felipe, S. H. S., Fernandes, A. M., de Jesus Sousa, R. M., de Queiroz Nascimento, L. S., Campos, V. R., Grazul, R. M., Viccini, L. F., & Otoni, W. C. (2019). Photoperiod modulates growth, morphoanatomy, and linalool content in *Lippia alba* L. (Verbenaceae) cultured in vitro. *Plant Cell, Tissue and Organ Culture*, 139(1), 139–153. <https://doi.org/10.1007/s11240-019-01672-w>
- Demirci, T., Özdamar, P., & Baydar, N. G. (2015). Tibbi ve Aromatik Bitkiler ile Sebzelerde Kök Kaynaklı Sekonder Metabolitlerin Üretiminin Artırılmasına Yönerek In Vitro Uygulamalar. *Turkish Journal of Agriculture - Food Science and Technology*, 3(5), 261. <https://doi.org/10.24925/turjaf.v3i5.261-270.254>
- Demkura, P. V., Abdala, G., Baldwin, I. T., & Ballaré, C. L. (2010). Jasmonate-dependent and -independent pathways mediate specific effects of solar ultraviolet B radiation on leaf phenolics and antiherbivore defense. *Plant Physiology*, 152(2), 1084–1095. <https://doi.org/10.1104/pp.109.148999>
- Dewick, P. M. (2003). The Mevalonate and Deoxyxylulose Phosphate Pathways: Terpenoids and Steroids. In *Medicinal Natural Products* (Vol. 5). <https://doi.org/10.1002/0470846275.ch5>
- Diniatik. (2016). Potensi penangkapan radikal bebas hasil hidrolisis etanol daun kepel (*Stelechocarpus burahol*, (Bl.) Hook f. & Th.) dengan metode DPPH. 13(2), 250–260.
- Do Nascimento, N. C., Menguer, P. K., Sperotto, R. A., De Almeida, M. R., & Fett-Neto, A. G. (2013). Early changes in gene expression induced by acute UV exposure in leaves of *psychotria brachyceras*, a bioactive alkaloid accumulating plant. *Molecular Biotechnology*, 54(1), 79–91. <https://doi.org/10.1007/s12033-012-9546-3>
- Dodds, J. H., & Roberts, L. W. (1987). *Plant Tissue Culture. Second Edition*. New York: Cambridge University Press.
- Efferth, T. (2019). Biotechnology Applications of Plant Callus Cultures. *Engineering*, 5(1), 50–59. <https://doi.org/10.1016/j.eng.2018.11.006>
- El-Nabarawy, M. A., El-Kafafi, S. H., Hamza, M. A., & Omar, M. A. (2015). The effect of some factors on stimulating the growth and production of active substances in *Zingiber officinale* callus cultures. *Annals of Agricultural Sciences*, 60(1), 1–9. <https://doi.org/10.1016/j.aoas.2014.11.020>
- Elya, B., Kusuma, I. M., Jufri, M., & Handayani, R. (2016). Antibacterial tests against acne in vitro, the physical stability and patch test using cream containing ethyl p-methoxycinnamate extracted from *Kaempferia galanga* L., Rhizoma. *Research Journal of Medicinal Plant*, 10(8), 426–434. <https://doi.org/10.3923/rjmp.2016.426.434>
- Erin, N. N., Yachya, A., Kristanti, A. N., Sugiarso, D., & Manuhara, Y. S. W. (2022). Effect of Carbon Source Variations on Growth, Physiological Stress, and Saponin Levels of *Talinum paniculatum* Gaertn. Adventitious Roots. *Journal of Tropical Biodiversity and Biotechnology*, 7(3), 1–15.

- <https://doi.org/10.22146/jtbb.69359>
- Fadhilah, N., Noli, Z. A., & Suwirmen. (2015). Induksi kalus Artemisia vulgaris L . dengan Pemberian Beberapa Konsentrasi Callus Induction of Artemisia vulgaris L . by Addition of Several Concentration of. *Jurnal Biologi Universitas Andalas*, 4(4), 216–222.
- Fazal, H., Abbasi, B. H., Ahmad, N., Ali, M., & Ali, S. (2016). Sucrose induced osmotic stress and photoperiod regimes enhanced the biomass and production of antioxidant secondary metabolites in shake-flask suspension cultures of Prunella vulgaris L. *Plant Cell, Tissue and Organ Culture*, 124(3), 573–581. <https://doi.org/10.1007/s11240-015-0915-z>
- Fazal, H., Abbasi, B. H., Ahmad, N., Ali, S. S., Akbar, F., & Kanwal, F. (2016). Correlation of different spectral lights with biomass accumulation and production of antioxidant secondary metabolites in callus cultures of medicinally important Prunella vulgaris L. *Journal of Photochemistry and Photobiology B: Biology*, 159, 1–7. <https://doi.org/10.1016/j.jphotobiol.2016.03.008>
- Fazili, M. A., Bashir, I., Ahmad, M., Yaqoob, U., & Geelani, S. N. (2022). In vitro strategies for the enhancement of secondary metabolite production in plants: a review. *Bulletin of the National Research Centre*, 46(1). <https://doi.org/10.1186/s42269-022-00717-z>
- Frohnmyer, H., & Staiger, D. (2003). Ultraviolet-B Radiation-Mediated Responses in Plants. Balancing Damage and Protection. *Plant Physiology*, 133(4), 1420–1428. <https://doi.org/10.1104/pp.103.030049>
- Gago, J., Martínez-Núñez, L., Landín, M., Flexas, J., & Gallego, P. P. (2014). Modeling the effects of light and sucrose on in vitro propagated plants: A multiscale system analysis using artificial intelligence technology. *PLoS ONE*, 9(1). <https://doi.org/10.1371/journal.pone.0085989>
- Gan, R. Y., Chan, C. L., Yang, Q. Q., Li, H. Bin, Zhang, D., Ge, Y. Y., Gunaratne, A., Ge, J., & Corke, H. (2018). Bioactive compounds and beneficial functions of sprouted grains. In *Sprouted Grains: Nutritional Value, Production, and Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-811525-1.00009-9>
- Garg, L., Bhandari, N. N., Rani, V., & Bhojwani, S. S. (1996). in endosperm cultures of Acacia nilotica. *Plant Cell Organ Cult*, 855–858.
- Gaspar, T., Kevers, C., Faivre-Rampant, O., Crèvecoeur, M., Penel, C., Greppin, H., & Dommes, J. (2003). Changing concepts in plant hormone action. *In Vitro Cellular and Developmental Biology - Plant*, 39(2), 85–106. <https://doi.org/10.1079/IVP2002393>
- George, E. F., Hall, M. A., & Klerk, G. J. De. (2008). Plant growth regulators I: Introduction; Auxins, their analogues and inhibitors. *Plant Propagation by Tissue Culture 3rd Edition*, 1, 175–204. https://doi.org/10.1007/978-1-4020-5005-3_5
- Ghanati, F., Khatami, F., & Bemani, E. (2009). Effects of UV B and UV C radiation on viability , growth , and major natural compounds of Malva neglecta L . cells. June 2019, 881–888.
- Ghasemzadeh, A., Ashkani, S., Baghdadi, A., Pazoki, A., Jaafar, H. Z. E., &

- Rahmat, A. (2016). Improvement in flavonoids and phenolic acids production and pharmaceutical quality of sweet basil (*Ocimum basilicum* L.) by ultraviolet-B irradiation. *Molecules*, 21(9).
<https://doi.org/10.3390/molecules21091203>
- Gómez, N. E. J., Puertas-Mejía, M. A., Mejía-Giraldo, J. C., Amaya-Nieto, A. Z., & Atehortúa, L. (2018). Micropropagation of baccharis antioquensis (Asteraceae) and photoinduction of polyphenols by UV radiation. *Revista de Biología Tropical*, 66(2), 754–764. <https://doi.org/10.15517/rbt.v66i2.33406>
- Gu, X. Da, Sun, M. Y., Zhang, L., Fu, H. W., Cui, L., Chen, R. Z., Zhang, D. W., & Tian, J. K. (2010). UV-B induced changes in the secondary metabolites of *Morus alba* L. leaves. *Molecules*, 15(5), 2980–2993.
<https://doi.org/10.3390/molecules15052980>
- Guo, J., Han, W., & Wang, M. (2008). *Ultraviolet and environmental stresses involved in the*. 7(25), 4966–4972.
- Habibah, N. A., Moeljopawiro, S., Dewi, K., & Indrianto, A. (2016). Flavonoid Production in Callus Cultures from Mesocarp Stelechocarpus burahol. *Biosaintifika: Journal of Biology & Biology Education*, 8(2), 214.
<https://doi.org/10.15294/biosaintifika.v8i2.6632>
- Haddon, L., & Northcote, D. H. (1976). The influence of gibberellic acid and abscisic acid on cell and tissue differentiation of bean callus. *Journal of Cell Science*, 20(1), 47–55. <https://doi.org/10.1242/jcs.20.1.47>
- Häder, D. P., Kumar, H. D., Smith, R. C., & Worrest, R. C. (2007). Effects of solar UV radiation on aquatic ecosystems and interactions with climate change. *Photochemical and Photobiological Sciences*, 6(3), 267–285.
<https://doi.org/10.1039/b700020k>
- Hao, G., Du, X., Zhao, F., Shi, R., & Wang, J. (2009). Role of nitric oxide in UV-B-induced activation of PAL and stimulation of flavonoid biosynthesis in *Ginkgo biloba* callus. *Plant Cell, Tissue and Organ Culture*, 97(2), 175–185.
<https://doi.org/10.1007/s11240-009-9513-2>
- Haryudin, W., & Rostiana, O. (2008). Karakteristik Morfologi Bunga Kencur (*Kaempferia galanga* L .) Morphological Characteristic of Indian Galanga Flower potensial yang dapat dimanfaatkan se- mempunyai karakter produksi dan. *Bulletin of Research on Spice and Medicinal Crops*, XIX(2), 109–116.
- Hashim, M., Ahmad, B., Drouet, S., Hano, C., Abbasi, B. H., & Anjum, S. (2021). Comparative effects of different light sources on the production of key secondary metabolites in plants in vitro cultures. *Plants*, 10(8).
<https://doi.org/10.3390/plants10081521>
- Hazarika, B. N. (2006). Morpho-physiological disorders in in vitro culture of plants. *Scientia Horticulturae*, 108(2), 105–120.
<https://doi.org/10.1016/j.scienta.2006.01.038>
- Heriansyah, P. (2019). Multiplikasi Embrio Somatis Tanaman Anggrek (*Dendrobium* sp) Dengan Pemberian Kinetin dan Sukrosa Secara In-Vitro. *Jurnal Ilmiah Pertanian*, 15(2), 67–78.
<https://doi.org/10.31849/jip.v15i2.1974>
- Hesami, M., & Daneshvar, M. H. (2018). Indirect Organogenesis through Seedling-Derived Leaf Segments of *Ficus Religiosa* - a Multipurpose Woody Medicinal

- Plant. *Journal of Crop Science and Biotechnology*, 21(2), 129–136.
<https://doi.org/10.1007/s12892-018-0024-0>
- Higuchi, T. (1990). Lignin biochemistry: Biosynthesis and biodegradation. *Wood Science and Technology*, 24(1), 23–63. <https://doi.org/10.1007/BF00225306>
- Hollósy, F. (2002). Effects of ultraviolet radiation on plant cells. *Micron*, 33(2), 179–197. [https://doi.org/10.1016/S0968-4328\(01\)00011-7](https://doi.org/10.1016/S0968-4328(01)00011-7)
- Huang, L., Yagura, T., & Chen, S. (2008). Sedative activity of hexane extract of Keampferia galanga L. and its active compounds. *Journal of Ethnopharmacology*, 120(1), 123–125.
<https://doi.org/10.1016/j.jep.2008.07.045>
- Huang, X., Liu, J., Feng, H., Ma, Y., Zhang, L., & Han, H. (2018). Effects of different plant hormones on callus induction and plant regeneration of miniature roses (*Rosa hybrida* L.). *Horticulture International Journal*, 2(4), 201–206. <https://doi.org/10.15406/hij.2018.02.00053>
- Ibemhal, J.M. Laishram, Ch. Dhananjoy, B. N. and R. T. (2012). In-vitro induction of multiple shoot and root from the rhizome of Kaempferia galanga L. *NeBIO*, 3(September), 46–50. <http://nebio.in/volume-iii-issue-3-september-2012.html>
- Ibrahim et al. (2013). Induksi Kalus Embriogenik dan Daya Regenerasi Kopi Arabika Menggunakan 2,4- Dichlorophenoxyacetic Acid dan 6-Benzyladenine. *Jurnal Tanaman Industri Dan Penyegar*, 4(2), 91–98.
- Idris, A., Linatoc, A., & Takai, Z. (2019). An Effect of Light Intensity on the Total Flavonoid and Phenolic Content of Moringa Oleifera Response of vegetable amaranth to gibberellic acid concentration in savannah zone of Nigeria View project phytochemical screening View project An Effect of Light . *Journal of Tomography System and Sensor Application*, 2(December).
<https://www.researchgate.net/publication/337918818>
- Idris, S. N., Bakrudeen, A., Ahmed, A., & Taha, R. M. (2019). Sucrose Enhanced Stigmastanol Production in Callus Cultures of *Wedelia biflora* (L .) Philipp Agric Scientist Vol. 101 No. 3, 251-260 .
- Ikeuchi, M., Sugimoto, K., & Iwase, A. (2013). Plant callus: Mechanisms of induction and repression. *Plant Cell*, 25(9), 3159–3173.
<https://doi.org/10.1105/tpc.113.116053>
- Inayah, T. (2015). Pengaruh Konsentrasi Sukrosa Pada Induksi Embrio Somatik Dua Kultivar Kacang Tanah (*Arachis hypogaea* L.) Secara In Vitro. *Agribusiness Journal*, 9(1), 61–70. <https://doi.org/10.15408/aj.v9i1.5086>
- Indriani, M. D., Manuhara, Y. S. W., & Utami, E. S. W. (2016). Pengaruh Variasi Zat Pengatur Tumbuh 2,4-D, Kinetin, Dan BAP Terhadap Pertumbuhan Dan Perkembangan Ekstrak Daun Sambung Nyawa. *Jurnal Skripsi*. Universitas Airlangga.
- Iraqi, D., & Tremblay, F. M. (2001). Analysis of carbohydrate metabolism enzymes and cellular contents of sugars and proteins during spruce somatic embryogenesis suggests a regulatory role of exogenous sucrose in embryo development. *Journal of Experimental Botany*, 52(365), 2301–2311.
<https://doi.org/10.1093/jexbot/52.365.2301>
- Jack, E. (2014). Effect of UV Elicitation on Callus Growth, Alkaloid and Terpenoid Contents in *Eurycoma longifolia* Jack. *International Journal of Advances in*

- Chemical Engineering and Biological Sciences*, 1(1), 10–13.
<https://doi.org/10.15242/ijacebs.c1113054>
- Jackson, S. D. (2009). Plant responses to photoperiod. *New Phytologist*, 181(3), 517–531. <https://doi.org/10.1111/j.1469-8137.2008.02681.x>
- Jaina, S. C., Pancholia, B., & Jainb, R. (2012). In-vitro callus propagation and secondary metabolite quantification in Sericostoma pauciforum. *Iranian Journal of Pharmaceutical Research*, 11(4), 1103–1109.
- Jan, R., Asaf, S., Numan, M., Lubna, & Kim, K. M. (2021). Plant secondary metabolite biosynthesis and transcriptional regulation in response to biotic and abiotic stress conditions. *Agronomy*, 11(5), 1–31.
<https://doi.org/10.3390/agronomy11050968>
- Javed, F., & Ikram, S. (2008). Effect of sucrose induced osmotic stress on callus growth and biochemical aspects of two wheat genotypes. *Pakistan Journal of Botany*, 40(4 SPEC. ISS.), 1487–1495.
- Kachroo, A., & Kachroo, P. (2009). Fatty acid-derived signals in plant defense. *Annual Review of Phytopathology*, 47, 153–176.
<https://doi.org/10.1146/annurev-phyto-080508-081820>
- Kalpana, M., & Anbazhagan, M. (2009). In vitro production of Kaempferia galanga (L.) - an endangered medicinal plant. *Journal of Phytology*, 1(1), 56–61.
- Karuppusamy, S. (2009). A review on trends in production of secondary metabolites from higher plants by in vitro tissue, organ and cell cultures. *Journal of Medicinal Plants Research*, 3(13), 1222–1239.
- Karvansara, P. R., & Razavi, S. M. (2019). Physiological and biochemical responses of sugar beet (*Beta vulgaris* L) to ultraviolet-B radiation. *PeerJ*, 7. <https://doi.org/10.7717/PEERJ.6790>
- Kaspar, S., Matros, A., & Mock, H. P. (2010). Proteome and flavonoid analysis reveals distinct responses of epidermal tissue and whole leaves upon UV-B radiation of barley (*Hordeum vulgare* L.) seedlings. *Journal of Proteome Research*, 9(5), 2402–2411. <https://doi.org/10.1021/pr901113z>
- Katerova, Z., Todorova, D., Tasheva, K., & Sergiev, I. (2012). Influence of ultraviolet radiation on plant secondary metabolite production. *Genet Plant Physiol*, 2(3–4), 113–144.
- Keskin, N., & Kunter, B. (2009). The effects of callus age, UV irradiation and incubation time on trans-resveratrol production in grapevine callus culture. *Tarim Bilimleri Dergisi*, 15(1), 9–13.
https://doi.org/10.1501/tarimbil_0000001065
- Khan, M. A., Abbasi, B. H., Shah, N. A., Yücesan, B., & Ali, H. (2015). Analysis of metabolic variations throughout growth and development of adventitious roots in *Silybum marianum* L. (Milk thistle), a medicinal plant. *Plant Cell, Tissue and Organ Culture*, 123(3), 501–510. <https://doi.org/10.1007/s11240-015-0854-8>
- Khan, T., Abbasi, B. H., Zeb, A., & Shad Ali, G. (2018). Carbohydrate-induced biomass accumulation and elicitation of secondary metabolites in callus cultures of *Fagonia indica*. *Industrial Crops and Products*, 126(June), 168–176. <https://doi.org/10.1016/j.indcrop.2018.10.023>
- Khatami, F., & Ghanati, F. (2010). Effects of UV irradiation on cell viability,

- anthocyanin, and flavonoid contents of callus-cultured *Malva neglecta* cells. *Ipcbee*, 3, 198–201. <http://www.ipcbee.com/vol3/50-L061.pdf>
- Kherasani, I., Prihastanti, E., Haryanti, S., Biologi, P. S., Biologi, D., Diponegoro, U., Biologi, D., & Diponegoro, U. (2017). Buletin Anatomi dan Fisiologi Volume 2 Nomor 1 Februari 2017 Pertumbuhan Kalus Eksplan Rimpang Jahe Merah (*Zingiber officinale Rosc.*) pada Berbagai Konsentrasi Sukrosa Secara In Vitro The Growth Callus of Red Ginger (*Zingiber officinale Rosc.*) Explant. *Buletin Anatomi Dan Fisiologi*, 2(1), 43–49.
- Kim, S., Yun, E. J., Hossain, M. A., Lee, H., & Kim, K. H. (2012). Global profiling of ultraviolet-induced metabolic disruption in *Melissa officinalis* by using gas chromatography-mass spectrometry. *Analytical and Bioanalytical Chemistry*, 404(2), 553–562. <https://doi.org/10.1007/s00216-012-6142-0>
- Kochuthressia, K. P., & Britto, S. J. (2016). Efficient Protocol For Direct Somatic Embryogenesis And Plant Regeneration In *Kaempferia Galanga L* From Leaf-Sheath Explants. *Life Sciences International Research Journal : Volume 3*, 3-8.
- Koes, R., Verweij, W., & Quattrocchio, F. (2005). Flavonoids: A colorful model for the regulation and evolution of biochemical pathways. *Trends in Plant Science*, 10(5), 236–242. <https://doi.org/10.1016/j.tplants.2005.03.002>
- Kolakar, S. S., Bc, C., Hc, N., Kumari, L. D., & Ms, H. (2018). National conference on “Conservation, Cultivation and Utilization of medicinal and Aromatic plants” Role of plant tissue culture in micropropagation, secondary metabolites production and conservation of some endangered medicinal crops. ~ 246 ~ *Journal of Pharmacognosy and Phytochemistry*, 3, 246–251.
- Krishnasamy, R., Dhayalan, P., Vijaykumar, S. D., & Periyasamy, S. (2011). *In vitro regeneration of Caralluma fimbriata Wall. by organogenesis : A potent medicinal plant* *In vitro regeneration of Caralluma fimbriata Wall. by organogenesis : a potent medicinal plant*. November.
- Kubica, P., Szopa, A., Prokopiuk, B., Komsta, Ł., Pawłowska, B., & Ekiert, H. (2020). The influence of light quality on the production of bioactive metabolites – verbascoside, isoverbascoside and phenolic acids and the content of photosynthetic pigments in biomass of *Verbena officinalis L.* cultured in vitro. *Journal of Photochemistry and Photobiology B: Biology*, 203, 111768. <https://doi.org/10.1016/j.jphotobiol.2019.111768>
- Kuen, T. G., Khaladalla, M. M., Bhatt, A., & Keng, C. L. (2011). Callus Induction And Cell Line Establishment From Various Explants Of *Kaempferia galanga*. *International Journal of Current Research Vol. 3, Issue, 12*, pp.001-004.
- Kumar, R., Verma, R., Choudhary, R., & Jakhar, M. L. (2018). Effect of Photoperiod on In Vitro Culture of Pomegranate Cv.Sindhuri. *Res. J. Chem. Environ. Sci. Vol.. 6*(June), 50–54.
- Kusano, M., Tohge, T., Fukushima, A., Kobayashi, M., Hayashi, N., Otsuki, H., Kondou, Y., Goto, H., Kawashima, M., Matsuda, F., Niida, R., Matsui, M., Saito, K., & Fernie, A. R. (2011). Metabolomics reveals comprehensive reprogramming involving two independent metabolic responses of *Arabidopsis* to UV-B light. *Plant Journal*, 67(2), 354–369. <https://doi.org/10.1111/j.1365-313X.2011.04599.x>

- Li, X., Zheng, X., Yan, S., & Li, S. (2008). Effects of salicylic acid (SA), ultraviolet radiation (UV-B and UV-C) on trans-resveratrol induction in the skin of harvested grape berries. *Frontiers of Agriculture in China*, 2(1), 77–81. <https://doi.org/10.1007/s11703-008-0014-6>
- Liebelt, D. J., Jordan, J. T., & Doherty, C. J. (2019). Only a matter of time: the impact of daily and seasonal rhythms on phytochemicals. *Phytochemistry Reviews*, 18(6), 1409–1433. <https://doi.org/10.1007/s11101-019-09617-z>
- Lin, D., Xiao, M., Zhao, J., Li, Z., Xing, B., Li, X., Kong, M., Li, L., Zhang, Q., Liu, Y., Chen, H., Qin, W., Wu, H., & Chen, S. (2016). An overview of plant phenolic compounds and their importance in human nutrition and management of type 2 diabetes. *Molecules*, 21(10). <https://doi.org/10.3390/molecules21101374>
- Lindsey, K., & Yeoman, M. M. (1983). The relationship between growth rate, differentiation and alkaloid accumulation in cell cultures. *Journal of Experimental Botany*, 34(8), 1055–1065. <https://doi.org/10.1093/jxb/34.8.1055>
- Logemann, E., Parniske, M., & Hahlbrock, K. (1995). Modes of expression and common structural features of the complete phenylalanine ammonia-lyase gene family in parsley. *Proceedings of the National Academy of Sciences of the United States of America*, 92(13), 5905–5909. <https://doi.org/10.1073/pnas.92.13.5905>
- Loredo-Carrillo, S. E., Santos-Díaz, M. de L., Leyva, E., & Santos-Díaz, M. D. S. (2013). Establishment of callus from Pyrostegia venusta (Ker Gawl.) Miers and effect of abiotic stress on flavonoids and sterols accumulation. *Journal of Plant Biochemistry and Biotechnology*, 22(3), 312–318. <https://doi.org/10.1007/s13562-012-0161-y>
- Løvdal, T., Olsen, K. M., Slimestad, R., Verheul, M., & Lillo, C. (2010). Synergetic effects of nitrogen depletion, temperature, and light on the content of phenolic compounds and gene expression in leaves of tomato. *Phytochemistry*, 71(5–6), 605–613. <https://doi.org/10.1016/j.phytochem.2009.12.014>
- Luis, J. C., Pérez, R. M., & González, F. V. (2007). UV-B radiation effects on foliar concentrations of rosmarinic and carnosic acids in rosemary plants. *Food Chemistry*, 101(3), 1211–1215. <https://doi.org/10.1016/j.foodchem.2006.03.023>
- Ma, X., & Gang, D. R. (2006). Metabolic profiling of in vitro micropropagated and conventionally greenhouse grown ginger (*Zingiber officinale*). *Phytochemistry*, 67(20), 2239–2255. <https://doi.org/10.1016/j.phytochem.2006.07.012>
- Manaf, H. H., Rabie, K. A. E., & Abd El-Aal, M. S. (2016). Impact of UV-B radiation on some biochemical changes and growth parameters in *Echinacea purpurea* callus and suspension culture. *Annals of Agricultural Sciences*, 61(2), 207–216. <https://doi.org/10.1016/j.aoas.2016.08.001>
- Marie, E., Bascos, A., & Ungson, L. B. (2012). Ultraviolet - B (UV - B) Radiation as an Elicitor of Flavonoid Production in Callus Cultures of *Jatropha* (*Jatropha curcas* L .). *The Philipp Agric Scientist*, 95(4), 335–336.
- Martínez-Lüscher, J., Sánchez-Díaz, M., Delrot, S., Aguirreolea, J., Pascual, I., &

- Gomès, E. (2014). Ultraviolet-B radiation and water deficit interact to alter flavonol and anthocyanin profiles in grapevine berries through transcriptomic regulation. *Plant and Cell Physiology*, 55(11), 1925–1936.
<https://doi.org/10.1093/pcp/pcu121>
- Mayerni, R., Satria, B., Wardhani, D. K., & Chan, S. (2020). Effect of auxin (2,4-D) and cytokinin (BAP) in callus induction of local patchouli plants (*Pogostemon cablin* Benth.). *IOP Conference Series: Earth and Environmental Science*, 583(1).
<https://doi.org/10.1088/1755-1315/583/1/012003>
- Mehbub, H., Akter, A., Akter, M. A., Mandal, M. S. H., Hoque, M. A., Tuleja, M., & Mehraj, H. (2022). Tissue Culture in Ornamentals: Cultivation Factors, Propagation Techniques, and Its Application. *Plants*, 11(23).
<https://doi.org/10.3390/plants11233208>
- Mehrzanadeh, G., Forghani, A. H., & Razavizadeh, R. (2020). The impact of UV-B radiation on some metabolites and pigments of *Carum Copticum* under in vitro culture. *Iranian Journal of Plant Physiology*, 10(4), 3325–3332.
<https://doi.org/10.22034/ijpp.2020.1895289.1210>
- Miyahara, R. (2017). Emollients. *Cosmetic Science and Technology: Theoretical Principles and Applications*, 245–253. <https://doi.org/10.1016/B978-0-12-802005-0.00016-1>
- Mohammad, S., Khan, M. A., Ali, A., Khan, L., Khan, M. S., & Mashwani, Z. ur R. (2019). Feasible production of biomass and natural antioxidants through callus cultures in response to varying light intensities in olive (*Olea europaea* L) cult. Arbosana. *Journal of Photochemistry and Photobiology B: Biology*, 193, 140–147. <https://doi.org/10.1016/j.jphotobiol.2019.03.001>
- Mohanty, S., Parida, R., Singh, S., Joshi, R. K., Subudhi, E., & Nayak, S. (2011). Biochemical and molecular profiling of micropropagated and conventionally grown *Kaempferia galanga*. *Plant Cell, Tissue and Organ Culture*, 106(1), 39–46. <https://doi.org/10.1007/s11240-010-9891-5>
- Morkunas, I., Borek, S., Formela, M., & Ratajczak, L. (2012). Plant Responses to Sugar Starvation. *Carbohydrates - Comprehensive Studies on Glycobiology and Glycotechnology*. <https://doi.org/10.5772/51569>
- Morkunas, I., Garnczarska, M., Bednarski, W., Ratajczak, W., & Waplak, S. (2003). Metabolic and ultrastructural responses of lupine embryo axes to sugar starvation. *Journal of Plant Physiology*, 160(3), 311–319.
<https://doi.org/10.1078/0176-1617-00696>
- Murashige, T., & Skoog, F. (1962). Murashige1962Revised.Pdf. *Physiologia Plantarum*, 15, 474–497.
- Murthy, H. N., Lee, E. J., & Paek, K. Y. (2014). Production of secondary metabolites from cell and organ cultures: Strategies and approaches for biomass improvement and metabolite accumulation. *Plant Cell, Tissue and Organ Culture*, 118(1), 1–16. <https://doi.org/10.1007/s11240-014-0467-7>
- Mustafaanand, P. H. (2014). Original Research Article In-vitro plant regeneration in *Kaempferia rotunda* Linn . through somatic embryogenesis - a rare medicinal plant. 3(9), 409–414.
- Nagella, P., & Murthy, H. N. (2010). Establishment of cell suspension cultures of

- Withania somnifera for the production of withanolide A. *Bioresource Technology*, 101(17), 6735–6739.
<https://doi.org/10.1016/j.biortech.2010.03.078>
- Naik, P. M., & Khayri, J. M. Al. (2016). Abiotic and Biotic Elicitors–Role in Secondary metabolite production through invitro culture. Intech King Faizal University. pp. 1-32
- Narayanaswamy, R., & Ismail, I. S. (2015). Cosmetic potential of Southeast Asian herbs: an overview. *Phytochemistry Reviews*, 14(3), 419–428.
<https://doi.org/10.1007/s11101-015-9396-2>
- Nikolaeva, T. N., Zagorskina, N. V., & Zaprometov, M. N. (2009). Production of phenolic compounds in callus cultures of tea plant under the effect of 2,4-D and NAA. *Russian Journal of Plant Physiology*, 56(1), 45–49.
<https://doi.org/10.1134/S1021443709010075>
- Niu, S. S., Xu, C. J., Zhang, W. S., Zhang, B., Li, X., Lin-Wang, K., Ferguson, I. B., Allan, A. C., & Chen, K. S. (2010). Coordinated regulation of anthocyanin biosynthesis in Chinese bayberry (*Myrica rubra*) fruit by a R2R3 MYB transcription factor. *Planta*, 231(4), 887–899. <https://doi.org/10.1007/s00425-009-1095-z>
- Nurisa, A., Kristanti, A. N., & Manuhara, Y. S. W. (2017). Effect of sucrose, erythrose-4-phosphate and phenylalanine on biomass and flavonoid content of callus culture from leaves of *Gynura procumbens* Merr. *AIP Conference Proceedings*, 1868(November 2019). <https://doi.org/10.1063/1.4995205>
- Nurmeilis, Azrifitria, & Fitriani, N. (2016). Pengujian Senyawa Etil p-Metoksi Sinamat Hasil Isolasi Rimpang Kencur (Kampferia galanga) Dan Derivat Amidasinya Sebagai Obat Penenang (Sedativ-Hipnotik). *Ilmiah*, 14–15.
- Ozcan, T., Akpinar-Bayizit, A., Yilmaz-Ersan, L., & Delikanli, B. (2014). Phenolics in Human Health. *International Journal of Chemical Engineering and Applications*, 5(5), 393–396. <https://doi.org/10.7763/ijcea.2014.v5.416>
- Ozyigit, I. I., Dogan, I., Hocaoglu-Ozyigit, A., Yalcin, B., Erdogan, A., Yalcin, I. E., Cabi, E., & Kaya, Y. (2023). Production of secondary metabolites using tissue culture-based biotechnological applications. *Frontiers in Plant Science*, 14(June), 1–28. <https://doi.org/10.3389/fpls.2023.1132555>
- Paek, K. Y., Murthy, H. N., & Zhong, J. J. (2014). Production of biomass and bioactive compounds using bioreactor technology. In *Production of Biomass and Bioactive Compounds Using Bioreactor Technology* (Vol. 9789401792). <https://doi.org/10.1007/978-94-017-9223-3>
- Pan, Y., Li, L., Xiao, S., Chen, Z., Sarsaiya, S., Zhang, S., ShangGuan, Y., Liu, H., & Xu, D. (2020). Callus growth kinetics and accumulation of secondary metabolites of *Bletilla striata* Rchb. F. Using a callus suspension culture. *PLoS ONE*, 15(2), 1–14. <https://doi.org/10.1371/journal.pone.0220084>
- Panchlaniya, R., & Titov, A. (2018). The Study Of Effect On Glycine Max (L .) Merrill Tissue Culture By Plant Growth Regulators (Pgrs) And UV-B Supplementation. *IJARSE* Vol. 7. Spesial Issue No. 3: 16–25.
- Parida, R., Mohanty, S., Kuanar, A., & Nayak, S. (2010). Rapid multiplication and in vitro production of leaf biomass in *Kaempferia galanga* through tissue culture. *Electronic Journal of Biotechnology*, 13(4).

- <https://doi.org/10.2225/vol13-issue4-fulltext-12>
- Pasternak, T. P., Prinsen, E., Ayaydin, F., Miskolczi, P., Potters, G., Asard, H., Van Onckelen, H. A., Dudits, D., & Fehér, A. (2002). The role of auxin, pH, and stress in the activation of embryogenic cell division in leaf protoplast-derived cells of alfalfa. *Plant Physiology*, 129(4), 1807–1819. <https://doi.org/10.1104/pp.000810>
- Paul, R., & Shylaja, M. R. (2023). Indirect organogenesis in ginger. *Indian J. Hort.* 67(4).
- Petiard, V., Baubault, C., Bariaud, A., Hutin, M., & Courtois, D. (1985). *Studies on Variability of Plant Tissue Cultures for Alkaloid Production in Catharanthus roseus and Papaver somniferum Callus Cultures*. 133–142. https://doi.org/10.1007/978-3-642-70717-9_13
- Pi, Y., Jiang, K., Hou, R., Gong, Y., Lin, J., Sun, X., & Tang, K. (2010). Examination of camptothecin and 10-hydroxycamptothecin in Camptotheca acuminata plant and cell culture, and the affected yields under several cell culture treatments. *Biocell*, 34(3), 139–143.
- Pise, M., Rudra, J., Bundale, S., Begde, D., Nashikkar, N., & Upadhyay, A. (2012). Asparagus racemosus cell cultures: A source for enhanced production of shatavarins and sarsapogenin. *In Vitro Cellular and Developmental Biology - Plant*, 48(1), 85–91. <https://doi.org/10.1007/s11627-011-9391-2>
- Polle, A. (1996). Developmental changes of antioxidative systems in tobacco leaves as affected by limited sucrose export in transgenic plants expressing yeast-invertase in the apoplastic space. *Planta*, 198(2), 253–262. <https://doi.org/10.1007/bf00206251>
- Pratiwi, S., & Runadi, D. (2013). Sintesis Oktil Para Metoksisinamat dari Bahan Baku Rimpang Kencur (Kaempferia galanga rhizoma): Review. *Farmaka*, 14(3), 109–118.
- Pritesh, R. D., Mahmuda, N., Sheikh, Z. R., & Ali, M. S. (2014). Study of Antidiarrhoeal Activity of Two. *International Journal of Pharmaceutical Sciences and Research*, 5(9), 3864–3868. [https://doi.org/10.13040/IJPSR.0975-8232.5\(9\).3864-68](https://doi.org/10.13040/IJPSR.0975-8232.5(9).3864-68)
- Purnamaningsih, R., & Ashrina, M. (2011). pengaruh BAP dan NAA terhadap induksi kalus dan kandungan artemisinin dari Artemisia annua L. 1 [The Effect of BAP and NAA on Callus Induction and Artemisinin Content of Artemisia annua L.]. *Berita Biologi*, 10(4), 481–489.
- Rahardjo, M.; Rostiana, O. (2005). *Standar prosedur operasional budidaya kunyit. Balitro*.
- Rahayu, S., Roostika, I. K. A., & Bermawie, N. (2016). The effect of types and concentrations of auxins on callus induction of Centella asiatica. *Nusantara Bioscience*. 8(2), 283–287. <https://doi.org/10.13057/nusbiosci/n080224>
- Rahman. M.M., Amin. MN, Ahamed.T, Ali. MR, H. A. (2004). *Efficient olant regeneration through somatic embryogenesis from leaf base-devire callus of Kaempferia galanga L* (pp. 675–678).
- Rahman, M., Rahaman, S., Islam, R., Rahman, F., Mithi, F. M., Alqahtani, T., Almikhlaifi, M. A., Alghamdi, S. Q., Alruwaili, A. S., Hossain, S., Ahmed, M., Das, R., Emran, T. Bin, & Uddin, S. (2022). Role of Phenolic Compounds in

- Human Disease : Current. *Molecules*, 27(233), 1–36.
- Rahman, N., Rosli, R., Kadzimin, S., & Hakiman, M. (2019). Auxin and Cytokinin Effects on Callus Induction in *Catharanthus roseus* (L.) G. Don. *Fundamental and Applied Agriculture*, 0, 1. <https://doi.org/10.5455/faa.54779>
- Raina, A. P., & Abraham, Z. (2015). Chemical profiling of essential oil of *Kaempferia galanga L.* germplasm from India. *October*. <https://doi.org/10.1080/10412905.2015.1077165>
- Raj, D., Kokotkiewicz, A., Drys, A., & Luczkiewicz, M. (2015). Effect of plant growth regulators on the accumulation of indolizidine alkaloids in *Securinega suffruticosa* callus cultures Effect of plant growth regulators on the accumulation of indolizidine alkaloids in *Securinega suffruticosa* callus cultures. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 123(1), 39–45. <https://doi.org/10.1007/s11240-015-0811-6>
- Rajabbeigi, E., Eichholz, I., Beesk, N., Ulrichs, C., Kroh, L. W., Rohn, S., & Huyskens-Keil, S. (2013). Interaction of drought stress and UV-B radiation - Impact on biomass production and flavonoid metabolism in lettuce (*Lactuca sativa* L.). *Journal of Applied Botany and Food Quality*, 86(1), 190–197. <https://doi.org/10.5073/JABFQ.2013.086.026>
- Rajalakshmi, K., Mohan, V. R., Unit, E., & College, V. O. C. (2016). (*Oleaceae*) Stem By Gc-Ms Analysis. 7(7), 36–42. <https://doi.org/10.7897/2230-8407.07782>
- Rajasekharan, P. E. Ambika, R. and Ganeshan, S. (2015). In vitro regeneration and conservation of *Kaempferia galanga*. 2(2)(November), 35–43.
- Ramani, S., & Jayabaskaran, C. (2008). Enhanced catharanthine and vindoline production in suspension cultures of *Catharanthus roseus* by ultraviolet-B light. *Journal of Molecular Signaling*, 3, 1–6. <https://doi.org/10.1186/1750-2187-3-9>
- Rehman, R. U., Chaudhary, M. F., Khawar, K. M., Lu, G., Mannan, A., & Zia, M. (2014). In vitro propagation of *Caralluma tuberculata* and evaluation of antioxidant potential. *Biologia (Poland)*, 69(3), 341–349. <https://doi.org/10.2478/s11756-013-0322-z>
- Ren, J. ping, Wang, X. guo, & Yin, J. (2010). Dicamba and Sugar Effects on Callus Induction and Plant Regeneration from Mature Embryo Culture of Wheat. *Agricultural Sciences in China*, 9(1), 31–37. [https://doi.org/10.1016/S1671-2927\(09\)60064-X](https://doi.org/10.1016/S1671-2927(09)60064-X)
- Roeber, V. M., Bajaj, I., Rohde, M., Schmülling, T., & Cortleven, A. (2021). Light acts as a stressor and influences abiotic and biotic stress responses in plants. *Plant Cell and Environment*, 44(3), 645–664. <https://doi.org/10.1111/pce.13948>
- Rosane, F., Klein, S., Reis, A., Kleinowski, A. M., & Einhardt, A. M. (2018). Biochemical activity of plants of the genus *Alternanthera* after UV-C radiation exposure Revista Brasileira de Biociências Biochemical activity of plants of the genus *Alternanthera* after UV-C radiation exposure. R. bras. Bioci., Porto Alegre, vol. 16,2: 37-46.
- Rose, T. L., Bonneau, L., Der, C., Marty-Mazars, D., & Marty, F. (2006). Starvation-induced expression of autophagy-related genes in *Arabidopsis*.

- Biology of the Cell*, 98(1), 53–67.
<https://doi.org/10.1042/bc20040516>
- S Kumawat, S., Jakhar, M.I, Shekawat,K, Kumar,R., Choudary,R., Get.S., & Jat H. (2020). Effect of photoperiod In vitro callus induction and regeneration of Guggul [Commiphora wightii (Arnott)]. *International Journal of Chemical Studies*, 8(1), 2185–2188. <https://doi.org/10.22271/chemi.2020.v8.i1ag.8591>
- Sahoo, S., Parida, R., Singh, S., Padhy, R. N., & Nayak, S. (2014). Evaluation of yield, quality and antioxidant activity of essential oil of in vitro propagated Kaempferia galanga Linn. *Journal of Acute Disease*, 3(2), 124–130. [https://doi.org/10.1016/s2221-6189\(14\)60028-7](https://doi.org/10.1016/s2221-6189(14)60028-7)
- Sakthiselvan. P, Sudharsan. S, M. and M. . . (2019). Kinetic Studies on Cell Growth. *Intech*, 11, 1–9. <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- Samiyarsih, S., Rohma, A., Sasongko, N. D., & Fitrianto, N. (2020). Profil Mikromorfologi Kecipir (*Psophocarpus tetragonolobus* (L.) DC) Mutan Akibat Iradiasi Sinar Gamma Cobalt-60 Winged-bean Micromorphology Profile (*Psophocarpus tetragonolobus* (L.) DC) Mutants Due to Irradiation of Gamma Cobalt-60 Rays. *Journal of Agricultural Science*, 2020(2), 95–106.
- Schmidt, A., Vogel, R. L., Witherup, K. M., Rutledge, S. J., Pitzenberger, S. M., Adam, M., & Rodan, G. A. (1996). Identification of fatty acid methyl ester as naturally occurring transcriptional regulators of the members of the peroxisome proliferator- activated receptor family. *Lipids*, 31(11), 1115–1124. <https://doi.org/10.1007/BF02524285>
- Schreiner, M., Mewis, I., Huyskens-Keil, S., Jansen, M. A. K., Zrenner, R., Winkler, J. B., O'Brien, N., & Krumbein, A. (2012). UV-B-Induced Secondary Plant Metabolites - Potential Benefits for Plant and Human Health. *Critical Reviews in Plant Sciences*, 31(3), 229–240. <https://doi.org/10.1080/07352689.2012.664979>
- Senarath, W. (2017). In Vitro Propagation of Kaempferia Galanga (Zingiberaceae) and Comparison of Larvicidal Activity and Phytochemical Identities of Rhizomes of Tissue Cultured and Naturally Grown Plants. *Journal of Applied Biotechnology & Bioengineering*, 2(4), 157–162. <https://doi.org/10.15406/jabb.2017.02.00040>
- Sequeida, Á., Tapia, E., Ortega, M., Zamora, P., Castro, Á., Montes, C., Zúñiga, G. E., & Prieto, H. (2012). Production of phenolic metabolites by Deschampsia antarctica shoots using UV-B treatments during cultivation in a photobioreactor. *Electronic Journal of Biotechnology*, 15(4). <https://doi.org/10.2225/vol15-issue4-fulltext-7>
- Setiawati, T., Ayalla, A., Nurzaman, M., Kusumaningtyas, V. A., & Bari, I. (2020). Analysis of Secondary Metabolites of Shoot, Callus Culture and Field Plant of Chrysanthemum morifolium Ramat. *Jurnal ILMU DASAR*, 21(1), 1. <https://doi.org/10.19184/jid.v21i1.8665>
- Shetu, H. J., Trisha, K. T., Sikta, S. A., Anwar, R., Sakib, S., & Rashed, B. (2018). Pharmacological importance of Kaempferia galanga (Zingiberaceae): A mini review. *International Journal of Research in Pharmacy and Pharmaceutical Sciences*, 3(3), 32–39.

- Shofiyani, A., & Damajanti, N. (2017). Pengaruh 2,4-D (Asam Diklorofenoksi Asetat) dan BAP (Benzyl Amino Purin) terhadap Proliferasi Kalus dan Produksi Metabolit Sekunder dari Kalus Kencur (Kaempferia galanga L.). *Jurnal Ilmu Kefarmasian Indonesia*, 15(2), 180–185. <http://jifi.farmasi.univpancasila.ac.id/index.php/jifi/article/download/514/326>
- Shofiyani, A., & Yuniaty, A. (2023). Growth Characteristics and Production of Bioactive Compounds in Aromatic Ginger (Kaempferia galanga) Callus under Photoperiod and Auxin Treatments. 410–420. <https://doi.org/10.17957/IJAB/15.2047>
- Siddique, A. B., Ara, I., Shahinul Islam, S. M., & Tuteja, N. (2014). Effect of air desiccation and salt stress factors on in vitro regeneration of rice (*Oryza sativa* L.). *Plant Signaling and Behavior*, 9(12), e977209-1-e977209-10. <https://doi.org/10.4161/15592324.2014.977209>
- Silvestre, M. K. E., Santiz-Gómez, J. A., Luján-Hidalgo, M. C., Ruiz-Lau, N., Sánchez-Roqué, Y., & Gutiérrez-Miceli, F. A. (2022). Effect of UV-B Radiation on Flavonoids and Phenols Accumulation in Tempisque (*Sideroxylon capiri* Pittier) Callus. *Plants*, 11(4), 1–18. <https://doi.org/10.3390/plants11040473>
- Sitorus, E. N., Hastuti, E. D., & Setiari, N. (2011). Induksi Kalus Binahong (*Basella rubra* L.) Secara In Vitro Pada Media Murashige & Skoog Dengan Konsentrasi Sukrosa Yang Berbeda. *Biomia : Berkala Ilmiah Biologi*, 13(1), 1–7.
- Sreelatha, V. R., Thippeswamy, M., & Pullaiah, T. (2015). *In vitro callus induction and plant regeneration from internodal explants of Caralluma stalagmifera Fischer*. 3(2), 472–480.
- Subaryanti, Sulistyaningsih, Y. C., Iswantini, D., & Triadiati, T. (2021). Essential oil components, metabolite profiles, and idioblast cell densities in galangal (*Kaempferia galanga* L.) at different agroecology. *Agrivita*, 43(2), 245–261. <https://doi.org/10.17503/agrivita.v43i2.2631>
- Sugiyarto, L., & Kuswandi, P. (2014). Pengaruh 2, 4-Diklorofenoksiasetat (2, 4-D) Dan Benzyl Aminopurin (Bap) Terhadap Pertumbuhan Kalus Daun Binahong (Anredera). *Jurnal Penelitian Saintek*, 23–30. <http://journal.uny.ac.id/index.php/saintek/article/view/2322>
- Sun, M., Gu, X., Fu, H., Zhang, L., Chen, R., Cui, L., Zheng, L., Zhang, D., & Tian, J. (2010). Change of secondary metabolites in leaves of *Ginkgo biloba* L. in response to UV-B induction. *Innovative Food Science and Emerging Technologies*, 11(4), 672–676. <https://doi.org/10.1016/j.ifset.2010.08.006>
- Syahruddin, A. N., Dahlan, C. K., & Taslim, N. A. (2017). The Effects of *Kaempferia galanga* L . Extract on Pain , Stiffness and Functional Physic in Patient with Knee Osteoarthritis : Double Blind Randomized Clinical Trial. *International Journal of Science and Healthcare Research*, 2(4), 37–43.
- Taiz, L., Zeiger, E., Møller, I. M., & Murphy, A. (2014). Physiology Plants. *Plants Physiology*, 449–451. <http://www.sinauer.com/media/wysiwyg/tocs/PlantPhysiology5.pdf>
- Takshak, S., & Agrawal, S. B. (2016). Ultraviolet-B irradiation : A potent elicitor of phenylpropanoid pathway compounds. *Journal of Scientific Research*, 60(January), 79–96.

- Tariq, U., Ali, M., & Abbasi, B. H. (2014). Morphogenic and biochemical variations under different spectral lights in callus cultures of *Artemisia absinthium* L. *Journal of Photochemistry and Photobiology B: Biology*, 130, 264–271. <https://doi.org/10.1016/j.jphotobiol.2013.11.026>
- Tavakoli, F., Rafieiolhossaini, M., Ravash, R., & Ebrahimi, M. (2020). Subject: UV-B radiation and low temperature promoted hypericin biosynthesis in adventitious root culture of *Hypericum perforatum*. *Plant Signaling and Behavior*, 15(7). <https://doi.org/10.1080/15592324.2020.1764184>
- Tewtrakul, S., Yuenyongsawad, S., Kum mee, S., & Atsawajaruwan, L. (2005). Chemical components and biological activities of volatile oil of. *Science Technology*, 27(2), 503–507.
- Tiecher, A., de Paula, L. A., Chaves, F. C., & Rombaldi, C. V. (2013). UV-C effect on ethylene, polyamines and the regulation of tomato fruit ripening. *Postharvest Biology and Technology*, 86, 230–239. <https://doi.org/10.1016/j.postharvbio.2013.07.016>
- Treutter, D. (2005). Significance of flavonoids in plant resistance and enhancement of their biosynthesis. *Plant Biology*, 7(6), 581–591. <https://doi.org/10.1055/s-2005-873009>
- Turtola, S., Rousi, M., Pusenius, J., Yamaji, K., Heiska, S., Tirkkonen, V., Meier, B., & Julkunen-Tiitto, R. (2005). Clone-specific responses in leaf phenolics of willows exposed to enhanced UVB radiation and drought stress. *Global Change Biology*, 11(10), 1655–1663. <https://doi.org/10.1111/j.1365-2486.2005.01013.x>
- Tyagi, T., & Agarwal, M. (2017). Gc-Ms Analysis of Invasive Aquatic Weed, *Pistia Stratiotes* L. and *Eichhornia Crassipes* (Mart.) Solms. *International Journal of Current Pharmaceutical Research*, 9(3), 111. <https://doi.org/10.22159/ijcpr.2017.v9i3.19970>
- Ubi, B. E., Honda, C., Bessho, H., Kondo, S., Wada, M., Kobayashi, S., & Moriguchi, T. (2006). Expression analysis of anthocyanin biosynthetic genes in apple skin: Effect of UV-B and temperature. *Plant Science*, 170(3), 571–578. <https://doi.org/10.1016/j.plantsci.2005.10.009>
- Uleberg, E., Rohloff, J., Jaakola, L., Tröst, K., Junntila, O., Häggman, H., & Martinussen, I. (2012). Effects of temperature and photoperiod on yield and chemical composition of northern and southern clones of bilberry (*vaccinium myrtillus* L.). *Journal of Agricultural and Food Chemistry*, 60(42), 10406–10414. <https://doi.org/10.1021/jf302924m>
- Umar, M. I., Asmawi, M. Z., Sadikun, A., Majid, A. M. S. A., Al-Suede, F. S. R., Hassan, L. E. A., Altaf, R., & Ahamed, M. B. K. (2014). Ethyl-p-methoxycinnamate isolated from *kaempferia galanga* inhibits inflammation by suppressing interleukin- 1, tumor necrosis factor- α , and angiogenesis by blocking endothelial functions. *Clinics*, 69(2), 134–144. [https://doi.org/10.6061/clinics/2014\(02\)10](https://doi.org/10.6061/clinics/2014(02)10)
- Uranga, C. C., Beld, J., Mrse, A., Córdova-Guerrero, I., Burkart, M. D., & Hernández-Martínez, R. (2016). Fatty acid esters produced by *Lasiodiplodia theobromae* function as growth regulators in tobacco seedlings. *Biochemical and Biophysical Research Communications*, 472(2), 339–345.

- <https://doi.org/10.1016/j.bbrc.2016.02.104>
- Vain, T., Raggi, S., Ferro, N., Barange, D. K., Kieffer, M., Ma, Q., Doyle, S. M., Thelander, M., Parízková, B., Novák, O., Ismail, A., Enquist, P. A., Rigal, A., Łangowska, M., Harborough, S. R., Zhang, Y., Ljung, K., Callis, J., Almqvist, F., Robert, S. (2019). Selective auxin agonists induce specific AUX/IAA protein degradation to modulate plant development. *Proceedings of the National Academy of Sciences of the United States of America*, 116(13), 6463–6472. <https://doi.org/10.1073/pnas.1809037116>
- Vanisree, M., Lee, C., Lo, S., Nalawade, S. M., Lin, C. Y., & Tsay, H. (2004). *Studies on the production of some important secondary metabolites from medicinal plants by plant tissue cultures*.
- Verma, R., Jakhar, M. L., & Kumar, R. (2019). Effect of Photoperiod on In vitro Culture of Guggul [Commiphora wightii (Arnott)] – A Medicinal Plant. *International Journal of Current Microbiology and Applied Sciences*, 8(04), 1844–1851. <https://doi.org/10.20546/ijcmas.2019.804.215>
- Victório, C. P., Kuster, R. M., & Lage, C. L. S. (2011). Leaf and root volatiles produced by tissue cultures of Alpinia zerumbet (PERS.) Burtt & Smith under the influence of different plant growth regulators. *Química Nova*, 34(3), 430–433. <https://doi.org/10.1590/S0100-40422011000300012>
- Vidović, M., Morina, F., & Jovanović, S. V. (2017). Stimulation of Various Phenolics in Plants Under Ambient UV-B Radiation. *UV-B Radiation*, 9–56. <https://doi.org/10.1002/9781119143611.ch2>
- Vincent, K. A., Bejoy, M., Hariharan, M., & Mathew, M. (1991). Plantlet Regeneration From Callus Cultures of Kaempferia Galanga Linn.-a Medicinal Plant. *Indian J. Plant Physiol*, XXXIV(4), 396–400.
- Waryastuti, D. E., Setyobudi, L., & Wardiyati, T. (2017). Pengaruh tingkat konsentrasi 2 , 4-D dan Bap pada media MS terhadap induksi kalus embriogenik temulawak (Curcuma Xanthorrhiza Roxb.). *Jurnal Produksi Tanaman*, 5(1), 140–149.
- Widiastoety, D. (2014). Effect of Auxin and Cytokinin on the Growth of Mokara Orchid Plantlets. *Jurnal Hortikultura*, 24(3), 230–238.
- Wilhelm, R., & Zenk, M. H. (1997). Biotransformation of thebaine by cell cultures of Papaver somniferum and Mahonia nervosa. *Phytochemistry*, 46(4), 701–708. [https://doi.org/10.1016/S0031-9422\(97\)00334-8](https://doi.org/10.1016/S0031-9422(97)00334-8)
- Wu, C. H., Dewir, Y. H., Hahn, E. J., & Paek, K. Y. (2007). Optimization of the culture conditions for the biomass and phenolics production from adventitious roots of Echinacea angustifolia. *Acta Horticulturae*, 764(June), 187–193. <https://doi.org/10.17660/actahortic.2007.764.24>
- Yamasaki, H., Sakihama, Y., & Ikehara, N. (1997). Flavonoid-peroxidase reaction as a detoxification mechanism of plant cells against H₂O₂. *Plant Physiology*, 115(4), 1405–1412. <https://doi.org/10.1104/pp.115.4.1405>
- Yildirim, A. B. (2020). Ultraviolet-B-induced changes on phenolic compounds, antioxidant capacity and HPLC profile of in vitro-grown plant materials in Echium orientale L. *Industrial Crops and Products*, 153(May), 112584. <https://doi.org/10.1016/j.indcrop.2020.112584>
- Zagoskina, N. V., Dubravina, G. A., Alyavina, A. K., & Goncharuk, E. A. (2003).

- Effect of Ultraviolet (UV-B) Radiation on the Formation and Localization of Phenolic Compounds in Tea Plant Callus Cultures. *Russian Journal of Plant Physiology*, 50(2), 270–275. <https://doi.org/10.1023/A:1022945819389>
- Zahir, A., Ahmad, W., Nadeem, M., Giglioli-Guivarc'h, N., Hano, C., & Abbasi, B. H. (2018). In vitro cultures of Linum usitatissimum L.: Synergistic effects of mineral nutrients and photoperiod regimes on growth and biosynthesis of lignans and neolignans. *Journal of Photochemistry and Photobiology B: Biology*, 187, 141–150. <https://doi.org/10.1016/j.jphotobiol.2018.08.009>
- Zarate, R., & Yeoman, M. M. (1994). Studies of the cellular localization of the phenolic pungent principle of ginger, Zingiber officinale Roscoe. *New Phytologist*, 126(2), 295–300. <https://doi.org/10.1111/j.1469-8137.1994.tb03948.x>
- Zhang, X., & Liu, C. (2015). Multifaceted Regulations of Gateway Enzyme Phenylalanine Ammonia-Lyase in the Biosynthesis of Phenylpropanoids. *Molecular Plant*, 8(1), 17–27. <https://doi.org/10.1016/j.molp.2014.11.001>
- Zhao, D., Xing, J., Li, M., Lu, D., & Zhao, Q. (2001). Optimization of growth and jaceosidin production in callus and cell suspension cultures of Saussurea medusa. *Plant Cell, Tissue and Organ Culture*, 67(3), 227–234. <https://doi.org/10.1023/A:1012770623153>
- Zlatev, Z. S., Lidon, F. J. C., & Kaimakanova, M. (2012). Plant physiological responses to UV-B radiation. *Emirates Journal of Food and Agriculture*, 24(6), 481–501. <https://doi.org/10.9755/ejfa.v24i6.14669>

