

## DAFTAR PUSTAKA

- Achmad, R. (2004). *Kimia Lingkungan*. Yogyakarta: ANDI.
- Ahmad, J., & EL-Dessouky, H. (2008). Design of a Modified Low Cost Treatment System for the Recycling and Reuse of Laundry Waste Water. *Resources, Conservation and Recycling*, 52(7), 973–978.
- Ahsan, S., Rahman, M. A., Kaneco, S., Katsumata, H., Suzuki, T., & Ohta, K. (2005). Effect of Temperature on Wastewater Treatment with Natural and Waste Materials. *Clean Technologies and Environmental Policy*, 7(3), 198–202.
- Aji, A. S., & Marleni, N. N. N. (2017). *Studi Karakteristik dan Sistem Pengolahan Air Limbah Domestik di Kabupaten Magelang*. Magelang: UNIMMA PRESS.
- Alaerts, G., & Santika, S. S. (1987). *Metode Penelitian Air*. Surabaya: Usaha Nasional.
- An, C. J., McBean, E., Huang, G. H., Yao, Y., Zhang, P., Chen, X. J., & Li, Y. P. (2016). Multi-Soil-Layering Systems for Wastewater Treatment in Small and Remote Communities. *Journal of Environmental Informatics*, 27(2), 131–144.
- Apriyani, N. (2017). Penurunan Kadar Surfaktan dan Sulfat dalam Limbah Laundry. *Media Ilmiah Teknik Lingkungan*, 2(1), 37–44.
- Brennan, R., & McBean, E. (2011). A Performance Assessment of Arsenic-Iron Removal Plants in the Manikganj district of Bangladesh. *Journal of Water and Health*, 9(2), 317–329.
- Chen, X., Luo, A. C., Sato, K., Wakatsuki, T., & Masunaga, T. (2009). An Introduction of a Multi-Soil-Layering System: a Novel Green Technology for Wastewater Treatment in Rural Areas. *Water and Environment Journal*, 23(4), 255–262.
- Connell, D. W., & Miller, G. J. (1995). *Kimia dan Ekotoksikologi Pencemaran*. Jakarta: UI Press.
- Donahue, R. L., Miller, R. W., & Shickluna, J. C. (1990). *Soil: An Introduction to Soils and Plant Growth*. New Delhi: Prentice Hall of India.
- Ginting, P. (2007). *Sistem Pengolahan Lingkungan dan Limbah Industri*. Bandung: Yrama Widya.
- Hadrah, Kasman, M., & Septiani, K. T. (2019). Analisis Penurunan Parameter Pencemar Limbah Cair Laundry dengan Multi Soil Layering (MSL). *Jurnal Daur Lingkungan*, 2(1), 36–41.
- Hanrahan, G., Gardoinski, P., Gledill, M., & Worsfold, P. (2002). *Environmental Monitoring of Nutrients, in Environmental Monitoring Handbook*. New York: McGraw-Hill.
- Haribowo, R., Megah, S., & Rosita, W. (2019). Efisiensi Sistem Multi Soil Layering

- pada Pengolahan Air Limbah Domestik pada Daerah Perkotaan Padat Penduduk. *Jurnal Teknik Pengairan*, 10(1), 11–27. <https://doi.org/10.21776/ub.pengairan.2019.010.01.2>
- Hashim, M. A., Kulandai, J., & Hassan, R. S. (2007). Biodegradability of Branched Alkylbenzene Sulphonates. *Journal of Chemical Technology & Biotechnology*, 54(3), 207–214. <https://doi.org/10.1002/jctb.280540302>
- Hawkes, C. V., DeAngelis, K. M., & Firestone, M. K. (2007). *Root Interactions with Soil Microbial Communities and Processes. In The Rhizosphere: An Ecological Perspective*. New York: Academic Press.
- Hendrasarie, N. (2021). *Mengolah Limbah Cair Domestik di Lahan Sempit: Penggunaan Teknologi Sequencing Batch Reactor*. Surabaya: CV Putra Media Nusantara.
- HERA. (2003). *Sodium Tripolyphosphate*. London: Human & Environmental Risk Assessment On Ingredients of European Household Cleaning Products.
- Hidayat, N. (2016). *Bioproses Limbah Cair*. Yogyakarta: ANDI.
- Ho, C. C., & Wang, P. H. (2015). Efficiency of a Multi-Soil-Layering System on Wastewater Treatment Using Environment-Friendly Filter Materials. *International Journal of Environmental Research and Public Health*, 12(3), 3362–3380. <https://doi.org/10.3390/ijerph120303362>
- Hudori. (2008). Pengolahan Air Limbah Laundry dengan Menggunakan Elektrokoagulasi. *Thesis*. Institut Teknologi Bandung.
- Irmanto, & Suyata. (2009). Pengolahan Limbah Cair Industri Tahu di Desa Kalisari Kecamatan Cilongok dengan Metode *Multi Soil Layering*. *Molekul*, 4(1), 21–32.
- Jensen, J. (1999). Fate and Effects of Linear Alkylbenzene Sulphonates (LAS) in the Terrestrial Environment. *Science of the Total Environment*, 226(2–3), 93–111.
- Larasati, N. N., Wulandari, S. Y., Maslukah, L., Zainuri, M., & Kunarso, K. (2021). Kandungan Pencemar Detergen dan Kualitas Air di Perairan Muara Sungai Tapak, Semarang. *Indonesian Journal of Oceanography*, 3(1), 1–13. <https://doi.org/10.14710/ijoce.v3i1.9470>
- Latrach, L., Ouazzani, N., Masunaga, T., Hejjaj, A., Bouhoum, K., Mahi, M., & Mandi, L. (2016). Domestic Wastewater Disinfection by Combined Treatment using Multi-Soil-Layering System and Sand Filters (MSL-SF): A laboratory Pilot Study. *Ecological Engineering*, 91, 294–301. <https://doi.org/10.1016/j.ecoleng.2016.02.036>
- Luo, W., YANG, C., He, H., & Zeng, G. (2014). Novel Two-stage Vertical Flow Biofilter System for Efficient Treatment of Decentralized Domestic Wastewater. *Ecological Engineering*, 64, 415–423.
- Mairizki, F., & Putra, A. Y. (2021). Efektifitas Arang Aktif Terhadap Peningkatan

- Kualitas Air Tanah dengan Metode *Multi Soil Layering* (MSL). *Jurnal Katalisator*, 6(1), 74–86.
- Masunaga, T., Sato, K., Mori, J., Shirahama, M., Kudo, H., & Wakatsuki, T. (2007). Characteristics of Wastewater Treatment using a Multi-Soil-Layering System in Relation to Wastewater Contamination Levels and Hydraulic Loading Rates. *Soil Science and Plant Nutrition*, 53(2), 215–223.
- Mungray, A. K., & Kumar, P. (2009). Fate of Linear Alkylbenzene Sulfonates in the Environment: A review. *International Biodeterioration and Biodegradation*, 63(8), 981–987.
- Mutia, R., Elystia, S., & Yenie, E. (2015). Metode *Multi Soil Layering* dalam Penyisihan Parameter TSS Limbah Cair Kelapa Sawit Dengan Variasi *Hydraulic Loading Rate* (HLR) dan Material Organik pada Lapisan Anaerob. *Jurnal Online Mahasiswa Fakultas Teknik Universitas Riau*, 2(1), 1–6.
- Nanzyo, M. (2002). *Unique Properties of Volcanic Ash Soil*. Japan: Tohoku University.
- Pawestri, D. S., Budiono, Z., & Abdullah, S. (2020). Efisiensi *Multi Soil Layering* (MSL) dalam Menurunkan Kadar Chromium Heksavalen ( $\text{Cr}^{6+}$ ) pada Limbah Cair Sablon Di Kaos Ngapak Kabupaten Banyumas Tahun 2020. *Buletin Keslingmas*, 39(3), 131–137. <https://doi.org/10.31983/keslingmas.v39i3.6038>
- Peavy, H. S., & Rowe, D. R. (1986). *Environmental Engineering*. Singapore: McGraw Hill.
- Pratiwi, C. S., & Syafnil. (2017). Memanfaatkan Pasir Sebagai Komponen Sistem *Multi Soil Layering* (MSL) untuk Meminimalkan Pencemaran Limbah Cair *Crude Palm Oil* (CPO). *Jurnal Agroindustri*, 7(2), 115–124.
- Purnamasari, E. N. (2014). Karakteristik Kandungan *Linear Alkylbenzene Sulfonate* (LAS) pada Limbah Cair Laundry. *Jurnal Media Teknik*, 11(1), 32–36.
- Rahayu, A., Maryudi, M., Nuraini, N., Amrillah, N. A. Z., Mulyadi, I., & Hanum, F. F. (2023). Reduction of COD, pH and Phosphate Levels in Laundry Wastewater Using Multi Soil Layering (MSL) Method. *Jurnal Sains Natural*, 13(1), 31–38. <https://doi.org/10.31938/jsn.v13i1.450>
- Salager, J.-L. (2002). *Surfactants Types and Uses*. Mérida-Venezuela: Universidad De Los Andes.
- Sánchez-Martín, J., Beltrán-Heredia, J., & Peres, J. A. (2012). Improvement of The Flocculation Process in Water Treatment by Using *Moringa oleifera* Seeds Extract. *Brazilian Journal of Chemical Engineering*, 29(3), 495–501.
- Sari, S. R. (2015). Kajian Adsorpsi Linear Alkilbenzena Sulfonat (LAS) Menggunakan Magnetit. *Skripsi*. Universitas Negeri Semarang.
- Sato, K., IHA, Y., Luanmanee, S., Masunaga, T., & Wakatsuki, T. (2002). Long Term on-site Experiments and Mass Balances in Waste Water Treatment by Multi-Soil-Layering System. In *17<sup>th</sup> World Congress of Soil Science* (Issue

55).

- Sato, K., Iwashima, N., Wakatsuki, T., & Masunaga, T. (2011). Quantitative Evaluation of Treatment Processes and Mechanisms of Organic Matter, Phosphorus, and Nitrogen Removal in a Multi-Soil-Layering System. *Soil Science and Plant Nutrition*, *57*(3), 475–486.
- Sato, K., Masunaga, T., & Wakatsuki, T. (2005). Water Movement Characteristics in a Multi-Soil-Layering System. *Soil Science and Plant Nutrition*, *51*(1), 75–82.
- Scott, M. J., & Jones, M. N. (2000). The Biodegradation of Surfactants in The Environment. *Biochimica et Biophysica Acta - Biomembranes*, *1508*(1–2), 235–251. [https://doi.org/10.1016/S0304-4157\(00\)00013-7](https://doi.org/10.1016/S0304-4157(00)00013-7)
- Shen, J., Huang, G., An, C., Song, P., Xin, X., Yao, Y., & Zheng, R. (2018). Biophysiological and Factorial Analyses in the Treatment of Rural Domestic Wastewater using Multi-Soil-Layering Systems. *Journal of Environmental Management*, *226*, 83–94.
- Shoji, S., & Ono, T. (1978). Physical and Chemical Properties and Clay Mineralogy of Andosols from Kitakami, Japan. *Soil Science*, *126*(5), 297–312.
- Singh, V., & Mittal, A. K. (2012). Characterization of Biofilm of a Rotating Biological Contactor Treating Synthetic Wastewater. *Water Science and Technology*, *66*(2), 429–437.
- Smulders, E. (2002). *Laundry Detergents*. Weinheim: Wiley-VCH Verlag GmbH.
- Sofyan, S. S., & Ardinal. (2009). Kombinasi Sistem Anaerobik Filter dan *Multi Soil Layering* (MSL) Sebagai Alternatif Pengolahan Limbah Cair Industri Kecil Menengah Makanan. *Jurnal Riset Industri*, *3*(2), 118–127.
- Song, P., Huang, G., An, C., Shen, J., Zhang, P., Chen, X., Shen, J., Yao, Y., Zheng, R., & Sun, C. (2018). Treatment of Rural Domestic Wastewater using Multi-Soil-Layering Systems: Performance Evaluation, Factorial Analysis and Numerical Modeling. *Science of the Total Environment*, *644*, 536–546.
- Sugiharto. (2014). *Dasar-dasar Pengolahan Air Limbah*. Jakarta: UI Press.
- Sugiyanto. (1994). Pengolahan Biologis Limbah Cair. *Makalah Workshop Pengolahan Limbah Cair*. Kerjasama BAPEDAL Dengan UNS Surakarta.
- Sukmawati, S. (2011). Jerapan P pada Andisol yang Berkembang dari Tuff Vulkan Beberapa Gunung Api di Jawa Tengah dengan Pemberian Asam Humat dan Asam Silikat. *Media Litbang Sulteng*, *4*(1), 30–36.
- Swisher, R. . (1987). *Surfactant Biodegradation*. New York: Marcel Dekker Inc.
- Tan, K. H. (1998). *Dasar-dasar Kimia Tanah*. Yogyakarta: Gadjah Mada University Press.
- Tchobanoglous, G., Burton, F. L., & Stensel, H. D. (2004). *Wastewater Engineering Treatment and Reuse* (Fourth Edi). New York: Metcalf & Eddy, Inc.

- Utomo, W. P., Nugraheni, Z. V., Rosyidah, A., Shafwah, O. M., Naashihah, L. K., Nurfitriani, N., & Ullfindrayani, I. F. (2018). Penurunan Kadar Surfaktan Anionik dan Fosfat dalam Air Limbah *Laundry* di Kawasan Keputih, Surabaya Menggunakan Karbon Aktif. *Akta Kimia Indonesia*, 3(1), 127–140.
- Wada, K. (1989). *Allophane and Imogolite*. Madison: Minerals in Soil Environments.
- Wagner, M., Loy, A., Nogueira, R., Purkhold, U., Lee, N., & Daims, H. (2002). Microbial Community Composition and Function in Wastewater Treatment Plants. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 81(1–4), 665–680.
- Wakatsuki, T., Esumi, H., & Omura, S. (1993). High Performance and N & P-Removable On-Site Domestic Waste Water Treatment System by Multi-Soil-Layering Method. *Water Science and Technology*, 27(1), 31–40.
- Wardhana, W. A. (1995). *Dampak Pencemaran Lingkungan*. Yogyakarta: Andi Offset.
- Wu, Q., Zhao, L., Song, R., & Ma, A. (2019). Research Progress of Surfactant Biodegradation. *IOP Conference Series: Earth and Environmental Science*, 227(5), 1–11. <https://doi.org/10.1088/1755-1315/227/5/052023>
- Yangxin, Y., Jin, Z., & Bayly, A. E. (2008). Development of Surfactant and Builders in Detergent Formulations. *Chinese Journal of Chemical Engineering*, 16(4), 517–527.
- Yuliana, Langsa, M. H., & Sirampun, A. D. (2020). Air Limbah *Laundry*: Karakteristik dan Pengaruhnya Terhadap Kualitas Air. *Jurnal Natural*, 16(1), 25–33.
- Yuniarti, D. P., Komala, R., & Aziz, S. (2019). Pengaruh Proses Aerasi Terhadap Pengolahan Limbah Cair Pabrik Kelapa Sawit Di PTPN VII Secara Aerobik. *Teknik Lingkungan*, 4(2), 7–16.
- Zairinayati, & Shatriadi, H. (2019). Biodegradasi Fosfat pada Limbah *Laundry* Menggunakan Bakteri Consorsium Pelarut Fosfat. *Jurnal Kesehatan Lingkungan Indonesia*, 18(1), 57–61.
- Zoller, U. (2004). *Handbooks of Detergents, Part B: Environmental Impact*. Boca Raton: CRC Press.