

## DAFTAR PUSTAKA

- Abd Mutalib, M., Rahman, M. A., Othman, M. H. D., Ismail, A. F., & Jaafar, J. (2017). Scanning Electron Microscopy (SEM) and Energy-Dispersive X-Ray (EDX) Spectroscopy. In *Membrane Characterization*. Elsevier B.V.
- Abdullah, M., & Khairurrijal. (2009). *Review: Karakteristik Nanomaterial*. *Jurnal Nanosains & Nanoteknologi*, 2(1).
- Anuar, M. F., Fen, Y. W., Zaid, M. H. M., Matori, K. A., & Khaidir, R. E. M. (2018). Synthesis and structural properties of coconut husk as potential silica source. *Results in Physics*, 11(August), 1–4.
- Ariyanti, D., Lesdantina, D., Budiyo, & Satriadi, H. (2021). Synthesis and characterization of graphene-like material derived from sugarcane bagasse. *IOP Conference on Chemical and Materials Engineering*.
- Ayub, M., Othman, M. H. D., Yusop, M. Z. M., Khan, I. U., Tai, Z. S., & Hubadillah, S. K. (2023). Optimized Single-Step Synthesis of Graphene-based Carbon Nanosheets from Palm Oil Fuel Ash. *Materials Chemistry and Physics*, 296(127202).
- Azizovna, S. M., Chenchik, D., Yeleuov, M., Mansurov, Z., Di Capua, R., & Elibaeva, N. (2018). Synthesis and characterization of graphene layers from rice husks. *Chemical Bulletin of Kazakh National University*, 2, 12–18.
- Badan Pusat Statistik. (2021). *Produksi Perkebunan Menurut Kabupaten/Kota dan Jenis Tanaman di Provinsi Jawa Tengah (ton), 2019-2021*.
- Brakestad, A. M. (2015). Characterization of workplace aerosols in the manganese alloy production industry by X-ray diffraction, inductively coupled plasma optical emission spectrometry, and anion chromatography. In *Norwegian University of Life Sciences*.
- Bukhari, S. S., Behin, J., Kazemian, H., & Rohani, S. (2015). Conversion of coal fly ash to zeolite utilizing microwave and ultrasound energies. *Fuel*, 140(October), 250–266.
- Chai, X., He, H., Fan, H., Kang, X., and Song, X (2019). Bioresource technology a hydrothermal-carbonization process for simultaneously production of sugars, graphene quantum dots, and porous carbon from sugarcane bagasse. *Bioresource Technology* 282(Januari), 142-147.
- Danial, N. S., Che Halin, D. S., Ramli, M. M., Abdullah, M. M. A., Mohd Salleh, M. A. A., Mat Isa, S. S., Talip, L. F. A., & Mazlan, N. S. (2019). Graphene geopolymer hybrid: A review on mechanical properties and piezoelectric effect. *IOP Conference Series: Materials Science and Engineering*, 572(1).

- Demiral, H., Demiral, I., Tümsek, F., & Karabacakoğlu, B. (2008). Pore structure of activated carbon prepared from hazelnut bagasse by chemical activation. *Surface and Interface Analysis*, 40(3–4), 616–619.
- Fahmi, F., Dewayanti, N. A. A., Widiyastuti, W., & Setyawan, H. (2020). Preparation of porous graphene-like material from coconut shell charcoals for supercapacitors. *Cogent Engineering*, 7(1).
- Fahmi, F., Widiyastuti, W., & Setyawan, H. (2020). Graphitization of coconut shell charcoal for sulfonated mesoporous carbon catalyst preparation and its catalytic behavior in esterification reaction. *Bulletin of Chemical Reaction Engineering & Catalysis*, 15(2), 538–544.
- Inagaki, M., Kang, F., Toyoda, M., & Konno, H. (2013). *Advanced Materials Science and Engineering of Carbon*.
- Kunowsky, M., Weinberger, B., Lamari Darkrim, F., Suárez-García, F., Cazorla-Amorós, D., & Linares-Solano, A. (2008). Impact of the carbonisation temperature on the activation of carbon fibres and their application for hydrogen storage. *International Journal of Hydrogen Energy*, 33, 3091–3095.
- Lee, I., Nam, J., Park, S. J., Bae, D. J., Hong, S., & Kim, K. S. (2021). Rapid chemical vapor deposition of graphene using methanol as a precursor. *Carbon Letters*, 31(2), 307–313.
- Li, Z., Yao, Y., Lin, Z., Moon, K. S., Lin, W., & Wong, C. (2010). Ultrafast, dry microwave synthesis of graphene sheets. *Journal of Materials Chemistry*, 20(23), 4781–4783.
- Liu, F., Wang, C., Sui, X., Riaz, M. A., Xu, M., Wei, L., & Chen, Y. (2019). Synthesis of graphene materials by electrochemical exfoliation: Recent progress and future potential. *Carbon Energy*, 1(2), 173–199.
- Lozano-Castelló, D., Lillo-Ródenas, M. A., Cazorla-Amorós, D., & Linares-Solano, A. (2001). Preparation of activated carbons from Spanish anthracite - I. Activation by KOH. *Carbon*, 39(5), 741–749.
- M, I. (n.d.). *Introducing Microwave Research in Oxford*. Departemen of Physics, The Insitute for Digital Archaelology.
- Mamat, R. H., Hamzah, F., Hashim, A., Abdullah, S., Alrokayan, S. A. H., Khan, H. A., Safiay, M., Jafar, S. M., Asli, A., Khusaimi, Z., & Rusop, M. (2018). Influence of volume variety of waste cooking palm oil as carbon source on graphene growth through double thermal chemical vapor deposition. *IEEE International Conference on Semiconductor Electronics*.
- Marsh, J. (2022). *Energy Potential of Coconut Biomass*. [www.Bioenergyconsult.com](http://www.Bioenergyconsult.com).
- Maulinda, L., Nasrul, Z., & Sari, D. N. (2015). Pemanfaatan Kulit Singkong sebagai Bahan Baku Karbon Aktif. *Jurnal Teknologi Kimia Unimal*, 4(2), 11–19.

- Mouginot, R. (2017). Effect of thermal ageing on alloys 690 and 52 in pressurized water reactor applications. *May 2017*, 174.
- Mozammel, H. M., Masahiro, O., & Bhattacharya, S. C. (2002). Activated charcoal from coconut shell using  $ZnCl_2$  activation. *Biomass and Bioenergy*, 22, 397–400.
- Mubarik, S., Qureshi, N., Sattar, Z., Shaheen, A., Kalsoom, A., Imran, M., & Hanif, F. (2021). Synthetic Approach to Rice Waste-Derived Carbon-Based Nanomaterials and Their Applications. *Nanomanufacturing*, 1(3), 109–159.
- Munasir, Triwikantoro, M.Zainuri, & Darminto. (2012). Uji XRD dan XRF Pada Bahan Meneral (Batuan dan Pasir) Sebagai Sumber Material Cerdas ( $CaCO_3$  dan  $SiO_2$ ). *Jurnal Penelitian Fisika Dan Aplikasinya (JPFA) ISSN: 2087-9946*, 2(1), 20–29.
- Muramatsu, H., Kim, Y. A., Yang, K. S., Cruz-Silva, R., Toda, I., Yamada, T., Terrones, M., Endo, M., Hayashi, T., & Saitoh, H. (2014). Rice husk-derived graphene with nano-sized domains and clean edges. *Small*, 10(14), 2766–2770.
- Novoselov, K. S., Geim, A. K., Morozov, S. V., Jiang, D., Zhang, Y., Dubonos, S. V., Grigorieva, I. V., & Firsov, A. A. (2004). Electric Field Effect in Atomically Thin Carbon Films. *Science*, 306.
- Potts, R., Murali, S., Zhu, Y., Zhao, X., & Ruo, R. S. (2011). *Microwave-Exfoliated Graphite Oxide / Polycarbonate Composites*. 6488–6495.
- Purkait, T., Singh, G., Singh, M., Kumar, D., & Dey, R. S. (2017). Large area few-layer graphene with scalable preparation from waste biomass for high-performance supercapacitor. *Scientific Reports*, 7(1), 1–14.
- Rahayu, E. F., & Amalia, A. N. (2020). Sintesis Graphene Melalui Iradiasi Microwave Sebagai Sensor Metanol. *Fullerene Journal of Chemistry*, 5(1), 40–44.
- Raymundo-Piñero, E., Azaïs, P., Cacciaguerra, T., Cazorla-Amorós, D., Linares-Solano, A., & Béguin, F. (2005). KOH and NaOH activation mechanisms of multiwalled carbon nanotubes with different structural organisation. *Carbon*, 43(4), 786–795.
- Sankar, S., Lee, H., Jung, H., Kim, A., Ahmed, A. T. A., Inamdar, A. I., Kim, H., Lee, S., Im, H., & Young Kim, D. (2017). Ultrathin graphene nanosheets derived from rice husks for sustainable supercapacitor electrodes. *New Journal of Chemistry*, 41(22), 13792–13797.
- Senkovska, I., Cychosz, K. A., Llewellyn, P., Thomas, M., & Kaskel, S. (2016). Adsorption methodology. In *The Chemistry of Metal–Organic Frameworks Synthesis, Characterization, and Applications* (pp. 575–605).

- Severo, L. S., Rodrigues, J. B., Campanelli, D. A., Pereira, V. M., Menezes, J. W., de Menezes, E. W., Valsecchi, C., Vasconcellos, M. A. Z., & Armas, L. E. G. (2021). Synthesis and Raman characterization of wood sawdust ash, and wood sawdust ash-derived graphene. *Diamond and Related Materials*, 117.
- Sinclair, R. C., Suter, J. L., & Coveney, P. V. (2019). Micromechanical exfoliation of graphene on the atomistic scale. *Physical Chemistry Chemical Physics*, 21(10), 5716–5722.
- Singh, P., Bahadur, J., & Pal, K. (2017). One-Step One Chemical Synthesis Process of Graphene from Rice Husk for Energy Storage Applications. *Graphene*, 06(03), 61–71.
- Sudibandriyo, M. (2003). A Generalized Ono-Kondo Lattice Model For High Adsorption on Carbon Adsorbents. *Journal of Property Research*.
- Suhartana, S. (2006). Pemanfaatan Sekam Padi sebagai Bahan Baku Arang Aktif dan Aplikasinya untuk Penjernihan Air Sumur di Desa Asinan Kecamatan Bawen Kabupaten Semarang. *Jurnal Kimia Sains Dan Aplikasi*, 9(3), 151–156.
- Sujiono, E. H., Zabrian, D., Dahlan, M. Y., Amin, B. D., & Agus, J. (2020). Graphene oxide based coconut shell waste : synthesis by modified Hummers method and characterization. *Heliyon*, 6(July).
- Sun, L., Tian, C., Li, M., Meng, X., Wang, L., Wang, R., Yin, J., & Fu, H. (2013). From coconut shell to porous graphene-like nanosheets for high-power supercapacitors. *Journal of Materials Chemistry A*, 1(21), 6462–6470.
- Supeno, M., & Siburian, R. (2020). New route: Conversion of coconut shell to graphite and graphene nano sheets. *Journal of King Saud University - Science*, 32(1), 189–190.
- Supriyanto, G., Rukman, N. K., Nisa, A. K., Jannatin, M., Piere, B., Fahmi, M. Z., & Kusuma, H. S. (2018). Graphene Oxide from Indonesian Biomass: Synthesis and Characterization. *BioResources*, 13(3), 4832–4840.
- Tamado, D., Budi, E., Wirawan, R., Dwi, H., Tyaswuri, A., Sulistiani, E., Asma, E., Fisika, J., & Mesin, J. T. (2013). Sifat Termal Karbon Aktif Berbahan Arang Tempurung Kelapa. *Seminar Nasional Fisika*, 73–81.
- Tan, Z., Chen, G., & Zhu, Y. (2011). Carbon-Based Supercapacitors Produced by Activation of Graphene. *Science*, 332(June).
- Tiwari, S., & Talreja, S. (2022). Green Chemistry and Microwave Irradiation Technique: A Review. *Journal of Pharmaceutical Research International*, May, 74–79.

- Uda, M. N. A., Gopinath, S. C. B., Hashim, U., Afnan Uda, M. N., Ibrahim, N. H., Parmin, N. A., Halim, N. H., & Anbu, P. (2020). Simple and Green Approach Strategy to Synthesis Graphene Using Rice Straw Ash. *IOP Conference Series: Materials Science and Engineering*, 864(1).
- Ul-Hamid, A. (2018). A Beginners' Guide to Scanning Electron Microscopy. In *A Beginners' Guide to Scanning Electron Microscopy*.
- Wang, J., & Kaskel, S. (2012). KOH activation of carbon-based materials for energy storage. *Journal of Materials Chemistry*, 22(45), 23710–23725.
- Wang, J., Kim, M., Chen, L., Ho, K. M., Tringides, M., Wang, C. Z., & Wang, S. (2021). Manipulation of electronic property of epitaxial graphene on SiC substrate by Pb intercalation. *Physical Review B*, 103(8), 1–9.
- Wang, X., Li, X., Zhao, Y., Chen, Y., Yu, J., & Wang, J. (2016). The influence of oxygen functional groups on gas-sensing properties of reduced graphene oxide (rGO) at room temperature. *Royal Society of Chemistry Advances*, 6(57), 52339.
- Wang, Y., Chen, Z. Hua, Huang, J., Li, G. Jie, Cao, J. Liang, Zhang, B., Chen, X. Ying, Zhang, H. Li, & Jia, L. (2018). Preparation and catalytic behavior of reduced graphene oxide supported cobalt oxide hybrid nanocatalysts for CO oxidation. *Transactions of Nonferrous Metals Society of China*, 28(11), 2265–2273.
- Wen, C., Zhao, N., Zhang, D. W., Wu, D., Zhang, Z. Bin, & Zhang, S. L. (2014). Efficient reduction and exfoliation of graphite oxide by sequential chemical reduction and microwave irradiation. *Synthetic Metals*, 194, 71–76.
- Widanarto, W., Budianti, S. I., Ghoshal, S. K., Kurniawan, C., Handoko, E., & Alaydrus, M. (2022). Improved microwave absorption traits of coconut shells-derived activated carbon. *Diamond and Related Materials*, 126(November 2021).
- Widiatmoko, E. (2015). *Graphene: Sifat, Fabrikasi, dan Aplikasinya*. Institut Teknologi Bandung.
- Yanti, D. R., Hikmah, U., Prasetyo, A., & Hastuti, E. (2020). The effect of microwave irradiation on reduced graphene oxide from coconut shells. *IOP Conference Series: Earth and Environmental Science*, 456(1).
- Yeleuov, M., Daulbayev, C., Taurbekov, A., Abdisattar, A., Ebrahim, R., Kumekov, S., Prikhodko, N., Lesbayev, B., & Batyrzhan, K. (2021). Synthesis of graphene-like porous carbon from biomass for electrochemical energy storage applications. *Diamond and Related Materials*, 119.
- Zhang, C., Zhu, X., Wang, Z., Sun, P., Ren, Y., Zhu, J., Zhu, J., & Xiao, D. (2014). Facile synthesis and strongly microstructure-dependent electrochemical properties of graphene/manganese dioxide composites for supercapacitors. *Nanoscale Research Letters*, 9(1), 1–8.

- Zhang, L., Cai, P., Wei, Z., Liu, T., Yu, J., Al-Ghamdi, A. A., & Wageh, S. (2021). Synthesis of reduced graphene oxide supported nickel-cobalt-layered double hydroxide nanosheets for supercapacitors. *Journal of Colloid and Interface Science*, 637–645.
- Zheng, Q., & Kim, J.-K. (2015). Graphene for Transparent Conductors. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Zhou, L. (2005). Progress and problems in hydrogen storage methods. *Renewable and Sustainable Energy Reviews*, 9(4), 395–408.
- Zhou, L., Wang, M., Lian, J., Lian, Y. (2014). Supercapacitors based on high-surface area graphene. *Science China Technological Sciences*. 57(2):278-283.
- Zhu, Y., Murali, S., Stoller, M. D., Velamakanni, A., Piner, R. D., & Ruoff, R. S. (2010). Microwave assisted exfoliation and reduction of graphite oxide for ultracapacitors. *Carbon*, 48(7), 2118–2122.

