

DAFTAR PUSTAKA

- Aryana, I.G.P.M., Sudharmawan, A.A., Sumarjan & Anugrahwati D.R. 2017. Penampilan galur harapan F9 padi beras hitam hasil persilangan Baas Selem dan Situ Patenggang. *Jurnal Sains Teknologi & Lingkungan*, Vol.3(2): 36-44.
- Azrai, M. 2005. Pemanfaatan marka molekuler dalam proses seleksi pemuliaan tanaman. *Jurnal AgroBiogen*, Vol.1(1):26-37.
- Badan Pusat Statistik. 2018. *Sensus pertanian tanaman pangan padi*. (On-line). [http://st2013.bps.go.id/dev2/index.php/site/topik?kid=2&kategori=Tanaman-Pangan-\(Padi-dan-Palawija\)](http://st2013.bps.go.id/dev2/index.php/site/topik?kid=2&kategori=Tanaman-Pangan-(Padi-dan-Palawija)) diakses 12 Juli 2022.
- Badan Standardisasi Nasional. 2015. *SNI 6128:2015 tentang Beras*. BSN, Jakarta.
- Baicharoen, A., Vijayan, R. & Pongprayoon, P. 2018. Structural insights into betaine aldehyde dehydrogenase (BADH2) from *Oryza sativa* explored by modeling and simulations. *Scientific Reports*, Vol.8(1): 1-7.
- Bao, J.S., Corke, H. & Sun, M. 2006. Microsatellites, single nucleotide polymorphisms and a sequence tagged site in starch-synthesizing genes in relation to starch physicochemical properties in nonwaxy rice (*Oryza Sativa* L.). *Theor Appl Genet*, Vol.113: 1185–1196.
- Bewick, V., Cheek, L. & Ball, J. 2003. Statistics review 7: Correlation and regression. *Crit Care*, Vol.7(6): 451– 459.
- Biselli, C., Cavalluzzo, D., Perrini, R., Gianinetti, A., Bagnaresi, P., Urso, S., Orasen, G., Desiderio, F., Lupotto, E., Cattivelli, L. & Valè, G. 2014. Improvement of marker-based predictability of apparent amylose content in japonica rice through GBSSI allele mining. *Rice*, Vol.7(1): 1-18.
- Boers, H.M., Hoorn, J.S.T. & Mela, D.J. 2015. A systematic review of the influence of rice characteristics and processing methods on postprandial glycaemic and insulinaemic responses. *Br. J. Nutr*, Vol.114(7): 1035-1045.
- Caffagni, A., Albertazzi, G., Gavina, G., Ravaglia, S., Gianinetti, A., Pecchioni, N. & Milc, J. 2013. Characterization of an Italian rice germplasm collection with genetic markers useful for breeding to improve eating and cooking quality. *Euphytica*, Vol.194(3): 383-399.
- Chen, M., H., Christine, B., Shannon, P. & Robert, F. 2008. waxy gene haplotypes: Associations with apparent amylose content and the effect by the

- environment in an international rice germplasm collection. *Journal of Cereal Science*, Vol.47(3): 536-545.
- Chen, S., Yang, Y., Shi, W., Ji, Q., He, F., Zhang, Z., Cheng, Z., Liu, X. & Xu, M. 2008. Badh2, Encoding Betaine Aldehyde Dehydrogenase, Inhibits the Biosynthesis of 2-Acetyl-1-Pyrroline, a Major Component in Rice Fragrance. *The Plant Cell*, Vol.20(7): 1850-1861.
- Chen, X., Q., Nagao, N., Itani, T. & Irifune, K. 2012. Anti-Oxidative analysis, and identification and quantification of anthocyanin pigments in different coloured rice. *Food Chemistry*, Vol.135(4): 2783-2788.
- Colagar, A.H., Haghghatnia, M.J., Amiri, Z., Mohadjerani, M., Tafrihi, M. 2016. Microsatellite (SSR) amplification by PCR usually led to polymorphic bands: evidence which shows replication slippage occurs in extend or nascent DNA strands. *Mol Biol Res Commun*, Vol.5(3): 167-174.
- Collard, B.C.Y. & Mackill, D.J. 2008. Marker-assisted selection: An approach for precision plant breeding in the twenty-first century. *Philos Trans R. Soc. B.*, Vol.363(1491): 557-572.
- Deanesia, D., Roslim, D., I., Herman. 2014. Isolasi DNA tanaman padi (*Oryza sativa* L.) asal Kecamatan Bantan, Bengkalis – Riau. *JOM MIPA*, Vol.1(2): 644-650.
- Denardin, C.C., Bouffleur, N., Reckziegel, P., Silva, L.P. & Walter, M. 2012. Amylose content in rice (*Oryza sativa* L.) affects performance, glycemic and lipidic metabolism in rats. *Ciência Rural*, Vol.42(2): 381-387.
- Fatokun, O.T. 2019. *Chemical Properties of Starch: Micrometrics and Morphological Properties of Starch*. Intechopen.
- Fitriyah, D., Ubaidillah, M. & Oktaviani, F. 2020. Analisis kandungan gizi beras dari beberapa galur padi transgenik Pac Nagdong/IR36. *Arteri : Jurnal Ilmu Kesehatan*, Vol.1(2): 154-160.
- Fujita, N., Miura, S. & Crofts, N. 2022. Effects of various allelic combinations of starch biosynthetic genes on the properties of endosperm starch in rice. *Rice*, Vol.15(24): 1 – 13.
- Gramene. 1996. *Oryza sativa* SSR “RM190” . (On-line). https://archive.gramene.org/db/markers/marker_view?marker_id=11326 diakses 24 Februari 2023.
- Harahap, A., S. 2017. Uji kualitas dan kuantitas DNA beberapa populasi pohon kapur Sumatera. *Journal of Animal Science and Agronomy Panca Budi*, Vol.2(2): 1 – 5.

- Hou, Z., Qin, P., Zhang, Y., Cui, S. & Ren, G. 2013. Identification of anthocyanins isolated from black rice (*Oryza sativa* L.) and their degradation kinetics. *Food Research International*, Vol.50 (2).
- Hsu, Y.C., Tseng, M.C., Wu, Y.P., Lin, M.Y., Wei, F.J., Hwu, K.K., Hsing, Y. & Lin, Y.R. 2014. Genetic factors responsible for eating and cooking qualities of rice grains in a recombinant inbred population of an inter-subspecific cross. *Mol. Breed.* Vol.34: 655-673.
- Izawa, T. 2022. Reloading DNA history in rice domestication. *Plant Cell Physiology*, Vol.63(11): 1529-1539.
- Joshi, M. & Deshpande J.D. 2010. Polymerase chain reaction: Methods, principles and application. *International Journal of Biomedical Research*, Vol.1(5): 81-97.
- Kamaluddin, Khan, M.A., Kiran, U., Ali, A., Abdin, M.Z., Zargar, M.Y., Ahmad, S., Sofi, P.A. & Gulzar, S. 2017. *Plant Biotechnology: Principles and Applications: Molecular Markers and Marker-Assisted Selection in Crop Plants*. Springer, Singapore.
- Kang, M.Y., Kim, J.H., Rico, C.W., & Nam, S.H. 2011. A comparative study on the physicochemical characteristics of black rice varieties. *International Journal of Food Properties*, Vol.14(6):1241-1254.
- Kementrian Kesehatan Republik Indonesia. 2018. *Lindungi Keluarga Dari Diabetes*. (On-line). <https://p2ptm.kemkes.go.id/post/lindungi-keluarga-dari-diabetes> diakses 12 Mei 2023.
- Kharshiing, G. & Chrungoo, N.K. 2021. *Wx* alleles in rice: Relationship with apparent amylose content of starch and a possible role in rice domestication. *Journal of Genetics*, Vol.100(65): 1-18.
- Kong, S., Kim, D.J., Oh, S.K., Choi, I.S., Jeong, H.S., & Lee, J. 2012. Black rice bran as an ingredient in noodles: Chemical and functional evaluation. *Journal of Food Science*, Vol.77(3).
- Kovach, M. J., Calingacion, M. N., Fitzgerald, M. A. & Mccouch, S. R. 2009. The origin and evolution of fragrance in rice (*Oryza sativa* L.). *PNAS*, Vol.106(34): 14444-14449.
- Kristamtini, Taryono, Basunanda, P. & Murti, R.H. 2017. Korelasi kandungan antosianin total dengan peubah warna (L^* , a^* , dan b^*) dan penanda mikrosatelit pada beras hitam. *Jurnal Penelitian Pertanian Tanaman Pangan*, Vol.1(2):115-124.

- Kushwaha, U.K.S. 2016. *Black Rice: Research, History and Development. Switzerland*. Springer International Publishing Switzerland, Switzerland.
- Lee, P.Y., Costumbrado, J., Hsu, C.Y. & Kim, Y.H. 2012. Agarose gel electrophoresis for the separation of DNA fragments. *Journal of Visualized Experiments*, Vol.62: 1-5
- Lema, M. 2018. Marker assisted selection in comparison to conventional plant breeding: Review article. *Agri Res & Tech: Open Access J.*, Vol.14(2): 1-10.
- Li, P., Chen, Y., Lu, J., Zhang, C., Liu, Q. & Li, Q. 2022. Genes and their molecular functions determining seed structure, components, and quality of rice. *Rice*, Vol.15(18): 1-27.
- Liu, S., Sehgal, S.K., Li, J., Lin, M., Trick, H.N., Yu, J., Gill B.S. & Bai, G. 2013. Cloning and characterization of a critical regulator for preharvest sprouting in wheat. *Genetics*, Vol.195(1): 263-273.
- Lucas, M.S., Carvalho, C.S., Hypolito, G.B.H. & Côrtes, M.C. 2019. Optimized protocol to isolate high quality genomic DNA from different tissues of a palm species. *Hoehnea*, Vol.46: 1-10.
- Lucena-Aguilar, G., Sánchez-López, A. M., Barberán-Aceituno, C., Carrillo-Ávila, J. A., López-Guerrero, J. A. & Aguilar-Quesada, R. 2016. DNA source selection for downstream applications based on DNA quality indicators analysis. *Biopreservation and biobanking*, Vol.14(4): 264–270.
- Luna, P., Herawati, H., Widowati, S. & Prianto, A.B. 2015. Pengaruh kandungan amilosa terhadap karakteristik fisik dan organoleptik nasi instan. *Jurnal Penelitian Pascapanen Pertanian*, Vol.12(1) : 1-10.
- Mackon, E., Mackon, G.C.J.D.E., Ma, Y. Kashif, M.H., Ali, N., Usman, B & Liu, P. 2021. Recent insights into anthocyanin pigmentation, synthesis, trafficking, and regulatory mechanisms in rice (*Oryza sativa* L.) caryopsis. *Biomolecules*, Vol.11(394): 1-25.
- Mangiri J., Mayulu N., Kawengian, S.E.S. 2016. Description of nutrient content in black rice (*Oryza sativa* L.) Ambon Pare cultivar, South Sulawesi. *J e-Biomed*, Vol.4(1).
- Manzila, I., Syukur M., Priyatno, T. P., Reflinur, Azmi, C., Wulandari, A., W., Gunaeni N. & Azizah, N. 2021. Marka SSR Polimorfik pada Tetua dan Galur-galur Hasil Persilangan Cabai Tahan PYLCV. *J. Hort. Indonesia*, Vol.12(2): 126 – 137.

- Mardiah, Z., Rakhmi, A.T., Indrasari, S.D. & Kusbiantoro, B. 2016. Evaluasi mutu beras untuk menentukan pola preferensi konsumen di Pulau Jawa. *Penelitian Pertanian Tanaman Pangan*, Vol.35(3): 163-180.
- Nakano, T., Crofts, N., Miura, S., Oitome, N.F., Hosaka, Y., Ishikawa, K. & Fujita, N. 2023. Three Starch Synthase IIa (SSIIa) alleles reveal the effect of SSIIa on the thermal and rheological properties, viscoelasticity, and eating quality of glutinous rice. *Int. J. Mol. Sci*, Vol.24(4): 1-19.
- Nawaz, H., Waheed, R., Nawaz, M. & Shahwar, D. 2020. *Chemical Properties of Starch: Physical and Chemical Modifications in Starch Structure and Reactivity*. Intechopen.
- Nugroho, A.T. 2022. Perubahan pola perilaku pencarian informasi kesehatan selama pandemik Covid-19. *Jurnal Media Informasi*, Vol.31(1): 103-114 .
- Nugroho, K., Terryana, R.T. & Lestari, P. 2017. Metode ekstraksi DNA cabai (*Capsicum Annuum* L.) menggunakan modifikasi bufer CTAB (*Cethyl Trimethyl Ammonium Bromide*) tanpa nitrogen cair. *Scripta Biologica*, Vol.4(2): 91-94.
- Nugroho, K., Terryana, R.T. & Lestari, P. 2019. Metode ekstraksi DNA tanaman tanpa presipitasi etanol untuk kegiatan polymerase chain reaction (PCR). *Bioteknologi & Biosains Indonesia*, Vol.6(1): 29-38.
- Oba, S., Nagata, C., Nakamura, K., Fujii, K., Kawachi, T., Takatsuka, N. & Shimizu, H. 2010. Dietary glycemic index, glycemic load, and intake of carbohydrate and rice in relation to risk of mortality from stroke and its subtypes in Japanese men and women. *Metabolism Clinical and Experimental*, Vol.59: 1574-1582.
- Oikawa T, Maeda H, Oguchi T, Yamaguchi T, Tanabe N, Ebana K, Yano M, Ebitani T & Izawa T. 2015. The birth of a black rice gene and its local spread by introgression. *Plant Cell*, Vol.27(9): 2401-2414.
- Oktaviani, E. & Suprayogi. 2022. Genetic parameters, inter-relationship among agronomic traits and dehulled rice morpho-biochemical profile of promising black rice x Mentik Wangi lines. *HAYATI J Biosci*. Vol. 29(6): 835-844.
- Pang, Y., Ahmed, S., Xu, Y., Beta, T., Zhu, Z., Shao, Y., & Bao, J. 2018. Bound phenolic compounds and antioxidant properties of whole grain and bran of white, red and black rice. *Food Chemistry*, 240: 212-221.
- Pengkumsri, N., Chaiyasut, C., Saenjum, C., Sirilun, S., Peerajan, S., Suwannalert, P. & Sivamaruthi, B. S. 2015. Physicochemical and antioxidative properties

of black, brown and red rice varieties of northern Thailand. *Food Science and Technology*, Vol.35(2): 331–338.

Pratiwi, R. & Purwestri, Y.A. 2017. Black rice as a functional food in Indonesia. *Functional Foods in Health and Disease*, Vol.7(3): 182-194.

Riset Kesehatan Dasar. 2018. *Laporan Hasil Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.

Sa'adah, I.R., Supriyanta, & Subejo. 2013. Diversity of grain color and rice color of local variety of black rice (*Oryza sativa* L.) that cultivated by the farmer in Sleman, Bantul and Magelang Regencies. *Vegetalika*, Vol. 2(3): 13-20.

Satuan Tugas Penanganan Covid-19. 2020. *Situasi Virus Covid di Indonesia*. (Online). www.covid19.go.id diakses pada 15 Februari 2023.

Septianingrum, E., Liyanan & Kusbiantoro, B. 2016. Review Indeks Glikemik Beras: Faktor-Faktor yang Mempengaruhi dan Keterkaitannya terhadap Kesehatan Tubuh. *Jurnal Kesehatan*, Vol.1(1):1-9.

Setyawati, R. & Zubaidah, S. 2021. Optimasi konsentrasi primer dan suhu annealing dalam mendeteksi gen leptin pada sapi peranakan ongole (PO) menggunakan Polymerase Chain Reaction (PCR). *Indonesian Journal Of Laboratory*, Vol.4(1): 36-40.

Shalihin, A.J., Hidayat, T. & Hamdani. 2020. Analisis preferensi masyarakat terhadap pembelian beras di Kota Banjarbaru. *Frontier Agribisnis*, Vol.1(4): 34-41.

Shao, Y., Hu, Z., Yu, Y., Mou, R., Zhu, Z., & Beta, T. 2018. Phenolic acids, anthocyanins, proanthocyanidins, antioxidant activity, minerals and their correlations in non-pigmented, red, and black rice. *Food Chemistry*, Vol. 239: 733-741.

Sharif M.K., Butt M.S., Anjum F.M., Khan S.H. 2014. Rice bran: A novel functional ingredient. *Crit Rev Food Sci Nutr*, Vol.54(6): 807-816.

Shen, C. 2019. *Diagnostic Molecular Biology*. Academic Press, United States.

Shiratsuchi, H., Ohdaira, Y., Yamaguchi, H., Fukuda, A. 2017. Breaking the dormancy of rice seeds with various dormancy levels using steam and high temperature treatments in a steam nursery cabinet. *Plant Production Science*, Vol.20(2): 183-192.

- Slamet, W.Y., Anita, R. S.W., Sari, S. & Carsono, N. 2018. Seleksi padi dengan kandungan amilosa sedang menggunakan marka molekuler dan pengujian fenotipik. *Zuriat*, Vol.29(2) : 76-79.
- Sompong, R., Siebenhandl-Ehn, S., Linsberger-Martin, G. & Berghofer, E. 2011. Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka. *Food Chemistry*, Vol.124(1): 132-140.
- Subroto, E., Jeanette, G., Meiyanasari, Y., Luwinsky, I., Baraddiaz, S. 2020. Review on the analysis methods of starch, amylose, amylopectin food and agricultural products. *International Journal of Emerging Trends in Engineering Research*, Vol.8(7): 3519-3524.
- Susiyanti, Rusmana, Maryani, Y., Sjaifuddin, Krisdianto, N. & Syabana, M.A. 2020. The physicochemical properties of several Indonesian rice varieties. *BIOTROPIA*, Vol.27(1): 41-50.
- Tan, S., C. & Yiap, B., C. 2009. DNA, RNA, and Protein Extraction: The Past and The Present. *Journal of Biomedicine and Biotechnology*, Vol.2009: 1 – 10.
- Thilakarathna, G.C., Navarathne, S.B. & Wickramasinghe, I. 2017. Identification of important physical properties and amylose content in commercially available improved and traditional rice varieties in Sri Lanka. *IJAERS*, Vol.4(12): 186-194.
- U.S. Department of Agriculture. 2022. *Rice Sector at a Glance*. (On-line). <https://www.ers.usda.gov/topics/crops/rice/rice-sector-at-a-glance/> diakses 15 Februari 2023.
- Varshney, R. K., Mahendar, T., Aggarwal, R.K. & Börner, A. 2007. *Genomics-Assisted Crop Improvement: Genomics-Assisted Crop Improvement*. Springer, Dordrecht.
- Vignes, H. & Rivallan, R. 2020. *Molecular Plant Taxonomy: Methods and Protocols: Development Of Microsatellite Markers Using Next-Generation Sequencing*. University of Hertfordshire Hatfield, Hertfordshire, UK.
- Vigouroux, Y., Jaqueth, J.S., Matsuoka, Y., Smith. O.S., Beavis, W.D., Smith, J.S.C. & Doebley, J. 2002. Rate and pattern of mutation at microsatellite loci in maize. *Mol Biol Evol*, Vol.19(8): 1251-1260.
- World Health Organization. 2022. *Cancer*. (On-line). <https://www.who.int/> diakses pada 15 Februari 2023.
- Yao, S., Zhang Y., Liu, Y., Zhao, C., Zhou, L., Chen, T., Zhao, Q. Y., Pillay, B. & Wang, C. 2020. Effects of soluble starch synthase genes on eating and

cooking quality in semi waxy japonica rice with Wx^{mp} . *Food Production, Processing and Nutrition*, Vol.2(22): 1-12.

Yuenleni. 2019. Langkah-langkah optimasi PCR. *Indonesian Journal Of Laboratory*, Vol.1(3): 51 – 56.

Yulianto. 2017. Ketahanan varietas padi lokal Mentik Wangi terhadap penyakit blas. *JoFSA*, Vol.1(1): 47-54.

Yunus, A., Hartati, S. & Brojokusumojo, R., D., K. 2017. Performance of Mentik Wangi rice generation M1 from the results of gamma ray irradiation. *Agrosains*, Vol.19(1): 6-14.

Zhang, Y., Butelli, E. & Martin, C. 2014. Engineering anthocyanin biosynthesis in plants. *Current opinion in Plant Biology*, Vol.19: 81-90.

Zhou, L., Chen, S., Yang G., Zha, W., Cai, H., Li, S., Chen, Z., Liu, K., Xu, H. & You, A. 2018. A perfect functional marker for the gene of intermediate amylose content $Wx-In$ in rice (*Oryza sativa* L.). *Crop Breeding and Applied Biotechnology*, Vol.18: 103-109.

