

DAFTAR PUSTAKA

- A.D. Ribas, P. Spolti, E.M. Ponte, K.Z. Donato, H. Schrekker, A.M. Fuentefria (2016). Is the emergence of fungal resistance to medical triazoles related to their use in the agroecosystems? A mini review. *Brazilian Journal of Microbiology*, 47, pp. 793-799
- Ahuja, S., & Rasmussen, H. (2007). *HPLC Method Development for Pharmaceuticals: Volume 8 of Separation Science and Technology*. United Kingdom : Elsevier Academic Press.
- Andiani, A. (2021). Validasi Metode Analisis Senyawa Tiopiperin dalam Plasma Tikus Menggunakan HPLC. *Skripsi*. Universitas Hasanuddin.
- Ardianingsih, R. (2009). *Penggunaan High Performance Liquid Chromatography (HPLC) Dalam Proses Analisa Deteksi Ion*. Penelitian Bidang Dirgantara.
- Bisse, E., & Wieland, H. (1988). High-Performance Liquid Chromatographic Separation of Human Haemoglobins: Simultaneous quantitation of foetal and glycates haemoglobins. *Journal of Chromatography B: Biomedical Sciences an Applications*. Elsevier, 434 (1), pp 95-110.
- Budiyanto, Moch A.K. (2018). *Membuat Fungisida Organik*. Malang: UMM Press.
- Chai, T., Yang, W., Qiu, J., Hou, S. (2015). Direct Enantioseparation of Nitrogen-Heterocyclic Pesticides on Cellulose-Based Chiral Column by High-Performance Liquid Chromatography. *Chirality* 27:32-38.
- Chamberlain, J. (1995). *The Analysis Drugs in Biological Fluids, Second Edition*. New York: CRC Press.
- Dean, J.R., & Dean J.A. (2009). *Extraction Techniques in Analytical Science*. United Kingdom: John Wiley & Sons.
- De Lux, P.E. (2004). *Kromatografi Cair Kinerja Tinggi dalam Bidang Farmasi*. Medan: USU Digital Library.
- Dewanti, E. P. (2004). *Kromatografi Cair Kinerja Tinggi dalam Bidang FAR*. USU Press.
- Djojosumarto, P. (2008). *Panduan Lengkap Pestisida & Aplikasinya*. AgroMedia.
- Djunaedy, A. (2008). Aplikasi Fungisida Sistemik dan Pemanfaatan Mikoriza dalam Rangka Pengendalian Patogen Tulat Tanah pada Tanaman Kedelai (*Glycine Max L.*). *Embryo*, 5(2).
- Eldin, A.B., Shalaby, A., Abdallah M.S., Shaldam, M.A., & Abdallah, M.A. (2019). Applying green analytical chemistry (GAC) for development of stability indicating HPLC method for determining clonazepam and its related substances in pharmaceutica formulations and calculating uncertainty. *Arabian Journal of Chemistry*, 12 (7) 1212-1218.

- Fang, Z., Guo, Z., Qin., & Fan., J. (2013). Semi-Preparative Enantiomeric Separation of Ofloxacin by HPLC. *Journal of Chromatographic Science*, 51 (2), 133-137.
- Gandjar, I. G. & Rohman, A. (2007). *Kimia Farmasi Analisis*. Pustaka Pelajar.
- Ghozali, I. (2016). *Aplikasi Analisis Multivariate dengan Program IBM SPSS 23 (VIII)*. Semarang:Badan Penerbit Universitas Diponegoro.
- Harmita, H. (2012). Petunjuk Pelaksanaan Validasi dan Cara Perhitungannya. *Pharmaceutical Sciences and Research (PSR)*, 1(3) pp 254-257.
- Ianonne, E. (2014). *Labs on Chip: Principles, Design and Technology*. CRC Press.
- Jang, D. (2019). Developing and Validating a Method for Separating Flavonoid Isomers in Common Buchwheat Sprout using HPLC-PDA. *Journal foods*, 8, 6-7.
- Johnson, E.L & Stevenson, R. (1991). *Dasar Kromatografi Cair (alih bahasa: Kosasih Padmawinata)*. Bandung: Penerbit ITB.
- Konwick, B.J., Garrison, A.Q., Avants, J.K., & Fisk, A.T. (2006). Bioaccumulation and biotransformation of Chiral triazole fungicides in rainbow trout (*Oncorhynchus mykiss*) Aquat. *Toxicol.* 80,372-381.
- Li, Y., Dong, F., & Liu, X. (2011). Simultaneous Enantioselectives Determination of *Fenbuconazole* and its Main Metabolites in Soil and Water by Chiral Liquid Chromatography/tandem Mass Spectrometry. *Journal of Chromatography A*, 1218 (38) (6667-66704).
- Liang, H.W., Li, L., Qiu, J., Li, W., Yang, S.M., Zhou, Z.Q., & Qiu,L.H. (2013). Stereoselective transformation of triadimefon to metabolite triadimenol in wheat and soil under field conditions. *Journal Hazard Mater.* 260,929-936.
- Majors, R. E. (2001). New designs and formats in solid-phase extraction sample preparation. *LC GC North America*. Advanstar, 19(7), pp. 678–687.
- Martin M, Bill G, Eon C & Guiochon G. (1975). Optimization of Coloumn Design and Operating Parameter in HighSpeed Liquid Chromatography. *J. Chromatogr ScL*, 1(438).
- Mulyati, A.H., Sutanto, & Apriyani, D. (2011). Validasi Metode Analisis Kadar Ambroksol dalam Sediaan Tablet Cystelis secara Kromatografi Cair Kinerja Tinggi. *Ekologia*, (11) 2.
- Mayer, V. M. (2010). *Practical High-Performance Liquid Chromatography*, Fourth Edition. Switzerland: Swiss Federal Laboratories for Materials Testing and Research (EMPA).
- Mulja, M., & Suharman. (1995). *Analisis Instrumental*. Surabaya: Airlangga University Press.

- Murningsih, T., & Chairul. (2000). Mengenal HPLC: Peranannya Dalam Analisa dan Proses Isolasi Bahan Kimia Alam. *Berita Biologi*, 5(2).
- Nugraheni, B., Nafi'ah, N., dan Anggoro, B. (2016). Validasi Metode Analisis dan Penurunan Kadar Infus Ciprofloksasin yang dipengaruhi oleh Reaksi Oksidasi menggunakan HPLC. *Jurnal Ilmiah Manuntung*, 2 (2), 218.
- Okamoto, Y., & Ikai, T. (2008). Chiral HPLC for efficient resolution of Enantiomers. *Chemical Society Reviews*, 37 (12), 2593 – 2608.
- Pamungkas, T.F. (2013). Pengaruh Paparan Sinar Matahari Terhadap Kadar Bisfenol A dalam Air yang Berasal dari Botol Polikarbonat dengan Metode Kromatografi Cair Kinerja Tinggi (KCKT) Fase Terbalik dengan Metode Pengayaaan. *Skripsi*. Universitas Sanata Dharma.
- Pawliszn, J. (2002). *Sampling and Sample for Field and Laboratory: Fundamentals and New Directions in Sample Preparation*. Elsevier. Amsterdam.
- Panggabean, A.S., Amran, M.B., & Achmad, S. (2009). Speciation of Organotin Compounds with ion pair-reserved Phase Chromatography Technique. *Eurasian Journal of Analytical Chemistry*, 4(2) 215-225.
- Perucka, I.W., & Oleszek. (2000). Extraction and Determination of Capsaicinoids in Fruit of Hot Pepper Capsium Annum L. By Spectrophotometry and High Performance Liquid Chromatography, *Food Chem* 71, 287-291.
- Rachmaniar, R., Suryanata, N., & Simanjuntak, N. (2022). Validasi Metode Analisis Senyawa Etil p-Metoksisinamat dalam Plasma Darah Tikus Putih Jantan Galur Wistar Menggunakan Kromatografi Cair Kinerja Tinggi. *Pharma Xplore-Jurnal Sains dan Ilmu Farmasi* 7 (1).
- Rosydiati, dan Saleh, E.K. (2019). Karakterisasi Puncak Kromatogram dalam High Performance Liquid Chromatography (HPLC) terhadap Perbedaan Fase Gerak, Laju Alir, dan Penambahan Asam dalam Analisis Indole Acetid Acid (IAA). *KANDAGA 1* (2).
- Saksit, C., Jureerat J., & Sucila, T. (2012). Determination of Capsaicin and Dihydrocapsaicin in Some Chili Varieties using Accelerated Solvent Extraction Associated with Solid-Phase Extraction Methods RP HPLC Fluorescence. *Coden Ecjhao*, 9. 1550-1551.
- Sanagi, M. M. (2004). High temperature liquid chromatography of triazole fungicides on polybutadiene-coated zirconia stationary phase, *Journal of Chromatography A*. Elsevier, 1059(1-2), pp. 95-101.
- Sawikowska, A., Piasecka, A., Kachlicki, P., & Krajewski, P. (2021). Separation of Chromatographic Co-Eluted Compounds by Clustering and by Functional Data Analysis. *Metabolites*, 11(4):214.
- Simpson, N.J.K (2000). *Solid Phase Extraction: Principles, Techniques and applications*. CRC Press.
- Sudarmo, S. (1991). *Pestisida*. Yogyakarta: Kanisius.

- Susanti, M. (2014). *Kromatografi Cair Kinerja Tinggi*. Padang: Andalas University Press.
- Syafiqoh, F (2015). Analisis Gelatin Sapi dan Gelatin Babi pada Produk Cangkang Kapsul Keras Obat dan Vitamin Menggunakan FTIR dan KCKT. *Skripsi*. UIN Jakarta.
- Snyder, L. R. & Kirkland, J. J. (1979). Introduction to Modern Liquid Chromatography 1979. New York: John Wiley & Sons Inc.
- Torbeck L.D. (2007). Pharmaceutical and Medical Device Validation by Experimental Design. *Informa health care* (4).
- Triharso. (2010). *Dasar-dasar Perlindungan Tanaman*. Yogyakarta: Gadjah Mada University Press.
- W. Hao, Y. Zhang, P. Xu (2021). Enantioselective Accumulation, Elimination and Metabolism of *Fenbuconazole* in Lizards (*Eremias Argus*). *Chemosphere* 271 129482.
- Wan Ibrahim, W.A, Hermawan, D., & Sanagi, M.M. (2007). On-line preconcentration and Chiral Separation of Propiconazol by cyclodextrin-modified micellar electrokinetic chromatography. *Journal Chromatography A*. 1170(1),107-113.
- Wang, M., Gao, M., Zhang, K., Wang, L., Wang, W., Fu, Q., Xia, Z., & Gao, D. (2019). Magnetic Covalent Organic Frameworks with Core-Shell structure as Sorbents for Solid Phase Extraction of Fluoroquinolones and Their Quantitation by HPLC. *Microchimica Acta*, 186 (12), 1-13.
- Walker, Valerie., & Graham, A Mills. (2002). Solid-Phase Extraction in Clinical Biochemistry. *Ann Clin Biochem*, 39:464-477.
- Watson, D.G. (2010). *Analisis Farmasi: Buku Ajar untuk Mahasiswa Farmasi dan Praktisi Kimia Farmasi*, Edisi 2. Jakarta: Penerbit Buku Kedokteran EGC.
- Zhuang, J., Kumar, S., & Rustum, A. (2016). Development and Validation of a Normal Phase Chiral HPLC Method for Analysis of Afoxolaner Using a Chiralpak AD-3 Column. *Journal of Chromatographic Science*, 54 (10), 1813 -1819.
- Zwir-Ferenc, A., Biziuk, M., (2006). Solid Phase Extraction Technique-Trends, Opportunities and Applications. *Polish Journal of Environment Stud*. Vol 15, No.5.