

**PERBEDAAN TINGKAT DEPRESI BERDASARKAN USIA, STATUS
PERKAWINAN, EKONOMI DAN KEPRIBADIAN PADA PASIEN
REHABILITASI NAPZA DI RSUD BANYUMAS**

ABSTRAK

Latar Belakang: Depresi merupakan gangguan jiwa yang ditandai dengan perasaan sedih yang berlebihan, tidak bersemangat, murung, perasaan tidak berharga, putus harapan, tidak berminat pada kehidupan sehari-hari dan ada keinginan untuk melakukan bunuh diri. Depresi dapat disebabkan oleh beberapa hal antara lain faktor biologis, faktor psikososial dan faktor demografi. *World Health Organization* tahun 2010 mengatakan bahwa terdapat sekitar 1,7% penduduk dunia yang mengalami depresi karena penggunaan narkoba. Prevalensi penyalahgunaan narkoba di Indonesia pada tahun 2015 sekitar 2,20% atau 4.098.029 juta jiwa dari total populasi penduduk Indonesia dengan rentang usia 10-59 tahun. Provinsi Jawa Tengah menempati urutan kelima sedangkan untuk tingkat kabupaten Banyumas menempati posisi ketiga.

Tujuan: Mengetahui perbedaan tingkat depresi berdasarkan usia, status perkawinan, ekonomi dan kepribadian pada pasien rehabilitasi napza di RSUD Banyumas.

Metode: Penelitian ini merupakan studi analitik observasional dengan pendekatan *cross sectional* dan menggunakan teknik total sampling karena keterbatasan jumlah dari responden di RSUD Banyumas. Uji yang digunakan pada penelitian ini adalah *chi-square*, tetapi dilakukan rekategori sehingga menggunakan *fisher 2x2*.

Hasil: Hasil uji *fisher exact* bernilai $p = 0,119$ untuk usia, $p=0,396$ untuk status perkawinan, $p=0,465$ untuk ekonomi dan $p= 0,189$ untuk kepribadian. Menunjukkan tidak ada perbedaan yang signifikan ($p>0,05$)

Kesimpulan: Tidak terdapat perbedaan signifikan antara tingkat depresi berdasarkan usia, status perkawinan, ekonomi dan kepribadian pada pasien rehabilitasi napza di RSUD Banyumas.

Kata Kunci: Ekonomi, kepribadian, rehabilitasi napza, status perkawinan, tingkat depresi, Usia

THE DIFFERENCES LEVEL OF DEPRESSION BASED ON AGE, MARITAL STATUS, ECONOMICAL STATUS, AND PERSONALITY IN REHABILITATION'S DRUGS PATIENCE IN GENERAL HOSPITAL BANYUMAS

ABSTRACT

Background: Depression is a mental disorder characterized by excessive feelings of sadness, no spirit, moody, useless feeling, hopeless, not interested in everyday life, and wanting to suicide. Depression can be made by several factors, among others biologist factor, psychosocial factor, and demography factor. In 2010 World Health Organization said that 1,7% worldwide citizen have depression because of drugs. In 2005 the prevalence of drugs abuse in Indonesia is about 2,20% or 4.098.029 million people from the total of Indonesia's population citizens with the range of age between 10-59 years old. Central Java's Province occupies in fifth, while Banyumas is occupied in the third rank.

Objective: Knowing the differences level of depression based on age, marital status, economic status, and personality in rehabilitation's drugs patient in regional hospital Banyumas.

Methods: This study is using analytical observational with a cross-sectional approach. This study is using total sampling technique because the least of the number the patient in regional hospital Banyumas. It's using the chi-square test, but at the end, this study is using fisher 2x2 table with recategorized.

Result: The result of Fisher test exact $p=0,119$ for age, $p=0,396$ for marital status, $p=0,465$ for economic and $p=0,189$ for personality. It shows there are no significance different ($p>0,05$).

Conclusion: There is no significant difference between the level of depression based on age, marital status, economic and personality in rehabilitation's patient drugs in regional hospital Banyumas.

Keywords: Economic, personality, rehabilitation's patient drugs, marital status, Level of depression, age