

## DAFTAR PUSTAKA

- Ahuja, S., & Dong, M. W. (2005). *Handbook of Pharmaceutical Analysis by HPLC*. New York: Elsevier Academic.
- Alquadeib, B. T. (2019). Development and Validation of a New HPLC Analytical Method for The Determination of Diclofenac in Tablets. *Saudi Pharmaceutical Journal*, 27(1), 66–70.
- Bhal, S. K. (2007). *LogP—Making Sense of The Value*. Toronto: Advanced Chemistry Development.
- Bordagaray, A., García-Arrona, R., & Millán, E. (2013). Development and application of a screening method for triazole fungicide determination in liquid and fruit samples using solid-phase microextraction and HPLC-DAD. *Analytical Methods*, 5(10), 2565–2571.
- Bordagaray, A., García-Arrona, R., & Millán, E. (2014). Determination of Triazole Fungicides in Liquid Sample Using Ultrasound-Assisted Emulsification Microextraction with Solidification of Floating Organic Droplet Followed by High-Performance Liquid Chromatography. *Food Analytical Method*, 7, 1195–1203.
- Budiyanto, A. K. (2018). *Membuat Fungisida Organik*. Malang: UMM Press.
- Di Filippo, P., Pomata, D., Riccardi, C., Buiarelli, F., De Gennaro, M., Console, C., & Puri, D. (2018). Determination of Pesticides in The Respirable Fraction of Airborne Particulate Matter by High-Performance Liquid Chromatography–Tandem Mass Spectrometry. *Analytical Letters*, 51(4), 600–612.
- (2000). *Teknik Aplikasi Pestisida Pertanian*. Yogyakarta: Kanisius.
- Dong, F., Cheng, L., Liu, X., Xu, J., Li, J., Li, Y., & Zheng, Y. (2012). Enantioselective Analysis of Triazole Fungicide Myclobutanil in Cucumber and Soil Under Different Application Modes by Chiral Liquid Chromatography/Tandem Mass Spectrometry. *Journal of Agricultural and Food Chemistry*, 60(8), 1929–1936.
- Dyson, N. (1998). *Chromatographic Integration Methods*. London: Royal Society of Chemistry.
- Ekman, D. R., Keun, H. C., Eads, C. D., Furnish, C. M., Murrell, R. N., Rockett, J. C., & Dix, D. J. (2006). Metabolomic Evaluation of Rat Liver and Testis to Characterize The Toxicity of Triazole Fungicides. *Metabolomics*, 2, 63–73.
- Ellis, D., Davis, S., Alexiou, H., Handke, R., & Bartley, R. (2007). *Descriptions of Medical Fungi*. Adelaide: University of Adelaide.

- Ellora, E., Putra, E. D. L., & Haro, G. (2018). Optimasi Fase Gerak Kromatografi Cair Kinerja Tinggi pada Penetapan Kadar Parasetamol, Gliseril Guaiakolat, Klorfeniramin Maleat, dan Fenilefrin HCl dalam Sediaan Tablet Secara Simultan. *In Talenta Conference Series: Tropical Medicine (TM)*, 1(1), 224–229.
- Ermer, J., & Miller, B. J. (2005). *Method Validation in Pharmaceutical Analysis : A Guide to Best Practice*. Weinheim: WILEY-VCH Verlag GmbH & Co.
- Fardiaz, S. (1989). *Mikrobiologi Pangan*. Bogor: IPB Press.
- Gandjar, I. G., & Rohman, A. (2007). *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar.
- Harmita, H. (2004). Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*, 1(3), 117–135.
- Harvey, D. (2000). *Modern Analytical Chemistry*. New York: McGraw Hill Book Co.
- Hendayana, S., Kadarohmah, A., Sumarna, A. A., & Supriatna, A. (2010). *Kimia Analitik Instrumen Edisi Kesatu*. Semarang: IKIP Semarang Press.
- Horwitz, W., & Albert, R. (2006). The Horwitz ratio (HorRat): A useful index of method performance with respect to precision. *Journal of AOAC International*, 89(4), 1095–1109.
- Jaroensan, J., Khiaophon, W., Kachangoon, R., & Vichapong, J. (2023). Efficient Analyses of Triazole Fungicides in Water, Honey and Soy Milk Samples by Popping Candy-Generated CO<sub>2</sub> and Sugaring-Out-Assisted Supramolecular Solvent-Based Microextraction Prior to HPLC determinations. *RSC advances*, 13(7), 4195–4201.
- Jawetz, E., Melnick, J. L., & Adelberg, E. (2005). *Mikrobiologi Kedokteran (XXII)*. Jakarta: Salemba Medika.
- Khopkar, S. M., & Saptorahardjo, A. (2002). *Konsep Dasar Kimia Analitik*. Jakarta: UI Press.
- Kothiyal, S. (2012). *Tool and Techniques of Chromatography*. Saarbrücken: Lambert Academic Publisher.
- Kusuma, A. S. W., & Rosalina, G. (2016). Analisis Kadar Kapsiasin dari Ekstrak 'Bon Cabe' dengan Menggunakan Kromatografi Cair Kinerja Tinggi (KCKT). *Farmaka*, 14(2), 11–18.
- Lewis, K. A., Tzilivakis, J., Warner, D. J., & Green, A. (2016). An International Database for Pesticide Risk Assessments and Management. *Human and*

*Ecological Risk Assessment: An International Journal*, 22(4), 1050–1064.

Magnusson, B., & Örnemar, U. (2014). *Eurachem Guide: The Fitness for Purpose of Analytical Methods – A Laboratory Guide to Method Validation and Related Topics*. European Journal of Pharmacology (2nd ed.). Teddington: LGC, Middlesex University.

Mathay, M. (2015). *Development of Extraction Methods for the Determination of Epoxiconazole and Myclobutanil in Agar Media by HPLC*. Swarthmore: Swarthmore College.

Mc Master, M. (2007). *HPLC A Practical User's Guide*. New Jersey: John Wiley & Sons Inc.

Meyer, J. C., & Miller, J. N. (2010). *Statistika Untuk Kimia Analitik Edisi 2*. Bandung: ITB Press.

National Center for Biotechnology Information. (2020). PubChem Compound Summary for CID 57336812. Accessed oktober 29, 2022. Retrieved from <https://pubchem.ncbi.nlm.nih.gov/compound/cep-33779>

Pelczar, Michael, J., & Chan, E. C. S. (1986). *Dasar-Dasar Mikrobiologi*. Jakarta: UI Press.

Putra, E. D. L. (2004). *Kromatografi Cair Kinerja Tinggi dalam Bidang Farmasi*. Medan: USU Press.

Ragab, M. A., & Eman, I. (2017). High Performance Liquid Chromatography with Photo Diode Array for Separation and Analysis of Naproxen and Esomeprazole in Presence of Their Chiral Impurities: Enantiomeric Purity Determination in Tablets. *Journal of Chromatography A*, 1497, 110–117.

Riyanto. (2014). *Validasi dan Verifikasi Metode Uji: Sesuai dengan ISO/IEC 17025 Laboratorium Pengujian dan Kalibrasi*. Yogyakarta: Deepublish.

Rohman, A. (2018). *Validasi Penjaminan Mutu Metode Analisis Kimia*. Yogyakarta: UGM Press.

Savira, S. A., & Iyan, S. M. (2011). Penetapan Kadar Simvastatin Menggunakan Kromatografi Cair Kinerja Tinggi (KCKT). *Farmaka*, 14(4), 70–78.

Saxena, N. (2020). Buffers in Mobile Phase – Their Significance Of Choosing The Correct One. *Phenomenex*. Retrieved April 7, 2020, from <https://phenomenex.blog/2020/04/08/buffers-mobile-phase/>

Snyder, L. R., Kirkland, J. J., & Dolan, J. W. (2011). *Introduction to Modern Liquid Chromatography*. New Jersey: John Wiley & Sons.

Soemirat. (2002). *Kesehatan Lingkungan*. Yogyakarta: UGM Press.

Sun, M., Liu, D., Qiu, X., Zhou, Q., Shen, Z., Wang, P., & Zhou, Z. (2014). Acute Toxicity, Bioactivity, and Enantioselective Behavior with Tissue Distribution in Rabbits of Myclobutanil Enantiomers. *Chirality*, 26(12), 784–789.

The International Conference on Harmonization (ICH). (2005). Harmonized Tripartite Guideline. Validation of Analytical Procedures: Text and methodology Q2(R1), 1–13.

Wang, W., Ma, X., Wu, Q., Wang, C., Zang, X., & Wang, Z. (2012). The Use of Graphene-Based Magnetic Nanoparticles as Adsorbent for The Extraction of Triazole Fungicides from Environmental Water. *Journal of Separation Science*, 35(17), 2266–2272.

Yuwono, M., & Indrayanto, G. (2005). Validation of Chromatographic Methods of Analysis. *Profiles of Drug Substances, Excipients and Related Methodology*, (32), 243-259.

