

## DAFTAR PUSTAKA

- Ahmad, N., & Hadinegoro, A. (2012). Metode Histogram Equalization untuk Perbaikan Citra Digital. Seminar Nasional Teknologi Informasi & Komunikasi Terapan 2012, 439-445.
- Black, J dan Hawks, J. 2014. *Keperawatan Medikal Bedah: Manajemen Klinis untuk Hasil yang Diharapkan*. Dialihbahasakan oleh Nampira R. Jakarta: Salemba Embar Patria.
- Bontrager, 2010., *Text Book of Radiographic Positioning and Related Anatomy, Seventh Edition*, Mosby Inc, St. Louis, Amerika.
- Bushberg, Jerrold T, J. Anthony Seibert, Edwin M. Leidholdt, and John M. Bhoone. *The Essential Physics of Medical Imaging*. Philadelphia: Lippincott Williams & Wilkins, 2001.
- Bushberg. J. T., 2006, *The Essential Physics of Medical Imaging* ,2 th ed, New York Lippincott Williams & Wilkins, Philadelpia, USA.
- Bushberg, Jerrold T, 2012. *The Essential physics of medical imaging 3rd ed*, 502- 504.
- Chawla, A. S., Roehrig, H., Rodriguez, J. J., & Fan, J. (2005). *Determining the MTF of Medical Imaging Displays Using Edge Techniques*. *Journal of Digital Imaging*, 18(4), 296–310.
- D. R. Ningtias, dkk. (2016). Pengukuran Kualitas Citra Digital *Computed Radiography* menggunakan Program Pengolahan Citra. Semarang.
- Fagenholz P, Gutaman J, Murray A. 2007. *Chest ultrasonography for the diagnosis and monitoring of hight altitude pulmonary edema (chest)* 131:1013- 18.
- Fatimah, S., Maslebu, G., & Trihandaru, S. (2018). Analisis Homogenitas Citra Ultrasonografi Berbasis Silicone Rubber Phantom dengan GLCM. *Jurnal Fisika*, 8 (1), 18–27.
- Fauzi, A., & Putra, M. M. A. (2016). Nefrolitiasis. *Majority*, 5(2), 69–73.
- Goodsitt, M. M., and Carson, P. L., Scott W., Hykes, D. L., Kofler, J. M. (1998). *Real-Time B-Mode Ultrasound Quality Control Test Procedures*. *American*

- Association of Physicist in Medicine.* Report number: 065 1998.
- Hafizah, W. M., Supriyanto, E., & Yunus, J. (2012). *Feature Extraction Of Kidney Ultrasound Images Based On Intensity Histogram And Gray Level CoOccurrence Matrix.* 2012 Sixth Asia Modelling Symposium, 115– 120. <https://doi.org/10.1109/AMS.2012.47>.
- Haryadi, H., Kaniya, T. D., Anggunan, A., & Uyun, D. (2020). Ct-Scan Non Kontras Pada Pasien Batu Saluran Kemih. *Jurnal Ilmiah Kesehatan Sandi Husada*, 11(1), 284–291. <https://doi.org/10.35816/jiskh.v11i1.272>.
- Hendee, R. William. 2002. Medical Imaging Physics (4th ed.). Willey Liss. Canada.
- Herliana, O., Sri Widodo, T., & Soesanti, I. (2012). Klasifikasi Nomsupervised Citra Thermal Kanker Payudara Berbasis Fuzzy C-MEANS. *Jurnal Nasional Teknik Elektro dan Teknologi Informasi*, 1 (3). <https://doi.org/10.22146/jnteti.v1i3.128>.
- K. Anggraeni, “Histogram Citra,” *Ilmu Komput.*, vol. 1, p. 7, 2007
- Kementerian Kesehatan Republik Indonesia, 2013, Riset Kesehatan Dasar 2013. Jakarta: Bakti Husada.
- Lee, J., Lee, R., Erpelding, T., Siddoway, R. L., & Gao, J. (2021). The effect of water intake on *ultrasound* tissue characteristics and hemodynamics of adult livers. *Clinical and Experimental Hepatology*, 7(2), 223-230.
- M. Komarudin, F. A. Setyawan, and S. R. Sulistiyanti, *PENGOLAHAN CITRA; Dasar dan Contoh Penerapannya*. Yogyakrata: Teknosain, 2016.
- Mittermayer, H. (1986) Mikrobiologische Befunde in Der Nephrologie, Wiener Medizinische Wochenschrift.
- Munir, R., 2004, Pengolahan Citra Digital dengan Pendekatan Logaritmik, Informatika, Bandung
- Neitzel, U., Buhr, E., Hilgers, G., & Granfors, P. R. (2004). *Determination of the modulation transfer function using the edge method : Influence of scattered radiation*, 31, 3485–3491.

- Orenstein, B.W. 2008. *Radiology Today* Vol.9. Mc Laughlin at The 2008 SDMS Conferencee.
- Parker KJ. *Attenuation measurement uncertainties caused by speckle statistics. J Acoust Soc Am* 1986;80:pp 727-734.
- Peate, I.,& Nair, M. 2018. At a Glance Anatomi dan Fisiologi, Jakarta ; Erlangga.
- Purnomo, B. B. (2003) Dasar - dasar Urologi, CV. Sagung Seto Jakarta. doi: 10.1016/b978-343741510-4.50023-7.
- Purnomo, B. Basuki, 2011. *Dasar-Dasar Urologi*. Jakarta : CV. Sagung Seto.
- Sari, R. P. (2018). *Angka Kejadian Infeksi Saluran Kemih (ISK) Dan Faktor Resiko Yang Mempengaruhi Pada Karyawan Wanita Di Universitas Lampung Event Numbers Urinary Tract Infection (Uti) and Risk Factor that Affecting on Female Employees In University of Lampung. Majority*, 7(3), 115–120.
- Sja'bani, M., 2009, Buku Ajar Ilmu Penyakit Dalam Jilid II (3rd ed), Balai Penerbit FK UI, Jakarta :377-385.
- Sung, J., Jin, H., Jung, H., Ho, S., & Rok, C. (2018). *Image quality Assessment With Dose Reduction Using High kVp and Additional Filtration for Abdominal Digital Radiography. Physica Medical*, 50(July 2017), 46–51.
- Titapant, V., Phithakwatchara, N., Chuenwattana, P., Tontisirin, P., Viboonchard, S., & Butsanee, W. (2009). Influence of water intake on the waiting time prior to gynecologic transabdominal ultrasound. *International Journal of Gynecology & Obstetrics*, 105(3), 233-235.
- Virmani, J., Kumar, V., Kalra, N. K., & Khandelwal, N. (2013). A Comparative Study Of Computer-Aided Classification Systems For Focal Hepatic Lesions From B-Mode Ultrasound. *Jurnal Of Medical Engineering & Technology*, 37(4), 292–306.
- Wibawanto, H., Susanto, A., Sri Widodo, T., & Tjokronegoro, S. M. (2008). Identifikasi Citra Massa Kistik Berdasar Fitur Graylevel Co- Occurrence Matrix. *Seminar Nasional Aplikasi Teknologi Informasi 2008 (SNATI 2008)*.

Williams, M. B., Krupinski, E. A., Strauss, K. J., Breeden, W. K., Rzeszotarski, M. S., Applegate, K dan Seibert, J. A. (2007). 'Digital Radiography Image Quality: Image Acquisition'. *Journal of the American College of Radiology*, 4(6), 371–388.

