

DAFTAR PUSTAKA

- Agostini, F. *et al.* (2022) 'Depressive Symptoms in Fathers during the First Postpartum Year: The Influence of Severity of Preterm Birth, Parenting Stress and Partners' Depression', *International Journal of Environmental Research and Public Health*, 19(15). doi: 10.3390/ijerph19159478.
- Ahzani, Y. dan Agustini, N. (2021) 'Stres pengasuhan orang tua dari anak dengan diabetes mellitus tipe 1 di era pandemi covid-19', *Journal of Telenursing (JOTING)*, 3(1). doi: 10.31539/joting.v3i1.2081.
- Alexopoulou, P. *et al.* (2018) 'Assessing anxiety and depression in parents of preterm infants', *Journal of Neonatal Nursing*, 24(5), pp. 273–276. doi: 10.1016/j.jnn.2018.05.009.
- Amalia, M. (2022) 'Faktor-faktor yang mempengaruhi lama rawat inap hospitalisasi bayi prematur', *Jurnal Keperawatan 'Aisyiyah'*, 9(2), pp. 127–137.
- Ananth, C. V., Friedman, A. M. dan Gyamfi-Bannerman, C. (2013) 'Epidemiology of Moderate Preterm, Late Preterm and Early Term Delivery', *Clinics in Perinatology*, pp. 601–610. doi: 10.1016/j.clp.2013.07.001.
- Ariana, R. dan Wathan, F. (2020) 'Karakteristik faktor risiko kelahiran prematur di rumah sakit umum YK Madira Palembang', *Medikes (Media Informasi Kesehatan)*, 7(2), p. 315.
- Armina, Happy, H. , dan Nani, N. (2018) 'Efikasi diri perawat terhadap penerapan asuhan perkembangan (Developmental care)', *Jurnal Akademika Baiturrahim*, 7(1), pp. 62–69.
- Asih, E. , S. dan Yona, D. , S. (2021) 'Faktor-faktor yang berhubungan dengan persalinan preterm di Rumah Sakit Ibu dan Anak Anugerah Medical Centre Kota Metro Tahun 2020'. Available at: <http://journal.aisyahuniversity.ac.id/index.php?journal=Jaman>.

- Baía, I. *et al.* (2016) 'Parenting very preterm infants and stress in Neonatal Intensive Care Units', *Early Human Development*, 101, pp. 3–9. doi: 10.1016/j.earlhumdev.2016.04.001.
- Blencowe, H. *et al.* (2012) 'National, regional, and worldwide estimates of preterm birth rates in the year 2010 with time trends since 1990 for selected countries: A systematic analysis and implications', *The Lancet*, 379(9832), pp. 2162–2172. doi: 10.1016/S0140-6736(12)60820-4.
- Bunyamin., A. (2021) 'Mengelola stress dengan pendekatan islami dan psikologis', *Jurnal Idaarah* , 1(1), pp. 145–159.
- Cajiao-Nieto, J. *et al.* (2021) 'Paternal symptoms of anxiety and depression in the first month after childbirth: A comparison between fathers of full term and preterm infants', *Journal of Affective Disorders*, 282, pp. 517–526. doi: 10.1016/j.jad.2020.12.175.
- Çelen, R. dan Taş Arslan, F. (2017) 'The Anxiety Levels of the Parents of Premature Infants and Related Factors', *The Journal of Pediatric Research*, 4(2), pp. 68–74. doi: 10.4274/jpr.65882.
- Chaplin, J. (2002) *Kamus Lengkap Psikologi*. Jakarta: Rajawali Press.
- Chapman, L. , dan Roberta, D. (2010) *Maternal newborn-nursing*. Philadelphia: F. A. Davis Company.
- Choiriyah, F. , N. dan Yudi, T. , H. (2022) 'Hubungan dukungan sosial dan stres pada ibu yang memberikan asi eksklusif', in *Prosiding Seminar Nasional dan Call for Paper Psikologi dan Ilmu Humaniora (SENAPIH 2022)*. Universitas Negeri Malang: Fakultas Psikologi, pp. 178–190.
- Cnattingius, S., Johansson, S. dan Razaz, N. (2020) 'Apgar Score and Risk of Neonatal Death among Preterm Infants', *New England Journal of Medicine*, 383(1), pp. 49–57. doi: 10.1056/nejmoa1915075.
- Cohen, S., Kamarck, T. dan Mermelstein, R. (2012) 'A global measure of perceived stress', *Journal of Health and Social Behavior*, 24(4), pp. 385–396.

- Dharma, K. (2015) *Metodologi Penelitian Keperawatan*. Jakarta Timur: Trans Info Media.
- Every Preemie (2015) *Profile of preterm and low birth weight prevention and care*. Available at: www.EveryPreemie.org.
- Figueiredo, B. dan Conde, A. (2011) 'Anxiety and depression symptoms in women and men from early pregnancy to 3-months postpartum: Parity differences and effects', *Journal of Affective Disorders*, 132(1–2), pp. 146–157. doi: 10.1016/j.jad.2011.02.007.
- Gaol, N. , T. , L. (2016) 'Teori stres: stimulus, respons, dan transaksional', *Buletin Psikologi*, 24(1), pp. 1–11. doi: 10.22146/bps.11224.
- Goisis, A. *et al.* (2018) 'Paternal age and the risk of low birth weight and preterm delivery: A Finnish register-based study', *Journal of Epidemiology and Community Health*, 72(12), pp. 1104–1109. doi: 10.1136/jech-2017-210170.
- Hemle Jerntorp, S., Sivberg, B. and Lundqvist, P. (2021) 'Fathers' lived experiences of caring for their preterm infant at the neonatal unit and in neonatal home care after the introduction of a parental support programme: A phenomenological study', *Scandinavian Journal of Caring Sciences*, 35(4), pp. 1143–1151. doi: 10.1111/scs.12930.
- Ignell Modé, R. *et al.* (2014) 'Fathers' perception of information received during their infants' stay at a neonatal intensive care unit', *Sexual and Reproductive Healthcare*, 5(3), pp. 131–136. doi: 10.1016/j.srhc.2014.05.001.
- Ionio, C. *et al.* (2016) 'Mothers and fathers in nicu: The impact of preterm birth on parental distress', *Europe's Journal of Psychology*, 12(4), pp. 604–621. doi: 10.5964/ejop.v12i4.1093.
- Ionio, C. *et al.* (2019) 'Stress and feelings in mothers and fathers in NICU: Identifying risk factors for early interventions', *Primary Health Care Research and Development*, 20, pp. 1–7. doi: 10.1017/S1463423619000021.

- Ivones, J. *et al.* (2013) 'Pengalaman ibu yang memiliki bayi preterm yang dirawat di inkubator rumah saki', *Jurnal Keperawatan Anak*, 1(1), pp. 10–17.
- Jenewein, J. *et al.* (2008) 'Parents' mental health after the birth of an extremely preterm child: A comparison between bereaved and non-bereaved parents', *Journal of Psychosomatic Obstetrics and Gynecology*, 29(1), pp. 53–60. doi: 10.1080/01674820701640181.
- Kale, A. dan Kurian, B. (2021) 'Parents experience among fathers of premature children', *Journal of Pharmaceutical Research International*, 33(63A), pp. 55–59. doi: 10.9734/jpri/2021/v33i63a35213.
- Kaltsas, A. *et al.* (2023) 'Impact of Advanced Paternal Age on Fertility and Risks of Genetic Disorders in Offspring', *Genes*. MDPI. doi: 10.3390/genes14020486.
- Kemenkes (2018a) *Laporan Provinsi Jawa Tengah Riskedas 2018*. Available at: <https://dinkesjatengprov.go.id/v2018/storage/2019/12/cetak-laporan-riskedas-jateng-2018-> (Accessed: 23 March 2023).
- Kemenkes (2018b) *Laporan Riskedas 2018 Nasional*. Jakarta: Kementerian Kesehatan Republik Indonesia. Available at: <https://www.litbang.kemkes.go.id/laporan-ri-set-kesehatan-dasar-riskedas/> (Accessed: 23 March 2023).
- Kılıçlı, A., Saraçoğlu, G. and Çetinkaya Büyükbodur, A. (2023) 'Stress, Anxiety, and Postpartum Depression in Parents with Premature Infants in Neonatal Intensive Care Unit', *Florence Nightingale Journal of Nursing*, 31(2), pp. 82–90. doi: 10.5152/FNJN.2023.22219.
- Kusumahati, E. and Wilandika, A. (2020a) 'Efektivitas pelatihan family centered care terhadap persepsi kelahiran bayi prematur pada keluarga bayi prematur', *JAIA*, 5(1), pp. 1–7.
- Lowdermilk, D. , L., Perry Shannon E dan Cashion Kitty (2013) *Keperawatan Maternitas*. 8th edn. Singapore: Elsevier.

- Luna, S. M. *et al.* (2018) ‘Spanish population-study shows that healthy late preterm infants had worse outcomes one year after discharge than term-born infants’, *Acta Paediatrica, International Journal of Paediatrics*, 107(9), pp. 1529–1534. doi: 10.1111/apa.14254.
- Maria, U. , D. dan Gita., P. , S. (2018) *Efek terapi murottal Al-Qur’an terhadap peningkatan berat badan bayi prematur (studi eksperimen pada bayi prematur) di RSUD dr. Chasbullah Abdulmadjid Kota Bekasi Tahun 2018.* Bekasi.
- Mauliza, Noviana, Z. dan Narisha, A. , P. (2021) ‘Perbedaan frekuensi miksi, defekasi dan minum dengan penurunan berat badan neonatus di wilayah kerja Puskesmas Banda Sakti’, *Jurnal Kedokteran dan Kesehatan Malikussaleh*, 7(1), pp. 64–74.
- McMahon, G. E. *et al.* (2020) ‘Mental health trajectories of fathers following very preterm birth: Associations with parenting’, *Journal of Pediatric Psychology*, 45(7), pp. 725–735. doi: 10.1093/jpepsy/jsaa041.
- Medise, B. E. (2021) ‘Pertumbuhan dan perkembangan bayi prematur: apa saja risiko jangka panjangnya?’, *e-journal unair*, pp. 27–33. doi: 10.20473/amnt.
- Murki, S. *et al.* (2020) ‘Predictors of length of hospital stay among preterm infants admitted to neonatal intensive care unit: Data from a multicentre collaborative network from India (INNC: Indian National Neonatal Collaborative)’, *Journal of Paediatrics and Child Health*, 56(10), pp. 1584–1589. doi: 10.1111/jpc.15031.
- Mustajab, R. (2022) ‘Mayoritas tenaga kerja RI dari sektor informal pada agustus 2023’. Available at: <https://dataindonesia.id/tenaga-kerja/detail/mayoritas-tenaga-kerja-ri-dari-sektor-informal-pada-agustus-2022> (Accessed: 7 December 2023).
- Nasution, T. H. *et al.* (2013) ‘Faktor-faktor yang berhubungan dengan manajemen diri pada pasien yang menjalani hemodialisis di ruang hemodialisis RSUP DR Hasan Sadikin Bandung’, *Jurnal Ilmu Keperawatan*, 1(2), pp. 162–168. Available at: www.jik.ub.ac.id.

- Ningsih, R. , dan Nelly, I. (2012) ‘Faktor-faktor yang berhubungan dengan kelahiran bayi prematur’, *Jurnal Kesehatan Metro* , 5(2), pp. 95–100.
- Pace, C. C. *et al.* (2016) ‘Evolution of depression and anxiety symptoms in parents of very preterm infants during the newborn period’, *JAMA Pediatrics*, 170(9), pp. 863–870. doi: 10.1001/jamapediatrics.2016.0810.
- Pichler-Stachl, E. *et al.* (2019) ‘Parental Stress Experience and Age of Mothers and Fathers After Preterm Birth and Admission of Their Neonate to Neonatal Intensive Care Unit; A Prospective Observational Pilot Study’, *Frontiers in Pediatrics*, 7. doi: 10.3389/fped.2019.00439.
- Platt, M. J. (2014) ‘Outcomes in preterm infants’, *Public Health*. Elsevier, pp. 399–403. doi: 10.1016/j.puhe.2014.03.010.
- Potter, P. A. , dan Perry, A. G. (2005) *Buku ajar fundamental keperawatan konsep, proses, dan praktik*. Jakarta: EGC.
- Provenzi, L. dan Santoro, E. (2015) ‘The lived experience of fathers of preterm infants in the Neonatal Intensive Care Unit: A systematic review of qualitative studies’, *Journal of Clinical Nursing*, pp. 1784–1794. doi: 10.1111/jocn.12828.
- Purnami, C. T. *et al.* (2019) ‘Psychometric measurement of perceived stress among midwives at primary health care province of central java indonesia’, *Indian Journal of Public Health Research and Development*, 10(3), pp. 804–809. doi: 10.5958/0976-5506.2019.00600.4.
- Purnami, C. T. dan Sawitri, D. R. (2020) ‘Instrumen “Perceive Stress Scale” online sebagai alternatif alat pengukur tingkat stress secara mudah dan cepat’, in. Available at: Website: semnasppm.undip.ac.i (Accessed: 23 August 2023).
- Purwandari, H. dan Huang, M.-C. (2020) ‘Short-term Outcomes of Preterm Infants in a Medical Center at Banyumas Regency, Indonesia: A Preliminary Study’, *Babali Nursing Research*, 1(2), pp. 47–57. doi: 10.37363/bnr.2020.1225.

- Rahayuningsih, I. , S. (2012) ‘Tingkat stres orang tua dan interaksi bersama bayinya di ruang NICU RSUDZA Banda Aceh’, *Idea Nursing Journal* , 3(1), pp. 50–61.
- Rahmawati, D. (2013) *Faktor-faktor yang mempengaruhi terjadinya persalinan preterm di RSUD Dr. Moewardi Surakarta*. Surakarta.
- Rosuliana, E. N. , Aryanti, D. dan Triguna, Y. (2022) ‘Analisis Usia Gestasi Ibu Melahirkan dengan Berat badan Bayi Baru Lahir di Rumah Sakit Daerah’, *Media Informasi*, 18(2), pp. 67–22. Available at: <https://ejurnal2.poltekkestasikmalaya.ac.id/index.php/bmi>.
- Russo, C., Decataldo, A. dan Fiore, B. (2023) ‘The sociodemographic determinants of stress level among the parents of preterm infants’, *International Journal of Sociology and Social Policy*, 43(13–14), pp. 307–322. doi: 10.1108/IJSSP-08-2023-0180.
- Rusyati, L. M. *et al.* (2016) ‘Psychoneuroimmunology in dermatology’, in *National Symposium and Workshop*. Denpasar, pp. 135–152.
- Saryono (2011) *Metodologi Penelitian Keperawatan*. Purwokerto: UPT. Perceetakan dan Penerbitan.
- Schappin, R. *et al.* (2013) ‘Rethinking stress in parents of preterm infants: a meta-analysis’, *PLoS ONE*, 8(2). doi: 10.1371/journal.pone.0054992.
- Setyowati, A., Chung, M. H. dan Yusuf, A. (2019) ‘Development of self-report assessment tool for anxiety among adolescents: Indonesian version of the zung self-rating anxiety scale’, *Journal of Public Health in Africa*, 10(S1). doi: 10.4081/jphia.2019.1172.
- Sloan, K., Rowe, J. dan Jones, L. (2008) ‘Stress and coping in fathers following the birth of a preterm infant’, *Journal of Neonatal Nursing*, 14(4), pp. 108–115. doi: 10.1016/j.jnn.2007.12.009.
- Spencer A., R. (2014) *Childhood and Adolescence : Voyages in Development*. 5th edn. USA: Cengage Learning.

- Stefana, A. *et al.* (2018) 'Fathers' experiences with their preterm babies admitted to neonatal intensive care unit: A multi-method study', *Journal of Advanced Nursing*, 74(5), pp. 1090–1098. doi: 10.1111/jan.13527.
- Stuart, G. , W. (2009) *Principles and Practice of Psychiatric Nursing*. 9th edn. Charleston: Elsevier.
- Stuart, G. W. (2007) *Buku Saku Keperawatan Jiwa (Edisi 5)*. Jakarta: EGC.
- Suhana, S., Eryani, R. D. dan Budiman, A. (2021) 'The effect of hardiness on stress in mothers in helping elementary school children in Taman Sari District', *Ta dib : Jurnal Pendidikan Islam*, 10(2), pp. 218–227. doi: 10.29313/tjpi.v10i2.8984.
- Surya, M. (2013) *Psikologi guru*. Bandung: Alfabeta.
- Swarjana, K. (2012) *Metodologi Penelitian Kesehatan*. Yogyakarta: CV Andi Offset.
- Torchin, H. dan Ancel, P. Y. (2016) 'Épidémiologie et facteurs de risque de la prématurité', *Journal de Gynecologie Obstetrique et Biologie de la Reproduction*, 45(10), pp. 1213–1230. doi: 10.1016/j.jgyn.2016.09.013.
- Turner, M. *et al.* (2015) 'The assessment of parental stress and support in the neonatal intensive care unit using the Parent Stress Scale - Neonatal Intensive Care Unit', *Women and Birth*, 28(3), pp. 252–258. doi: 10.1016/j.wombi.2015.04.001.
- Videbeck, S. L. (2012) *Buku Ajar Keperawatan Jiwa* . Jakarta: EGC.
- Wahyuni, E. , D. (2019) 'Tindakan Infus dengan Tingkat Kecemasan Orangtua yang Memiliki Bayi dalam Perawatan di Ruang NICU Rumah Sakit', *Wealness and Healthy Magazine*, 1(1), p. 63. Available at: <http://wellness.journalpress.id/index.php/wellness/>.
- WHO (2022) 'Preterm Birth'. Available at: <https://www.who.int/news-room/fact-sheets/detail/preterm-birth> (Accessed: 2 March 2023).

- Widyarti, U. , T., Astri, B. dan Putu, A. (2023) ‘Tingkat stres berhubungan dengan burnout orang tua akibat pembelajaran online’, *JKJ: Persatuan Perawat Nasional Indonesia*, 11(1), pp. 163–172.
- Winter, L. *et al.* (2018) ‘Depression, posttraumatic stress and relationship distress in parents of very preterm infants’, *Archives of Women’s Mental Health*, 21(4), pp. 445–451. doi: 10.1007/s00737-018-0821-6.
- Wormald, F. *et al.* (2015) ‘Stress in parents of very low birth weight preterm infants hospitalized in neonatal intensive care units. A multicenter study’, *Archivos Argentinos de Pediatría*, 113(4), pp. 303–309. doi: 10.5546/aap.2015.eng.303.
- Zerach, G. dan Magal, O. (2017) ‘Exposure to stress during childbirth, dyadic adjustment, partner’s resilience, and psychological distress among first-time fathers’, *Psychology of Men and Masculinity*, 18(2), pp. 123–133. doi: 10.1037/men0000048.

