

DAFTAR PUSTAKA

- Andreoulakis, E., Hyphantis, T., Kandylis, D., & Iacovides, A. (2012). Depression in diabetes mellitus: a comprehensive review. *Hippokratia*, 16(3), 205-214.
- Alhans, R., Singh, A., Singhal, C., Narang, J., Wadhwa, S., & Mathur, A. (2018). Comparative analysis of single-walled and multi-walled carbon nanotubes for electrochemical sensing of glucose on gold printed circuit boards. *Materials Science and Engineering*, 90, 273-279.
- Bertil, M., & Örnemark, U. (2014). *The fitness for purpose of analytical methods: a laboratory guide to method validation and related topics*. LGC. Teddington, Middlesex: UK.
- Echeverri, D., Garg, M., Silva, D. V., & Orozco, J. (2020). Phosphoglycan-sensitized platform for specific detection of anti-glycan IgG and IgM antibodies in serum. *Talanta*, 217, 121117.
- Fatoni, A., Anggraeni, M. D., & Dwiasi, D. W. (2019). Easy and low-cost chitosan cryogel-based colorimetric biosensor for detection of glucose. *Journal of Analytical Chemistry*, 74, 933-939.
- Fatoni, A., Widanarto, W., Anggraeni, M. D., & Dwiasi, D. W. (2022). Glucose biosensor based on activated carbon–NiFe₂O₄ nanoparticles composite modified carbon paste electrode. *Results in Chemistry*, 4, 100433.
- Fatoni, A., Wijonarko, A., Anggraeni, M. D., Hermawan, D., Diastuti, H., & Zulfahair. (2021). Alginate NiFe₂O₄ nanoparticles cryogel for electrochemical glucose biosensor development. *Gels*, 7(4), 272.
- Ghaffar, S., Naviardianti, A. I., Wyantuti, S., & Hartati, Y. W. Biosensor DNA elektrokimia untuk deteksi makanan mengandung babi (*Sus scrofa*) menggunakan screen printed carbon electrode termodifikasi emas. *Alchemy Jurnal Penelitian Kimia*, 18(1), 37-47.
- Ghalehno, M. H., Mirzaei, M., & Torkzadeh-Mahani, M. (2019). Electrochemical aptasensor for activated protein C using a gold nanoparticle–chitosan/graphene paste modified carbon paste electrode. *Bioelectrochemistry*, 130, 107322.
- Golden, S. H., & Sapis. (2012). Methods for insulin delivery and glucose monitoring in diabetes: summary of a comparative effectiveness review. *Journal of Managed Care Pharmacy*, 18, 1–17.

- Hajalilou, A., Hashim, M., Ebrahimi-Kahrizangi, R., & Sarami, N. (2014). Synthesis and structural characterization of nano-sized nickel ferrite obtained by mechanochemical process. *Ceramics International*, 40(4), 5881-5887.
- Harahap, M. R. (2016). Sel elektrokimia: karakteristik dan aplikasi. *Jurnal Ilmiah Pendidikan Teknik Elektro*, 2(1).
- Harmita. (2004). Petunjuk pelaksanaan validasi metode dan cara perhitungannya. *Majalah Ilmu Kefarmasian*, 1(3), 117-134.
- Harrar, J.E. (2013). The potentiostat and the voltage clamp. *The Electrochemical Society Interface*, 42-44.
- Haryati, Y.W. (2018). *Elektrokimia analisis*. Bitread: Bandung.
- Hayashino, Y., Izumi, K., Okamura, S., Nishimura, R., Origasa, H., & Tajima, N. (2017). Duration of diabetes and types of diabetes therapy in Japanese patients with type 2 diabetes: the Japan diabetes complication and its prevention prospective study 3 (JDCP study3). *Journal of Diabetes Investigation*, 8(2), 243-249.
- Hayat, M., Mapiliandari, I., Djanis, R. L., Asrorudin, U., & Putra, A. P. (2021). Perkembangan dan aplikasi biosensor untuk mendeteksi aflatoksin. *Jurnal Warta Akab*, 45(2), 71-77.
- Horst, C.V., Silwana, B., Iwuoha, E., & Somerset, V. (2017). Electrocatalytic evaluation of a horseradish peroxidase biosensor based on a novel Bi-Ag bimetallic nanocomposite. *Procedia technology*, 27, 179-182.
- Hu, J., Wang, X., Xiao, Z., & Bi, W. (2015). Effect of chitosan nanoparticles loaded with cinnamon essential oil on the quality of chilled pork. *LWT-Food Science and Technology*, 63(1), 519-526.
- Ivars, J., Iborra-Clar, M. I., Alcaina-Miranda, M. I., & Van der Bruggen, B. (2015). Comparison between hydrophilic and hydrophobic metal nanoparticles on the phase separation phenomena during formation of asymmetric polyethersulphone membranes. *Journal of Membrane Science*, 493, 709-722.
- Kadi, M. W., & Mohamed, R. M. (2014). Synthesis and optimization of cubic NiFe₂O₄ nanoparticles with enhanced saturation magnetization. *Ceramics International*, 40(1), 227-232.
- Karthik, R., Karikalan N., Chen S.M., Kumar J.V., Karupiah C., & Muthuraj V. (2017). Assessment of divergent functional properties of seed-like strontium molybdate for the photocatalysis and electrocatalysis of the postharvest scald inhibitor diphenylamine. *Journal of Catalysis*, 352, 606-616.

- Karyakin, A. A. (2021). Glucose biosensors for clinical and personal use. *Electrochemistry Communications*, 125, 106973.
- Kaushik, A., Khan, R., Solanki, P. R., Pandey, P., Alam, J., Ahmad, S., & Malhotra, B. D. (2008). Iron oxide nanoparticles-chitosan composite based glucose biosensor. *Biosensors and Bioelectronics*, 24(4), 676–683.
- Kementerian Kesehatan RI. (2020). *Infodatin tetap produktif, cegah, dan atasi diabetes melitus*. Pusat Data dan Informasi Kementerian Kesehatan RI (pp. 1–10). <https://pusdatin.kemkes.go.id/resources/infodatin/Infodatin-2020-Diabetes-Melitus.pdf>.
- Kustiningsih, Y., Megawati, N., Kartiko, J. J., & Lutpiatina, L. (2017). Pengaruh variasi suhu awal reagen terhadap kadar glukosa darah metode enzimatik. *Medical Laboratory Technology Journal*, 3(1), 27-31.
- Kooti, M., & Sedeh, A. N. (2013). Synthesis and characterization of NiFe₂O₄ magnetic nanoparticles by combustion method. *Journal of Materials Science & Technology*, 29(1), 34-38.
- Lin, M. J., Wu, C. C., & Chang, K. S. (2019). Effect of Poly-l-Lysine polycation on the glucose oxidase/ferricyanide composite-based second-generation blood glucose sensors. *Sensors*, 19(6), 1448.
- Lu, A. H., Salabas, E. E., & Schüth, F. (2007). Magnetic nanoparticles: synthesis, protection, functionalization, and application. *Angewandte Chemie International Edition*, 46(8), 1222-1244.
- Maaz, K., Karim, S., Mumtaz, A., Hasanain, S. K., Liu, J., & Duan, J. L. (2009). Synthesis and magnetic characterization of nickel ferrite nanoparticles prepared by co-precipitation route. *Journal of Magnetism and Magnetic Materials*, 321(12), 1838-1842.
- Martinkova, P., & Pohanka, M. (2015). Biosensors for blood glucose and diabetes diagnosis: evolution, construction, and current status. *Analytical Letters*, 48(16), 2509–2532.
- Mohammed, L., Gomaa, H. G., Ragab, D., & Zhu, J. (2017). Magnetic nanoparticles for environmental and biomedical applications: A review. *Particuology*, 30, 1-14.
- Murray, R.K., Granner, D. K., & Rodwell, V.W. (2009). *Biokimia Harper*. (Harper's Illustrated Biochemistry) Edisi 27.
- Navadeepthy, D., Thangapandian, M., Viswanathan, C., & Ponpandian, N. (2020). A nanocomposite of NiFe₂O₄-PANI as a duo active electrocatalyst toward the sensitive colorimetric and electrochemical sensing of ascorbic acid. *Nanoscale Advances*, 2(8), 3481–3493.

- Noorhashimah, M. N., Khairunisak, A. R., & Lockman, Z. (2019). Effect of concentration and ph of pbs to the electrocatalytic performance of enzymatic glucose biosensor. *Solid State Phenomena*. Vol. 290, 193-198.
- Paimard, G.; Ghasali, E.; Baeza, M. (2023). Screen-printed electrodes: fabrication, modification, and biosensing applications. *Chemosensors*, 11(113).
- Permana, A. H. (2020). Pembuatan matriks karboksimetil kitosan untuk amobilisasi enzim lipase. *Warta Akab*, 44(1).
- Pohanka, M. (2020). Screen printed electrodes in biosensors and bioassays: a review. *International Journal of Electrochemical Science*, 15(11), 11024–11035.
- Pullano, S. A., Greco, M., Bianco, M. G., Foti, D., Brunetti, A., & Fiorillo, A. S. (2022). Glucose biosensors in clinical practice: principles, limits and perspectives of currently used devices. *Theranostics*, 12(2), 493–511.
- Putra, C. A., & Setiarso, P. (2015). Elektroda pasta karbon termodifikasi kitosan untuk analisis logam Fe (II) secara siklik stripping voltametri dengan ion pengganggu Zn (II) dan Cd (II). *Journal of Chemistry*, 4(1), 5-9.
- Raja, R., Alexander, A., Sathyamoorthy, B., & Chandrasekaran, G. (2019, October). Structural, electrical and magnetic properties of Sr doped nickel ferrite using sol-gel auto combustion route. *AIP Conference Proceedings*, 2162(1).
- Razzino, C. A., Serafín, V., Gamella, M., Pedrero, M., Montero-Calle, A., Barderas, R., & Pingarrón, J. M. (2020). An electrochemical immunosensor using gold nanoparticles-PAMAM-nanostructured screen-printed carbon electrodes for tau protein determination in plasma and brain tissues from Alzheimer patients. *Biosensors and Bioelectronics*, 163, 112238.
- Rinaudo, M. (2006). Chitin and chitosan: properties and application. *Progress in Polymer Science*, 31, 603-632.
- Riyanto. (2014). *Validasi & verifikasi metode uji: sesuai dengan iso/iec 17025 laboratorium pengujian dan kalibrasi*. Yogyakarta: Deepublish.
- Rohaeti, E., Wahyuni, W. T., & Hakim, M. A. R. N. (2018). Modifikasi screen printed carbon electrode dengan polimer tercetak molekul (MIP) dan aplikasinya untuk deteksi glutation. *Analit: Analytical and Environmental Chemistry*, 3(1), 47-60.
- Sanli, S., Moulahoum, H., Ugurlu, O., Ghorbanizamani, F., Gumus, Z. P., Evran, S., & Timur, S. (2020). Screen printed electrode-based biosensor functionalized with magnetic cobalt/single-chain antibody fragments for cocaine biosensing in different matrices. *Talanta*, 217, 121111.

- Scholz F. (2010). *Electroanalytical methods guide to experiments and applications*. Heidelberg (DE): Springer.
- Sebayang, F. (2006). Pengujian stabilitas enzim bromelin yang diisolasi dari bonggol nanas serta amobilisasi menggunakan kappa karagenan. *Jurnal Sains Kimia*, 10(1), 20-26.
- Sivakumar, P., Ramesh, R., Ramanand, A., Ponnusamy, S., & Muthamizhchelvan, C. (2011). Synthesis and characterization of NiFe₂O₄ nanosheet via polymer assisted co-precipitation method. *Materials Letters*, 65, 483-485.
- Srivastava, M., Chaubey, S., & Ojha, A. K. (2009). Investigation on size dependent structural and magnetic behavior of nickel ferrite nanoparticles prepared by sol-gel and hydrothermal methods. *Materials Chemistry and Physics*, 118(1), 174-180.
- Srivastava, R.K., & Kumar, S.S., (2017). Analytical method validation: an updated review. *European Journal of Pharmaceutical Medical Research*, 4, 774-784.
- Subiyono S., Martsiningsih, M. A., & Gabrela, D. (2016). Gambaran kadar glukosa darah metode GOD-PAP (glucose oksidase – peroxidase aminoantipirin) sampel serum dan plasma EDTA (Ethylen Diamin Tetra Acetat). *Jurnal Teknologi Laboratorium*, 5(1), 45-48.
- Tan, J., Zhang, W., & Xia, A. (2012). Facile synthesis of inverse spinel NiFe₂O₄ nanocrystals and their superparamagnetic properties. *Materials Research-ibero-american Journal of Materials*, 16, 237-241.
- Tiwari, R., De, M., Tewari, H.S., & Ghoshal, S.K. (2020). Structural and magnetic properties of tailored NiFe₂O₄ nanostructures synthesized using auto-combustion method. *Results in Physics*, 16, 102916.
- Triana, R. (2013). “Pemurnian parsial dan karakterisasi glukosa oksidase dari isolat *Aspergillus niger* (IPBCC.08.610)”. *Skripsi*. Departemen Biokimia FMIPA IPB. Bogor.
- Vanitha, M., Ramachandran, G., Manikandan, A., Slimani, Y., Almessiere, M. A., Baykal, A., & Dash, C. S. (2021). Effect of Sr²⁺ ion-substituted nickel ferrite nanoparticles prepared by a simple microwave combustion method. *Journal of Superconductivity and Novel Magnetism*, 34, 971-980.
- Vigneswari, T., & Raji, P. (2017). Structural and magnetic properties of calcium doped nickel ferrite nanoparticles by co-precipitation method. *Journal of Molecular Structure*, 1127, 515-521.
- Wardaniati R.A., & Setyaningsih S. (2006). Pembuatan chitosan dari kulit udang dan aplikasinya untuk pengawetan bakso. *Skripsi*. Jurusan Teknik Kimia, Fakultas Teknik, Universitas Diponegoro, Semarang.

- Wang, H., Lakshmipriya, T., Chen, Y., & Gopinath, S. C. B. (2019). Squamous cell carcinoma biomarker sensing on a strontium oxide-modified interdigitated electrode surface for the diagnosis of cervical cancer. *Biomedical Research International*, 19, 167.
- Wang, L., Li, J., Feng, M., Min, L., Yang, J., Yu, S., & Yang, Z. (2017). Perovskite-type calcium titanate nanoparticles as novel matrix for designing sensitive electrochemical biosensing. *Biosensors and Bioelectronics*, 96, 220-226.

