

DAFTAR PUSTAKA

- Abdassah, M., Sumiwi, S.A. and Hendrayana, J., 2009, Formulasi ekstrak daun sukun (*Artocarpus altilis* (Parkins.) Fosberg dengan basis gel sebagai antiinflamasi, *JFIOOnline*, vol.4, no.4.
- Abdelaziz, D.H. dan Ali, S.A., 2014, The protective effect of *Phoenix dactylifera* L. seeds against CCl₄-induced hepatotoxicity in rats, *Journal of ethnopharmacology*, vol. 155, no.1, pp. 1736-743.
- Agbor, G.A., Vinson, J.A. dan Donnelly, P.E., 2014, Folin-Ciocalteu reagent for polyphenolic assay, *International Journal of Food Science, Nutrition and Dietetics (IJFS)*, vol.3, no.8, pp.147-156.
- ALF., 2018, *The Progression of Liver Disease American Liver Foundation*, diakses tanggal 7 Februari 2019, <https://liverfoundation.org/for-patients/about-the-liver/the-progression-of-liver-disease/>
- Al-Maiman, S.A., 2005, Effect of date palm (*Phoenix dactylifera*) seed fibers on plasma lipids in rats, *J King Saud Univ Agric Sci*, vol.17 no.2, pp.117-123.
- Al-Qarawi, A.A., Mousa, H.M., Ali, B.H., Abdel-Rahman, H. dan El-Mougy, S.A., 2004, Protective effect of extracts from dates (*Phoenix dactylifera* L.) on carbon tetrachloride-induced hepatotoxicity in rats, *Int J Appl Res Vet Med*, vol.2, no.3, pp.176-180.
- Al-Qarawi, A.A., Abdel-Rahman, H., Ali, B.H., Mousa, H.M. dan El-Mougy, S.A., 2005, The ameliorative effect of dates (*Phoenix dactylifera* L.) on ethanol-induced gastric ulcer in rats, *Journal of Ethnopharmacology*, vol 98. No.3, pp.313-317.
- Ammar, A.S. dan Habiba, R.A., 2010, Phenolic content and antioxidant activity of date seeds, *J Agric Vet Sci Qassim Univ*, vol.3, pp.3-8.
- Andrade, R.J., Robles, M., Fernández-Castañer, A., López-Ortega, S., López-Vega, M.C. dan Lucena, M.I., 2007, Assessment of drug-induced hepatotoxicity in clinical practice: a challenge for gastroenterologists. *World journal of gastroenterology: WJG*, vol.13, no.3, pp.329.
- Anon, M.T., Ubeda, A. dan Alcaraz, M.J., 1992, Protective effects of phenolic compounds on CCl₄-induced toxicity in isolated rat hepatocytes, *Zeitschrift für Naturforschung C*, vol. 47, no.3-4, pp.275-279.

- Attia, H., Al-Rasheed, N., Mohamad, R., Al-Rasheed, N. and Al-Amin, M., 2016, The antifibrotic and fibrolytic properties of date fruit extract via modulation of genotoxicity, tissue-inhibitor of metalloproteinases and nuclear factor-kappa B pathway in a rat model of hepatotoxicity, *BMC complementary and alternative medicine*, vol.16, no.1, p.414.
- Bhattacharyya, S., Gill, R., Chen, M.L., Zhang, F., Linhardt, R.J., Dudeja, P.K. dan Tobacman, J.K., 2008, Toll-like receptor 4 mediates induction of the Bcl10-NF κ B-interleukin-8 inflammatory pathway by carrageenan in human intestinal epithelial cells, *Journal of Biological Chemistry*, vol.283, no.16, pp.10550-10558.
- Christensen, L.P., 2018. The role of direct and indirect polyphenolic antioxidants in protection against oxidative stress. In *Polyphenols: Mechanisms of Action in Human Health and Disease* (pp. 147-179). Academic Press.
- Cinthyia, S.E., Pradipta, I.S. dan Abdulah, R., 2012, Penggunaan Obat Penginduksi Kerusakan Hati pada Pasien Rawat Inap Penyakit Hati, *Jurnal Farmasi Klinik Indonesia*, vol.1, no.2, pp.43-48.
- Cunha, T., Verri, W.A., Silva, J.S.D., Poole, S., Cunha, F.D.Q. dan Ferreira, S.H., 2005, A cascade of cytokines mediates mechanical inflammatory hypernociception in mice, *Proceedings of the National Academy of Sciences*, vol.102, no.5, pp.1755-1760.
- Departemen Kesehatan Republik Indonesia, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat, Edisi I*, Direktorat Jenderal Pengawasan Obat dan Makanan, Direktorat Pengawasan Obat Tradisional: Jakarta.
- DiaSys, 2012, *ALAT (GPT) (IFCC mod.) with/without pyridoxal-5-phosphate*.
Holzheim : DiaSys Diagnostic Systems GmbH
- DiaSys, 2012, *ASAT (GOT) (IFCC mod.) with/without pyridoxal-5-phosphate*.
Holzheim : DiaSys Diagnostic Systems GmbH
- Dicosmo, F., dan Tower, G.H.N., 1984, Stress and Seconddary Metabolism in Culture Plant Cell In Phytochemical Adaption to Stress, Plenum Publishing Co, Toronto. Pp. 15-50.
- DILIN, Vega, M., Verma, M., Beswick, D., Bey, S., Hossack, J., Merriman, N., Shah, A., dan Navarro, V., 2017, The incidence of drug-and herbal and dietary supplement-induced liver injury: preliminary findings from gastroenterologist-based surveillance in the population of the State of Delaware, *Drug safety*, vol.40, no.9, pp.783-787.
- El-Far, A.H., Shaheen, H.M., Abdel-Daim, M.M., Al-Jaouni, S.K. dan Mousa, S.A., 2016, Date palm (*Phoenix dactylifera*): protection and remedy food. *Curr Trends Nutraceuticals*, vol.1, p.2.

- Fowler, E.F., Thomson, A.W., dan Horne, C.H., 1977, Alleviation of carrageenan-induced hepatotoxicity and acronecrosis by aprotinin, *British journal of experimental pathology*, vol.58, no.3, pp.260.
- Glenn, T.M. dan Lefer, A.M., 1972, Modification of the deleterious actions of lysosomal hydrolases in circulatory shock by Trasylol, *New aspects of Trasylol therapy*, vol. 5, pp.53-72.
- Gorinstein, S., Haruenkit, R., Poovarodom, S., Park, Y.S., Vearasilp, S., Suhaj, M., Ham, K.S., Heo, B.G., Cho, J.Y. and Jang, H.G., 2009, The comparative characteristics of snake and kiwi fruits. *Food and Chemical Toxicology*, vol.47, no.8, pp.1884-1891.
- Guder, W.G. dan Zawta, B., 2001, *The Quality of Diagnostic Samples 1st ed*, Darmstadt: GIT Verlag
- Habib, H.M. dan Ibrahim, W.H., 2011, Effect of date seeds on oxidative damage and antioxidant status in vivo, *Journal of the Science of Food and Agriculture*, vol.91, no.9, pp.1674-1679.
- Hall, P. dan Johnny, C., 2012, What is the real function of the liver function test. *Ulster Med J*, vol.81, pp.30-36
- Hammouda, H., Chérif, J.K., Trabelsi, A., M., Baron, A. dan Guyot, S., 2013. Detailed polyphenol and tannin composition and its variability in Tunisian dates (*Phoenix dactylifera L.*) at different maturity stages, *Journal of agricultural and food chemistry*, vol.61, no.13, pp.3252-3263.
- Huang, X.J., Choi, Y.K., Im, H.S., Yarimaga, O., Yoon, E. and Kim, H.S., 2006. Aspartate aminotransferase (AST/GOT) and alanine aminotransferase (ALT/GPT) detection techniques. *Sensors*, 6(7), pp.756-782.
- Jeong, W.S. dan Kong, A.N.T., 2004, Biological properties of monomeric and polymeric catechins: Green tea catechins and procyanidins, *Pharmaceutical Biology*, vol.42, pp 84-93.
- Jeyaratman, J., 2010, *Buku Ajar Praktik Kedokteran Kerja*, Jakarta ; EGC.
- Julita, I., 2012, Aspek farmakokinetik klinik beberapa obat berpotensi hepatotoksik pada pasien rawat inap di bangsal paru RSUP DR. M. Djamil Padang periode Oktober 2011-Januari 2012, *Jurnal program master (S2) Unand*, vol.3, no.5, pp.1-12.
- Khunaifi, M., 2010, Uji aktivitas antibakteri ekstrak daun binahong (*Anredera cordifolia* (ten.) Steenis) terhadap bakteri *Staphylococcus aureus* dan *Pseudomonas aeruginosa*, *Skripsi*, Malang: UIN Malang.

- Kowalska, M.T., Brandt, M.E. dan Puett, D., 1990, Inhibition of cytochrome P-450 aromatase activity by plant extracts, *Planta medica*, vol.56, no.06, pp.675-675.
- Leba, M.A.U., 2017. *Buku Ajar: Ekstraksi dan Real Kromatografi*. Deepublish.
- Leouifoudi, I., Ziad, A., Amechrouq, A., Oukerrou, M.A., Mouse, H.A. dan Mbarki, M., 2014, Identification and characterisation of phenolic compounds extracted from Moroccan olive mill wastewater, *Food Science and Technology*, vol.342, pp.249-257.
- Loho, I.M. dan Hasan, I., 2014, Drug induced liver injury-tantangan dalam diagnosis, *CDK Kalbemed* , vol.41, no.3, pp.167–170.
- Mansouri, M.T., Hemmati, A.A., Naghizadeh, B., Mard, S.A., Rezaie, A. dan Ghorbanzadeh, B., 2015, A study of the mechanisms underlying the anti-inflammatory effect of ellagic acid in carrageenan-induced paw edema in rats, *Indian Journal of Pharmacology*, vol.47,no.3, pp.292.
- Meqbaali, A.A. dan Saif, F.T., 2016, The Potential Antioxidant and Anti-Inflammatory Effects of Date Seed Powder in Rats, *Electronic Theses and Disertations*, United Arab Emirates University
- Metushi, I., Uetrecht, J. dan Phillips, E., 2016, Mechanism of isoniazid-induced hepatotoxicity: then and now, *British journal of clinical pharmacology*, vol.81, no.6, pp.1030-1036.
- Middleton, E., Kandaswami, C. dan Theoharides, T.C., 2000, The effects of plant flavonoids on mammalian cells: implications for inflammation, heart disease, and cancer, *Pharmacological reviews*, vol.52, no.4, pp.673-751.
- Muriel, P., 2017, *Liver pathophysiology: therapies and antioxidants*, Academic Press : London.
- Nacife, V.P., Soeiro, M.D.N.C., Gomes, R.N., D'Avila, H., Neto, H.C.C.F. dan Meirelles, M.D.N.L., 2004, Morphological and biochemical characterization of macrophages activated by carrageenan and lipopolysaccharide in vivo, *Cell structure and function*, vol.29, no.2, pp.27-34.
- Necas, J. dan Bartosikova, L., 2013, Carrageenan: a review, *Veterinarni Medicina*, vol.58, no.4.
- Nijveldt, R.J., Van Nood, E.L.S., Van Hoorn, D.E., Boelens, P.G., Van Norren, K. and Van Leeuwen, P.A., 2001, Flavonoids: a review of probable mechanisms of action and potential applications, *The American journal of clinical nutrition*, vol.74, no.4, pp.418-425.

- Nofiani, R., 2008, Urgensi dan mekanisme biosintesis metabolit sekunder mikroba laut, *Jurnal Natur Indonesia*, vol.10, no.2, hal.120-125
- Planagumà, A., Clària, J., Miquel, R., López-Parra, M., Titos, E., Masferrer, J.L., Arroyo, V. dan Rodés, J., 2005, The selective cyclooxygenase-2 inhibitor SC-236 reduces liver fibrosis by mechanisms involving non-parenchymal cell apoptosis and PPAR γ activation, *The FASEB journal*, vol.19, no.9, pp.1120-1122.
- Pratiwi, E., 2010, Perbandingan Metode Maserasi, Remaserasi, Perkolasi dan Reperkolasi dalam Ekstraksi Senyawa Aktif Andrographolide dari Tanaman Sambiloto (*Andrographis paniculata* (Burm. F.) Nees), *Skripsi Institut Pertanian Bogor* : Bogor.
- Rosalina, I., 2010, Drug induced hepatitis, dalam Juffrie, M., Soenarto, S.S.Y., Oswari, H., Arief, S., Rosalina, I. dan Mulyani, N.S., 2010, *Buku Ajar Gastroenterologi-Hepatologi*, Jakarta: Badan Penerbit IDA, pp.329-38.
- Seidel, V., 2012, Initial and bulk extraction of natural products isolation, *Natural Products Isolation*, pp. 27-41
- Sherlock, S. dan Dooley, J., 2002, *Diseases of the Liver and Biliary System*, Edisi ke 11, London: Blackwell Publishing
- Sholekah, F.F., 2017, Perbedaan Ketinggian Tempat Terhadap Kandungan Flavonoid Dan Beta Karoten Buah Karika (*Carica Pubescens*) Daerah Dieng Wonosobo, *Prosiding Seminar Nasional Pendidikan Biologi Dan Biologi Jurusan Pendidikan Biologi, Fakultas MIPA, Universitas Negeri Yogyakarta*, pp. 75-82.
- Singh, A., Bhat, T.K. dan Sharma, O.P., 2011, Clinical biochemistry of hepatotoxicity, *J Clin Toxicol*, vol. 4, no.1, pp.1-9
- Sirikantaramas, S., Yamazaki, M., dan Saito, K., 2008, Mechanisms of resistance to self-produced toxic secondary metabolites in plants, *Phytochem*, vol. 7, hal.467-477.
- Smith, J.B., dan Mangkoewidjoyo, S., 1988, *Pemeliharaan, Pembiakan dan Penggunaan Hewan Coba di Daerah Tropis*, Jakarta : Universitas Indonesia.
- Sonderup M.W., 2011, Drug induced liver injury: drug-induced liver injury is a significant cause of liver disease, including chronic liver disease, *Continuing Medical Education*, vol.29, no.6, pp.2442–2446.
- Suryaatmadja M., 2009, Pemeriksaan laboratorium uji fungsi hati, *Buletin ABC*, vol.11, pp.2-8.

- Schwartz, H.J. dan Kellermeyer, R.W., 1969, Carrageenan and delayed hypersensitivity II. Activation of Hageman Factor by carrageenan and its possible significance, *Proceedings of the Society for Experimental Biology and Medicine*, vol.132, no.3, pp.1021-1024.
- Thakare, V.N., Suralkar, A.A., Deshpande, A.D. dan Naik, S.R., 2010, Stem bark extraction of *Ficus bengalensis* Linn for anti-inflammatory and analgesic activity in animal models.
- Thouri, A., Chahdoura, H., El Arem, A., Hichri, A.O., Hassin, R.B. dan Achour, L., 2017, Effect of solvents extraction on phytochemical components and biological activities of Tunisian date seeds (var. Korkobbi and Arehti), *BMC complementary and alternative medicine*, vol. 17, no.1, p.248.
- USDA., 2019, *Natural Resources Conservation Service United States Department of Agriculture*, diakses pada 2 Desember 2018, <https://plants.usda.gov/core/profile?symbol=PHDA4>
- Voight, R., 1994, *Buku Pengantar Teknologi Farmasi*, Edisi V, Universitas Gadjah Mada Press : Yogyakarta.
- Wang, S.Y., Chen, C.T. and Wang, C.Y., 2009, The influence of light and maturity on fruit quality and flavonoid content of red raspberries, *Food Chemistry*, vol.112, no.3, pp.676-684.
- Watson, R.R., Preedy, V.R. dan Zibadi, S., 2013, Polyphenols in human health and disease, *Academic press 13th edition*.
- WHO, 1979. dalam Prihatni, D., Parwati, I., Sjahid, I. and Rita, C., 2018, Efek Hepatotoksik Anti Tuberkulosis Terhadap Kadar Aspartate Aminotransferase dan Alanine Aminotransferase Serum Penderita Tuberkulosis Paru, *Indonesian journal of clinical pathology and medical laboratory*, vol.12, no.1, pp.1-5.
- Widyowati, C.H., 2015, Identifikasi senyawa aktif antioksidan ekstrak biji kurma (*Phoenix dactylifera*), *Bachelor's thesis*, Universitas Islam Indonesia : Jakarta.
- Xue, H., Guo, H., Li, Y.C. dan Hao, Z.M., 2007, Heme oxygenase-1 induction by hemin protects liver cells from ischemia/reperfusion injury in cirrhotic rats, *World Journal of Gastroenterology: WJG*, vol.13, no.40, p.5384.
- Yamamoto, H., Kondo, M., Nakamori, S., Nagano, H., Wakasa, K.I., Sugita, Y., Changde, J., Kobayashi, S., Damdinsuren, B., Dono, K. dan Umeshita, K., 2003, JTE-522, a cyclooxygenase-2 inhibitor, is an effective chemopreventive agent against rat experimental liver fibrosis, *Gastroenterology*, vol.125, no.2, pp.556-571.