

DAFTAR PUSTAKA

- Abd El-Lateef, E.M., Mekki, B.B., Abd El-Salam, M.S., & El-Metwally, I.M. 2021. Effect of different single herbicide doses on sugar beet yield, quality and associated weeds. *Bull. Natl. Res. Cent.*, 45(21):1-9.
- Abna, I. H. 2020. Isolasi dan karakterisasi bakteri tanah di Kelurahan Kampung Melayu Jakarta Timur. *Archives Pharmacia*, 2(2): 102-111.
- Adhikary, P., Shil, S., & Patra, P. S. 2014. Effect of herbicides on soil microorganisms in transplanted chilli. *Global Journal of Biology, Agriculture & Health Sciences*, 3(1): 236-238.
- Adinurani, P. G., Rahayu, S., Budi, L. S., Pambudi, S., & Soni, P. 2019. Production potensial of sweet corn (*Zea mays* Linn. var. *Saccharata* Sturt.) 'Bonanza' to different planting pattern and phosphorus sources. *IOP Conference Series: Earth and Environmental Science : The 2nd International Conference on Natural Resources and Life Sciences*, August 23–24, Surabaya. 293.
- Aguslina, L. 2004. *Dasar Nutrisi Tanaman*. Rineka Cipta. Jakarta.
- Agisti, A., Alami, N.H., & Hidayati, T.N. 2014. Isolasi dan identifikasi bakteri penambat nitrogen non simbiotik pada lahan restorasi dengan metode *legume cover crop* (LCC) di Daerah Pasirian Lumajang Jawa Timur. *Jurnal Sains dan Seni Pomits*, 3(2): 36-39.
- Alatas, S., Siradjuddin, I., Irfan, M., & Annisava, A. R. 2019. Pertumbuhan dan hasil jagung manis (*Zea mays* *Saccharata* Sturt.) yang ditanam dengan tanaman sela pegagan (*Centella asiatica* (L.) Urban) pada beberapa taraf dosis pupuk anorganik. *Jurnal Agroteknologi*, 10(1): 23-32.
- Aldrich, R.J., & Kremer, R.J. 1997. *Principles in Weed Management*. Second Edition. Ames Iowa, Iowa State University Press.
- Alvionita, C.A., Hamim, H., & Sembodo, D.R.J. 2016. Pengaruh jenis dan kerapatan gulma terhadap pertumbuhan dan produksi tanaman jagung (*Zea mays* L.). *Jurnal Penelitian Pertanian Terapan*, 16(1): 6-13.
- Ambarwati, A., Galib, M., Gani, M.S., & Suhaerah. 2020. Efektivitas herbisida dalam pengendalian gulma pada pertumbuhan tanaman jagung pulut (*Zea mays* *ceratina* L.). *Jurnal Agrotekmas*, 1(1): 45-50.

- Ananieva, E. A., Christov, K. N., & Popova, L.P. 2004. Exogenous treatment with salicylic acid leads to increased antioxidant capacity in leaves of barley plants exposed to paraquat. *J. Plant Physiol.*, 16(1): 319–328.
- Anggraini, R. 2019. Identifikasi gulma pada lahan budidaya jagung (*Zea mays* L.) varietas Pertiwi. *Agrofood: Jurnal Pertanian dan Pangan*, 1(2): 12–19.
- Anjani, N. D. 2018. Resistensi Gulma Rumput *Axonopus compressus*, *Eleusine indica*, dan *Ottochloa nodosa* Asal Perkebunan Kelapa Sawit Lampung Selatan terhadap Glifosat. *Skripsi*. Universitas Lampung, Bandar Lampung.
- Arango, L., Buddrus-Schiemann, K., Opelt, K., Lueders, T., Haesler, F., & Schmid, M. 2014. Effects of glyphosate on the bacterial community associated with roots of transgenic Roundup ready soybean. *Eur. J. Soil Biol.*, 63(1): 41–48.
- Araújo, A., Monteiro, R., & Abarkeli, R. 2003. Effect of glyphosate on the microbial activity of two Brazilian soils. *Chemosphere*, 52(5): 799–804.
- Arifin, N. 2016. Efek pemberian hormon alami terhadap pertumbuhan dan produksi jagung (*Zea mays* L.) pada berbagai tingkat kepada populasi. *Skripsi*. Fakultas Pertanian, Universitas Negeri Jember.
- Arslan, Z.F., Martin, M., Williams, I., Becker, I., Vincent, R., Fritz, A., Peachey, R., Tom, E., & Rabaey, L. 2016. Alternatives to atrazine for weed management in processing sweet corn. *Weed Science*, 64(3) :531–539.
- Autor, A. P. 1974. Reduction of paraquat toxicity by superoxide dismutase. *Life Sci.*, 14(7): 1309-1319.
- Baldani, J. I., Reis, V.M., Videira, S.S., Boddey, L.H., & Baldani, V.L.D. 2014. The art of isolating nitrogen-fixing bacteria from non-leguminous plants using N-free semi-solid media: a practical guide for microbiologists. *Plant Soil*, 384(1): 413-431.
- Banks, M. L., Kennedy, A. C., Kremer, R. J., & Eivazi, F. 2014. Soil microbial community response to surfactants and herbicides in two soils. *Appl. Soil Ecol.*, 74: 12–20.
- Barbaś, P., Sawicka, B., Marczak, B.K., & Pszcólkowski, P. 2020. Effect of mechanical and herbicide treatments on weed densities and biomass in two potato cultivars. *Agriculture*, 10(10): 1-16.
- Barnes, D. & Chandapillai, M.M. 1972. *Common Malaysian Weeds and Their Control*. Kuala Lumpur: Berhad.

- Bayyinah, L.N., Pratama, R.A., & Mutala'iah. 2022. Analisis vegetasi gulma pada lahan budidaya jagung di Arcawinangun, Purwokerto Timur, Banyumas. *Agroscrip: Journal of Applied Agricultural Sciences*, 4(2): 75-82.
- Bera, S. & Ghosh, R.K. 2013. Soil microflora and weed management as influenced by atrazine 50% WP in sugarcane. *Universal Journal of Agricultural Research*, 1(2): 41-47.
- Błażewicz-Woźniak, M., Patkowska, E., Konopiński, M., & Wach, D. 2016. Effect of cover crops and ploughless tillage on weed infestation of field after winter before pre-sowing tillage. *Rom. Agric. Res.*, 33: 185–194.
- BMKG. 2023. *Prakiraan cuaca Kecamatan Purwokerto Timur*. URL: <https://www.bmkg.go.id/cuaca/prakiraancuaca.bmkg?Kota=Purwokerto&AreaID=501258&Prov=11>. Diakses tanggal 20 Oktober 2023.
- Bonkowski, M., Villenave, C., & Griffiths, B. 2009. Rhizosphere fauna: the functional and structural diversity of intimate interactions of soil fauna with plant roots. *Plant Soil*, 321: 213–233.
- Bonneh-Barkay, D., Reaney, S. H., Langston, W. J., & Di-Monte D.A. 2005. Redox cycling of the herbicide parakuat in microglial cultures. *Mol. Brain Res.*, 134(1): 52-56.
- Bromilow, R.H. 2004. Parakuat and sustainable agriculture. *Pest Manag. Sci.*, 60: 340–349.
- Bryson, C.T., Lambert, R.C., Mccarty, B., & Yelverton, F.H. 1997. *Kyllinga*, a Genus of Neglected Weeds in the Continental United States. *Weed Technology*, 11(4): 838-842.
- Busse, M.D., Ratcliff, A.W., Shestak, C.J., & Powers, R.F. 2001. Glyphosate toxicity and the effects of long-term vegetation control on soil microbial communities. *Soil Biol. Biochem.*, 33(12-13): 1777–1789.
- Caton, B.P., Mortimer, M., Hill, J.E., & Johnson, D.E. 2010. *A practical field guide to weeds of rice in Asia. Second Edition*. Los Baños (Philippines): International Rice Research Institute.
- Chang, S.Y., & Liao, C. 2002. Analysis of glyphosate, glufosinate and aminomethylphosphonic acid by capillary electrophoresis with indirect fluorescence detection. *J. Chromatogr. A.*, 959(1-2):309–315.
- Chauhan, B.S. 2020. Grand challenges in weed management. *Front. Agron.*, 1(3):1-4.

- Chauhan, B.S., & Johnson, D.E. 2010. Growth and reproduction of junglerice (*Echinochloa colona*) in response to water stress. *Weed Sci.*, 58(2): 132–135.
- Chen, J., Yang, W., Li, J., Anwar, S., Wang, K., Yang, Z., & Gao, Z. 2021. Effects of herbicides on the microbial community and urease activity in the rhizosphere soil of maize at maturity stage. *Journal of Sensors*, 1-11.
- Cheng, M., Zeng, G., Huang, D., Lai, C., Xu, P., Zhang, C., & Zhu, Y. 2016. Degradation of atrazine by a novel Fenton-like process and assessment the influence on the treated soil. *J. Hazard. Mater.*, 312:184–191.
- Chhokar, R.S., Sharma, R.K., Gill, S.C., & Singh, R.K. 2019. Mesotrione and atrazine combination to control diverse weed flora in maize. *Indian Journal of Weed Science*, 51(2): 145–150.
- Chowdhury, A., Pradhan, S., Saha, M., & Sanyal, N. 2008. Impact of pesticides on soil microbiological parameters and possible bioremediation strategies. *Indian Journal of Microbiology*, 48(1): 114–127.
- Creech, J.E., Thomas A Monaco, T.A., & John O Evans, J.O. 2004. Photosynthetic and growth responses of *Zea mays* L and four weed species following post-emergence treatments with mesotrione and atrazine. *Pest Manag Sci.*, 60: 1079–1084.
- Delye, C., Duhoux, A., Gardin, J.A.C., Gouzy, J., & Carrère, S. 2018. High conservation of the transcriptional response to acetolactate-synthase inhibiting herbicides across plant species. *Weed Res.*, 58(1): 2–7.
- Dinata, A., Sudiarso & Sebayang, H.T. 2017. Pengaruh waktu dan metode pengendalian gulma terhadap pertumbuhan dan hasil tanaman jagung (*Zea mays* L.). *Jurnal Produksi Tanaman*, 5(2): 191-197.
- Dodge, A.D. 1971. The mode of action of the bipyridylum herbicides, parakuat and diquat. *Endeavour*, 30: 130-135.
- Ekowati, D. & Nasir, M. 2011. Pertumbuhan tanaman jagung (*Zea mays* L.) varietas Bisi-2 pada pasir reject dan pasir asli di Pantai Trisik Kulonprogo. *J. Manusia dan Lingkungan*, 18(3): 220-231.
- Fang, H., Lian, J., Wang, H., Cai, L., & Yu, Y. 2015. Exploring bacterial community structure and function associated with atrazine biodegradation in repeatedly treated soils. *Journal of Hazardous Materials*, 286: 457–465.

- Farrington, J.A., Ebert, M., Land, E.J., & Fletcher, K. 1973. Bipyridylum quaternary salts and related compounds. V. pulses radiolysis studies of the reaction of parakuat radical with oxygen. Implications for the mode of action of bipyridyl herbicides. *Biochim. Biophys. Acta.*, 314: 372-381.
- Feledyn-Szewczyk, B., Nakielska, M., Jończyk, K., Berbeć, A.K., Kopiński, J. 2020. Assessment of the suitability of 10 winter triticale cultivars (*Triticosecale Wittm. ex A. Camus*) for organic agriculture: Polish case study. *Agronomy*, 10(8): 1-15.
- Fernandes, A. F. T., Wang, P., Christopher Staley, C., Silva, J. A., Moretto, Altarugio, L. M., Campanharo, S. C., Stehling, E. G., & Sadowsky, M. J. 2020. Impact of atrazine exposure on the microbial community structure in a Brazilian Tropical Latosol Soil. *Microbes Environ.*, 35(2): 1-7.
- Fitria. 2018. Pengendalian gulma dengan herbisida pada tanaman jagung (*Zea mays* L). *Agrium*, 21(3): 239-242.
- Forlani, G., Mangiagalli, A., Nielsen, E., & Suardi, C.M. 1999. Degradation of the phosphonate herbicide glyphosate in soil: Evidence for a possible involvement of unculturable microorganisms. *Soil Biol. Biochem.*, 31(7): 991-997.
- Fried, G., Norton, L.R., & Reboud, X. 2008. Environmental and management factors determining weed species composition and diversity in France. *Agric. Ecosyst. Environ.*, 128(1-2): 68-76.
- Friska, W., Khotimah, S., & Linda, R. 2015. Karakteristik bakteri pelarut fosfat pada tingkat kematangan gambut di kawasan hutan lindung Gunung Ambawang Kabupaten Kubu Raya. *Probiont.*, 4(1): 197-202.
- Fuadi, R.T. & Wicaksono, K.P. 2018. Aplikasi herbisida berbahan aktif atrazin dan mesotrion terhadap pengendalian gulma dan hasil tanaman jagung manis (*Zea mays* L. *saccharata*) varietas bonanza. *Jurnal Produksi Tanaman*, 6(5): 767-774.
- Fuerst, E. P. & Vaughn, K.C. 1990. Mechanisms of parakuat resistance. *Weed Technol.* 4(1): 150-156.
- Gawęda, D., Woźniak, A., Harasim, E. 2018. Weed infestations of winter wheat depend on the forecrop and the tillage system. *Acta. Agrobot.*, 71(3): 1744.
- Gravena, R., Filho, R.V., Alves P.L.C.A., & Mazzafera, P. 2012. Glyphosate has low toxicity to citrus plants growing in the field. *Can. J. Plant Sci.*, 92(1): 119-127.

- Guntoro, Sakiah, & Damanik, R.S. 2020. Pengaruh aplikasi herbisida sistemik berbahan aktif glifosat terhadap tingkat kematian gulma dan total mikroorganisme tanah. *Jurnal Agrohita*, 5(1): 66-75.
- Hadi F., Mousavi A., Noghabi K.A., Tabar H.G., & Salmanian A.H. 2013. New bacterial strain of the genus *Ochrobactrum* with glyphosate-degrading activity. *J. Environ. Sci. Health - Part B Pestic. Food Contam. Agric. Wastes.*, 48(3): 208–213.
- Haley, T. J. 1979. Review of the toxicology of parakuat (1,1'-dimethyl-4,4'-bipyridinium chloride). *Clin. Toxicol.*, 14(1): 1-46.
- Haney, R.L., Senseman, S.A., Hons, F.M., & Zuberer, D.A. 2000. Effect of glyphosate on soil microbial activity and biomass. *Weed Sci.*, 48(1): 89–93.
- Harasim, E., Wesołowski, M., & Kwiatkowski, C. 2014. The effect of reduced growth retardant rates on weed infestation of a winter wheat (*Triticum aestivum* L.) crop. *Rom. Agric. Res.*, 31: 271–281.
- Harman, G., Khadka, R., Doni, F., & Uphoff, N. 2021. Benefits to plant health and productivity from enhancing plant microbial symbionts. *Front. Plant Sci.*, 11: 1-21.
- Hasanudin, 2013. Aplikasi beberapa dosis herbisida campuran atrazine dan mesotrion pada tanaman jagung: I. karakteristik gulma. *Jurnal Agrista*, 17(1): 36-41.
- Haslam, E. 2014. *The Shikimate Pathway: Biosynthesis of Natural Products Series*. Butterworths, London, UK.
- Hess, F. D. 2000. Light-dependent herbicides: an overview. *Weed Sci.*, 48(2): 160–170.
- Hidayat, S., & Rachmadiyanto, A.N. 2017. Utilization of alang-alang (*Imperata cylindrica* (L.) Raeusch.) as traditional medicine in Indonesian archipelago. *Proceedings 1st Satreps Conf*, November 14, Bogor. P. 82–89.
- Himedia. 2015. *Pikovskaya's Broth (medium)*. Himedia Technical Data, India.
- Holm, L.G., Plucknett, D.L., Pancho, J.V., & Herberger, J.P. 1991. *The World's Worst Weeds; Distribution and Biology*. Krieger Publishing Company, Malabar.
- Imparato, V., Santos, S.S., Johansen, A., Geisen, S., & Winding, A. 2016. Stimulation of bacteria and protists in rhizosphere of glyphosate-treated barley. *Appl. Soil Ecol.*, 98: 47–55.

- IARC. 2015. Evaluation of five organophosphate insecticides and herbicides. IARC Monographs 112, World Health Organization, International Agency for Research on Cancer. Lyon, France.
- Iriel, A., Novo, J.M., Cordon, G.B., & Lagorio, M.G. 2014. Atrazine and methyl viologen effects on chlorophyll-a fluorescence revisited—implications in photosystems emission and ecotoxicity assessment. *J. Photochem. Photobiol.*, 90(1):107–112.
- Iskandar, D. 2003. Pengaruh Dosis Pupuk N, P, K Terhadap Pertumbuhan dan Produksi Jagung Manis di Lahan Kering. *Prosiding Seminar Teknologi untuk Negeri*, May 20-22, Jakarta. P. 1-5.
- Jabran, K., Mahmood, K., Melander, B., Bajwa, A.A., & Kudsk, P. 2017. Weed dynamics and management in wheat. *Adv. Agron.*, 145: 97–166.
- Jacoby, R., Peukert, M., Succurro, A., Koprivova, A., & Kopriva, S. 2017. The role of soil microorganisms in plant mineral nutrition-current knowledge and future directions. *Front. Plant Sci.*, 8: 1-19.
- Jayanti, W., Nuhung, E., & Alimuddin, S. 2020. Tanggap tanaman jagung terhadap sumber benih dari panjang tongkol berbeda dan pemangkasan daun di bawah tongkol. *Agrotekmas Jurnal Indonesia: Jurnal Ilmu Peranian*, 1(3): 76-85.
- Jin, J., Ma, H., Cao, X.F., Li, J.H., Zhang, Q.Y., & Chen, C.S. 2012. The discovery of the novel lead compound of N-nitroureas target on acetohydroxy acid synthase. *Pesticide Biochemistry & Physiology*, 104(3): 218–223.
- Juliana, Sarbino, & Rahmidiyani. 2013. Pengaruh Waktu Penyemprotan Herbisida Parakuat untuk Pengendalian Gulma terhadap Pertumbuhan dan Hasil Tanaman Jagung di Desa Sahan Kecamatan Seluas Kabupaten Bengkayang. *Jurnal Sains Mahasiswa Pertanian Untan*, 2(2):1-10.
- Kadian, N., Gupta, A., Satya, S., Mehta, R.K., & Malik, A. 2008. Biodegradation of herbicide (atrazine) in contaminated soil using various bioprocessed materials. *Bioresour. Technol.*, 99(11): 4642–4647.
- Kamdern, M., Njintang, N., & Filser, J. 2016. Effects of soil treated glyphosate on growth parameters and chlorophyll content of maize *Zea mays* L. and bean *Phaseolus vulgaris* L. plants. *Brazilian Journal of Biological Sciences*, 3: 351-365.
- Kana, R., Špundová, M., & Ili'k, P. 2004. Effect of herbicide clomazone on photosynthetic processes in primary barley (*Hordeum vulgare* L.) leaves. *Pestic. Biochem. Phys.*, 78: 161–170.

- Kastanja, A.Y. 2015. Analisis komposisi gulma pada lahan tanaman sayuran. *Jurnal Agroforestri*, 10(2): 107-114.
- Kataoka, H., Ryu, S., Sakiyama N., & Makita, M. 1996. Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection. *J. Chromatogr. A.*, 726: 253–258.
- Kementerian Pertanian. 2019. Budidaya tanaman jagung. URL: <http://cybex.pertanian.go.id/mobile/artikel/82006/BUDIDAYA-TANAMAN-JAGUNG/>. Diakses tanggal 11 Juni 2023.
- Kilkoda, A.K., Nurmala, T., & Widayat, D. 2015. Pengaruh keberadaan gulma (*Ageratum conyzoides* dan *Boreria alata*) terhadap pertumbuhan dan hasil tiga tiga ukuran varietas kedelai (*Glycine max* L. Merr) pada percobaan pot bertingkat. *Kultivasi*, 14(2):1–9.
- Knezevic, S.Z, Jhala, A., & Gaines, T. 2017. Herbicide resistance and molecular aspects. 2nd ed. *Encyclopedia of Applied. Plant Sci.*, 3: 455-458.
- Kocira, A., & Staniak, M. 2021. Weed ecology and new approaches for management. *Agriculture*, 11: 262.
- Kołodziejczyk, M., Antonkiewicz, J., & Kulig, B. 2017. Effect of living mulches and conventional methods of weed control on weed occurrence and nutrient uptake in potato. *Int. J. Plant Prod.*, 11(2): 275–284.
- Kraehmer, H., Laber, B., Rosinger, C., & Schulz, A. 2014. Herbicides as weed control agents: state of the art: I. weed control research and safener technology: the path to modern agriculture. *Plant Physiol.*, 166(3): 1119–1131.
- Kubiak, A., Wolna-Maruwka, A., Niewiadomska, A., & Pilarska, A.A. 2022. The problem of weed infestation of agricultural plantations vs. the assumptions of the european biodiversity strategy. *Agronomy*, 12(8): 1808.
- Kumar, A., & Singh, N. 2016. Atrazine and its metabolites degradation in mineral salts medium and soil using an enrichment culture. *Environ. Monit. Assess.*, 188(3): 1–12.
- Kumar, V., Upadhyay, N., Singh, S., Singh, J., & Kaur, P. 2013. Thin-layer chromatography: comparative estimation of soil's atrazine. *Curr. World. Environ.*, 8(3): 469–472.

- Kurniadie, D., Umiyati, U., & Shabirah, S. 2019. Pengaruh campuran herbisida berbahan aktif atrazin 500 g/L dan mesotrion 50 g/L terhadap gulma dominan pada tanaman jagung (*Zea mays* L.). *Jurnal Kultivasi*, 18(2): 912-918.
- Lancaster, S.H., Hollister, E.B., Senseman, S.A., Gentry, T.J., 2010. Effects of repeated glyphosate applications on soil microbial community composition and the mineralization of glyphosate. *Pest Manag. Sci.*, 66(1): 59–64.
- Lane, M., Lorenz, N., Saxena, J., Ramsier, C., & Dick, R.P., 2012. The effect of glyphosate on soil microbial activity, microbial community structure, and soil potassium. *Pedobiologia (Jena)*, 55(6): 335–342.
- Leaden, M., Castano, J., Bedmar, F., Gonzalez, G., Martoccia, M., Nuñez, R. 1996. Evaluation of sulfonylurea herbicides on crop phytotoxicity forage and seed production in cocksfoot (*Dactylis glomerata*). *Ann. Appl. Biol.*, 128(1): 48–49.
- Leopold, A.C., & Kriedeman, P.E. 1979. *Plant growth and development*. McGrawHill Book Company Inc. New Delhi
- Lestari, N. W., Budiharjo, A., & Pangastuti, A. 2016. Bakteri heterotrof aerobik asal saluran pencernaan ikan sidat (*Anguilla bicolor*) dan potensinya sebagai probiotik. *Jurnal Bioteknologi*, 13(1): 9-17.
- Lewis, S.E., Brodie, J.E., Bainbridge, Z.T., Rohde, K.W., Davis, A.M., Masters, B.L., & Schaffelke, B. 2009. Herbicides: a new threat to the Great Barrier Reef. *Environ. Pollut.*, 157(8):2470–2484.
- Li, J., Mu, J., Bai, J., Fu, F., Zou, T., An, F., Zhang, J., Jing, H., Wang, Q., Li, Z., Yang, S., & Zuo, J. 2013. Parakuat resistant, a Golgi-localized putative transporter protein, is involved in intracellular transport of parakuat. *Plant Physiol.*, 162(1): 470–483.
- Liu, B. B., Chen, D., Kang, Q. Y., Liu, M. Q., Li, H. X., & Jiao, J. G. 2013. The biological indication of soil organisms to soil environment of insecticide factory. *Chinese Journal of Soil Science*, 44(5): 1210–1217.
- Lum, F.A., Chikoye, D., & Adesiyun, S.O. 2005. Effect of nicosulfuron dosages and timing on the postemergence control of cogongrass (*Imperata cylindrica*) in corn. *Weed Technology*, 19(1):122–127.
- Ma, Q., Tan, H., Song, J., Li, M., Wang, Z., Parales, R.E., Li, L., & Ruan, Z. 2022. Effects of long-term exposure to the herbicide nicosulfuron on the bacterial community structure in a factory field. *Environ. Pollut.*, 307: 119477.

- Massenssini, A.M., Bonduki, V.H.A., Melo, C.A.D., Tótola, M.R., Ferreira, F.A., & Costa, M.D. 2014. Soil microorganisms and their role in the interactions between weeds and crops. *Planta Daninha*, 32(4): 873–884.
- Maun, M.A., & Barrett, S.C.H. 1986. The biology of Canadian weeds: 77. *Echinochloa crus-galli* (L.) Beauv. *Can. J. Plant. Sci.*, 66(3): 739–759.
- Marsal, D., Wicaksono, K. P., & Widaryanto, E. 2015. Dinamika perubahan komposisi gulma pada tanaman tebu keprasan di lahan sistem reynoso dan tegalan. *Disertasi*. Universitas Brawijaya.
- Mc Court, J.A., Pang, S.S., King-Scott, J., Guddat, L.W., & Duggleby, R.G. 1996. Herbicide-binding sites revealed in the structure of plant acetohydroxyacid synthase. *Proc. Natl. Acad. Sci. USA.*, 103(3): 569–573.
- Mendes, R., Garbeva, P., & Raaijmakers, J. M. 2013. The rhizosphere microbiome: significance of plant beneficial, plant pathogenic, and human pathogenic microorganisms. *FEMS Microbiol. Rev.*, 37: 634–663.
- Meriati. 2019. Pertumbuhan dan hasil jagung manis (*Zea mays* sacharata) pada pertanian organik. *Jurnal Embrio*, 11(1): 24-35.
- Millipore. 2018. Y3252 Yeast Mannitol Agar. Millipore Sigma Technical Data.
- Moody, K., Munroe, C., Lubigan, R., & Paller, E.C. 1984. *Major weeds of the Philipines*. University of the Philipines at Los Banos, Laguna, Philipines.
- Mubarak, A. F. M., Widaryanto, F.M., E., & Sebayang, H.T. 2014. Pengendalian gulma pada berbagai taraf pemupukan nitrogen terhadap pertumbuhan dan hasil tanaman kentang (*Solanum tuberosum* L.). *Jurnal Produksi Tanaman*, 2(7): 542-551.
- Muller, D.B., Vogel, C., Bai, Y., & Vorholt, J.A. 2016. *The plant microbiota: systems-level insights and perspectives*, in *Annual Review of Genetics*, Vol. 50, ed. N. M. Bonini (Palo Alto, CA: Annual Reviews), 211–234.
- Murata, N., Takahashi, S., Nishiyama, Y., & Allakhverdiev, S.I. 2007. Photoinhibition of photosystem II under environmental stress. *Biochim. Biophys. Acta.*, 1767(6): 414–421.
- Musafa, M.K., Aini, L.Q. & Prasetya, B. 2015. Peran mikoriza arbuskula dan bakteri *Pseudomonas fluorescens* dalam meningkatkan serapan P dan pertumbuhan tanaman jagung pada andisol. *Jurnal Tanah dan Sumberdaya Lahan*, 2 (2): 191-197.

- Mustari, E., Setiawati, Y., Taufikurahman, & Anggraeni, T. 2019. The impact of herbicide parakuat dichloride applications on weed suppression and the growth of corn on dry land. *Conference: Joint Symiencs and Products*, December 2019, Bandung, Indonesia.
- Newman, M.M., Hoilett, N., Lorenz, N., Dick, R.P., Liles, M.R., Ramsier, C., & Kloepper, J. W., 2016. Glyphosate effects on soil rhizosphere-associated bacterial communities. *Sci. Total Environ.*, 543: 155–160.
- Niswati, A., Yusnaini, S., & Arif, M.A.S. 2008. Populasi mikroba pelarut fosfat dan ptersedia pada rizosfer beberapa umur dan jarak dari pusat perakaran jagung (*Zea mays* L.). *Laporan Penelitian*. Jurusan Ilmu Tanah Faperta Unila. Bandar lampung.
- Nuryadin, A.K., Suprapti, E., & Budiyo, A. 2016. Pengaruh jarak tanam dan dosis pupuk NPK terhadap pertumbuhan dan hasil jagung manis. *Agrineca*, (16)2: 12-23.
- Nwosisi, S., Nandwani, D., & Hui, D. 2019. Mulch treatment effect on weed biomass and yields of organic sweet potato cultivars. *Agronomy*, 9(4): 190.
- Osuna, M. D., Goulart, I. C. G. D. R., Vidal, R. A., Kalsing, A., Ruiz Santaella, J. P., & De Prado, R. 2012. Resistance to ACCase inhibitors in *Eleusine indica* from Brazil involves a target site mutation. *Planta Daninha*, 30: 675-681.
- Padang, W.J., Purba, E., & Bayu, E.S. 2017. Periode kritis pengendalian gulma pada tanaman jagung (*Zea mays* L.). *Jurnal Agroteknologi FP USU*, 5(2): 409-414.
- Perdana, E.O., Chairul, & Syam, Z. 2013. Analisis vegetasi gulma pada tanaman buah naga merah (*Hylocereus polyrhizus* L.) Di Kecamatan Batang Anai, Kabupaten Padang Pariaman, Sumatera Barat. *Jurnal Biologi Universitas Andalas*, 2(4): 242-248.
- Pimentel, D. & Burgess, M. 2014. *Environmental and Economic Costs of the Application of Pesticides Primarily in the United States*. Springer Science Business Media Dordrecht, Netherlands.
- Pirsaheb, M., Limoe, M., Namdari, F., & Khamutian, R. 2015. Organochlorine pesticides residue in breast milk: a systematic review. *Med J Islam Repub Iran*, 29: 228.
- Pratiwi, A.A., Supriyadi, A. Raharjo, B., Wahyudi, P. & Parmiyatni, S. 2012. Isolasi dan karakterisasi bakteri pendegradasi pestisida dicofol dari tanah sawah di Kabupaten Karawang. *Jurnal Biologi*, 1(1): 23-32.

- Pszczółkowski, P., Barbaś, P., Sawicka, B., Krochmal-Marczak, B. 2020. Biological and agrotechnical aspects of weed control in the cultivation of early potato cultivars under cover. *Agriculture*, 10(9): 373.
- Pujisiswanto, H., & Hidayat, K. F. 2008. Analisis pertumbuhan gulma, tanaman, dan hasil jagung dengan berbagai kerapatan kacang tanah dan kacang hijau dalam sistem tumpangsari. *J. Agrista*, 1: 193-198.
- Purwaningsih, N. 2010. Isolasi, populasi, dan karakterisasi bakteri rhizobium pada daerah perakaran dan tanah dari Bengkulu, Sumatra. *Biosfera*, 27(1): 46-52.
- Purwaningsih, S. 2005. Isolasi, enumerasi, dan karakterisasi bakteri rhizobium dari tanah Kebun Biologi Wamena, Papua. *Biodiversitas*, 6(2): 82-84.
- Qian, H., Chen, W., Sun, L., Jin, Y., Liu, W., & Fu, Z. 2009. Inhibitory effects of paraquat on photosynthesis and the response to oxidative stress in *Chlorella vulgaris*. *Ecotoxicology*, 18: 537-543.
- Ramesh, K., Matloob, A., Aslam, F., Florentine, S.K., & Chauhan, B.S. 2017. Weeds in a changing climate: Vulnerabilities, consequences, and implications for future weed management. *Front. Plant Sci.*, 8: 95.
- Rao, D.L.N. 2014. Recent advances in biological nitrogen fixation in agricultural systems. *Proc. Ind. Natl. Sci. Acad.*, 80(2):359–378.
- Sari, T.L., Ekyastuti, W., & Ekamawanti, H.A. 2018. Kepadatan populasi bakteri pelarut fosfat pada lahan gambut terdegradasi akibat terbakar. *Jurnal Hutan Lestari*, 6(4): 714-719.
- Sastroutomo, S.S. 1990. *Ekologi Gulma*. PT Gramedia Pustaka Utama. Jakarta.
- Sawicka, B., Krochmal-Marczak, B., Barbaś, P., Pszczółkowski, P., & Ćwintal, M. 2020. Biodiversity of weeds in fields of grain in South-Eastern Poland. *Agriculture*, 10(12): 589.
- Schafer, J. R., Hallett, S. G., & Johnson, W. G. 2014. Rhizosphere microbial community dynamics in glyphosate-treated susceptible and resistant biotypes of giant ragweed (*Ambrosia trifida*). *Weed Sci.*, 62(2): 370–381.
- Sharma, S.D., & Singh, M. 2001. Environmental factors affecting absorption and bio-efficacy of glyphosate in Florida beggarweed (*Desmodium tortuosum*). *Crop Prot.*, 20(6): 511–516.
- Silva, F.B., Costa, A.C., Alves, R.R.P., & Megguer, C.A. 2014. Chlorophyll fluorescence as an indicator of cellular damage by glyphosate herbicide in *Raphanus sativus* L. plants. *J. Plant Sci.*, 5(16): 2509-2519.

- Singh, J.S., Abhilash, P.C., Singh, H.B., Singh, R.P., & Singh D.P. 2011. Genetically engineered bacteria: an emerging tool for environmental remediation and future research perspectives. *Gene*, 480(1):1–9.
- Sprankle, P., Meggitt, W., & Penner, D. 1975. Adsorption, mobility, and microbial degradation of glyphosate in the soil. *Weed Sci.*, 23(3): 229–234.
- Stall, W.M., & Bewick, T.A. 1992. Sweet corn cultivars respond differentially to the herbicide nicosulfuron. *Hort. Sci.*, 27(2): 131–133.
- Stanley, H. O., Maduiké, E. M. & Okerentugba, P.O. 2013. Effect of herbicide (atrazine and paraquat) application on soil bacterial population. *Sky Journal of Soil Sci. Env. Man.*, 2(9): 101-105.
- Stuebler, H., Kraehmer, H., Hess, M., Schulz, A., & Rosinger, C. 2008. Global changes in crop production and impact trends on innovation in weed management: an industry view. *Proceedings of the 5th International Weed Science Congress*, June 23-27, Vancouver, Canada, P. 309–319.
- Suntres, Z. 2002. Role of Antioxidants in Paraquat Toxicity. *Toxicology*, 180(1): 65-77.
- Sutedjo, M.M. 1996. *Mikrobiologi Tanah*. Rineka Cipta, Jakarta.
- Sviridov, A.V., Shushkova, T.V., Ermakova, I.T., Ivanova, E.V., Epiktetov, D.O., & Leont'evskii, A.A. 2015. Microbial degradation of glyphosate herbicides (review). *Prikl. Biokhim. Mikrobiol.*, 51:183–190.
- Takano, H.K., Mendes, R.R., Scoz, L.B., Lopez Ovejero, R.F., Constantin, J., Gaines, T.A., Westra, P., Dayan, F.E., & Oliveira, R.S. 2022. Proline-106 EPSPS Mutation Imparting Glyphosate Resistance in Goosegrass (*Eleusine indica*) Emerges in South America. *Weed Sci.*, 67(1): 48–56.
- Tampubolon, K., Purba, E., Basyuni, M., & Hanafiah, D.N. 2019. Glyphosate resistance of *Eleusine indica* populations from North Sumatra, Indonesia. *Biodiversitas*, 20(7): 1910-1916.
- Tejada, M., 2009. Evolution of soil biological properties after addition of glyphosate, diflufenican and glyphosate+diflufenican herbicides. *Chemosphere*, 76(3): 365–373.
- Thiour-Mauprivez, C., Martin-Laurent, F., Calvayrac, C., & Barthelmebs, L. 2019. Effects of herbicide on non-target microorganisms: Towards a new class of biomarkers?. *Science of the Total Environment*, 684: 314–325.
- Tjitrosoedirdjo, S., Utomo, I.H., & Wiroatmodjo, J. 1984. *Pengelolaan Gulma di Perkebunan*. Jakarta: Gramedia.

- Triyono, K. 2010. Pengaruh dosis glifosat dan jarak tanam terhadap pertumbuhan gulma dan hasil Jagung (*Zea mays*). *Jurnal Innofarm: Jurnal Inovasi Pertanian*, 3(2): 107-119.
- Tustiyan, I., Nurjanah, D.R., Maesyaroh, S.S., & Mutakin, J. 2019. Identifikasi keanekaragaman dan dominansi gulma pada lahan pertanaman jeruk (*Citrus sp.*). *Jurnal Kultivasi*, 18(1): 779-783.
- Tyagi, V.C., Wasnik, V.K., Choudary, M., Halli, H.M. & Chander, S. 2018. Weed management in Berseem (*Trifolium alexandrinum* L.): A Review. *Int.J.Curr.Microbiol.App.Sci.*, 7(5): 1929-1938.
- Van Bruggen, A. H. C., Finckh, M. R., He, M., Ritsema, C. J., Harkes, P., Knuth, D., & Geissen, V. 2021. Indirect effects of the herbicide glyphosate on plant, animal and human health through its effects on microbial communities. *Front. Environ. Sci.*, 9: 1-22.
- Van der Heijden, M. G. A., Bardgett, R. D., & Van Straalen, N. M. 2008. The unseen majority: soil microbes as drivers of plant diversity and productivity in terrestrial ecosystems. *Ecol. Lett.*, 11(3): 296–310.
- Váradi, G., Darkó, E., & Lehoczki, E. 2000. Changes in the xanthophyll cycle and fluorescence quenching indicate light-dependent early events in the action of paraquat and the mechanism of resistance to paraquat in *Erigeron canadensis* (L.). *Cronq. Plant Physiol.*, 123(4): 1459-1469.
- Varanasi, A., Prasad, P.V., & Jugulam, M. 2016. Impact of climate change factors on weeds and herbicide efficacy. *Adv. Agron.*, 135: 107–146.
- Verbon, E. H., & Liberman, L. M. 2016. Beneficial microbes affect endogenous mechanisms controlling root development. *Trends Plant Sci.*, 21(3): 218–229.
- Vila, M., Beaury, E.M., Blumenthal, D.M., Bradley, B.A., Early, R., Laginhas, B.B., Trillo, A., Dukes, J., Sorte, C., & Ibanez, I. 2021. Understanding the combined impacts of weeds and climate change on crops. *Environ. Res. Lett.*, 16(3): 1-13.
- Walker, E. R., & Oliver, L. R. 2008. Translocation and absorption of glyphosate in flowering sicklepod (*Senna obtusifolia*). *Weed Sci*, 56(3): 338–343.
- Waluyo, L. 2005. *Mikrobiologi Umum*. UMM Press, Malang.
- Wang, J., Gao, H., Guo, Z.Q., Meng, Y.Y., Yang, M., & Li, X.L. 2021. Adaptation responses in C4 photosynthesis of sweet maize (*Zea mays* L.) exposed to nicosulfuron. *Ecotoxicology and Environmental Safety*, 214: 1–12.

- Wang, X.F., Guan, C.H., Fan, Z.W., & Zhen, H.J. 2011. Application and development of sulfonyleurea herbicides. *Agrochemicals*, 50(1): 9–15.
- Wardle, D.A., & Parkinson, D., 1990. Influence of the herbicide glyphosate on soil microbial community structure. *Plant Soil*, 122: 29–37.
- Weaver, M., Krutz, L., Zablotowicz, R., & Reddy, K., 2007. Effects of glyphosate on soil microbial communities and its mineralization in a Mississippi soil. *Pest Manag. Sci.*, 63(4): 388–393.
- Widderick, M.J., Bell, K.L., Boucher, L.R., & Walker, S.R. 2013. Control by glyphosate and its alternatives of glyphosate-susceptible and glyphosate-resistant *Echinochloa colona* in the fallow phase of crop rotations in subtropical Australia. *Weed Biol. Manag.*, 13(3): 89–97.
- Williams, B.J., Harvey, R.G. 2020. Effect of nicosulfuron timing on wild-Proso millet (*Panicum miliaceum*) control in sweet corn (*Zea mays*). *Weed Technology*, 14(2): 377–382.
- Woźniak, A., & Soroka, M. 2014. Effects of a 3-year reduced tillage on the yield and quality of grain and weed infestation of spring triticale (Triticosecale Wittmack). *Int. J. Plant Prod.* 8: 231–241.
- Wu, X. N., Sun, J. J., Lu, Y. Y., Liu, W. J., & Yao, J. 2016. Effect of glyphosate on energy metabolism of soil microorganisms. *Chemistry and Bioengineering*, 4(5): 18–21.
- Wulandari, E., Resiworo, D., Sembodo, J. & Sriyani, N. 2014. Efikasi herbisida glifosat untuk persiapan lahan budidaya jagung (*Zea mays* L.) tanpa olah tanah. *J. Agrotek Tropika*, 2(1): 49–54.
- Wulansari, H.R. 2015. Respon Tanaman Jagung Manis (*Zea mays saccharata* sturt L.) pada Berbagai Jenis Mulsa Terhadap Tingkat Pemberian Air. *Thesis*. Fakultas Pertanian Universitas Brawijaya.
- Xu, K., Racine, F., He, Z., & Juneau, P. 2019. Impacts of hydroxyphenylpyruvate dioxygenase (HPPD) inhibitor (mesotrione) on photosynthetic processes in *Chlamydomonas reinhardtii*. *Environ. Pollut.*, 244: 295–303.
- Xu, N., Wu, Z., Li, X., Yang, M., Han J., Lu, B., Lu, B., & Wang, J. 2022. Effects of nicosulfuron on plant growth and sugar metabolism in sweet maize (*Zea mays* L.). *PLoS One*, 17(10): 1-15.
- Xu, Y. R., Fang, Z. J., Lu, X. P., & Hao, L. J. 2017. Effects of starane on maize soil bacterial diversity analyzed by high-throughput sequencing technology. *Acta Microbiologica Sinica*, 57(7): 985–993.

- Yang, F., Gao, M., Lu, H., Wei, Y., Chi, H., Yang, T., Yuan, M., Fu, H., Zeng, W., & Liu, C. 2021. Effects of Atrazine on Chernozem Microbial Communities Evaluated by Traditional Detection and Modern Sequencing Technology. *Microorganisms*, 9(9):1832.
- Yunita, I. 2017. Pengaruh perbedaan jarak tanam dan dosis pupuk urin sapi fermentasi terhadap pertumbuhan dan hasil jagung manis (*Zea mays saccharata sturt*). *Jurnal Produksi Tanaman*, 5(8): 1284–1293.
- Yunita, M., Hendrawan, Y., & Yulianingsih, R. 2015. Analisis kuantitatif mikrobiologi pada makanan penerbangan (Aerofood ACS) Garuda Indonesia berdasarkan TPC (*Total Plate Count*) dengan metode *pour plate*. *Jurnal Keteknik Pertanian Tropis dan Biosistem*, 3(3): 237-248.
- Zhang, C., Hu, R., Huang, J., Huang, X., Shi, G., Li, Y., Yin, Y. & Chen, Z. 2016. Health effect of agricultural pesticide use in China: implications for the development of GM crops. *Scientific Reports*, 6(1): 1-8.
- Zhao, X., Wang, L., Ma, F., Bai, S., Yang, J., Qi, S. 2017. *Pseudomonas sp.*, ZXY-1 a newly isolated and highly efficient atrazine-degrading bacterium and optimization of biodegradation using response surface methodology. *J. Environ. Sci.*, 54:52–159.
- Zhang, C., Chen, L., Si, H., Gao, W., Liu, P., & Zhang, J. 2020. Study on the characteristics and mechanisms of nicosulfuron biodegradation by *Bacillus velezensis* CF57. *Journal of Basic Microbiology*, 60(7): 649–658.
- Zheleva, D., Tsonev, T., Sergiev, I., & Karanov, E. 1994. Protective effect of exogenous polyamines against atrazine in pea plants. *J. Plant Growth Regul.*, 13: 203–211.
- Zimdahl, R. 2004. *Weed-Crop Competition: A Review*. Blackwell Publishing, Oxford, Inggris.
- Zobiolo, L. H. S., Kremer, R. J., Oliveira, R. S., & Constantin, J. 2010. Glyphosate affects micro-organisms in rhizospheres of glyphosate-resistant soybeans. *J. Appl. Microbiol.*, 110(1): 118–127.