

## DAFTAR PUSTAKA

- Adi, C. A., Setiawaty, N., Anindya, A. L., & Rachmawati, H. (2019). Formulasi dan Karakterisasi Sediaan Nanoemulsi Vitamin A. *Media Gizi Indonesia*, 14(1): 1-13.
- Adilla, P. A., Wijayanti, F. T., Ramadhanti, L., Faizal, I. A. (2022). Formulasi dan Evaluasi Nanoemulsi Minyak Ikan Sidat Menggunakan Metode Sonikasi. *Jurnal Ilmiah Kefarmasian*, 2(4): 25-34.
- Alfiana, D., Rahmadevi., & Sagita, D. (2020). Effect of Stirring Time on Fish Oil Emulsion Particle Size (*Oleum Iecoris Aselli*). *Journal of Healthcare Technology and Medicine*, 1(6): 204-2012.
- Al-Qahtani, W. H., Dinakarkumar, W., Arokiyaraj, S., & Appaturi, J. N. (2022). Aktivitas Fitokimia dan Biologis dari *Myristica fragrans*, Tanaman Obat Ayurveda di India Selatan dan Analisis Kandungannya. *Saudi J Biol Sci*, 29(5): 3815–3821.
- Andini, A., Prayekti, E., & Nidianti, E. (2020). Cytotoxicity Assay Using Brine Shrimp Lethality Test on Collagen-Chitosan Wound Dressing Sterilized by Ultraviolet Light. *Ina J Med Lab Sci Tech*, 2(1): 21-26.
- Ashokkumar, K., Gandara, S. J., Murugan, M., Dhaya, K. M., & Pandian, A. (2022). Nutmeg (*Myristica fragrans* Houutt.) Essential Oil: A Review on its Composition, Biological, and Pharmacological Activities. *Phytotherapy Research*, 7(36): 2839-2851.
- Asili, J., Emami, A., Rahimizadeh, M., Fazli-Bazzaz, B.S., & Hassanzadeh, M. (2013). Chemical and Antimicrobial Studies of *Juniperus Sabina* L. and *Juniperus foetidissima* Willd. Essential Oils. *J. Essent. Oil Bear. Plants*, 13 : 25–36.
- Asmadi, A., Anggraini, A., & Iskandar, T. (2018). Pra Rancang Bangun Gas Hidrogen Menggunakan Sistem PSA dari Cangkang Kelapa Sawit dengan Kapasitas 596 Ton/Tahun menggunakan Alat Utama Reaktor. *eUREKA Jurnal Penelitian Teknik Sipil dan Teknik Kimia*, 2(2).
- Astani, A., Reichling, J., & Schnitzler, P. (2010). Comparative Study on The Antiviral Activity of Selected Monoterpenes Derived from Essential Oils. *Phytother Res*, 24: 673–679.
- Aswathanarayan, J. B., & Vittal, R. R. (2019). Nanoemulsions and Their Potential Applications in Food Industry. *Sustainable Food Processing*, 3: 95.

- Ayuningtias, D., Nurahmanto, D., Rosyidi, V. A. (2017). Optimasi Komposisi Polietilen Glikol dan Lesitin sebagai Kombinasi Surfaktan pada Sediaan Nanoemulsi Kafein. *Jurnal Pustaka Kesehatan*, 1(5): 157-163.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques For Extraction of Bioactive Compounds from Plant Materials: A Review. *Journal of Food Engineering*, 117(4): 426-436.
- Baskara, B. B. I., Suhendra, L., & Wrsiati, P. L. (2020). Pengaruh Suhu Pencampuran dan Lama Pengadukan terhadap Karakteristik Sediaan Krim. *Jurnal Rekayasa dan Manajemen Agroindustri*, 2(8): 200-209.
- Bermawie, N., Ajijah, N., & Rostiana, O. (2017). *Karakteristik Morfologi dan Mutu Adas (Foeniculum vilgare Mill.)*. Bogor: Balai Penelitian Taman Rempah dan Obat.
- Bouzenna, H., Hfaiedh, N., Marie, G., Elfeki, A., & Talarmin, H. (2017). Potential Protective Effects of Alpha-Pinene Against Cytotoxicity Caused by Aspirin in the IEC-6 Cells. *Biomedicine & Pharmacotherapy*, 93: 961 – 968.
- Budeanu, M. M., & Dumitrescu, V. (2022). Densities, Viscosities and Excess Properties for Dimethyl Sulfoxide with Diethylene Glycol and Methyl-diethanolamine at Different Temperatures. *Applied Science*, 12(1).
- Bulu, A. T. I., Sunarni, T., & Jason, M. P. (2019). Uji Aktivitas Insektisida Ekstrak Etanol, Fraksi N-Heksan, Fraksi Kloroform, dan Fraksi Air dari Biji Pala (*Myristica fragrans* Houtt.) terhadap *Anopheles aconitus*. *Jurnal Farmasi & Sains Indonesia*, 2(2): 13-17.
- Chasani, M., Fitriaji, B. R., & Purwati. (2013). Fraksinasi Ekstrak Metanol Kulit Batang Ketapang (*Terminalia catappa* Linn.) dan Uji Toksisitasnya dengan Metode BSLT (Brine Shrimp Lethality Test). *Molekul*, 1(8): 89-100.
- Chasani, M., Widyaningsih, W., Budiasih., Kurniawan, K., & Nursalim. (2014). Sintesis, Pemurnian dan Karakterisasi Metil Ester Sulfonat (MES) Sebagai Bahan Inti Deterjen dari Minyak Biji Nyamplung (*Calophyllum inophyllum* L). *Molekul*, 1(9): 63-72.
- Chaudhary, H., Gautam, B., & Kumar, V. (2014). Nanoemulsions Versus Lyotropic Liquid Crystals. *Asian Journal of Pharmaceutics*, 70-80.
- Chuacharoen, T., Prasongsuk, S., & Sabliov, C. M. (2019). Effect of Surfactant Concentrations on Physicochemical Properties and Functionality of *Curcumin* Nanoemulsions Under Conditions Relevant to Commercial Utilization. *Molecules*, 24(15): 2744.

- Chusniasih, D., & Tutik, T. (2020). Uji Toksisitas dengan Metode Brine Shrimp Lethality Test (BSLT) dan Identifikasi Komponen Fitokimia Ekstrak Aseton Kulit Buah Kakao (*Theobroma cacao* L.). *Analit: Analytical and Environmental Chemistry*, 5(2): 192-201.
- Costa, J., Lucas, F., Queirós., & Mansur, C. (2012). Evaluation of Nanoemulsions in The Cleaning of Polymeric Resins. *Colloids and Surfaces a Physicochemical and Engineering Aspects*, 415: 112-118.
- Dalimunthe, I. G. (2022). Formulasi Sediaan Roll On Aromaterapi Minyak Pala di produksi Ibu PKK desa Pematang Johar, Kabupaten Deli Serdang. *Prosiding Seminar Nasional*, 89-94.
- Devarajan, V., & Ravichandran, V. (2011). Nanoemulsions: As Modified Drug Delivery Tool. *International Journal of Comprehensive Pharmac*, 2(4): 1- 6.
- Diba, R. F., Yasni. S., & Yuliani, S. (2014) Spontaneous Nanoemulsification of Black Cumin Extract and Characteristics of Its Encapsulation Products. *Journal Food Technology and Industry*, 25(2): 1979-7788.
- Dinshaw, J., Ahmad, N., Salim., & Leo, F. (2021). Nanoemulsions: A Review on the Conceptualization of Treatment for Psoriasis Using a Green Surfactant with Low-Energy Emulsification Method. *Pharmaceutics*, 13(7): 1024.
- Dodo. (2021). Konservasi Ex Situ *Myristica succedanea* Blume, Pohon Pala Endemik Maluku. *Warta Kebun Raya*, 19(2), 24-31.
- Dwiastuti, R., & Ardiyanti, S. E. (2020). Formulasi Sediaan Gel Nanopartikel Lipid Ekstrak Daun Binahong (*Anredera cordifolia* (Ten.) Steenis). *Pharmacy Medical Journal*, 2(3): 40–46.
- Ernoviya & Nurpermatasari, A. (2020). Formulasi dan Evaluasi Nanoemulsi Ketokonazole. *Jurnal Dunia Farmasi*, 4(3): 138-148.
- Fadhli, H., & Hasanah, S. (2019). Uji Sitotoksik Ekstrak Kulit Batang Tumbuhan Kangkang Katup (*Bauhinia semibifida* Roxb) dengan Metode Brine Shrimp Lethality Test (BSLT). *SCIENTIA Jurnal Farmasi dan Kesehatan*, 9(2): 141-145.
- Gupta, A., Erai, H., Hatton, T., & Doyle, P. (2016). Nanoemulsions: Formation, Properties, and Applications. *Royal Society Chemistry*, 12: 2826 – 2841.
- Gurpreet, K., & Singh, S. K. (2018). Review of Nanoemulsion Formulation and Characterization Techniques. *Indian Journal of Pharmaceutical Sciences*, 80(5): 781- 789.
- Handa, M., Ujjwal, R., Vasdev, N., Flora, S., & Shukla, R. (2021). Optimization of Surfactant and Cosurfactant-Aided Pine Oil Nanoemulsions by

- Isothermal Low Energy Methods for Anticholinesterase Activity. *ACS Omega*, 6(1): 559–68.
- Hartanto, Eddy S., & Rhoito F. (2018). Ekstraksi Asam Miristat Asal Biji Pala (*Myristica Fragrans* Houtt.) dan Limbah Industri Olahannya. *Indonesian Journal of Industrial Research*, 1(35): 38-45.
- Hasrawati,A., Hasyim, N., & Irsyad, N. Pengembangan Formulasi Mikroemulsi Minyak Sereh (*Cymbopogon nardus*) Menggunakan Emulgator Surfaktan Nonionik. *J Fitofarmaka Indonesia*, 3(1): 151–4.
- Hawa, C. L., Lastriyanto, A., & Ervantri, A. A. (2019). Analisis Sifat Fisik dan Kandungan Gizi Produk Krim Susu Menggunakan Teknologi Sentrifugasi. *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 2(7): 196-206.
- Hidayat, S., & Napitupulu, R. (2015). *Kitab Tumbuhan Obat*. Jakarta: Agriflo.
- Hisem, D., Hrouzek, P., & Tomšíčková, J. (2011). Cyanobacterial Cytotoxicity Versus Toxicity to Brine Shrimp *Artemia salina*. *Toxicon*, 57(1): 76-83.
- Imanto, T., Prasetiawan, R., & Wikantyasning, E. R. (2019). Formulasi dan Karakterisasi Sediaan Nanoemulgel Serbuk Lidah Buaya (*Aloe vera* L.). *Jurnal Farmasi Indonesia*, 16(1): 28-37.
- Indalifiany, A., Malaka, H. M., Sahidin., Adryan, F., & Andriani, R. (2021). Formulasi dan Uji Stabilitas Fisik Nanoemulgel Ekstrak Etanol Spons *Petrosia* sp. *Jurnal Farmasi Sains dan Praktis*, 3(7): 321-331.
- Jaiswal, M., Dudhe, R., & Shama, P.K. (2015). Nanoemulsion: An Advanced Mode of Drug Delivery System. *Biotech*, 5(2): 123 - 127.
- Jannah, U. A. (2021). Uji Toksisitas Menggunakan Brine Shrimp Lethality Test (BSLT) Ekstrak Daun Salam (*Syzygium Polyanthum*) Pelarut Etanol, Etil Asetat, dan N-Heksana Hasil Ekstraksi Sonikasi. *Skripsi*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Jumardin. (2021). Pengaruh Suhu dan Waktu Microwave Terhadap Perubahan Sifat Optik Daun Bidara (*Ziziphus mauritiana*) dengan Metode Spektroskopi Uv-Vis. *Jurnal Sains Fisika*, 1: 14-23.
- Kaluku, R., Tungadi, R., Thomas, A. N. (2022). Effect of HEC (Hydroxyethyl Cellulose) Polymer on Nanoemulsion-Based Curcumin Transdermal Patch Release. *Indonesian Journal of Pharmaceutical Education*, 2(3): 197-207.
- Khan, I., Saeed, K., Zekker, I., Zhang, B., & Ibrahim, K. (2022). Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation. *Water*, 14(2): 242.

- Khare, A., Ansari, A., Patki, P., & Nuseba, P. (2021). Design and Development of Nanoemulsion Formulation: A Review. *International Journal of Creative Research Thoughts (IJCRT)*, 7(9): 85 – 96.
- Khoshnazar, M., Siavash., & Bigdeli. (2020). Alpha-Pinene Exerts Neuroprotective Effects Via Anti-Inflammatory and Anti-Apoptotic Mechanisms in a Rat Model of Focal Cerebral Ischemia-Reperfusion. *Jurnal of Stroke*, 8(29).
- Kibiti, M. C., & Afolayan, J. A. (2018). Mineral Composition and Nutritive Analysis of *Bulbine abyssinica* a. Rich. Used in the Treatment of Infections and Complications Associated with Diabetes Mellitus in The Eastern Cape Province, South Africa. *Afr J Tradit Complement Altern Med*, 15(3): 38-46.
- Kim, D., Lee, H., Jeon, Y., Han, Y., Kee, J., & Choi, B.M. (2015). Alpha-Pinene Exhibits Anti-Inflammatory Activity Through the Suppression of MAPKs and the NF- $\kappa$ B Pathway in Mouse Peritoneal Macrophages. *The American Journal of Chinese Medicine*, 4(43): 731 – 742.
- Komaiko, J.S., & McClements, D. J. (2016). Formation of Food-Grade Nanoemulsions Using Low-Energy Preparation Methods: A Review of Available Methods. *Comprehensive Reviews in Food Science and Food Safety*, 15: 331-352.
- Krishnaraju, A. V., Rao, T. V., Sundararaju, D., Vanisree, M., Tsay, H. S, & Subbaraju, G. V. (2006). Assessment of Bioactivity of Indian Medicinal Plants Using Brine shrimp (*Artemia salina*) Lethality Assay. *International Journal of Applied Science and Engineering*, 2(3): 125-134.
- Larasati, D. R., Khoirunnisa, E. D., Tugon, T. D. A., Zulkaida., & Syaputri, F.N. (2023). Emulgel Formulation of Seed Nutmeg Oil (*Myristica fragans*) as Antioxidant. *Medical Sains*, 8(1): 107-116
- Lestari, D., Kartika, R. & Marlina, E. (2019). Uji Brine Shrimp Lethality Test (BSLT) Umbi Bawang Tiwai (*Eleutherine bulbosa* (Mill.) Urb) dan Uji Toksisitas Akut Fraksi Aktif. *Jurnal Riset Kefarmasian Indonesia*, 1(1).
- Lina, C. E., Nelly, N., Tama, P. D., & Reflin. (2022). Nanoemulsion Concept to Improve Bioinsecticide Using Citronella Grass Distillation Waste and Spiked Pepper. *International Conference on Sustainability Agriculture and Biosystem*. 1182012010.
- Listyorini, N., Wijayanti, K., & Astuti, W. (2018). Optimasi Pembuatan Nanoemulsi Virgin Coconut Oil. *Jurnal Kimia*, 12(1): 8 -12.
- Liu, Q., Huang, H., Chen, H., Lin., & Wang, Q. (2019). Food-Grade Nanoemulsions: Preparation, Stability and Application in Encapsulation of Bioactive Compounds. *Molecules*, 24(23): 4242.

- Maali, A., & Mosavian, M. T. H. (2013). Preparation and Application of Nanoemulsions in the Last Decade (2000–2010). *Journal of Dispersion Science and Technology*, 1(34): 92-105.
- Mandal, D., Paritosh, P., Suresh, K. V., Bikash, R. S., & Tithi, P. (2022). Proximal Discrepancy in Intrinsic Atomic Interaction Arrests G2/M Phase by Inhibiting Cyclin B1/CDK1 to Infer Molecular and Cellular Biocompatibility of D-limonene. *Sci Rep*, 12: 18184.
- Martiningsih, W. N. (2013). Skrining Awal Ekstrak Etil Asetat *Spons leucetta* sp. Sebagai Antikanker dengan Metode Brine Shrimp Lethality Test (BSLT). *Seminar Nasional FMIPA Undiksha III*, 381 – 386.
- Marzuki, N., & Wahab, R. A. (2019). An Overview of Nanoemulsion: Concepts of Development and Cosmeceutical Applications. *Biotechnology & Biotechnological Equipment*, 33(1): 779-797.
- Maurer-Jones, M. A., Gunsolus, I. L., Murphy, C. J., & Haynes, C. L. (2013). Toxicity of Engineered Nanoparticles in the Environment. *Analytical Chemistry*, 85(6): 3036-3049. doi: 10.1021/ac303636s.
- Meirista, I., Rahmadevi., dan Aprilya, A. (2021). Formulasi Nanoemulsi dengan Bahan Dasar Minyak Ikan (*Oleum lecoris* Aselli) Base Ingredients. *Jurnal Sains dan Kesehatan*, 3(3): 370-375.
- Nakama, Y. (2017). *Chapter 15 – Surfactants: Cosmetic Science and Technology*. Kanagawa: Elsevier. Pages 231-244. ISBN 9780128020050.
- National Center for Biotechnology Information. (2023). PubChem Compound Summary for CID 679, Dimethyl Sulfoxide. Retrieved November 29, 2023 from <https://pubchem.ncbi.nlm.nih.gov/compound/Dimethyl-Sulfoxide>.
- Nema, N.K., Chaudhary, S.K., Kar, A., Bahadur, S., Ranjit, K. H., Haidar, P. K., Sharma, N., & Pulok, K. M. (2022). Bioactive Leads for Skin Aging-Current Scenario and Future Perspectives. *Evidence-Based Validation of Herbal Medicine (Second edition)*. Pages 185-222
- Nirmala, P., Jha, P. K., Raturi, P. P., & Sangeeta, R. (2020). Total Phenolic, Flavonoid Contents, and Antioxidant Activities of Fruit, Seed, and Bark Extracts of *Zanthoxylum armatum* DC. *Scientific World Journal*, 16.
- Ntungwe E.N., Martin, E.M.D., Roberto, A., Tavares, J., Isca, V.M.S., Pereira, P., Cebola, M.J. & Rijo, P. (2020). *Artemia* species: An Important Tool to Screen General Toxicity Samples. *Current Pharmaceutical Design*, 26: 2892–2908. Doi: 10.2174/1381612826666200406083035.
- Nuralifah., Parawansah., & Nur, H. (2021). Uji Toksisitas Akut Ekstrak Air dan Ekstrak Etanol Daun Kacaping (*Gardenia jasminoides* Ellis) terhadap

- Larva *Artemia salina* Leach dengan Metode Brine Shrimp Lethality Test (BSLT). *Indonesian Journal of Pharmaceutical Education*, 1(2): 98 – 106.
- Nyamwihura, R. J., & Ogungbe, V. I. (2022). The Pinene Scaffold: its Occurrence, Chemistry, Synthetic Utility, and Pharmacological Importance. *RSC Advances*, 12 : 11346 – 11375.
- Pebriyani. (2018). Optimasi Tween 80 dan Lesitin dalam Nanoemulsi Minyak Adas sebagai Antioksidan. *Skripsi*. Universitas Jember: Jember.
- Peter, K. (2006). *Handbook of Herbs and Spices*. Cambridge: Woodhead Publishing.
- Phulsagar, S., Manjunath, D., Shalini, B., & Yogesh, G. (2014). An Inside Review of *Myristica fragrans* Houtt. A Potential Medicinal Plant of India. *International Journal of Medicinal Science and Clinical Inventions*, 1(9).
- Pratama, M. I. W., Suhendra, L., & Wartini, M. N. (2023). Effect of Stirring Speed and Duration of Microemulsion Characteristics of Clove Essential Oil (*Syzygium aromaticum*). *Jurnal Rekayasa dan Manajemen Agroindustri*, 2(11): 251-261.
- Pratiwi, R., Ifitah, E., & Ulfa, S.M. (2013). Pengaruh Lama Waktu Penyimpanan dan Penyinaran Cahaya terhadap Komponen Penyusun Minyak Atsiri dari Tanaman Sereh (*Cymbopogon winterianus*) Serta Uji Aktivitas Menggunakan Metode BSLT (Brine Shrimp Lethality Test). *Jurnal Ilmu Kimia Universitas Brawijaya*, 1(2): 372-378.
- Prieto, C., & Calvo, L. (2013). Performance of the Biocompatible Surfactant Tween 80, for the Formation of Microemulsions Suitable for New Pharmaceutical Processing. *Journal of Chemical Technology & Biotechnology*, 1-10.
- Putri, L. R., Hidayat, N., Rahmah, L. N.(2014). Pemurnian Eugenol dari Minyak Daun Cengkeh dengan Reaktan Basa Kuat KOH dan Ba(OH)<sub>2</sub>. *Jurnal Teknologi dan Manajemen Agroindustri*, 1(3).
- Rahmadany, E. S., Nida, Z. A., Fithria, R. F., & Shabrina, A. (2021). Uji Iritasi dan Aktivitas Tabir Surya Secara In Vitro Minyak Biji Pala dalam Sistem Mikroemulsi Dengan Variasi Tween 80-Etanol. *Jurnal Ilmu Farmasi & Farmasi Klinik*, 18(2).
- Rahmi, A., Afriani, T., & Aaini. (2022). Uji Sitotoksik Ekstrak dan Fraksi Daun Sembung (*Blumea balsamifera*) dengan Metode Brine Shrimp Lethality Test (BSLT). *Scientific Journal of Pharmacy*, 18(1): 26-33.

- Ramanunny, A. K., Wadhwa, S., Singh, S.K., & Vijaven, J. N. (2023). *Myristica fragrans* (Houtt.). *Herbs, Species, and Their Roles in Nutraceuticals and Functional Foods*. Page 297 -307.
- Ramirez, K., Martorell, M., Eda, S. G., & Monica, B. (2023). Myristicin: From its Biological Effects in Traditional Medicine in Plants to Preclinical Studies and Use as Ecological Remedy in Plant Protection. *eFood*, 3(4): 90.
- Rastuti, U., Widyaningsih, S., Kartika, D., & Ningsih, R. D. (2013). Aktivitas Antibakteri Minyak Atsiri Daun Pala dari Banyumas terhadap *Staphylococcus aureus* dan *Escherichia coli* serta Identifikasi Senyawa Penyusunnya. *Jurnal Molekul*, 2(8).
- Rastuti, U., Sulaeman, U., Widyaningsih, S., Zia, S. K., Mahendra, R. A. (2022). Synthesis, Characterization, and Sunscreen Potential Evaluation of Citronella Oil Nanoemulsion (*Cymbopogon nardus* L. Rendle). *Journal of Chemical Engineering and Environment*, 17(1): 27- 34.
- Rastuti, U., Sulaeman, U., Widyaningsih, S., Zia, S. K., Mahendra, R. A. (2022). Formulation, Characterization and Sunscreen Potential Evaluation of Lemongrass (*Cymbopogon citratus*) Oil Nanoemulsion. *Prosiding Conferensi AIP*, 2553.
- Rastuti, U., Widyaningsih, S., Chasani, M., Habibi, R. K., Vani, E., & Zia, S. K. (2023). Formulation, Characterization, and Sunscreen Potential Evaluation of Nutmeg Leaf Essential Oil Nanoemulsions (*Myristica fragrans* Houtt.). *Molekul*, 18(3): 351-359.
- Ryu, Y., Lee, D., Jung, S., Jin, H., Kim, J., Kim, B., & Won, K. (2019). Sabinene Prevents Skeletal Muscle Atrophy by Inhibiting the MAPK–MuRF-1 Pathway in Rats. *International Journal of Molecular Sciences*, 20(19): 4955.
- Saari, N. & Chua, L. (2020). *Nano-Based Products in Beverage Industry. Nanoengineering in the Beverage Industry*. Malaysia: Academic Press.
- Sahumena, H. M., Ruslin., Asriyanti., Djuwarnwo, N. E. (2020). Identifikasi Jamu yang Beredar di Kota Kendari Menggunakan Metode Spektrofotometri Uv-Vis. *Journal Syifa Sciences and Clinical Research*, 2(2): 65-72.
- Saifullah, M., Ahsan, A., and Shishir, M.R.I. (2016). *Production, Stability and Application of Micro and Nanoemulsion in Food Production and The Food Processing Industry, In Emulsions*. Cambridge USA: Academic Press.
- Sanaji, B. J., Krismala, S. M., & Liananda, R. F. (2019). Pengaruh Konsentrasi Tween 80 sebagai Surfaktan Terhadap Karakteristik Fisik Sediaan Nanoemulgel Ibuprofen. *Indonesian Journal on Medical Science*, 2(6).



- Sarah, Q. S., Chowdhury, F., & Misbahuddin, M. (2017). Brine shrimp lethality assay. *J Pharmacol*, 12: 186-189.
- Sari, R.K., Melianti, D., Syafii, W. and Agungpriyono, D.R. (2013). Aktivitas Antioksidan dan Toksisitas Akut Zat Ekstraktif dari Residu Penyulingan Surian (*Toona sinensis* Roemor). *Jurnal Ilmu dan Teknologi Kayu Tropis*, 11(2): 192–201.
- Saxena, M., Saxena, J., Nema, R., Singh, D. and Gupta, A. (2013). Phytochemistry of medicinal plants. *Journal of Pharmacognosy and Phytochemistry*, 1(6): 13–14.
- Seneme, E. F., Santos, D. C. D., Silva, E. M. R., Franco., E. M., & Longato, G. B. (2021). Pharmacological and Therapeutic Potential of Myristicin: A Literature Review. *Molecules*, 26(19): 5914.
- Shabrina, A., & Khansa, I. S. M. (2022). Physical Stability of Sea Buckthorn Oil Nanoemulsion with Tween 80 Variations. *Indonesian Journal of Pharmaceutical Science and Technology*, 1(1): 14-21.
- Shaker, D. S., Ishak, R. A. H., Ghoneim, A., & Elhuoni, M. A. (2019). Nanoemulsion: A Review on Mechanisms for the Transdermal Delivery of Hydrophobic and Hydrophilic Drugs. *Sci. Pharm*, 87(3): 1 - 17.
- Sipahelut, S. G., & Telussa, I. (2011). Karakteristik Minyak Atsiri dari Daging Buah Pala Melalui Beberapa Teknologi Proses. *Jurnal Teknologi Hasil Pertanian*, 2(4): 126-134.
- Solans, C., & Celma, M. J. (2017). *Chapter 29 - Microemulsions and Nanoemulsions for Cosmetic Applications. Cosmetic Science and Technology*. Barcelona: Elsevier. Pages 507-518.
- Sousa, E., Farias, T., Ferreira, S., Lima, Z., & Ferreira, B. S. (2018). Antibacterial Activity and Time-kill Kinetics of Positive Enantiomer of  $\alpha$ -pinene Against Strains of *Staphylococcus aureus* and *Escherichia coli*. *Current Topics in Medicinal Chemistry*, 11(18): 917 – 924.
- Sudradjat, S. E., Timotius, K. H., Mun'im, A., & Anwar, E. (2018). The Isolation of Myristicin from Nutmeg Oil by Sequences Distillation. *J Young Pharm*, 10(1): 20-23.
- Tungadi, R. (2020). *Teknologi Nano Sediaan Liquida dan Semisolida*. Jakarta: CV. Sagung Seto.
- Utami., & Syafitri. (2012). Formulasi dan Uji Penetrasi In vitro Nanoemulsi, Nanoemulsi Gel, dan Gel Kurkumin. *Skripsi*. Depok: Fakultas Matematika dan Ilmu Pengetahuan Alam Program Studi Farmasi.

- Valente, J., Zuzarte, M., Goncalves, M. J., Lopes, M. C., Cavaleiro, C., Salgueiro, L., & Cruz, M. T. (2013). Antifungal, antioxidant and anti-inflammatory activities of *Oenanthe crocata* L. essential oil. *Food and Chemical Toxicology*, 62 : 349 – 354.
- Walean, M., Melpin, R., Rondonuwu, M., & Pinontoan, K. F. (2021). Uji Toksisitas In Vitro Metode Bslt dan Toksisitas Akut Oral Ekstrak Etanol Kulit Batang Pakoba (*Syzygium luzonense* (Merr.) Merr.). *BIO-EDU: Jurnal Pendidikan Biologi*, 6(3): 244-250.
- Walker, R., Decker, E. A., & McClements, D. J. (2015). Development of food-grade nanoemulsions and emulsions for delivery of omega-3 fatty acids: Opportunities and obstacles in the food industry. *Food Funct*, 6:42–55.
- Wibowo, DP, Yessi, F., Hesti, R., & Diah, LA. (2018). Komposisi Minyak Atsiri, Antioksidan, dan Aktivitas Antibakteri Pala (*Myristicia fragrans* Houtt) dari Garut Jawa Barat. *Jurnal Sains dan Teknologi Farmasi*, 5(3): 82-87.
- Widyaningrum, I., Triyoga, E. F., Wibisono, N., Kusumawati, S., & Widiyana, P, A. (2023). Type of Cosurfactant Effects on Particle Size in Nanoemulsion Drug Delivery Systems. *East Asian Journal of Multidisciplinary Research*, 9(2): 3811-3820.
- Widyaningsih, S., Mochammad, C., Undri, R., & Salamah, U. (2022). Phytochemicals and Toxicity of Ketapang Fruit Flesh (*Terminalia catappa*. Linn) Using the BSLT Method. *Pharmaciana*, 3(12): 275-282.
- Wiranto, T. G., Rahajoeningroem., & Fernanda, A. F. (2020). Sistem Monitoring Kualitas Air Menggunakan Sensor Turbidity Metode Nephelometri Berbasis Raspberry PI 3. *Telekontran J. Ilm. Telekomun. Kendali dan Elektron. Terapan*, 1(8): 23–29. doi: 10.34010/telekontran.v8i1.3070.
- Yuliani, S. H., Hartini, M., Stephanie, P. B., & Istyastono, E. P. (2016). Perbandingan Stabilitas Fisis Sediaan Nanoemulsi Minyak Biji Delima dengan Fasa minyak Long-Chain Triglyceride dan Medium Chain Triglyceride. *Traditional Medicine Journal*.
- Yuliasari, S dan Hamdan. (2012). *Karakterisasi Nanoemulsi Minyak Sawit Merah yang Disiapkan dengan High Pressure Homogenizer*. Bengkulu: Balai Pengkajian Teknologi Pertanian (BPTP).
- Zia, K. (2021). Formulasi, Karakterisasi, dan Pengujian Potensi Tabir Surya Nanoemulsi Minyak Sereh Dapur (*Cymbopogon citratus*). *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Jenderal Soedirman, Purwokerto.