

DAFTAR PUSTAKA

- [1] A. M. Omer, "Energy, environment and sustainable development," *Renew. Sustain. Energy Rev.*, vol. 12, no. 9, pp. 2265–2300, 2008, doi: 10.1016/j.rser.2007.05.001.
- [2] D. P. Muhammad Fidaul Ahsan, Riko Dodi Pratama, Ralang Sigit Hidayat and D. O. Radianto, "Rancangan Fast Charging Untuk Kendaraan Listrik Dengan Menggunakan Algoritma Kontrol Tegangan Pada Baterai," vol. 3, no. 07, pp. 1–7, 2023.
- [3] I. Utami, D. Yoesgiantoro, and N. A. Sasongko, "Implementasi Kebijakan Kendaraan Listrik Indonesia Untuk Mendukung Ketahanan Energi Nasional Implementation Of Battery-Based Electric Motor Vehicle Policies To Support National Energy Security," *J. Ketahanan Energi*, vol. Volume 8 N, no. 1, pp. 49–65, 2022, [Online]. Available: <https://jurnalprodi.idu.ac.id/index.php/KE/article/view/1149>
- [4] S. Blumsack, C. Samaras, and P. Hines, "Long Term ES Investments to support PIHEV," vol. 18602, pp. 1–6, 2008.
- [5] C. Mamahit, J. Ticoh, V. Memah, and H. Angmalisang, "Studi Sistem Pengisian Cepat Baterai Kendaraan Listrik Berbasis Papan Pengendali OpenEVSE," *J. EDUNITRO J. Pendidik. Tek. Elektro*, vol. 2, no. 1, pp. 61–70, 2022, doi: 10.53682/edunitro.v2i1.3909.
- [6] M. Thowil Afif and I. Ayu Putri Pratiwi, "Analisis Perbandingan Baterai Lithium-Ion, Lithium-Polymer, Lead Acid dan Nickel-Metal Hydride pada Penggunaan Mobil Listrik - Review," *J. Rekayasa Mesin*, vol. 6, no. 2, pp. 95–99, 2015, doi: 10.21776/ub.jrm.2015.006.02.1.
- [7] R. Gowthamraj, C. V. Aravind, and O. K. S. Prakash, "Modeling of Vienna rectifier with PFC controller for electric vehicle charging stations," *AIP Conf. Proc.*, vol. 2137, no. August, pp. 1–8, 2019, doi: 10.1063/1.5120996.
- [8] S. Z. Lei, Q. G. Chen, and W. Xie, "Research on control strategy of VIENNA rectifier based on electric vehicle DC charging module," *J. Phys. Conf. Ser.*, vol. 2125, no. 1, 2021, doi: 10.1088/1742-6596/2125/1/012010.
- [9] P. S. Jose and M. M. Lakshmi, "Vienna Rectifier for Electric Vehicle Charging Station," *Int. J. Mech. Eng.*, vol. 6, no. 3, pp. 511–516, 2021.

- [10] L. J. Loong, C. A. Vaithilingam, G. Rajendran, and V. Muneeswaran, "Modelling and analysis of vienna rectifier for more electric aircraft applications using wide band-gap materials," *J. Phys. Conf. Ser.*, vol. 2120, no. 1, 2021, doi: 10.1088/1742-6596/2120/1/012027.
- [11] G. Rajendran, C. A. Vaithilingam, N. Misron, K. Naidu, and M. R. Ahmed, "Voltage oriented controller based vienna rectifier for electric vehicle charging stations," *IEEE Access*, vol. 9, pp. 50798–50809, 2021, doi: 10.1109/ACCESS.2021.3068653.
- [12] S. S. G. Acharige and G. S. Member, "Review of Electric Vehicle Charging Technologies , Configurations , and Architectures," vol. XX, pp. 1–36, 2022.
- [13] J. A. Sanguesa, V. Torres-sanz, P. Garrido, F. J. Martinez, and J. M. Marquez-barja, "smart cities A Review on Electric Vehicles : Technologies and Challenges," pp. 372–404, 2021.
- [14] K. Young, C. Wang, L. Y. Wang, and K. Strunz, *Electric Vehicle Battery Technologies*. 2020. doi: 10.1007/978-1-4614-0134-6.
- [15] C. H. T. Lee, S. Member, W. E. I. Hua, and S. Member, "A Critical Review of Emerging Technologies for Electric and Hybrid Vehicles," *IEEE Open J. Veh. Technol.*, vol. 2, no. January, pp. 471–485, 2022, doi: 10.1109/OJVT.2021.3138894.
- [16] E. Cready, J. Lippert, J. Pihl, I. Weinstock, P. Symons, and R. G. Jungst, "Final Report Technical and Economic Feasibility of Applying Used EV Batteries in Stationary Applications A Study for the DOE Energy Storage Systems Program," no. March, 2003.
- [17] M. Yilmaz and P. T. Krein, "Review of Battery Charger Topologies , Charging Power Levels , and Infrastructure for Plug-In Electric and Hybrid Vehicles," vol. 28, no. 5, pp. 2151–2169, 2013.
- [18] B. Singh *et al.*, "A Review of Three-Phase Improved Power Quality AC – DC Converters," vol. 51, no. 3, pp. 641–660, 2004.
- [19] M. A. Fasugba and P. T. Krein, "Gaining vehicle-to-grid benefits with unidirectional electric and plug-in hybrid vehicle chargers," 2011.
- [20] S. Haghbin *et al.*, "An Integrated Charger for Plug-in Hybrid Electric Vehicles Based on a Special Interior Permanent Magnet Motor," 2010.

- [21] M. Grenier, M. G. H. Aghdam, and T. Thiringer, "Design of On-Board Charger for Plug-In Hybrid Electric Vehicle".
- [22] M. R. Khalid, I. A. Khan, and S. Member, "A Comprehensive Review on Structural Topologies , Power Levels , Energy Storage Systems , and Standards for Electric Vehicle Charging Stations and Their Impacts on Grid," *IEEE Access*, vol. 9, pp. 128069–128094, 2021, doi: 10.1109/ACCESS.2021.3112189.
- [23] F. Dai, Y. Zhu, D. Yin, and Y. Yuan, "Research of the Control Strategy of VIENNA Rectifier Circuit based on the Vector Control," vol. 7, pp. 12–15, 2020.
- [24] H. Tu, H. Feng, S. Srdic, and S. Lukic, "Extreme Fast Charging of Electric Vehicles : A Technology Overview," *IEEE Trans. Transp. Electrifi.*, vol. PP, no. c, p. 1, 2019, doi: 10.1109/TTE.2019.2958709.
- [25] D. ÇELİK, "Performance Analysis of Three Levels Three Switches Vienna-Type Rectifier Based on Direct Power Control," *Balk. J. Electr. Comput. Eng.*, vol. 10, no. 2, pp. 170–177, 2022, doi: 10.17694/bajece.1072287.
- [26] T. Akhir, A. Try, W. Nrp, D. Pembimbing, H. Suryoatmojo, and D. Fahmi, "Desain dan Simulasi Kontrol Kecepatan Motor BLDC Menggunakan Metode Fuzzy – PID Controller Untuk Aplikasi Sepeda Motor," 2018.
- [27] P. Suhu, P. Alat, and P. Kertas, "Aplikasi kontrol," no. Kommit, pp. 313–319, 2008.
- [28] U. D. Agung, I. Sains, and T. D. Pardede, "Analisa pengaruh harmonisa pada pengoperasian beban listrik," vol. 9, no. September, pp. 88–97, 2020.
- [29] I. On-grid, "Pengujian dan Analisis Operasi Inverter On - Grid Untuk PLTS," pp. 1–12.