

DAFTAR PUSTAKA

- Amin, N., Afkhami, A., Hosseinzadeh, L., Amin, A., & Madrakian, T. (2021a). Flexible electrospun nanofibrous film integrated with fluorescent carbon dots for smartphone-based detection and cellular imaging application. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 260. <https://doi.org/10.1016/j.saa.2021.119944>
- Amin, N., Afkhami, A., Hosseinzadeh, L., Amin, A., & Madrakian, T. (2021b). Flexible electrospun nanofibrous film integrated with fluorescent carbon dots for smartphone-based detection and cellular imaging application. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 260. <https://doi.org/10.1016/j.saa.2021.119944>
- Buzea, C., Pacheco, I. I., & Robbie, K. (2007). Nanomaterials and nanoparticles: Sources and toxicity. *Biointerphases*, 2(4), MR17–MR71. <https://doi.org/10.1116/1.2815690>
- Chaudhary, N., Gupta, P. K., Eremin, S., & Solanki, P. R. (2020). One-step green approach to synthesize highly fluorescent carbon quantum dots from banana juice for selective detection of copper ions. *Journal of Environmental Chemical Engineering*, 8(3). <https://doi.org/10.1016/j.jece.2020.103720>
- Chauhan, P., Mundekkad, D., Mukherjee, A., Chaudhary, S., Umar, A., & Baskoutas, S. (2022). Coconut Carbon Dots: Progressive Large-Scale Synthesis, Detailed Biological Activities and Smart Sensing Aptitudes towards Tyrosine. *Nanomaterials*, 12(1). <https://doi.org/10.3390/nano12010162>
- Chi, H. Y., Chi, H. Y., Chang, N. Y., Li, C., Li, C., Chan, V., Hsieh, J. H., Tsai, Y. H., Lin, T., & Lin, T. (2022). Fabrication of Gelatin Nanofibers

- by Electrospinning—Mixture of Gelatin and Polyvinyl Alcohol. *Polymers*, 14(13). <https://doi.org/10.3390/polym14132610>
- Choi, J., Panthi, G., Liu, Y., Kim, J., Chae, S. H., Lee, C., Park, M., & Kim, H. Y. (2015). Keratin/poly (vinyl alcohol) blended nanofibers with high optical transmittance. *Polymer*, 58, 146–152. <https://doi.org/10.1016/j.polymer.2014.12.052>
- Cotrim, M., & Oréface, R. (2021). Biocompatible and fluorescent polycaprolactone/silk electrospun nanofiber yarns loaded with carbon quantum dots for biotextiles. *Polymers for Advanced Technologies*, 32(1), 87–96. <https://doi.org/10.1002/pat.5063>
- De Medeiros, T. V., Manioudakis, J., Noun, F., Macairan, J. R., Victoria, F., & Naccache, R. (2019). Microwave-assisted synthesis of carbon dots and their applications. *Journal of Materials Chemistry C*, 7(24), 7175–7195. <https://doi.org/10.1039/c9tc01640f>
- Ding, C., Fang, H., Duan, G., Zou, Y., Chen, S., & Hou, H. (2019). Investigating the draw ratio and velocity of an electrically charged liquid jet during electrospinning. *RSC Advances*, 9(24), 13608–13613. <https://doi.org/10.1039/c9ra02024a>
- El-Seedi, H. R., Said, N. S., Yosri, N., Hawash, H. B., El-Sherif, D. M., Abouzid, M., Abdel-Daim, M. M., Yaseen, M., Omar, H., Shou, Q., Attia, N. F., Zou, X., Guo, Z., & Khalifa, S. A. M. (2023). Gelatin nanofibers: Recent insights in synthesis, bio-medical applications and limitations. In *Heliyon* (Vol. 9, Issue 5). Elsevier Ltd. <https://doi.org/10.1016/j.heliyon.2023.e16228>
- Fathurin, N., Diah, D., & Kusumawati, H. (2022). Fabrikasi Nanofiber PVA/Fe₃O₄ dengan Metode Elektrospinning. In *Jurnal Teori dan Aplikasi Fisika* (Vol. 10, Issue 01).

- Gangwar, A. K., Gupta, A., Kedawat, G., Kumar, P., Singh, B. P., Singh, N., Srivastava, A. K., Dhakate, S. R., & Gupta, B. K. (2018). Highly Luminescent Dual Mode Polymeric Nanofiber-Based Flexible Mat for White Security Paper and Encrypted Nanotaggant Applications. *Chemistry - A European Journal*, 24(38), 9477–9484. <https://doi.org/10.1002/chem.201800715>
- Gao, Y., Zhang, H., Shuang, S., & Dong, C. (2020). Visible-Light-Excited Ultralong-Lifetime Room Temperature Phosphorescence Based on Nitrogen-Doped Carbon Dots for Double Anticounterfeiting. *Advanced Optical Materials*, 8(7). <https://doi.org/10.1002/adom.201901557>
- Geißler, D., Würth, C., Wolter, C., Weller, H., & Resch-Genger, U. (2017). Excitation wavelength dependence of the photoluminescence quantum yield and decay behavior of CdSe/CdS quantum dot/quantum rods with different aspect ratios. *Physical Chemistry Chemical Physics*, 19(19), 12509–12516. <https://doi.org/10.1039/c7cp02142a>
- Gugulothu, D., Barhoum, A., Nerella, R., Ajmer, R., & Bechelany, M. (2019). Fabrication of Nanofibers: Electrospinning and Non-electrospinning Techniques. In *Handbook of Nanofibers* (pp. 45–77). Springer International Publishing. https://doi.org/10.1007/978-3-319-53655-2_6
- He, J., He, Y., Chen, Y., Zhang, X., Hu, C., Zhuang, J., Lei, B., & Liu, Y. (2018). Construction and multifunctional applications of carbon dots/PVA nanofibers with phosphorescence and thermally activated delayed fluorescence. *Chemical Engineering Journal*, 347, 505–513. <https://doi.org/10.1016/j.cej.2018.04.110>
- Helga Lovely Wibowo, Z., Syakir, N., Faizal, F., & Safriani, L. (2022). *KARAKTERISTIK SERAT NANO PVA YANG DIBUAT MENGGUNAKAN ELEKTROSPINNING DENGAN KOLEKTOR STATIK* (Vol. 12, Issue 01).

- Hou, X., Ke, C., Bruns, C. J., McGonigal, P. R., Pettman, R. B., & Stoddart, J. F. (2015). Tunable solid-state fluorescent materials for supramolecular encryption. *Nature Communications*, 6. <https://doi.org/10.1038/ncomms7884>
- Hu, M., Gu, X., Hu, Y., Deng, Y., & Wang, C. (2016). PVA/Carbon Dot Nanocomposite Hydrogels for Simple Introduction of Ag Nanoparticles with Enhanced Antibacterial Activity. *Macromolecular Materials and Engineering*, 301(11), 1352–1362. <https://doi.org/10.1002/mame.201600248>
- Hu, X., Li, Y., Xu, Y., Gan, Z., Zou, X., Shi, J., Huang, X., Li, Z., & Li, Y. (2021). Green one-step synthesis of carbon quantum dots from orange peel for fluorescent detection of Escherichia coli in milk. *Food Chemistry*, 339. <https://doi.org/10.1016/j.foodchem.2020.127775>
- Huang, X., Jin, L., Wang, C., Xu, Y., Peng, Z., Xie, M., Zhang, C., Yang, W., & Lu, J. (2020). Electrospun luminescent piezo webs as self-powered sensing platform for small accelerations at low frequency. *Composites Communications*, 20. <https://doi.org/10.1016/j.coco.2020.04.014>
- Hudson, C. B. (n.d.). *GELATINE-RELATING STRUCTURE AND CHEMISTRY TO FUNCTIONALITY*.
- Jafari, A., Kebria, M. R. S., Rahimpour, A., & Bakeri, G. (2018). Graphene quantum dots modified polyvinylidene fluoride (PVDF) nanofibrous membranes with enhanced performance for air Gap membrane distillation. *Chemical Engineering and Processing - Process Intensification*, 126, 222–231. <https://doi.org/10.1016/j.cep.2018.03.010>
- Jiao, X. Y., Li, L. shuang, Qin, S., Zhang, Y., Huang, K., & Xu, L. (2019). The synthesis of fluorescent carbon dots from mango peel and their multiple applications. *Colloids and Surfaces A: Physicochemical and*

Engineering Aspects, 577, 306–314.
<https://doi.org/10.1016/j.colsurfa.2019.05.073>

Kalytchuk, S., Wang, Y., Poláková, K., & Zbořil, R. (2018). Carbon Dot Fluorescence-Lifetime-Encoded Anti-Counterfeiting. *ACS Applied Materials and Interfaces*, 10(35), 29902–29908.
<https://doi.org/10.1021/acsami.8b11663>

Kim, Y., Park, Y., Han, S., Park, W., Kim, M., Kim, K., Joo, J., Hahn, S. K., & Kwon, W. (2022). Radiative and non-radiative decay pathways in carbon nanodots toward bioimaging and photodynamic therapy. *Nanomaterials*, 12(1). <https://doi.org/10.3390/nano12010070>

Kumar M, S., K, Y. Y., Das, P., Malik, S., Kothurkar, N. K., & Batabyal, S. K. (2022). Urea-mediated synthesized carbon quantum dots to tune the electrochemical performance of polyaniline nanorods for supercapacitor device. *Journal of Science: Advanced Materials and Devices*, 7(2). <https://doi.org/10.1016/j.jsamd.2021.11.005>

Kumar, P., Bhatt, G., Kaur, R., Dua, S., & Kapoor, A. (2020). Synthesis and modulation of the optical properties of carbon quantum dots using microwave radiation. *Fullerenes Nanotubes and Carbon Nanostructures*, 28(9), 724–731.
<https://doi.org/10.1080/1536383X.2020.1752679>

Kusumawati, D. H., Istiqomah, K. V. N., Husnia, I., & Fathurin, N. (2021). Synthesis of nanofiber polyvinyl alcohol (PVA) with electrospinning method. *Journal of Physics: Conference Series*, 2110(1). <https://doi.org/10.1088/1742-6596/2110/1/012010>

Lee, C., Pant, B., Alam, A. M., An, T., Chung, H. J., Hong, S. T., Park, S. J., Park, M., & Kim, H. Y. (2016). Biocompatible and photoluminescent keratin/poly(vinyl alcohol)/carbon quantum dot nanofiber: A novel multipurpose electrospun mat. *Macromolecular Research*, 24(10), 924–930. <https://doi.org/10.1007/s13233-016-4124-3>

- Li, J., Wu, Y., & Gong, X. (2023). Evolution and fabrication of carbon dot-based room temperature phosphorescence materials. In *Chemical Science* (Vol. 14, Issue 14, pp. 3705–3729). Royal Society of Chemistry. <https://doi.org/10.1039/d3sc00062a>
- Li, Y., Liu, D., Wang, Y. Q., Wang, F. F., & Qiu, H. X. (2021). Eu³⁺-functionalized CQD hybrid material: Synthesis, luminescence properties and sensing application for the detection of Cu²⁺. *Materials Advances*, 2(10), 3346–3352. <https://doi.org/10.1039/d1ma00059d>
- Lin, M., Zou, H. Y., Yang, T., Liu, Z. X., Liu, H., & Huang, C. Z. (2016). An inner filter effect based sensor of tetracycline hydrochloride as developed by loading photoluminescent carbon nanodots in the electrospun nanofibers. *Nanoscale*, 8(5), 2999–3007. <https://doi.org/10.1039/c5nr08177g>
- Linh, N. T. B., & Lee, B. T. (2012). Electrospinning of polyvinyl alcohol/gelatin nanofiber composites and cross-linking for bone tissue engineering application. *Journal of Biomaterials Applications*, 27(3), 255–266. <https://doi.org/10.1177/0885328211401932>
- Liu, Y., Roy, S., Sarkar, S., Xu, J., Zhao, Y., & Zhang, J. (2021). A review of carbon dots and their composite materials for electrochemical energy technologies. In *Carbon Energy* (Vol. 3, Issue 5, pp. 795–826). John Wiley and Sons Inc. <https://doi.org/10.1002/cey2.134>
- Magesh, V., Sundramoorthy, A. K., & Ganapathy, D. (2022). Recent Advances on Synthesis and Potential Applications of Carbon Quantum Dots. In *Frontiers in Materials* (Vol. 9). Frontiers Media S.A. <https://doi.org/10.3389/fmats.2022.906838>
- Meija, J., Coplen, T. B., Berglund, M., Brand, W. A., De Bièvre, P., Gröning, M., Holden, N. E., Irrgeher, J., Loss, R. D., Walczyk, T., & Prohaska, T. (2016). Atomic weights of the elements 2013 (IUPAC Technical Report). In *Pure and Applied Chemistry* (Vol. 88, Issue 3, pp.

265–291). Walter de Gruyter GmbH. <https://doi.org/10.1515/pac-2015-0305>

Muthamma, K., Sunil, D., & Shetty, P. (2021). Carbon dots as emerging luminophores in security inks for anti-counterfeit applications - An up-to-date review. In *Applied Materials Today* (Vol. 23). Elsevier Ltd. <https://doi.org/10.1016/j.apmt.2021.101050>

Nallayagari, A. R., Sgreccia, E., Pizzoferrato, R., Cabibbo, M., Kaciulis, S., Bolli, E., Pasquini, L., Knauth, P., & Di Vona, M. L. (2022). Tuneable properties of carbon quantum dots by different synthetic methods. *Journal of Nanostructure in Chemistry*, 12(4), 565–580. <https://doi.org/10.1007/s40097-021-00431-8>

Park, M., Lee, K. S., Shim, J., Liu, Y., Lee, C., Cho, H., Kim, M. J., Park, S. J., Yun, Y. J., Kim, H. Y., & Son, D. I. (2016). Environment friendly, transparent nanofiber textiles consolidated with high efficiency PLEDs for wearable electronics. *Organic Electronics*, 36, 89–96. <https://doi.org/10.1016/j.orgel.2016.05.030>

Park, S. Y., Thongsai, N., Chae, A., Jo, S., Kang, E. B., Paoprasert, P., Park, S. Y., & In, I. (2017). Microwave-assisted synthesis of luminescent and biocompatible lysine-based carbon quantum dots. *Journal of Industrial and Engineering Chemistry*, 47, 329–335. <https://doi.org/10.1016/j.jiec.2016.12.002>

Perez-Puyana, V., Jiménez-Rosado, M., Romero, A., & Guerrero, A. (2018). Development of PVA/gelatin nanofibrous scaffolds for Tissue Engineering via electrospinning. *Materials Research Express*, 5(3). <https://doi.org/10.1088/2053-1591/aab164>

Rodrigues, B. V. M., Cabral, T. S., Sgobbi, L. F., Delezuk, J. A. M., Pessoa, R. S., Triboni, E. R., de Moraes, T. B. F., & Lobo, A. O. (2018). A simple and green method for the production of nanostructured materials from poly(vinyl alcohol)/graphene quantum dots. *Materials Chemistry*

and *Physics*, *219*, 242–250.
<https://doi.org/10.1016/j.matchemphys.2018.08.030>

Sabbatini, B., Cambriani, A., Cespi, M., Palmieri, G. F., Perinelli, D. R., & Bonacucina, G. (2021). An overview of natural polymers as reinforcing agents for 3D printing. In *ChemEngineering* (Vol. 5, Issue 4). MDPI.
<https://doi.org/10.3390/chemengineering5040078>

Shen, C. L., Lou, Q., Lv, C. F., Zang, J. H., Qu, S. N., Dong, L., & Shan, C. X. (2019). Bright and Multicolor Chemiluminescent Carbon Nanodots for Advanced Information Encryption. *Advanced Science*, *6*(11).
<https://doi.org/10.1002/advs.201802331>

Siebrand, W. (n.d.). *Nonradiative Processes in Molecular Systems*.

Simões, E. F. C., Leitão, J. M. M., & da Silva, J. C. G. E. (2016). Carbon dots prepared from citric acid and urea as fluorescent probes for hypochlorite and peroxyxynitrite. *Microchimica Acta*, *183*(5), 1769–1777.
<https://doi.org/10.1007/s00604-016-1807-6>

Sun, H., Liu, S., Lin, W., Zhang, K. Y., Lv, W., Huang, X., Huo, F., Yang, H., Jenkins, G., Zhao, Q., & Huang, W. (2014). Smart responsive phosphorescent materials for data recording and security protection. *Nature Communications*, *5*. <https://doi.org/10.1038/ncomms4601>

Tohamy, H. A. S., El-Sakhawy, M., & Kamel, S. (2023). Eco-friendly Synthesis of Carbon Quantum Dots as an Effective Adsorbent. *Journal of Fluorescence*, *33*(2), 423–435. <https://doi.org/10.1007/s10895-022-03085-z>

Vahedigharehchopogh, N., Kıbrıslı, O., Erol, E., Çelikkilek Ersundu, M., & Ersundu, A. E. (2021). A straightforward approach for high-end anti-counterfeiting applications based on NIR laser-driven lanthanide doped luminescent glasses. *Journal of Materials Chemistry C*, *9*(6), 2037–2046. <https://doi.org/10.1039/d0tc05631f>

- Wang, J., Yang, Y., & Liu, X. (2020). Solid-state fluorescent carbon dots: Quenching resistance strategies, high quantum efficiency control, multicolor tuning, and applications. In *Materials Advances* (Vol. 1, Issue 9, pp. 3122–3142). Royal Society of Chemistry. <https://doi.org/10.1039/d0ma00632g>
- Wang, X., Feng, Y., Dong, P., & Huang, J. (2019). A Mini Review on Carbon Quantum Dots: Preparation, Properties, and Electrocatalytic Application. In *Frontiers in Chemistry* (Vol. 7). Frontiers Media S.A. <https://doi.org/10.3389/fchem.2019.00671>
- Wang, X., Han, Y., Han, X. X., Hou, X., Wang, J. J., & Fu, F. (2018). Highly selective and sensitive detection of Hg^{2+} , $\text{Cr}_2\text{O}_7^{2-}$, and nitrobenzene/2,4-dinitrophenol in water via two fluorescent Cd-CPs. *New Journal of Chemistry*, 42(24), 19844–19852. <https://doi.org/10.1039/c8nj04683b>
- Wen, X., Xiong, J., Lei, S., Wang, L., & Qin, X. (2022). Diameter Refinement of Electrospun Nanofibers: From Mechanism, Strategies to Applications. In *Advanced Fiber Materials* (Vol. 4, Issue 2, pp. 145–161). Springer. <https://doi.org/10.1007/s42765-021-00113-8>
- Wenzel, T. (n.d.). *MOLECULAR AND ATOMIC SPECTROSCOPY*. <https://LibreTexts.org>
- Xue, J., Xie, J., Liu, W., & Xia, Y. (2017). Electrospun Nanofibers: New Concepts, Materials, and Applications. *Accounts of Chemical Research*, 50(8), 1976–1987. <https://doi.org/10.1021/acs.accounts.7b00218>
- Yan, F., Yi, C., Sun, J., Zang, Y., Wang, Y., Xu, M., & Xu, J. (2021). Self-quenching-resistant solid-state carbon dots for mechanism and applications. In *Microchimica Acta* (Vol. 188, Issue 12). Springer. <https://doi.org/10.1007/s00604-021-05068-6>

- Yan, X., & Gevelber, M. (n.d.). *IMECE2008-68299 ANALYSIS OF ELECTROSPINNING NANOFIBERS: DIAMETER DISTRIBUTION, PROCESS DYNAMICS, AND CONTROL*. <http://asme.org/terms>
- Yang, D., Li, Y., & Nie, J. (2007). Preparation of gelatin/PVA nanofibers and their potential application in controlled release of drugs. *Carbohydrate Polymers*, 69(3), 538–543. <https://doi.org/10.1016/j.carbpol.2007.01.008>
- Yang, G., Wan, X., Liu, Y., Li, R., Su, Y., Zeng, X., & Tang, J. (2016). Luminescent Poly(vinyl alcohol)/Carbon Quantum Dots Composites with Tunable Water-Induced Shape Memory Behavior in Different pH and Temperature Environments. *ACS Applied Materials and Interfaces*, 8(50), 34744–34754. <https://doi.org/10.1021/acsami.6b11476>
- Yarin, A. L., Koombhongse, S., & Reneker, D. H. (2001). Taylor cone and jetting from liquid droplets in electrospinning of nanofibers. *Journal of Applied Physics*, 90(9), 4836–4846. <https://doi.org/10.1063/1.1408260>
- Zargham, S., Bazgir, S., Tavakoli, A., Rashidi, A. S., & Damerchely, R. (n.d.). *The Effect of Flow Rate on Morphology and Deposition Area of Electrospun Nylon 6 Nanofiber* (Vol. 7). <http://www.jeffjournal.org>
- Zhang, C., Wang, B., Li, W., Huang, S., Kong, L., Li, Z., & Li, L. (2017). Conversion of invisible metal-organic frameworks to luminescent perovskite nanocrystals for confidential information encryption and decryption. *Nature Communications*, 8(1). <https://doi.org/10.1038/s41467-017-01248-2>
- Zhang, P., Ren, G., Tian, L., Li, B., Li, Z., Yu, H., Wang, R., & He, J. (2022). Environmentally Friendly Waterproof and Breathable Nanofiber Membranes with Thermal Regulation Performance by One-Step Electrospinning. *Fibers and Polymers*, 23(8), 2139–2148. <https://doi.org/10.1007/s12221-022-4146-8>

- Zhao, S., Zhou, Q., Long, Y. Z., Sun, G. H., & Zhang, Y. (2013). Nanofibrous patterns by direct electrospinning of nanofibers onto topographically structured non-conductive substrates. *Nanoscale*, *5*(11), 4993–5000. <https://doi.org/10.1039/c3nr00676j>
- Zhao, W., Chen, H., Fan, Y., & Cui, W. (2020). Effect of Size and Content of SiO₂ Nanoparticle on Corona Resistance of Silicon–Boron Composite Oxide/SiO₂/Epoxy Composite. *Journal of Inorganic and Organometallic Polymers and Materials*, *30*(11), 4753–4763. <https://doi.org/10.1007/s10904-020-01733-0>
- Zheng, F., Wang, S., Wen, S., Shen, M., Zhu, M., & Shi, X. (2013). Characterization and antibacterial activity of amoxicillin-loaded electrospun nano-hydroxyapatite/poly(lactic-co-glycolic acid) composite nanofibers. *Biomaterials*, *34*(4), 1402–1412. <https://doi.org/10.1016/j.biomaterials.2012.10.071>
- Zhuo, S., Guan, Y., Li, H., Fang, J., Zhang, P., Du, J., & Zhu, C. (2019). Facile fabrication of fluorescent Fe-doped carbon quantum dots for dopamine sensing and bioimaging application. *Analyst*, *144*(2), 656–662. <https://doi.org/10.1039/c8an01741g>
- Zulfajri, M., Sudewi, S., Ismulyati, S., Rasool, A., Adlim, M., & Huang, G. G. (2021). Carbon dot/polymer composites with various precursors and their sensing applications: A review. In *Coatings* (Vol. 11, Issue 9). MDPI. <https://doi.org/10.3390/coatings11091100>