

DAFTAR PUSTAKA

- Abdel-Latif, A. & Osman, G. 2017. Comparison of three genomic DNA extraction methods to obtain high DNA quality from maize. *Plant Methods*, 13(1): 1–9.
- Adriany, D.T., Bakri, A.A., & Bungalim, M.I. 2020. Perbandingan metode isolasi DNA terhadap nilai kemurnian DNA untuk pengujian *White Spot Syndrom Virus* (WSSV) pada lobster bambu (*Panulirus versicolor*). *Prosiding Simposium Nasional VII Kelautan dan Perikanan*, 5 Juni 2020, Makassar. Hal. 239–246.
- Afrin, R. Arumugam, S., Rahman, A., Wahed, M.I.I., Karuppagounder, V., Harima, M., Suzuki, H., Miyashita, S., Suzuki, K., Yoneyama, H., Ueno, K., & Watanabe, K. 2017. Curcumin ameliorates liver damage and progression of NASH in NASH-HCC mouse model possibly by modulating HMGB1-NF- κ B translocation. *International Immunopharmacology*, 44: 174–182.
- Ahmad, W., Hasan, A., Ansari, A., & Terannum, T. 2010. *Curcuma longa* Linn - a review. *Hippocratic J. Unani Med*, 5: 179–190.
- Alfaruqi, H.Q.D., Anindita, N.S., & Brimantara, A. 2021. Kajian molekuler pada probiotik asal air susu ibu dalam sintesis eksopolisakarida (EPS). *Jurnal Bioteknologi & Biosains Indonesia*, 8(1): 114–123.
- Aswathi, A.P., Baghav, S.B., Prasath, D. 2022. Assessment of genetic variation in turmeric (*Curcuma longa* L.) varieties based on morphological and molecular characterization. *Genet Resour Crop Evol*, 70, 147–158.
- Badan Pusat Statistik. 2018. *Statistik Tanaman Biofarmaka 2018*. Badan Pusat Statistik, Jakarta.
- Badan Pusat Statistik. 2022. (On-line), Produksi Tanaman Biofarmaka (Obat) 2020-2023. <https://www.bps.go.id/indicator/55/63/1/produksi-tanaman-biofarmaka-obat-.html> diakses 4 Juni 2023.
- Basak, S., Kesari, V., Ramesh, A.M., Rangan, L., Parida, A., & Mitra, S. 2017. Assessment of genetic variation among nineteen turmeric cultivars of Northeast India: nuclear DNA content and molecular marker approach. *Acta Physiol Plant*, 39(45): 1–12.

- Bhandari, H.R., Bhanu, A.N., Srivastava, K., Singh, M.N., Shreya, & Hemantaranjan, A. 2017. Assessment of genetic diversity in crop plants - an overview. *Adv Plants Agric Res*, 7(3): 279–286.
- Cahyono, A.A. 2017. Identifikasi Keragaman dan Kekerabatan Genetik 66 Genotipe Kedelai Berdasarkan Karakter Morfologi dan Marka SNAP (Single Nucleotide-Amplified Polymorphism). *Skripsi*. Fakultas Pertanian. Universitas Brawijaya, Malang.
- Das, A., Gaur, M., Barik, D.P., & Subudhi, E. 2016. Genetic diversity analysis of 60 ginger germplasm core accessions using ISSR and SSR markers. *Plant Biosystems*, 151: 1–11.
- Doyle, J. J., & Doyle, J. L. 1990. Isolation of plant DNA from fresh tissue. *Focus*, 12(1): 13–15.
- Dudekula, M.V., Kandasamy, V., Balaraman, S.S., Selvamani, S.B., Muthurajan, R., Adhimoolam, K., Manoharan, B., & Natesan, S. 2022. Unlocking the genetic diversity of Indian turmeric (*Curcuma longa* L.) germplasm based on rhizome yield traits and curcuminoids. *Front. Plant Sci.*, 1–15.
- Effendy, Respatijarti, & Waluyo, B. 2018. Keragaman genetik dan heritabilitas karakter komponen hasil dan hasil ciplukan (*Physalis* sp.). *Jurnal Agro*, 5(1): 30–38.
- Emilia, Harnelly, E., & Anhar, A. 2021. Optimalisasi metode ekstraksi DNA daun, kulit kayu dan kayu *Pinus merkusii* Jungh. Et de Vriese. *Jurnal Ilmiah Mahasiswa Pertanian*, 6(4): 766–778.
- Fahlevi, M.R., Bakti, D., Sitepu, S.F. 2017. Karakterisasi molekuler *Elaeidobius kamerunicus* Faust. (Coleoptera: Curculionidae) asal Sumatera Utara menggunakan metode *Amplified Fragment Length Polymorphism* (AFLP). *Jurnal Agroekoteknologi FP USU*, 5(4): 941–953.
- Fietri, W.A., Razak, A., & Ahda Y. 2021. Analisis filogenetik ikan tuna (*Thunnus* spp) di perairan Maluku Utara menggunakan COI (Cytocrome Oxydase I). *Bioma: Jurnal Biologi Makassar*, 6(2): 31–39.
- Gogoi, A., Munda, S., Paw, M., Begum, T., Siddiqui, M.H., Gaafar, A.Z., Kesawat, M.S., & Lal, M. 2023. Molecular genetic divergence analysis amongst high curcumin lines of golden crop (*Curcuma longa* L.) using SSR marker and use in trait-specific breeding. *Scientific Reports*, 13(19690): 1-18.
- Green, M.R. & Sambrook, J. 2019. *Molecular Cloning: Analysis of DNA by Agarose Gel Electrophoresis*. Cold Spring Harbor Laboratory Press, New York.

- Guichoux, E., Lagache, L., Wagner, S., Chaumeil, P., Leger, P., Lepais, O., Lepoittevin, C., Malausa, T., Revardel, E., Salin, F., & Petit, J. 2011. Current trends in microsatellites genotyping. *Molecular Ecology Resources*, 11: 591–611.
- Guna, A.V. & Purnomo. 2021. Variasi hubungan fenetik aksesori kunyit di Yogyakarta dan sekitarnya. *Jurnal Penelitian Saintek*, 26(1): 35–56.
- Gunardi, D.V. 2023. Aktivitas Antioksidan Ekstrak Kloroform dan Etanol dari Beras Putih (*Oryza sativa* L.) dan Beras Merah (*Oryza nivara*). *Skripsi*. Fakultas Kedokteran, Universitas Kristen Indonesia, Jakarta.
- Gusmiaty, Restu, M., & Pongtuluran, I. 2012. Seleksi primer untuk analisis keragaman genetik jenis bitti (*Vitex coffassus*). *Jurnal Perennial*, 8(1): 25–29.
- Heikrujam, J., Kishor, R., & Mazumder, P.B. 2020. *Biochemical Analysis Tools*. IntechOpen, London.
- Heras, J., Dominguez, C., Mata, E., Pascual, V., Lozano, C., Torres, C., & Zarazaga, M. 2016. A survey of tools for analysing DNA fingerprints. *Briefings in Bioinformatics*, 17(6): 903–911.
- Hidayah, N. 2020. Amplifikasi Gen CO1 Ikan Pari yang Diperdagangkan di TPI Tasik Agung Rembang menggunakan Empat Pasang Primer. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Negeri Semarang, Semarang.
- Hikmatyar, M.F., Royani, J.I., & Dasumiati. 2015. Isolasi dan amplifikasi DNA keladi tikus (*Thyponium flagelliform*) untuk identifikasi keragaman genetik. *Jurnal Bioteknologi & Biosains Indonesia*, 2(2): 42–48.
- Ilahi, A.K. 2020. Keragaman fenotipe dan kemiripan morfologis hanjeli (*Coix lacryma-jobi* L.) di Kabupaten Lima Puluh Kota. *JUPI*, 22(2): 129–135.
- Ilyas, S., Naz, S., Javad, S., & Shahzadi, K. 2018. Genetic divergence among *Curcuma longa* L. (turmeric) germplasm from Pakistan using RAPD markers. *The Journal of Animal & Plant Sciences*, 28(2): 597–603.
- Integrated Taxonomy Information System (ITIS). 2010. (On-line), *Curcuma longa* L. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=42394&print_version=SCR&source=from_print#null diakses 6 September 2023.
- Iqbal, M., Buwono, I.D., & Kurniawati, N. 2016. Analisis perbandingan metode isolasi DNA untuk deteksi *White Spot Syndrome Virus* (WSSV) pada udang

- vaname (*Litopenaeus vannamei*). *Jurnal Perikanan Kelautan*, VII(1): 54–65.
- Ismail, N.A., Rafii, M.Y., Mahmud, T.M.M., Hanafi, M.M., & Miah, G. 2019. Genetic diversity of torch ginger (*Etilingera elatior*) germplasm revealed by ISSR and SSR markers. *BioMed Research Article*, 1–14.
- Izzah, N.K. 2014. Peran marka molekuler dalam perbaikan genetik tanaman kakao. *Bunga Rampai Inovasi Teknologi Bioindustri Kakao*, 47–56.
- Jakubczyk, K., Druzga, A., Karazyna, J., & Skonieczna-Zydecka, S. 2020. Antioxidant potential of curcumin—a meta-analysis of randomized clinical trials. *Antioxidants*, 9(1092): 1–13.
- Jalali, M., Zaborowska, J., & Jalali, M. 2017. *Basic Science Methods for Clinical Researchers*, Elsevier, Amsterdam.
- Jan, H.U., Rabbani, M.A., & Shinwari, Z.K. 2011. Assessment of genetic diversity of indigenous turmeric (*Curcuma longa* L.) germplasm from Pakistan using RAPD markers. *Journal of Medicinal Plants Research*, 5(5): 823–830.
- Jan, H.U., Rabbani, M.A., & Shinwari, Z.K. 2012. Estimation of genetic variability in turmeric (*Curcuma longa* L.) germplasm using agromorphological traits. *Pak. J. Bot.*, 44: 231–238.
- Kementerian Kesehatan Republik Indonesia. 2023. *Laporan Kinerja 2022*. Direktorat Jenderal Pencegahan dan Pengendalian Penyakit, Jakarta.
- Kim, S., Kim, M., Kang, M.C., Lee, H.H.L., Cho, C.H., Choi, I., Park, Y., & Lee, S.H. 2021. Antioxidant effects of turmeric leaf extract against hydrogen peroxide-induced oxidative stress in vitro in vero cells and in vivo in zebrafish. *Antioxidants*, 10(112): 1–14.
- Kusyadi, S., Novita, I., & Miftah, H. 2020. Analisis pendapatan usahatani dan efisiensi pemasaran kunyit (*Curcuma domestica* Val). *Jurnal Agrisains*, 6(1): 50–68.
- Lal, J. 2012. Turmeric, curcumin and our life: a review. *Bulletin of Environment, Pharmacology and Life Sciences*, 1(7): 11–17.
- Lee, p.Y., Costumbrado, J., Hsu, C.Y., & Kim, Y.H. 2012. Agarose gel electrophoresis for the separation of DNA fragments. *Journal of Visualized Experiments*, (62): 1–5.
- Lestari, P., Risliawati, A., Utami, D.W., Hidayatun, N., Santoso, T.J., & Chaerani. 2016. Pengembangan identitas spesifik berbasis marka SSR pada 29 varietas kedelai lokal Indonesia. *Jurnal Biologi Indonesia*, 12(2): 219–229.

- Li, B., Lin, F., Huang, P., Guo, W., Zheng, Y. 2020. Development of nuclear SSR and chloroplast genome markers in diverse *Liriodendron chinense* germplasm based on low-coverage whole genome sequencing. *Biologi Research*, 53(21): 1–12.
- Liu, K. & Muse, S.V. 2005. PowerMarker: an integrated analysis environment for genetic marker analysis. *Bioinformatics*, 21(9): 2128–2129.
- Magar, S.G., Meetei, N.T., Singh, K.N., Khanna, V.K., & Chowdhury, V.K. 2021. Genetic variability of *Curcuma* sp. accessions of North East Hill region of India using ISSR and RAPD markers. *The Pharma Innovation Journal*, 10(11): 2781–2787.
- Maharani, A.I., Riskierdi, F., Febriani, I., Kurnia, K.A., Rahman, N.A., Ilahi, N.F., & Farma, S.A. 2021. Peran antioksidan alami berbahan dasar pangan lokal dalam mencegah efek radikal bebas. *Prosiding Seminar Nasional Biologi*, 14 Desember 2021, Padang. Hal. 390–399.
- Mao, L., Liu, J., Ding, H., Zou, Q., & Tian, D. 2020. Development of SSR markers and their application to genetic diversity analysis of *Curcuma alismatifolia* varieties. *Botanical Sciences*, 99(1): 124–131.
- Mardziah, A., Rahimah, M., Ting, N.C., & Rajinder, S. 2013. Development of a non-radioactive screening protocol of various genetic background of oil palm. *Trans. Malaysia Soc. Plant Physiol*, 1: 135–138.
- Mason, A.S. 2014. SSR genotyping. *Plant Genotyping*, 1245: 77–89.
- Mehta, M.C., Raghuraman, M., & Srivastava, K. 2023. Student friendly approach of molecular data analysis for the evaluation of genetic diversity. *The Pharma Innovation Journal*, SP-12(10): 1622–1629.
- Miah, G. Rafii, M.Y., Ismail, M.R., Puteh, A.B., Rahim, H.A., Islam, K.N., & Latif, M.A. 2013. A review of microsatellite markers and their applications in rice breeding programs to improve blast disease resistance. *Int. J. Mol. Sci.*, 14: 22499–22528.
- Muna, F. & Khairi. 2020. Efektivitas identifikasi bakteri sumber infeksi dengan metode *Polymerase Chain Reaction* (PCR) multipleks. *Prosiding Seminar Nasional Biologi IP2B IV 2020*, 212–217.
- Murtiyaningsih, H. 2017. Isolasi DNA genom dan identifikasi kekerabatan genetik nanas menggunakan RAPD (*Random Amplified Polimorphic DNA*). *Agritrop*, 15(1): 83–93.
- Mustika, N. 2019. Aktivitas Antioksidan dan Total Bakteri Asam Laktat Soya Yoghurt (Soyghurt) dengan Substitusi Buah Naga Merah. *Skripsi*. Fakultas Ilmu Kesehatan, Universitas Pembangunan Nasional Veteran, Jakarta.

- Nadeem, M. A., Nawaz, M.A., Shahid, M.Q., Dogan, Y., Comertpay, G., Yildiz, M., Hatipoglu, R., Ahmad, F., Alsaleh, A., Labhane, N., Yildiz, M., Hatipoglu, R., Ahmad, F., Alsaleh, A., Labhane, N., Ozkan, H., Chung, G., & Baloch, F.S. 2018. DNA molecular markers in plant breeding: current status and recent advancements in genomic selection and genome editing. *Biotechnology & Biotechnological Equipment*, 32(2): 261–285.
- Nandakumar, K., Visnuvardhana, Fakrudin, B., Mohan, K.N.V., Brijesh, A., & Venkatesha, J. 2023. Genetic diversity in turmeric (*Curcuma longa* L.) genotypes using molecular markers. *Biological Forum*, 15(2):1229–1236.
- Novita. 2013. Analisis Genetik Karakter Morfo-Agronomi Jarak Pagar Hasil Pemuliaan Berbasis Pendekatan Kuantitatif dan Molekuler. *Tesis*. Sekolah Pascasarjana, Institut Pertanian Bogor. Bogor.
- Nugraha, F., Roslim, D.I., Ardilla, Y.P., & Herman. 2014. Analisis sebagian sekuen gen *Ferritin2* pada padi (*Oryza sativa* L.) Indragiri Hilir, riau. *Biosaintifika*, 6(2): 94–103.
- Nugroho K., Reflinur, Lestari, P., Rosdianti, I., Terryana, R.T., Kusmana, & Tasma, I.M. 2015. Keragaman genetik empat belas aksesori kentang (*Solanum tuberosum* L.) berdasarkan marka SSR dan STS. *Jurnal AgroBiogen*, 11(2): 41–48.
- Nugroho, K., Satyawan, D., Tasma, I.M., Lestari, P. 2022. Ekstraksi DNA genomik: tahap kritis dalam kegiatan analisis molekuler tanaman. *Jurnal AgriBiogen*, 18(1): 33–44.
- Nugroho, K., Terryana, T.R., Reflinur, Lestari, P. 2019. Metode ekstraksi DNA tanaman tanpa presipitasi etanol untuk kegiatan *Polymerase Chain Reaction* (PCR). *Jurnal Bioteknologi & Biosains Indonesia*, 6(1): 29–38.
- Parthiban, S., Govindaraj, P., & Senthilkumar, S. 2018. Comparison of relative efficiency of genomic SSR and EST-SSR markers in estimating genetic diversity in sugarcane. *3 Biotech*, 8(144): 1–12.
- Patel, P., Patel, R.K., Modha, K.G., Singh, T.J., & Singh, M. 2023. Genetic variability and molecular diversity analysis in turmeric (*Curcuma longa* L.). *Indian Journal of Agricultural Research*, 57(4): 500–506.
- Pertiwi, N.P.D., Mahardika, I.G.N.K., & Watiniasih, N.L. 2015. Optimasi amplifikasi DNA menggunakan metode PCR (*Polymerase Chain Reaction*) pada ikan karang anggota famili Pseudochromidae (dotyback) untuk identifikasi spesies secara molekuler. *Jurnal Piologi*, 19(2): 1–5.

- Phaniendra, A., Jestadi, D.B., & Periyasamy, L. 2015. Free radicals: properties, sources, targets, and their implication in various diseases. *Ind J. Clin Biochem*, 30(1): 11–26.
- Prahaditya, D. 2013. Analisis Keragaman Genetika Tanaman Kunyit dan Temulawak secara *Random Amplified Polymorphic DNA-Polymerase Chain Reaction* (RAPD-PCR) menggunakan Primer OPA-OPD 6-10. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor, Bogor.
- Prasad, S. & Aggarwal, B.B. 2011. Turmeric, the Golden Spice. *Dalam*: I.F.F. Benzie & S. Wachtel-Galor (Eds.), *Herbal Medicine: Biomolecular and Clinical Aspects*. Edisi kedua. CRC Press/Taylor & Francis, Boca Raton.
- Prasath, D., Kandiannan, K., Leela, N.K., Aarthi, S., Sasikumar, B., & Babu, K.N. 2018. Turmeric. Hal. 99–184. *Dalam*: I. Warrington (Ed), *Horticultural Review*. John Wiley & Sons, Hoboken.
- Prasetya, R.G.N., Suprayogi, Asnani, A., Oktaviani, E., & Nuryana, I. 2020. Microsatellite markers and metabolite profiles of salt-tolerant rice: Inpari Unsoed 79 Agritan. *Caraka Tani: Journal of Sustainable Agriculture*, 37(2): 223–232.
- Prasetyo, A. & Sonia, N.R. 2021. Peningkatan ekonomi masyarakat melalui produksi dan pemasaran bubuk kunyit temu lawak di Dusun Ngagik, Pacitan. *Prodimas*, 1: 399–416.
- Pratiwi, E. & Widodo, L.I. 2020. Kuantifikasi hasil ekstraksi gen sebagai faktor kritis untuk keberhasilan pemeriksaan RT-PCR. *Indonesian Journal for Health Sciences*, 4(1): 1–9.
- Prayitno, E & Nuryandani, E. 2011. Optimalisasi ekstraksi DNA jarak pagar (*Jatropha curcas*) melalui pemilihan daun yang sesuai. *Nusantara Bioscience*, 3: 1–6.
- Purwoko, D., Pramono, Tajuddin, T., Rismayanti, & Dinuriah, I. 2021. Analisis homogenitas genetik klon apel (*Malus spp.*) hasil perbanyakan *ex vitro* berdasarkan penanda SSR. *Jurnal Bioteknologi & Biosains Indonesia*, 8(1): 57–67.
- Putri, T.K., Anindita, P.A., Wicaksana, N., Suganda, T., Concibido, V., & Karuniawan, A. 2020. Keragaman genetik 64 aksesori kunyit asal Indonesia berdasarkan marka P450-based analogue (PBA). *Buletin Penelitian Tanaman Rempah dan Obat*, 31(2): 123–134.

- Rahayu, F., Saryono, Nugroho, T.T. 2015. Isolasi DNA dan amplifikasi PCR daerah ITS rDNA fungi endofit umbi tanaman dahlia (*Dahlia variabilis*) LBKURCC69. *JOM FMIPA*, 2(1): 100–106.
- Rahman, M., Zafar, Y., & Paterson, A.H.. 2009. Gossypium DNA Markers: Types, Numbers, and Uses. *Dalam: A.H. Paterson (Ed), Genetics and Genomics of Cotton*. Springer, New York.
- Riyadi, S.A., Abdullah, F.F., Fadhilah, F., & Assidiqiah, N. 2022. Anticancer activity of curcuminoids against B16-F10 melanoma cell lines. *Jurnal Ilmiah Farmako Bahari*, 13(2): 152–163.
- Rohlf, F.J. 2000. *NTSYSpc: Numerical taxonomy and multivariate analysis system. Version: 2.1*. Exeter Software, New York.
- Roldan-Ruiz, I.R, Dendauw, J., Bockstaele, E.V., Depicker, A., & Loose, M.D. 2000. AFLP markers reveal high polymorphic rates in ryegrasses (*Lolium* spp.). *Molecular Breeding*, 6: 125-134.
- Saraswathi, U. & Mullainathan, L. 2020. Extraction of high-quality genomic DNA and identification of different DNA barcoding markers for chickpea (*Cicer arietinum* L.). *Buletin Agroteknologi*, 1(1): 7–11.
- Schenk, J.J., Becklund, L.E., Carey, S.J., & Fabre, P.P. 2023. What is the “modified” CTAB protocol? Characterizing modifications to the CTAB DNA extraction protocol. *Appl. Plant Sci.*, 11(3): 1–11.
- Senan, S., Kizhakayil, D., Sheeja, T.E., Sasikumar, B., Bhat.A.I., & Parthasarathy, V.A. 2013. Novel polymorphic microsatellite markers from turmeric, *Curcuma longa* L. (Zingiberaceae). *Acta Bot. Croat*, 72(2): 407–412.
- Sepahpour, S., Selamat, J., Manap, M.Y.A., Khatib, A., & Razis, A.F.A. 2018. Comparative analysis of chemical composition, antioxidant activity and quantitative characterization of some phenolic compounds in selected herbs and spices in different solvent extraction systems. *Molecules*, 23(402): 1–17.
- Setiati, N., Partaya, & Hidayah, N. 2020. The use of two pairs primer for CO1 gene amplification on traded stingray at fish auction Tasik Agung Rembang. *Journal of Physics: Conference Series*, 1567(3): 1–7.
- Shan, C.Y. & Iskandar, Y. 2018. Studi kandungan kimia dan aktivitas farmakologi tanaman kunyit (*Curcuma longa* L.). *Farmaka*, 16(2): 547–555.
- Sharifi-Rad, J., El Rayess, Y., Rizk, A.A., Sadaka, C., Zgheib, R., Zam, W., Sestito, S., Rapposelli, S., Neffe-Skocinska, K., Zielinska, D., Salehi, B., Setzer, W.N., Dosoky, N.S., Taheri, Y., Beyrouthy, M.E., Martoell, M., Ostrander, E.A., Suleria, H.A.R., Cho, W.C., Maroyi, A., & Martins, N. 2020. Turmeric and its major compound curcumin on health: bioactive

effects and safety profiles for food, pharmaceutical, biotechnological and medicinal applications. *Front Pharmacol*, 1–23.

- Sholichah, L. 2019. Karakterisasi Genom Kultivar Pisang berdasarkan Marka Morfologi dan Marka Molekuler RAPD (*Random Amplified Polymorphic DNA*). *Skripsi*. Fakultas Sains dan Teknologi, Universitas Islam Negeri Maulana Malik Ibrahim, Malang.
- Sigrist, M.S., Pinheiro, J.B., Filho, J.A.A., & Zucchi, M.I. 2011. Genetic diversity of turmeric germplasm (*Curcuma longa*; Zingiberaceae) identified by microsatellite markers. *Genetic and Molecular Research*, 10(1): 419–428.
- Siju, S., Dhanya, K., Syamkumar, S., Sheeja, T.E., Sasikumar, B., Bhat, A.I., & Parthasarathy, V.A. 2010. Development, characterization and utilization of genomic microsatellite markers in turmeric (*Curcuma longa* L.). *Biochemical Systematics and Ecology*, 38: 641–646.
- Silva, J.N., Viana, J.P., Costa, M.F., Sa, G.H., Gomes, M.F.C., Feitoza, L.L., & Valente, S.E.S. 2021. A simple and cost-effective method for DNA extraction suitable for PCR in “*Sucupira branca*”. *Bioscience Journal*, 37(e3702): 1–6.
- Sinaga, A., Putri, L.A.P., & Bangun, M.K. 2017. Analisis pola pita andaliman (*Zanthoxylum acanthopodium* D.C) berdasarkan primer OPD 03, OPD 20, OPC 07, OPM 20, OPN 09. *Jurnal Agroekoteknologi*, 5(1): 55–64.
- Singh, A.K., Nanda, P., Singh, A., & Singh, B. 2015. Genetic diversity analysis in turmeric (*Curcuma longa* L.) based on SSR markers. *Journal of Biological Engineering Research and Review*, 2(1): 20–24.
- Singh, S., Panda, M.K., & Nayak, S. 2012. Evaluation of genetic diversity in turmeric (*Curcuma longa* L.) using RAPD and ISSR markers. *Industrial Crops and Products*, 37(2012): 284–291.
- Singh, T. J., Patel, R.K., Patel, S.V.N., & Patel, P.A. 2018. Molecular diversity analysis in turmeric (*Curcuma longa* L.) using SSR markers. *Int J Curr Microbiol App Sci*, 7(11): 552–560.
- Sitepu, A.F., Bayu, E.S., & Siregar, L.A.M. 2019. Analisis pola pita beberapa genotipe kurma (*Phoenix dactylifera* L.) menggunakan primer RAPD. *Jurnal Online Agroteknologi*, 7(3): 502–507.
- Sophian, A. & Syukur, A. 2021. Short communication: analysis of purity and concentration of isolated DNA in making raw DNA of rat species. *Eruditio*, 1(2): 1–5.

- Subari, A., Razak, A., & Sumarmin, R. 2021. Phylogenetic analysis of *Rasbora* spp. based on the mitochondrial DNA COI gene in harapan forest. *Jurnal Biologi Tropis*, 21(1): 89–94.
- Sulistiyorini, I., Rubiyo, & Sudarsono. 2018. Evaluasi keseragaman klonal pada enam klon kakao unggul berdasarkan marka SSR. *Jurnal Tanaman Industri dan Penyegar*, 5(3): 135–144.
- Suprayogi, Farid, N., Dewi, P.S. Hadi, S.N., & Susanti, D. 2021. *Teknik-Teknik Dasar Bioteknologi*. Universitas Jenderal Soedirman, Purwokerto.
- Suprihatin, T. Rahayu, S., Rifa'i, M., & Widyarti, S. 2020. Senyawa pada serbuk *rhizome powder (Curcuma longa L.)* yang berpotensi sebagai antioksidan. *Buletin Anatomi dan Fisiologi*, 5(1): 35–42.
- Suryanto, D. 2003. Melihat Keanekaragaman Organisme Melalui Beberapa Teknik Genetika Molekuler. USU digital library, Medan.
- Syukur, M., Sujiprihati, S., Yuniarti, R., & Kusumah, D.A. 2011. Pendugaan ragam genetik dan heritabilitas karakter komponen hasil beberapa genotipe cabai. *J. Agrivigor*, 10(2): 148–156.
- Tasma, I. M. 2014. Skrining marka SSR untuk analisis diversitas genetik aksesori kelapa sawit. *B. Palma*, 15(1): 1–13.
- Terryana, R.T., Ningrum, N.D.S.A., Nugroho, K., Saptadi, D., Kurniawan, H., & Lestari, P. 2023. Analisis keragaman genetik dan pengembangan profil sidik jari DNA 20 varietas cabai lokal Indonesia berdasarkan marka SSR. *Jurnal AgroBiogen* 16(2):45–58
- Thomas, B., Asha, K.I., & Radhika, N.K. 2018. Evaluation of intra and inter-specific variability among species of *Curcuma* using microsatellite markers. *Journal of Root Crops*, 44(1): 12–18.
- Triani, N. 2020. Isolasi DNA tanaman jeruk dengan menggunakan metode CTAB (*Cetyl Trimethyl Ammonium Bromide*). *G-Tech*, 3(2): 221–226.
- Trimanto, Dwiyantri, D., & Indriyani, S. 2017. Morfologi, anatomi dan uji histokimia rimpang *Curcuma aeruginosa* Roxb; *Curcuma longa* L. dan *Curcuma heyneana* Valetton dan Zijp. *Berita Biologi*, 17(2): 123–133.
- Tsykun, T., Rellstab, C., Dutech, C., Sipos, G., & Prospero, S. 2017. Comparative assessment of SSR and SNP markers for inferring the population genetic structure of the common fungus *Armillaria cepistipes*. *Heredity*, 119: 371–380.

- United States Department of Agriculture. 2023. (*On-line*), The Plants Database <https://plants.usda.gov/home/plantProfile?symbol=CULO> diakses 5 September 2023.
- Verma, S., Singh, S., Sharma, S., Tewari, S.K., Roy, R.K., Goel, A.K., & Rama, T.S. 2015. Assessment of genetic diversity in indigenous turmeric (*Curcuma longa*) germplasm from India using molecular markers. *Physiol Mol Biol Plants*, 21(2): 233–242.
- Vieira, M.L.C., Santini, L., Diniz, A.L., Munhoz, C.F. 2015. Microsatellite markers: what they mean and why they are so useful. *Genetics and Molecular Biology*, 39(3): 312–328.
- Yuenleni. 2019. Langkah-langkah optimasi PCR. *Indonesian Journal of Laboratory*, 1(3): 51–56.
- Zulfahmi. 2013. Penanda DNA untuk analisis genetik tanaman. *Jurnal Agroteknologi*, 3(2): 41–52.

