

include tests for other species of malaria parasites to provide a more comprehensive understanding of malaria incidence.

BIBLIOGRAPHY

1. Abbas, F., Kigadye, E., Mohamed, F., Khamis, M., Mbaraka, J., Serbantez, N.,
Al-Mafazy, A.-W., Monroe, A., Kiware, S., 2023. ‘Socio-demographic trends in malaria knowledge and implications for behaviour change interventions in Zanzibar’. *Malaria Journal*.
2. Aberese-Ako, M., Magnussen, P., Ampofo, G. D., & Tagbor, H. (2019).
Health system, socio-cultural, economic, environmental and individual factors influencing bed net use in the prevention of malaria in pregnancy in two Ghanaian regions.
3. Agomo, C. O., & Oyibo, W. A. (2013). Factors associated with risk of malaria infection among pregnant women in Lagos, Nigeria. *Infectious Diseases of Poverty*, 2(1), 19
4. Alaku, I.A., Abdullahi, A.G., Kana, H.A., 2015. Epidemiology of Malaria Parasites Infection among Pregnant Women in Some Part of Nasarawa State, Nigeria.
5. Andrew, E.V.W., Pell, C., Angwin, A., Auwun, A., Daniels, J., Mueller, I., Phuanukoonnon, S. and Pool, R., 2015. Knowledge, Attitudes, and Practices Concerning Malaria in Pregnancy: Results from a Qualitative Study in Madang, Papua New Guinea. *PLoS ONE*, 10(4), e01190772.
6. Balami, A.D., Said, S.M., Zulkefli, N.A.M., Bachok, N. and Audu, B., 2020. Validity and reliability of a Hausa language questionnaire assessing information, motivation, and behavioural skills for malaria prevention during pregnancy. *Malaria Journal*, 19(291). Available at: <https://doi.org/10.1186/s12936-020-03389-2>
7. Barsoum, R.S., 2000. Malarial acute renal failure. *Journal of the American Society of Nephrology: JASN*, 11(11), pp.2147-215412.
8. Beaudrap, P., Turyakira, E., White, L.J., Nabasumba, C., Tumwebaze, B.,

- Muehlenbachs, A., Guérin, P.J., Boum, Y., McGready, R., Piola, P., 2013. Impact of malaria during pregnancy-on-pregnancy outcomes in a Ugandan prospective cohort with intensive malaria screening and prompt treatment. *Malaria Journal*.
9. Beeson, J.G., Brown, G.V., Molyneux, M.E., Mhango, C., Dzinjalama, F., and Rogerson, S.J., 2002. Plasmodium falciparum isolates from infected pregnant women and children are associated with distinct adhesive and antigenic properties. *The Journal of Infectious Diseases*, 185(6), pp.796-803.
 10. Bianchi, D.W., Zickwolf, G.K., Weil, G.J., Sylvester, S., and DeMaria, M.A., 1996. Fetomaternal cell traffic and disease. *American Journal of Medical Genetics*, 61(4), pp.351-356.
 11. Boniface, R., Museru, L., Kiloloma, O., Munubhi, E., 2013. Factors associated with severe disease from malaria, pneumonia and diarrhea among children in rural Tanzania - A hospital-based cross-sectional study. *Italian Journal of Pediatrics*, 39, p.44.
 12. Brabin BJ. Malaria in pregnancy: current issues. *Africa health* (2007): 19: 19-20
 13. Briggs, J., Ategeka, J., Kajubi, R., Ochieng, T., Kakuru, A., Ssemanda, C., Wasswa, R., Jagannathan, P., Greenhouse, B., Rodriguez-Barraquer, I., Kanya, M., Dorsey, G., 2019. Impact of microscopic and submicroscopic parasitemia during pregnancy on placental malaria in a high-transmission setting in Uganda.
 14. Buffet, P.A., Safeukui, I., Deplaine, G., Brousse, V., Prendki, V., Thellier, M., Turner, G.D., and Mercereau-Puijalon, O. (2011). The pathogenesis of Plasmodium falciparum malaria in humans: insights from splenic physiology. *Blood*, 117(2), 381–3921.
 15. CDC (n.d.). DPDx - Malaria.
 16. Cleary, E., Hetzel, M.W., Clements, A.C.A., 2022. A review of malaria epidemiology and control in Papua New Guinea 1900 to 2021: progress made and future directions.
 17. Cooper RD, Waterson DG, Frances SP, Beebe NW, Sweeney AW. (2002). Malaria vectors in Papua New Guinea. *International Journal for Parasitology*.
 18. Cooper RD, Waterson DG, Frances SP, Beebe NW, Sweeney AW. (2022). Rediscovery of Aedes (Finlaya) shehzadae (Diptera: Culicidae) in Papua New Guinea. *Journal of Medical Entomology*.
 19. Cooper, R.D., Waterson, D.G., Frances, S.P., Beebe, N.W., Pluess, B., Sweeney, A.W., 2009. Malaria vectors of Papua New Guinea.

20. Desai, M., ter Kuile, F.O., Nosten, F., McGready, R., Asamoah, K., Brabin, B., Newman, R.D., 2007. Epidemiology and burden of malaria in pregnancy.
21. Desowitz, R.S., Alpers, M.P., 1992. Placental Plasmodium falciparum parasitemia in East Sepik (Papua New Guinea) women of different parity: the apparent absence of acute effects on mother and fetus.
22. Diffusion of Innovations Theory: Rogers, E. M. (2003). Diffusion of Innovations, 5th Edition. Free Press. <https://doi.org/10.4324/9780203018220>
23. Dwumfour, C.K., Bam, V.B., Owusu, L.B., Poku, C.A., Kpabitey, R.D., Aboagye, P., Ibrahim, A.S., 2023. 'Prevalence and determinants of malaria infection among pregnant women attending antenatal clinic in Ejisu government hospital in Ghana: A cross-sectional study'.
24. Earland, D.E., Bibe, A.F., Novela, A., Ferrão, J. & Searle, K.M., 2022. Plasmodium falciparum community prevalence and health-seeking behaviors in rural Sussundenga District, Mozambique. *Malaria Journal*, 21, p.3051.
25. Ecological Systems Theory: Bronfenbrenner, U. (1979). *The Ecology of Human Development: Experiments by Nature and Design*. Harvard University <https://doi.org/10.4159/harvard.9780674415517>
26. Egwunyenga OA, Ajayi JA, Duhlinka-Popova DD. Transplacental passage of Plasmodium falciparum and sero-evaluation of newborns in northern Nigeria. *Southeast Asian J. Trop. Med. Public health*. (1997); 28; 741-745
27. Eisele, T.P., Larsen, D.A., Anglewicz, P.A., Keating, J., Yukich, J., Bennett, A., Hutchinson, P., Steketee, R.W., 2012. Malaria prevention in pregnancy, birthweight, and neonatal mortality: a meta-analysis of 32 national cross-sectional datasets in Africa.
28. Eisele, T.P., Larsen, D.A., Walker, N., et al. (2012). Estimates of child deaths prevented from malaria prevention scale-up in Africa 2001-2010. *Malaria Journal*, 11, 93.
29. Feleke, D.G., Adamu, A., Gebreweld, A., Tesfaye, M., Demisiss, W., Molla, G., 2020. Asymptomatic malaria infection among pregnant women attending antenatal care in malaria endemic areas of North-Shoa, Ethiopia: a cross-sectional study. *Malaria Journal*.
30. Fink, G., Mrema, S., Abdulla, S., Kachur, S.P., Khatib, R., Lengeler, C.,

- Masanja, H., Okumu, F., Schellenberg, J., 2022. 'Mosquito Net Use in Early Childhood and Survival to Adulthood in Tanzania'
31. Fried, M., and Duffy, P.E. (2017). Malaria during Pregnancy. *Cold Spring Harbor Perspectives in Medicine*, 7, a025551.
 32. Gardosi J, Mul T, Mongelli M, Fagan D (1998). Analysis of birth weight and gestational age in antepartum stillbirths. *Br. J. obstet. Gynaecol.* May. 105 (5): 524891011.
 33. Getachew M, Yewhalaw D, Tafess K, et al; Anaemia and associated risk factors among pregnant women in Gilgel Gibedam area, southwest Ethiopia. *Parasite vectors.* (2012) December 17; 5: 29612
 34. Gontie, G. B., Wolde, H. F., & Baraki, A. G. (2020). Prevalence and associated factors of malaria among pregnant women in Sherkole district, Benishangul Gumuz regional state, West Ethiopia.
 35. Goshu YA, Yitayew AE (2019) Malaria knowledge and its associated factors among pregnant women attending antenatal clinic of Adis Zemen Hospital, North-western Ethiopia, 2018. *PLoS ONE* 14 (1): e02102211
 36. Graves, P.M., Richards, F.O., Ngondi, J., Emerson, P.M., Shargie, E.B., Endeshaw, T., Ceccato, P., Ejigsemahu, Y., Mosher, A.W., Hailemariam, A., Zerihun, M., Teferi, T., Ayele, B., Mesele, A., Yohannes, G., Tilahun, A., and Gebre, T., 2009. Individual, household and environmental risk factors for malaria infection in Amhara, Oromia and SNNP regions of Ethiopia.
 37. Guyatt, H.L., and Snow, R.W. (2004). Impact of malaria during pregnancy on low birth weight in sub-Saharan Africa. *Clinical Microbiology Reviews*, 17(4), 760-769.
 38. Hasabo, E.A., Khalid, R.I., Mustafa, G.E., Taha, R.E., Abdalla, R.S., Mohammed, R.A., Haroun, M.S., Adil, R., Khalil, R.A., Mansour, R.M., Mohamed, R.K. and Awadalla, H., 2022. 'Treatment-seeking behavior, awareness and preventive practice toward malaria in Abu Ushar, Gezira state, Sudan: a household survey experience from a rural area'. *Malaria Journal*
 39. Health Belief Model (HBM): Rosenstock, I. M. (1974). Historical Origins of the Health Belief Model. *Health Education Monographs*, 2(4), 328–335. <https://doi.org/10.1177/109019817400200403>.
 40. Helen, K.K., Sarah, B.N., Judith, L.N., Irene, U.N., Julius, A., Mary, B.S.,

2014. Knowledge and perceptions towards malaria prevention among vulnerable groups in the Buea Health District, Cameroon. *BMC Public Health*, 14, p.8834.
35. Kajfasz P (2009). Malaria prevention. *International Maritime Health*. 60 (1-2): 67-70151617
41. Kapisi, J., Kakuru, A., Jagannathan, P., et al. (2017). Relationships between Infection with *Plasmodium falciparum* during Pregnancy, Measures of Placental Malaria, and Adverse Birth Outcomes. *Malaria Journal*, 16, 400.
42. Krafts K, Hempelmann E, Oleksyn B. (2011). “The colour purple: from royalty to laboratory, with apologies to Malachowski”. *Biotech Histochem*. 86 (1): 7-3518
43. Li, Y., Li, H., and Jiang, Y., 2023. Factors influencing maternal healthcare utilization in Papua New Guinea: Andersen’s behavior model.
44. Liheluka, E.A., Massawe, I.S., Chiduo, M.G., Mandara, C.I., Chacky, F., Ndekuka, L., Temba, F.F., Mmbando, B.P., Seth, M.D., Challe, D.P., Makunde, W.H., Mhina, A.D., Baraka, V., Segeja, M.D., Derua, Y.A., Batengana, B.M., Hayuma, P.M., Madebe, R.A., Malimi, M.C., Mandike, R., Mkude, S., Molteni, F., Njau, R., Mohamed, A., Rumisha, S.F., Ishengoma, D.S., 2023. Community knowledge, attitude, practices and beliefs associated with persistence of malaria transmission in North-western and Southern regions of Tanzania’. *Malaria Journal*.
45. Lover, A.A., Baird, J.K., Gosling, R., and Price, R.N. (2018). Malaria elimination: time to target all species. *American Journal of Tropical Medicine and Hygiene*, 99(1), 17–23.
46. Ludlow, L.E., Hasang, W., Umbers, A.J., Forbes, E.K., Ome, M., Unger, H.W.,
Mueller, I., Siba, P.M., Jaworowski, A. and Rogerson, S.J., 2014. Peripheral blood mononuclear cells derived from grand multigravidae display a distinct cytokine profile in response to *P. falciparum* infected erythrocytes.
47. Lufele, E., Umbers, A., Ordi, J., Ome, M., Wangnapi, R., Unger, H., Tarongka,
N., Siba, P., Mueller, I., Robinson, L. and Rogerson, S., 2017. Risk factors and pregnancy outcomes associated with placental malaria in a prospective cohort of Papua New Guinean women.
48. Mahamar, A., Andemel, N., Swihart, B., Sidibe, Y., Gaoussou, S., Barry, A.,

- Traore, M., Attaher, O., Dembele, A.B., Diarra, B.S. and Keita, S., 2021. Malaria infection is common and associated with perinatal mortality and preterm delivery despite widespread use of chemoprevention in Mali: an observational study 2010 to 2014.
49. Manan, J.A., Ali, H., Lal, M., 2006. Malarial acute renal failure. *Journal of Ayub Medical College, Abbottabad: JAMC*, 18(4), pp.47-523.
50. Martin, J., Tau, G., Cherian, M.N., Vergel de Dios, J., Mills, D., Fitzpatrick, J.,
Adu-Krow, W., Cheng, D., 2015. Survey of the capacity for essential surgery and anesthesia services in Papua New Guinea. *BMJ Open*.
51. McGready, R., Lee, S.J., Wiladphaingern, J., Ashley, E.A., Rijken, M.J.,
Boel, M., Simpson, J.A., Paw, M.K., Pimanpanarak, M., Mu, O., Singhasivanon, P., White, N.J., Nosten, F.H., 2011. Adverse effects of falciparum and vivax malaria and the safety of antimalarial treatment in early pregnancy: a population-based study. *The Lancet Infectious Diseases*, 12(5), pp.388-396.
52. Millat-Martínez, P., Gabong, R., Balanza, N., Luana, S., Sanz, S., Rauilo, S.,
Elizah, A., Wali, C., Paivu, B., Dalmas, J., Tabie, S., Karl, S., Laman, M., Pomat, W., Mitjà, O., Baro, B. & Bassat, Q., 2021. 'Coverage, determinants of use and repurposing of long-lasting insecticidal nets two years after a mass distribution in Lihir Islands, Papua New Guinea: a cross-sectional study'. *Malaria Journal*.
53. Mosha, J.F., Kulkarni, M.A., Lukole, E., Matowo, N.S., Pitt, C., Messenger, L.A., Mallya, E., Jumanne, M., Aziz, T., Kaaya, R., Shirima, B.A., Isaya, G., Taljaard, M., Martin, J., Hashim, R., Thickstun, C., Manjurano, A., Kleinschmidt, I., Mosha, F.W., Rowland, M., Protopopof, N., 2022. 'Effectiveness and cost-effectiveness against malaria of three types of dual-active-ingredient long-lasting insecticidal nets (LLINs) compared with pyrethroid-only LLINs in Tanzania: a four-arm, cluster-randomized trial'
54. Munguambe, K., Pool, R., Montgomery, C., Bavo, C., Nhacolo, A., Fiosse, L.,
Saco, C., Nhalungo, D., Mabunda, S. and Macete, E., 2011. What drives community adherence to indoor residual spraying

- (IRS) against malaria in Manhiça district, rural Mozambique: a qualitative study. *Malaria Journal*, 10(1), p.344.
55. National Drug Policy on malaria (2013). Directorate of National Vector Borne Disease Control Programme. Govt of India. New Delhi. 2013.
56. Obrist, B., Iteba, N., Lengeler, C., Makemba, A., Mshana, C., Nathan, R., Alba, S., Dillip, A., Hetzel, M.W., Mayumana, I., Schulze, A. and Mshinda, H., 2007. Access to health care in contexts of livelihood insecurity: a framework for analysis and action. *PLoS medicine*, 4(10), p.e308.
57. Onyinyechi, O.M., Ismail, S. & Nazan, A.I.N., 2024. 'Prevention of malaria in pregnancy through health education intervention programs on insecticide-treated nets use: a systematic review'.
58. Onyinyechi, O.M., Ismail, S. & Nazan, A.I.M. (2024). 'Improving women's knowledge about malaria prevention with a reminder checklist', *BMC Public Health*, vol. 24.
59. Orish, V.N., Maalman, R.S., Donkor, O.Y., Ceruantes, B.Y.H., Osei, E., Amu, H., Appiah, P.K., Konlan, K.D., Mumuni, H., Kim, E., Kim, S., Jung, H., Ofori-Amoah, J., Kofie, P., Adjuik, M., Alhassan, R.K., Donkor, E.S., Zottor, F.B., Kweku, M., Amuna, P., Kim, S.Y., Gyapong, J.O. and the UHAS-Yonsei Project Team, 2021. 'Assessing health-seeking behaviour and malaria prevention practices among communities in four districts of the Volta Region of Ghana'. *Malaria Journal*
60. Ozarslan, N. (2019). Circulating Monocytes, Tissue Macrophages, and Malaria. *Journal of Tropical Medicine*.
61. Pope, D. P., Mishra, V., Thompson, L., Siddiqui, A. R., Rehfuess, E. A., Weber, M., & Bruce, N. G. (2010). Risk of low birth weight and stillbirth associated with indoor air pollution from solid fuel use in developing countries. *Epidemiologic Reviews*, 32(1), 70-811.
62. Raghavendra, K., Barik, T. K., Sharma, P., Bhatt, R. M., Srivastava, H. C., Sreehari, U., & Dash, A. P. (2011). Chlorfenapyr: a new insecticide with novel mode of action can control pyrethroid resistant malaria vectors. *Malaria Journal*, 10(1), 16
63. Riley, E.M. (2001). Is immunity to malaria really short-lived? *Parasitology Today*, 7(11), 375-3783.

64. Rogerson, S.J., Hviid, L., Duffy, P.E., Leke, R.F.G., and Taylor, D.W., 2007. Malaria in pregnancy: pathogenesis and immunity. *The Lancet Infectious Diseases*, 7(2), pp.105-117.
65. Sabot O, Cohen JM, Hsiang MS, Kahn JG, Basu S, Tang L, Zheng B, Gao Q, Zai L, Tatarsky A, Aboobakar S, Usas J, Barrett S, Cohen JL, Jamison DT, Feachem RG (2010). "Costs and financial feasibility of malaria elimination". *Lancet* 376 (9752): 1604-1715.
66. Seal, A., Bardhan, P.K., Sharmin, S., Shahrin, L., 2010. Congenital malaria in neonates: Two case reports and review of the literature. *Journal of Tropical Pediatrics*, 56(4), pp. 249-251.
67. Seidahmed, O.M.E., Kurumop, S., Jamea-Maiasa, S., Timbi, D., Tandrapah, A., Hetzel, M., and Pomat, W., 2021. Papua New Guinea Malaria Indicator Survey 2019-2020: Final Report on Malaria Prevention, Infection Prevalence, and Treatment-Seeking.
68. Shoklo Malaria Research Unit (SMRU). (2015). Pregnant women who have poor healthcare-seeking behavior and poor prevention of malaria are four times more likely to contract malaria during pregnancy.
69. Shulman, C. E., & Dorman, E. K. (2009). Importance and prevention of malaria in pregnancy. *Trans R Soc Trop Med Hyg*, 103(1), 67-70
70. Social Determinants of Health: Marmot, M., & Wilkinson, R. G. (Eds.). (2005). *Social Determinants of Health*. Oxford University Press. <https://doi.org/10.1093/med/9780198565895.001.0001>
71. Steketee, R.W., Nahlen, B.L., Parise, M.E., and Menendez, C. (2001). The burden of malaria in pregnancy in malaria-endemic areas. *American Journal of Tropical Medicine and Hygiene*, 64(1-2 Supply), 28-35.
72. Sutherland CJ, Hallett R (2009). "Detecting malaria parasites outside the blood". *J. Infect. Dis.* 199(11): 1561.
73. Tanser FC, Lengeler C, Sharp BL (2010). Lengeler C, ed. "Indoor residual spraying for preventing malaria". *Cochrane Database of Systematic Reviews* (4): CD006657
74. Taylor WR, Canon V, White NJ. (2006). Pulmonary manifestations of malaria: recognition and management. *Treat. Respir. Med.* 5: 28-419.
75. The World Bank, 2021. Papua New Guinea Economic Update: Navigating a

Fragile Recovery.

76. Theory of Planned Behavior (TPB): Ajzen, I. (1991). The theory of planned behavior. *Organizational Behavior and Human Decision Processes*, 50(2), 179–211. [https://doi.org/10.1016/0749-5978\(91\)90020-T](https://doi.org/10.1016/0749-5978(91)90020-T)
77. Uneke CJ. (2007) Congenital Plasmodium falciparum malaria in Sub-Saharan Africa: a rarity or frequent occurrences? *Parasitol. Res*; 101 (4): 835-842
78. White, N.J. (2018). 'Anemia and malaria'. *Malaria Journal*, 17, 371
79. World Health Organization (2016). *World Malaria Report 2016*.
80. World Health Organization, 2023. *World malaria report 2023*. World Health Organization.
81. *World Malaria Report 2009*” (Aregawi M, Cibulskis RE, Otten M, 2009)
82. World Health Organization. (2020). Severe malaria in pregnancy can have devastating effects on maternal health, including severe maternal anemia, hypoglycemia, acute lung injury, and death.
83. Yaro, J.B., Ouedraogo, A., Diarra, A., Sombié, S., Ouedraogo, Z.A., Nébié, I., Drakeley, C., Sirima, S.B., Tiono, A.B., Lindsay, S.W., and Wilson, A.L., 2021. Risk factors for Plasmodium falciparum infection in pregnant women in Burkina Faso: a community-based cross-sectional survey.

APPENDIX 1

1. Consent Form

Verbal Consent Form

Hello, my name is Susina Yatapya and I am a Masters student at Universitas Jenderal Soedirman in Puworketo, Indonesia. I am conducting a research study about “Risk Factor Analysis of Malaria in First-time pregnant women”. The purpose of this study is to [explain the main goal or question of the study]. I would like to invite you to participate in this study.

If you agree to participate, I will ask you to [outline briefly what you will ask the respondents to do, such as answer some questions, fill out a survey, or perform a task]. This will take about [estimate the duration of the study] of your time. You may