

DAFTAR PUSTAKA

- Aadil, K. R., & Jha, H. (2016). Physico-chemical properties of lignin–alginate based films in the presence of different plasticizers. *Iranian Polymer Journal (English Edition)*, 25(8), 661–670. <https://doi.org/10.1007/s13726-016-0449-1>
- Aanisah, N., Wardhana, Y. W., Chaerunisa, A. Y., & Budiman, A. (2022). Review on Modification of Glucomannan as an Excipient in Solid Dosage Forms. In *Polymers* (Vol. 14, Issue 13). MDPI. <https://doi.org/10.3390/polym14132550>
- Abdullah, A. H. D., Putri, O. D., Fikriyyah, A. K., Nissa, R. C., & Intadiana, S. (2020). Effect of microcrystalline cellulose on characteristics of cassava starch-based bioplastic. *Polymer-Plastics Technology and Materials*, 59(12), 1250–1258. <https://doi.org/10.1080/25740881.2020.1738465>
- Abduwaiti, A., Liu, X., Yan, C., Xue, Y., Jin, T., Wu, H., He, P., Bao, Z., & Liu, Q. (2021). Testing biodegradable films as alternatives to plastic-film mulching for enhancing the yield and economic benefits of processed tomato in xinjiang region. *Sustainability (Switzerland)*, 13(6). <https://doi.org/10.3390/su13063093>
- Alhanish, A., & Abu Ghalia, M. (2021). Developments of biobased plasticizers for compostable polymers in the green packaging applications: A review. In *Biotechnology Progress* (Vol. 37, Issue 6). John Wiley and Sons Inc. <https://doi.org/10.1002/btpr.3210>
- Alonso-Gomez, L., Niño-López, A. M., Romero-Garzón, A. M., Pineda-Gomez, P., del Real-Lopez, A., & Rodriguez-Garcia, M. E. (2016). Physicochemical transformation of cassava starch during fermentation for production of sour starch in Colombia. *Starch/Staerke*, 68(11–12), 1139–1147. <https://doi.org/10.1002/star.201600059>
- AOAC (Assosiation of Official Analytical Chemist). (2005). *Official methods of analysis of AOAC International* (W. Horwitz & G. W. Latimer Jr., Eds.; 18th Edition). AOAC International.
- Arifin, H. R., Djali, M., Nurhadi, B., Hasim, S. A., Hilmi, A., & Puspitasari, A. V. (2022). Improved properties of corn starch-based bio-nanocomposite film with different types of plasticizers reinforced by nanocrystalline cellulose. *International Journal of Food Properties*, 25(1), 509–521. <https://doi.org/10.1080/10942912.2022.2052085>

- Bagheri, F., Radi, M., & Amiri, S. (2019). Drying conditions highly influence the characteristics of glycerol-plasticized alginate films. *Food Hydrocolloids*, 90, 162–171. <https://doi.org/10.1016/j.foodhyd.2018.12.001>
- Bakshi, P. S., Selvakumar, D., Kadirvelu, K., & Kumar, N. S. (2020). Chitosan as an environment friendly biomaterial – a review on recent modifications and applications. In *International Journal of Biological Macromolecules* (Vol. 150, pp. 1072–1083). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2019.10.113>
- Ballesteros-Mártinez, L., Pérez-Cervera, C., & Andrade-Pizarro, R. (2020). Effect of glycerol and sorbitol concentrations on mechanical, optical, and barrier properties of sweet potato starch film. *NFS Journal*, 20, 1–9. <https://doi.org/10.1016/j.nfs.2020.06.002>
- Baran, A., Vrábel, P., Kovalčáková, M., Hutníková, M., Fričová, O., & Olčák, D. (2020). Effects of sorbitol and formamide plasticizers on molecular motion in corn starch studied using NMR and DMTA. *Journal of Applied Polymer Science*, 137(33). <https://doi.org/10.1002/app.48964>
- Bharti, S. K., Pathak, V., Alam, T., Arya, A., Basak, G., & Awasthi, M. G. (2020). Materiality of Edible Film Packaging in Muscle Foods: A Worthwhile Conception. *Journal of Packaging Technology and Research*, 4(1), 117–132. <https://doi.org/10.1007/s41783-020-00087-9>
- Bhatia, S., Al-Harrasi, A., Jawad, M., Shah, Y. A., Al-Azri, M. S., Ullah, S., Oz, E., Oz, F., Koca, E., & Aydemir, L. Y. (2023). Development, Characterization, and Assessment of Antioxidant Pectin-Sodium Alginate Based Edible Films Incorporated with Cassia Essential Oil. *International Journal of Food Science & Technology*. <https://doi.org/10.1111/ijfs.16569>
- Bocqué, M., Voirin, C., Lapinte, V., Caillol, S., & Robin, J. J. (2016). Petro-based and bio-based plasticizers: Chemical structures to plasticizing properties. *Journal of Polymer Science, Part A: Polymer Chemistry*, 54(1), 11–33. <https://doi.org/10.1002/pola.27917>
- Bof, M. J., Locaso, D. E., & García, M. A. (2021). Corn Starch-Chitosan Proportion Affects Biodegradable Film Performance for Food Packaging Purposes. *Starch/Staerke*, 73(5–6). <https://doi.org/10.1002/star.202000104>
- Caicedo, C., Díaz-Cruz, C. A., Jiménez-Regalado, E. J., & Aguirre-Loredo, R. Y. (2022). Effect of Plasticizer Content on Mechanical and Water Vapor Permeability of Maize Starch/PVOH/Chitosan Composite Films. *Materials*, 15(4). <https://doi.org/10.3390/ma15041274>

- Campanale, C., Galafassi, S., Di Pippo, F., Pojar, I., Massarelli, C., & Uricchio, V. F. (2024). A critical review of biodegradable plastic mulch films in agriculture: Definitions, scientific background and potential impacts. In *TrAC - Trends in Analytical Chemistry* (Vol. 170). Elsevier B.V. <https://doi.org/10.1016/j.trac.2023.117391>
- Cao, X., Chen, Y., Chang, P. R., & Huneault, M. A. (2007). Preparation and properties of plasticized starch/ multiwalled carbon nanotubes composites. *Journal of Applied Polymer Science*, 106(2), 1431–1437. <https://doi.org/10.1002/app.26799>
- Cazón, P., & Vázquez, M. (2019). *Applications of Chitosan as Food Packaging Materials* (pp. 81–123). https://doi.org/10.1007/978-3-030-16581-9_3
- Cazón, P., & Vázquez, M. (2020). Mechanical and barrier properties of chitosan combined with other components as food packaging film. In *Environmental Chemistry Letters* (Vol. 18, Issue 2, pp. 257–267). Springer. <https://doi.org/10.1007/s10311-019-00936-3>
- Chaisuwan, K., Anurakumphan, D., Hemmanee, S., Ruamcharoen, J., & Leelakriangsak, M. (2023). Soil Burial Degradation of Starch-Based Films on Microbial Load and Plant Growth. *Journal of Sustainability Science and Management*, 18(3), 110–124. <https://doi.org/10.46754/jssm.2023.03.008>
- Chavan, P., Sinhmar, A., Sharma, S., Dufresne, A., Thory, R., Kaur, M., Sandhu, K. S., Nehra, M., & Nain, V. (2022). Nanocomposite Starch Films: A New Approach for Biodegradable Packaging Materials. In *Starch/Staerke* (Vol. 74, Issues 5–6). John Wiley and Sons Inc. <https://doi.org/10.1002/star.202100302>
- Chen, J., Liu, C., Chen, Y., Chen, Y., & Chang, P. R. (2008). Structural characterization and properties of starch/konjac glucomannan blend films. *Carbohydrate Polymers*, 74(4), 946–952. <https://doi.org/10.1016/j.carbpol.2008.05.021>
- Chen, J., Wang, X., Long, Z., Wang, S., Zhang, J., & Wang, L. (2020). Preparation and performance of thermoplastic starch and microcrystalline cellulose for packaging composites: Extrusion and hot pressing. *International Journal of Biological Macromolecules*, 165, 2295–2302. <https://doi.org/10.1016/j.ijbiomac.2020.10.117>
- Chen, Q. J., Zhou, L. L., Zou, J. Q., & Gao, X. (2019). The preparation and characterization of nanocomposite film reinforced by modified cellulose nanocrystals. *International Journal of Biological Macromolecules*, 132, 1155–1162. <https://doi.org/10.1016/j.ijbiomac.2019.04.063>

- Chen, Y., Cao, X., Chang, P. R., & Huneault, M. A. (2008). Comparative study on the films of poly(vinyl alcohol)/pea starch nanocrystals and poly(vinyl alcohol)/native pea starch. *Carbohydrate Polymers*, 73(1), 8–17. <https://doi.org/10.1016/j.carbpol.2007.10.015>
- Chen, Y., Zhao, H., Liu, X., Li, Z., Liu, B., Wu, J., Shi, M., Norde, W., & Li, Y. (2016). TEMPO-oxidized Konjac glucomannan as appliance for the preparation of hard capsules. *Carbohydrate Polymers*, 143, 262–269. <https://doi.org/10.1016/j.carbpol.2016.01.072>
- Chollakup, R., Pongburoos, S., Boonsong, W., Khanoonkon, N., Kongsin, K., Sothornvit, R., Sukyai, P., Sukatta, U., & Harnkarnsujarit, N. (2020). Antioxidant and antibacterial activities of cassava starch and whey protein blend films containing rambutan peel extract and cinnamon oil for active packaging. *LWT*, 130. <https://doi.org/10.1016/j.lwt.2020.109573>
- Coelho, C. C. S., Cerqueira, M. A., Pereira, R. N., Pastrana, L. M., Freitas-Silva, O., Vicente, A. A., Cabral, L. M. C., & Teixeira, J. A. (2017). Effect of moderate electric fields in the properties of starch and chitosan films reinforced with microcrystalline cellulose. *Carbohydrate Polymers*, 174, 1181–1191. <https://doi.org/10.1016/j.carbpol.2017.07.007>
- Condés, M. C., Añón, M. C., Mauri, A. N., & Dufresne, A. (2015). Amaranth protein films reinforced with maize starch nanocrystals. *Food Hydrocolloids*, 47, 146–157. <https://doi.org/10.1016/j.foodhyd.2015.01.026>
- Cortés-Rodríguez, M., Villegas-Yépez, C., Gil González, J. H., Rodríguez, P. E., & Ortega-Toro, R. (2020). Development and evaluation of edible films based on cassava starch, whey protein, and bees wax. *Helijon*, 6(9). <https://doi.org/10.1016/j.heliyon.2020.e04884>
- Costa, É. K. de C., de Souza, C. O., da Silva, J. B. A., & Druzian, J. I. (2017). Hydrolysis of part of cassava starch into nanocrystals leads to increased reinforcement of nanocomposite films. *Journal of Applied Polymer Science*, 134(41). <https://doi.org/10.1002/app.45311>
- Dai, L., Qiu, C., Xiong, L., & Sun, Q. (2015). Characterisation of corn starch-based films reinforced with taro starch nanoparticles. *Food Chemistry*, 174, 82–88. <https://doi.org/10.1016/j.foodchem.2014.11.005>
- Dai, L., Yu, H., Zhang, J., & Cheng, F. (2021). Preparation and characterization of cross-linked starch nanocrystals and self-reinforced starch-based nanocomposite films. *International Journal of Biological Macromolecules*, 181, 868–876. <https://doi.org/10.1016/j.ijbiomac.2021.04.020>

- Dai, L., Zhang, J., & Cheng, F. (2019). Effects of starches from different botanical sources and modification methods on physicochemical properties of starch-based edible films. *International Journal of Biological Macromolecules*, 132, 897–905. <https://doi.org/10.1016/j.ijbiomac.2019.03.197>
- Daudt, R. M., Avena-Bustillos, R. J., Williams, T., Wood, D. F., Kulkamp-Guerreiro, I. C., Marczak, L. D. F., & McHugh, T. H. (2016). Comparative study on properties of edible films based on pinhão (*Araucaria angustifolia*) starch and flour. *Food Hydrocolloids*, 60, 279–287. <https://doi.org/10.1016/j.foodhyd.2016.03.040>
- Díaz, A., Dini, C., Viña, S. Z., & García, M. A. (2018). Technological properties of sour cassava starches: Effect of fermentation and drying processes. *LWT*, 93, 116–123. <https://doi.org/10.1016/j.lwt.2018.03.029>
- Dufresne, A. (2010). Processing of polymer nanocomposites reinforced with polysaccharide nanocrystals. *Molecules*, 15(6), 4111–4128. <https://doi.org/10.3390/molecules15064111>
- El Miri, N., Aziz, F., Aboulkas, A., El Bouchti, M., Ben Youcef, H., & El Achaby, M. (2018). Effect of plasticizers on physicochemical properties of cellulose nanocrystals filled alginate bionanocomposite films. *Advances in Polymer Technology*, 37(8), 3171–3185. <https://doi.org/10.1002/adv.22087>
- Escamilla-García, M., Reyes-Basurto, A., García-Almendárez, B. E., Hernández-Hernández, E., Calderón-Domínguez, G., Rossi-Márquez, G., & Regalado-González, C. (2017). Modified starch-chitosan edible films: Physicochemical and mechanical characterization. *Coatings*, 7(12). <https://doi.org/10.3390/coatings7120224>
- Eslami, Z., Elkoun, S., Robert, M., & Adjallé, K. (2023). A Review of the Effect of Plasticizers on the Physical and Mechanical Properties of Alginate-Based Films. In *Molecules* (Vol. 28, Issue 18). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/molecules28186637>
- Esmaeili, M., Pircheraghi, G., & Bagheri, R. (2017). Optimizing the mechanical and physical properties of thermoplastic starch via tuning the molecular microstructure through co-plasticization by sorbitol and glycerol. *Polymer International*, 66(6), 809–819. <https://doi.org/10.1002/pi.5319>
- Espino-Pérez, E., Gilbert, R. G., Domenek, S., Brochier-Salon, M. C., Belgacem, M. N., & Bras, J. (2016). Nanocomposites with functionalised polysaccharide nanocrystals through aqueous free radical polymerisation promoted by

- ozonolysis. *Carbohydrate Polymers*, 135, 256–266.
<https://doi.org/10.1016/j.carbpol.2015.09.005>
- Fakhouri, F. M., Martelli, S. M., Caon, T., Velasco, J. I., & Mei, L. H. I. (2015). Edible films and coatings based on starch/gelatin: Film properties and effect of coatings on quality of refrigerated Red Crimson grapes. *Postharvest Biology and Technology*, 109, 57–64.
<https://doi.org/10.1016/j.postharvbio.2015.05.015>
- Fakhouri, F. M., Maria Martelli, S., Canhadas Bertan, L., Yamashita, F., Innocentini Mei, L. H., & Collares Queiroz, F. P. (2012). Edible films made from blends of manioc starch and gelatin - Influence of different types of plasticizer and different levels of macromolecules on their properties. *LWT*, 49(1), 149–154. <https://doi.org/10.1016/j.lwt.2012.04.017>
- Farhan, A., & Hani, N. M. (2017). Characterization of edible packaging films based on semi-refined kappa-carrageenan plasticized with glycerol and sorbitol. *Food Hydrocolloids*, 64, 48–58.
<https://doi.org/10.1016/j.foodhyd.2016.10.034>
- Fematt-flores, G. E., Aguiló-aguayo, I., Marcos, B., Camargo-olivas, B. A., Sánchez-vega, R., Soto-caballero, M. C., Salas-salazar, N. A., Flores-córdova, M. A., & Rodríguez-roque, M. J. (2022). Milk Protein-Based Edible Films: Influence on Mechanical, Hydrodynamic, Optical and Antioxidant Properties. *Coatings*, 12(2). <https://doi.org/10.3390/coatings12020196>
- Fitriani, F., Aprilia, S., Arahman, N., Bilad, M. R., Djuned, F., Fathanah, U., Meilina, H., & Amin, A. (2023). Studies of exposure UV light, soil Burial, and storage ability effect on characteristics of biocomposite films. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2023.02.401>
- Flórez, M., Guerra-Rodríguez, E., Cazón, P., & Vázquez, M. (2022). Chitosan for food packaging: Recent advances in active and intelligent films. In *Food Hydrocolloids* (Vol. 124). Elsevier B.V.
<https://doi.org/10.1016/j.foodhyd.2021.107328>
- Galus, S., Kibar, E. A. A., Gniewosz, M., & Kraśniewska, K. (2020). Novel materials in the preparation of edible films and coatings-A review. *Coatings*, 10(7), 1–14. <https://doi.org/10.3390/coatings10070674>
- Galus, S., Mathieu, H., Lenart, A., & Debeaufort, F. (2012). Effect of modified starch or maltodextrin incorporation on the barrier and mechanical properties, moisture sensitivity and appearance of soy protein isolate-based edible films.

Innovative Food Science and Emerging Technologies, 16, 148–154.
<https://doi.org/10.1016/j.ifset.2012.05.012>

Gan, P. G., Sam, S. T., Abdullah, M. F., Omar, M. F., & Tan, W. K. (2021). Water resistance and biodegradation properties of conventionally-heated and microwave-cured cross-linked cellulose nanocrystal/chitosan composite films. *Polymer Degradation and Stability*, 188. <https://doi.org/10.1016/j.polymdegradstab.2021.109563>

Gaspar, M. C., & Braga, M. E. M. (2023). Edible films and coatings based on agrifood residues: a new trend in the food packaging research. In *Current Opinion in Food Science* (Vol. 50). Elsevier Ltd. <https://doi.org/10.1016/j.cofs.2023.101006>

Ge, X., Yu, L., Liu, Z., Liu, H., Chen, Y., & Chen, L. (2019). Developing acrylated epoxidized soybean oil coating for improving moisture sensitivity and permeability of starch-based film. *International Journal of Biological Macromolecules*, 125, 370–375. <https://doi.org/10.1016/j.ijbiomac.2018.11.239>

George, J., Nair, S. G., Kumar, R., Semwal, A. D., Sudheesh, C., Basheer, A., & Sunoj, K. V. (2021). A new insight into the effect of starch nanocrystals in the retrogradation properties of starch. *Food Hydrocolloids for Health*, 1. <https://doi.org/10.1016/j.fhfh.2021.100009>

Gontard, N., Guilbert, S., & Cuq, J.-L. (1993). Water and Glycerol as Plasticizers Affect Mechanical and Water Vapor Barrier Properties of an Edible Wheat Gluten Film. *Journal of Food Science*, 58(1), 206–211.

González, K., Iturriaga, L., González, A., Eceiza, A., & Gabilondo, N. (2020). Improving mechanical and barrier properties of thermoplastic starch and polysaccharide nanocrystals nanocomposites. *European Polymer Journal*, 123. <https://doi.org/10.1016/j.eurpolymj.2019.109415>

González-Torres, B., Robles-García, M. Á., Gutiérrez-Lomelí, M., Padilla-Frausto, J. J., Navarro-Villarruel, C. L., Del-Toro-sánchez, C. L., Rodríguez-Félix, F., Barrera-Rodríguez, A., Reyna-Villela, M. Z., Avila-Novoa, M. G., & Reynoso-Marín, F. J. (2021). Combination of sorbitol and glycerol, as plasticizers, and oxidized starch improves the physicochemical characteristics of films for food preservation. *Polymers*, 13(19). <https://doi.org/10.3390/polym13193356>

- Guzman-Puyol, S., Benítez, J. J., & Heredia-Guerrero, J. A. (2022). Transparency of polymeric food packaging materials. In *Food Research International* (Vol. 161). Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2022.111792>
- Guzman-Puyol, S., Ceseracciu, L., Tedeschi, G., Marras, S., Scarpellini, A., Benítez, J. J., Athanassiou, A., & Heredia-Guerrero, J. A. (2019). Transparent and robust all-cellulose nanocomposite packaging materials prepared in a mixture of trifluoroacetic acid and trifluoroacetic anhydride. *Nanomaterials*, 9(3). <https://doi.org/10.3390/nano9030368>
- Hao, Y., Chen, Y., Li, Q., & Gao, Q. (2018). Preparation of starch nanocrystals through enzymatic pretreatment from waxy potato starch. *Carbohydrate Polymers*, 184, 171–177. <https://doi.org/10.1016/j.carbpol.2017.12.042>
- Harsojuwono, B. A., Hartati, A., & Hatiningsih, S. (2021). Characteristics of the Glucomannan - Modified Cassava Starch Biothermoplastic Composites on the Variety of Types and Concentrations of Reinforcing Materials. *International Journal of Pharmaceutical Research*, 13(02), 912–923. <https://doi.org/10.31838/ijpr/2021.13.02.143>
- Harsojuwono, B. A., Mulyani, S., & Arnata, I. W. (2019). Characteristics of bio-plastic composites from the modified cassava starch and konjac glucomannan. *Journal of Applied Horticulture*, 21(1), 13–19. www.horticultureresearch.net
- Harussani, M. M., Sapuan, S. M., Firdaus, A. H. M., El-Badry, Y. A., Hussein, E. E., & El-Bahy, Z. M. (2021). Determination of the tensile properties and biodegradability of cornstarch-based biopolymers plasticized with sorbitol and glycerol. *Polymers*, 13(21). <https://doi.org/10.3390/polym13213709>
- Homayounpour, P., Shariatifar, N., & Alizadeh-Sani, M. (2021). Development of nanochitosan-based active packaging films containing free and nanoliposome caraway (*Carum carvi*. L) seed extract. *Food Science and Nutrition*, 9(1), 553–563. <https://doi.org/10.1002/fsn3.2025>
- Homez-Jara, A., Daza, L. D., Aguirre, D. M., Muñoz, J. A., Solanilla, J. F., & Váquiro, H. A. (2018). Characterization of chitosan edible films obtained with various polymer concentrations and drying temperatures. *International Journal of Biological Macromolecules*, 113, 1233–1240. <https://doi.org/10.1016/j.ijbiomac.2018.03.057>
- Hu, A., Li, Y., & Zheng, J. (2019). Dual-frequency ultrasonic effect on the structure and properties of starch with different size. *LWT*, 106, 254–262. <https://doi.org/10.1016/j.lwt.2019.02.040>

- Huang, Q., Jin, W., Ye, S., Hu, Y., Wang, Y., Xu, W., Li, J., & Li, B. (2016). Comparative studies of konjac flours extracted from Amorphophallus guripingensis and Amorphophallus rivirei: Based on chemical analysis and rheology. *Food Hydrocolloids*, 57, 209–216. <https://doi.org/10.1016/j.foodhyd.2016.01.017>
- Ibrahim, M. I. J., Sapuan, S. M., Zainudin, E. S., & Zuhri, M. Y. M. (2019). Physical, thermal, morphological, and tensile properties of cornstarch-based films as affected by different plasticizers. *International Journal of Food Properties*, 22(1), 925–941. <https://doi.org/10.1080/10942912.2019.1618324>
- Indriyati, Dara, F., Primadona, I., Srikanth, Y., & Karina, M. (2021). Development of bacterial cellulose/chitosan films: structural, physicochemical and antimicrobial properties. *Journal of Polymer Research*, 28(3). <https://doi.org/10.1007/s10965-020-02328-6>
- Islam, H. B. M. Z., Susan, M. A. B. H., & Imran, A. Bin. (2020). Effects of Plasticizers and Clays on the Physical, Chemical, Mechanical, Thermal, and Morphological Properties of Potato Starch-Based Nanocomposite Films. *ACS Omega*, 5(28), 17543–17552. <https://doi.org/10.1021/acsomega.0c02012>
- Jaderi, Z., Tabatabaei Yazdi, F., Mortazavi, S. A., & Koocheki, A. (2023). Effects of glycerol and sorbitol on a novel biodegradable edible film based on Malva sylvestris flower gum. *Food Science and Nutrition*, 11(2), 991–1000. <https://doi.org/10.1002/fsn3.3134>
- Jafarzadeh, S., & Jafari, S. M. (2020). Impact of metal nanoparticles on the mechanical, barrier, optical and thermal properties of biodegradable food packaging materials. In *Critical Reviews in Food Science and Nutrition* (pp. 1–19). Taylor and Francis Inc. <https://doi.org/10.1080/10408398.2020.1783200>
- Jannatyha, N., Shojaee-Aliabadi, S., Moslehishad, M., & Moradi, E. (2020). Comparing mechanical, barrier and antimicrobial properties of nanocellulose/CMC and nanochitosan/CMC composite films. *International Journal of Biological Macromolecules*, 164, 2323–2328. <https://doi.org/10.1016/j.ijbiomac.2020.07.249>
- Jiang, L., Jia, F., Han, Y., Meng, X., Xiao, Y., & Bai, S. (2021). Development and characterization of zein edible films incorporated with catechin/β-cyclodextrin inclusion complex nanoparticles. *Carbohydrate Polymers*, 261, 1–8. <https://doi.org/10.1016/j.carbpol.2021.117877>

- Joye, I. J., & McClements, D. J. (2014). Biopolymer-based nanoparticles and microparticles: Fabrication, characterization, and application. In *Current Opinion in Colloid and Interface Science* (Vol. 19, Issue 5, pp. 417–427). Elsevier Ltd. <https://doi.org/10.1016/j.cocis.2014.07.002>
- Karim, S. F. A., Idris, J., Jai, J., Musa, M., & Ku Hamid, K. H. (2022). Production of Thermoplastic Starch-Aloe vera Gel Film with High Tensile Strength and Improved Water Solubility. *Polymers*, 14(19). <https://doi.org/10.3390/polym14194213>
- Kavas, G., Kavas, N., & Saygili, D. (2015). The Effects of Thyme and Clove Essential Oil Fortified Edible Films on the Physical, Chemical and Microbiological Characteristics of Kashar Cheese. *Journal of Food Quality*, 38(6), 405–412. <https://doi.org/10.1111/jfq.12157>
- Kim, H. Y., Han, J. A., Kweon, D. K., Park, J. D., & Lim, S. T. (2013). Effect of ultrasonic treatments on nanoparticle preparation of acid-hydrolyzed waxy maize starch. *Carbohydrate Polymers*, 93(2), 582–588. <https://doi.org/10.1016/j.carbpol.2012.12.050>
- Kim, H. Y., Park, S. S., & Lim, S. T. (2015). Preparation, characterization and utilization of starch nanoparticles. In *Colloids and Surfaces B: Biointerfaces* (Vol. 126, pp. 607–620). Elsevier. <https://doi.org/10.1016/j.colsurfb.2014.11.011>
- Kumar, R., Ghoshal, G., & Goyal, M. (2021). Biodegradable composite films/coatings of modified corn starch/gelatin for shelf life improvement of cucumber. In *Journal of Food Science and Technology* (Vol. 58, Issue 4, pp. 1227–1237). Springer. <https://doi.org/10.1007/s13197-020-04685-y>
- Kumari, N., Bangar, S. P., Petrů, M., Ilyas, R. A., Singh, A., & Kumar, P. (2021). Development and characterization of fenugreek protein-based edible film. *Foods*, 10(9), 1–13. <https://doi.org/10.3390/foods10091976>
- Kustyawati, M. E., Rangga, A., & Setyani, S. (2016). The Role of *Saccharomyces cerevisiae* as Modification Agent on The Cassava Starch. *Improving Food Security : The Challenges for Enhancing Resilience to Climate Change*, 117–124.
- Lauer, M. K., & Smith, R. C. (2020). Recent advances in starch-based films toward food packaging applications: Physicochemical, mechanical, and functional properties. *Comprehensive Reviews in Food Science and Food Safety*, 19(6), 3031–3083. <https://doi.org/10.1111/1541-4337.12627>

- Le Corre, D., Bras, J., & Dufresne, A. (2010). Starch nanoparticles: A review. In *Biomacromolecules* (Vol. 11, Issue 5, pp. 1139–1153). <https://doi.org/10.1021/bm901428y>
- Leceta, I., Guerrero, P., & De La Caba, K. (2013). Functional properties of chitosan-based films. *Carbohydrate Polymers*, 93(1), 339–346. <https://doi.org/10.1016/j.carbpol.2012.04.031>
- Lecorre, D., Bras, J., & Dufresne, A. (2012). Influence of native starch's properties on starch nanocrystals thermal properties. *Carbohydrate Polymers*, 87(1), 658–666. <https://doi.org/10.1016/j.carbpol.2011.08.042>
- Leonardelli, C., Silvestre, W. P., & Baldasso, C. (2020). Effect of Chitosan Addition in Whey-based Biodegradable Films. *Brazilian Archives of Biology and Technology*, 63. <https://doi.org/10.1590/1678-4324-2020200178>
- Li, X., Qiu, C., Ji, N., Sun, C., Xiong, L., & Sun, Q. (2015). Mechanical, barrier and morphological properties of starch nanocrystals-reinforced pea starch films. *Carbohydrate Polymers*, 121, 155–162. <https://doi.org/10.1016/j.carbpol.2014.12.040>
- Li, Y., Chen, K., Yang, Q., Hong, H., Feng, L., & Luo, Y. (2021). Development and characterization of novel antioxidant films based on chitosan and Maillard reaction products. *LWT*, 141. <https://doi.org/10.1016/j.lwt.2021.110886>
- Lim, W. S., Ock, S. Y., Park, G. D., Lee, I. W., Lee, M. H., & Park, H. J. (2020). Heat-sealing property of cassava starch film plasticized with glycerol and sorbitol. *Food Packaging and Shelf Life*, 26. <https://doi.org/10.1016/j.fpsl.2020.100556>
- Lin, Y., Bilotti, E., Bastiaansen, C. W. M., & Peijs, T. (2020). Transparent semi-crystalline polymeric materials and their nanocomposites: A review. In *Polymer Engineering and Science* (Vol. 60, Issue 10, pp. 2351–2376). John Wiley and Sons Inc. <https://doi.org/10.1002/pen.25489>
- Lin, Y., Patel, R., Cao, J., Tu, W., Zhang, H., Bilotti, E., Bastiaansen, C. W. M., & Peijs, T. (2019). Glass-like transparent high strength polyethylene films by tuning drawing temperature. *Polymer*, 171, 180–191. <https://doi.org/10.1016/j.polymer.2019.03.036>
- Liu, Z., Lin, D., Lopez-Sanchez, P., & Yang, X. (2020). Characterizations of bacterial cellulose nanofibers reinforced edible films based on konjac glucomannan. *International Journal of Biological Macromolecules*, 145, 634–645. <https://doi.org/10.1016/j.ijbiomac.2019.12.109>

- Lopes, P. P., Tanabe, E. H., & Bertuol, D. A. (2020). Chitosan as biomaterial in drug delivery and tissue engineering. In *Handbook of Chitin and Chitosan: Volume 3: Chitin- and Chitosan-based Polymer Materials for Various Applications* (pp. 407–431). Elsevier. <https://doi.org/10.1016/B978-0-12-817966-6.00013-3>
- Luangtana-anan, M., Soradech, S., Saengsod, S., Nunthanid, J., & Limmatvapirat, S. (2017). Enhancement of Moisture Protective Properties and Stability of Pectin through Formation of a Composite Film: Effects of Shellac and Plasticizer. *Journal of Food Science*, 82(12), 2915–2925. <https://doi.org/10.1111/1750-3841.13956>
- Luchese, C. L., Pavoni, J. M. F., dos Santos, N. Z., Quines, L. K., Pollo, L. D., Spada, J. C., & Tessaro, I. C. (2018). Effect of chitosan addition on the properties of films prepared with corn and cassava starches. *Journal of Food Science and Technology*, 55(8), 2963–2973. <https://doi.org/10.1007/s13197-018-3214-y>
- Ly, B. C. K., Dyer, E. B., Feig, J. L., Chien, A. L., & Del Bino, S. (2020). Research Techniques Made Simple: Cutaneous Colorimetry: A Reliable Technique for Objective Skin Color Measurement. In *Journal of Investigative Dermatology* (Vol. 140, Issue 1, pp. 3-12.e1). Elsevier B.V. <https://doi.org/10.1016/j.jid.2019.11.003>
- Ma, S., Zheng, Y., Zhou, R., & Ma, M. (2021). Characterization of chitosan films incorporated with different substances of konjac glucomannan, cassava starch, maltodextrin and gelatin, and application in mongolian cheese packaging. *Coatings*, 11(1), 1–16. <https://doi.org/10.3390/coatings11010084>
- Ma, X., Chang, P. R., & Yu, J. (2008). Properties of biodegradable thermoplastic pea starch/carboxymethyl cellulose and pea starch/microcrystalline cellulose composites. *Carbohydrate Polymers*, 72(3), 369–375. <https://doi.org/10.1016/j.carbpol.2007.09.002>
- Ma, X., Cheng, Y., Qin, X., Guo, T., Deng, J., & Liu, X. (2017). Hydrophilic modification of cellulose nanocrystals improves the physicochemical properties of cassava starch-based nanocomposite films. *LWT*, 86, 318–326. <https://doi.org/10.1016/j.lwt.2017.08.012>
- Mangaraj, S., Thakur, R. R., & Yadav, A. (2022). Development and characterization of PLA and Cassava starch-based novel biodegradable film used for food packaging application. *Journal of Food Processing and Preservation*, 46(9). <https://doi.org/10.1111/jfpp.16314>

- Mantia, F. P. L., Ascione, L., Mistretta, M. C., Rapisarda, M., & Rizzarelli, P. (2020). Comparative investigation on the soil burial degradation behaviour of polymer films for agriculture before and after photo-oxidation. *Polymers*, 12(4). <https://doi.org/10.3390/POLYM12040753>
- Martins, P. C., Latorres, J. M., & Martins, V. G. (2022). Impact of starch nanocrystals on the physicochemical, thermal and structural characteristics of starch-based films. *LWT*, 156. <https://doi.org/10.1016/j.lwt.2021.113041>
- Martins, P. C., & Martins, V. G. (2021). Effect of Rice Starch Hydrolysis and Esterification Processes on the Physicochemical Properties of Biodegradable Films. *Starch/Staerke*, 73(9–10). <https://doi.org/10.1002/star.202100022>
- Maruddin, F., Malaka, R., Baba, S., Amqam, H., Taufik, M., & Sabil, S. (2020). Brightness, elongation and thickness of edible film with caseinate sodium using a type of plasticizer. *IOP Conference Series: Earth and Environmental Science*, 492(1), 1–10. <https://doi.org/10.1088/1755-1315/492/1/012043>
- Moalla, S., Ammar, I., Fauconnier, M. L., Danthine, S., Blecker, C., Besbes, S., & Attia, H. (2021). Development and characterization of chitosan films carrying Artemisia campestris antioxidants for potential use as active food packaging materials. *International Journal of Biological Macromolecules*, 183, 254–266. <https://doi.org/10.1016/j.ijbiomac.2021.04.113>
- Mohamed, S. A. A., El-Sakhawy, M., & El-Sakhawy, M. A. M. (2020). Polysaccharides, Protein and Lipid -Based Natural Edible Films in Food Packaging: A Review. *Carbohydrate Polymers*, 238, 1–15. <https://doi.org/10.1016/j.carbpol.2020.116178>
- Montilla-Buitrago, C. E., Gómez-López, R. A., Solanilla-Duque, J. F., Serna-Cock, L., & Villada-Castillo, H. S. (2021). Effect of Plasticizers on Properties, Retrogradation, and Processing of Extrusion-Obtained Thermoplastic Starch: A Review. In *Starch/Staerke* (Vol. 73, Issues 9–10). John Wiley and Sons Inc. <https://doi.org/10.1002/star.202100060>
- Montoille, L., Morales Vicencio, C., Fontalba, D., Ortiz, J. A., Moreno-Serna, V., Peponi, L., Matiacevich, S., & Zapata, P. A. (2021). Study of the effect of the addition of plasticizers on the physical properties of biodegradable films based on kefiran for potential application as food packaging. *Food Chemistry*, 360. <https://doi.org/10.1016/j.foodchem.2021.129966>
- Mujtaba, M., Koc, B., Salaberria, A. M., Ilk, S., Cansaran-Duman, D., Akyuz, L., Cakmak, Y. S., Kaya, M., Khawar, K. M., Labidi, J., & Boufi, S. (2019). Production of novel chia-mucilage nanocomposite films with starch

- nanocrystals; An inclusive biological and physicochemical perspective. *International Journal of Biological Macromolecules*, 133, 663–673. <https://doi.org/10.1016/j.ijbiomac.2019.04.146>
- Nair, S. B., Alummoottil N, J., & Moothandasserry S, S. (2017). Chitosan-konjac glucomannan-cassava starch-nanosilver composite films with moisture resistant and antimicrobial properties for food-packaging applications. *Starch/Staerke*, 69(1–2). <https://doi.org/10.1002/star.201600210>
- Navi'atur, R. A. K. N., Sahputri, R. E., Aisyah, S. N., Muslikhatul, M., & Waryoko. (2023). Karakterisasi edible film pati singkong yang diinkorporasi alicin umbi lapis kucai (*Allium tuberosum*) pada bakso. *Agrointek*, 17(1), 202–212. <https://doi.org/10.21107/agrointek.v17i1.13154>
- Nessi, V., Falourd, X., Maigret, J. E., Cahier, K., D'Orlando, A., Descamps, N., Gaucher, V., Chevigny, C., & Lourdin, D. (2019). Cellulose nanocrystals-starch nanocomposites produced by extrusion: Structure and behavior in physiological conditions. *Carbohydrate Polymers*, 225. <https://doi.org/10.1016/j.carbpol.2019.115123>
- Ni, Y., Liu, Y., Zhang, W., Shi, S., Zhu, W., Wang, R., Zhang, L., Chen, L., Sun, J., Pang, J., & Wang, J. (2021). Advanced konjac glucomannan-based films in food packaging: Classification, preparation, formation mechanism and function. In *LWT* (Vol. 152). Academic Press. <https://doi.org/10.1016/j.lwt.2021.112338>
- Nissa, R. C., Fikriyyah, A. K., Abdullah, A. H. D., & Pudjiraharti, S. (2019). Preliminary study of biodegradability of starch-based bioplastics using ASTM G21-70, dip-hanging, and Soil Burial Test methods. *IOP Conference Series: Earth and Environmental Science*, 277(1). <https://doi.org/10.1088/1755-1315/277/1/012007>
- Niu, W., Pu, H., Liu, G., Fang, C., Yang, Q., Chen, Z., & Huang, J. (2020). Effect of repeated heat-moisture treatments on the structural characteristics of nanocrystals from waxy maize starch. *International Journal of Biological Macromolecules*, 158, 732–739. <https://doi.org/10.1016/j.ijbiomac.2020.04.236>
- Noshirvani, N., Hong, W., Ghanbarzadeh, B., Fasihi, H., & Montazami, R. (2018). Study of cellulose nanocrystal doped starch-polyvinyl alcohol bionanocomposite films. *International Journal of Biological Macromolecules*, 107, 2065–2074. <https://doi.org/10.1016/j.ijbiomac.2017.10.083>

- Nurhaliza, Y., Nurulhaq, F., Yudhanto, S. M., & Suryanti, V. (2022). Edible film from microcrystalline cellulose (MCC) of waste banana (*Musa paradisiaca*) stem and chitosan. *Journal of Physics: Conference Series*, 2190(1). <https://doi.org/10.1088/1742-6596/2190/1/012027>
- Orsuwan, A., & Sothornvit, R. (2018). Effect of banana and plasticizer types on mechanical, water barrier, and heat sealability of plasticized banana-based films. *Journal of Food Processing and Preservation*, 42(1). <https://doi.org/10.1111/jfpp.13380>
- Othman, N. A., Adam, F., & Mat Yasin, N. H. (2020). Reinforced bioplastic film at different microcrystalline cellulose concentration. *Materials Today: Proceedings*, 41, 77–82. <https://doi.org/10.1016/j.matpr.2020.11.1010>
- Othman, S. H., Majid, N. A., Tawakkal, I. S. M. A., Basha, R. K., Nordin, N., & Shapi'i, R. A. (2019). Tapioca starch films reinforced with microcrystalline cellulose for potential food packaging application. *Food Science and Technology (Brazil)*, 39(3), 605–612. <https://doi.org/10.1590/fst.36017>
- Oyeyinka, S. A., Adeloye, A. A., Olaomo, O. O., & Kayitesi, E. (2020). Effect of fermentation time on physicochemical properties of starch extracted from cassava root. *Food Bioscience*, 33. <https://doi.org/10.1016/j.fbio.2019.100485>
- Paixão e Silva, G. de L., Bento, J. A. C., Soares Júnior, M. S., & Caliari, M. (2021). Trend of Modification by Autoclave at Low Pressure and by Natural Fermentation in Sweet Potato and Cassava Starches. In *Polysaccharides* (Vol. 2, Issue 2, pp. 354–372). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/polysaccharides2020023>
- Pak, E. S., Ghaghelestani, S. N., & Najafi, M. A. (2020). Preparation and characterization of a new edible film based on Persian gum with glycerol plasticizer. *Journal of Food Science and Technology*, 57(9), 3284–3294. <https://doi.org/10.1007/s13197-020-04361-1>
- Pan, L., Li, P., & Tao, Y. (2020). Preparation and properties of microcrystalline cellulose/fish gelatin composite film. *Materials*, 13(19), 1–15. <https://doi.org/10.3390/ma13194370>
- Pereda, M., Ponce, A. G., Marcovich, N. E., Ruseckaite, R. A., & Martucci, J. F. (2011). Chitosan-gelatin composites and bi-layer films with potential antimicrobial activity. *Food Hydrocolloids*, 25(5), 1372–1381. <https://doi.org/10.1016/j.foodhyd.2011.01.001>

- Pereira, D. G. M., Vieira, J. M., Vicente, A. A., & Cruz, R. M. S. (2021). Development and characterization of pectin films with salicornia ramosissima: Biodegradation in soil and seawater. *Polymers*, 13(16). <https://doi.org/10.3390/polym13162632>
- Pérez-Vergara, L. D., Cifuentes, M. T., Franco, A. P., Pérez-Cervera, C. E., & Andrade-Pizarro, R. D. (2020). Development and characterization of edible films based on native cassava starch, beeswax, and propolis. *NFS Journal*, 21, 39–49. <https://doi.org/10.1016/j.nfs.2020.09.002>
- Pires, J., de Paula, C. D., Souza, V. G. L., Fernando, A. L., & Coelhoso, I. (2021). Understanding the barrier and mechanical behavior of different nanofillers in chitosan films for food packaging. In *Polymers* (Vol. 13, Issue 5, pp. 1–29). MDPI AG. <https://doi.org/10.3390/polym13050721>
- Pirsa, S., Mohtarami, F., & Kalantari, S. (2020). Chemical Review and Letters Preparation of biodegradable composite starch/tragacanth gum/Nanoclay film and study of its physicochemical and mechanical properties. *Chem Rev Lett*, 3, 98–106.
- Priyadarshi, R., & Rhim, J. W. (2020). Chitosan-based biodegradable functional films for food packaging applications. In *Innovative Food Science and Emerging Technologies* (Vol. 62). Elsevier Ltd. <https://doi.org/10.1016/j.ifset.2020.102346>
- Qi, R., Jones, D. L., Liu, Q., Liu, Q., Li, Z., & Yan, C. (2021). Field test on the biodegradation of poly(butylene adipate-co-terephthalate) based mulch films in soil. *Polymer Testing*, 93. <https://doi.org/10.1016/j.polymertesting.2020.107009>
- Rahmawati, M., Arief, M., & Satyantini, W. H. (2019). The Effect of Sorbitol Addition on the Characteristic of Carrageenan Edible Film. *IOP Conference Series: Earth and Environmental Science*, 236(1). <https://doi.org/10.1088/1755-1315/236/1/012129>
- Rajisha, K. R., Maria, H. J., Pothan, L. A., Ahmad, Z., & Thomas, S. (2014). Preparation and characterization of potato starch nanocrystal reinforced natural rubber nanocomposites. *International Journal of Biological Macromolecules*, 67, 147–153. <https://doi.org/10.1016/j.ijbiomac.2014.03.013>
- Razavi, S. M. A., Mohammad Amini, A., & Zahedi, Y. (2015). Characterisation of a new biodegradable edible film based on sage seed gum: Influence of

- plasticiser type and concentration. *Food Hydrocolloids*, 43, 290–298. <https://doi.org/10.1016/j.foodhyd.2014.05.028>
- Rezaei, M., Pirsa, S., & Chavoshizadeh, S. (2020). Photocatalytic/Antimicrobial Active Film Based on Wheat Gluten/ZnO Nanoparticles. *Journal of Inorganic and Organometallic Polymers and Materials*, 30(7), 2654–2665. <https://doi.org/10.1007/s10904-019-01407-6>
- Salgado, P. R., Di Giorgio, L., Musso, Y. S., & Mauri, A. N. (2021). Recent Developments in Smart Food Packaging Focused on Biobased and Biodegradable Polymers. In *Frontiers in Sustainable Food Systems* (Vol. 5). Frontiers Media S.A. <https://doi.org/10.3389/fsufs.2021.630393>
- Saberi, B., Chockchaisawasdee, S., Golding, J. B., Scarlett, C. J., & Stathopoulos, C. E. (2017). Physical and mechanical properties of a new edible film made of pea starch and guar gum as affected by glycols, sugars and polyols. *International Journal of Biological Macromolecules*, 104, 345–359. <https://doi.org/10.1016/j.ijbiomac.2017.06.051>
- Sachcha, I. H., Paddar, K., Minar, M. M., Rahman, L., Hasan, S. M. K., Akhtaruzzaman, M., Billah, M. T., & Yasmin, S. (2024). Development of eco-friendly biofilms by utilizing microcrystalline cellulose extract from banana pseudo-stem. *Heliyon*, 10(7). <https://doi.org/10.1016/j.heliyon.2024.e29070>
- Salari, M., Sowti Khiabani, M., Rezaei Mokarram, R., Ghanbarzadeh, B., & Samadi Kafil, H. (2018). Development and evaluation of chitosan based active nanocomposite films containing bacterial cellulose nanocrystals and silver nanoparticles. *Food Hydrocolloids*, 84, 414–423. <https://doi.org/10.1016/j.foodhyd.2018.05.037>
- Santana, J. S., de Carvalho Costa, K., Rodrigues, P. R., Correia, P. R. C., Cruz, R. S., & Druzian, J. I. (2019). Morphological, barrier, and mechanical properties of cassava starch films reinforced with cellulose and starch nanoparticles. *Journal of Applied Polymer Science*, 136(4). <https://doi.org/10.1002/app.47001>
- Scharfe, B., Lehmann, S., Gerdes, T., & Brüggemann, D. (2019). Optical and mechanical properties of highly transparent glass-flake composites. *Journal of Composites Science*, 3(4). <https://doi.org/10.3390/jcs3040101>
- Shah, U., Naqash, F., Gani, A., & Masoodi, F. A. (2016). Art and Science behind Modified Starch Edible Films and Coatings: A Review. *Comprehensive Reviews in Food Science and Food Safety*, 15(3), 568–580. <https://doi.org/10.1111/1541-4337.12197>

- Shi, A. M., Wang, L. J., Li, D., & Adhikari, B. (2013). Characterization of starch films containing starch nanoparticles Part 1: Physical and mechanical properties. *Carbohydrate Polymers*, 96(2), 593–601. <https://doi.org/10.1016/j.carbpol.2012.12.042>
- Silva, A. P. M., Oliveira, A. V., Pontes, S. M. A., Pereira, A. L. S., Souza Filho, M. de sá M., Rosa, M. F., & Azeredo, H. M. C. (2019). Mango kernel starch films as affected by starch nanocrystals and cellulose nanocrystals. *Carbohydrate Polymers*, 211, 209–216. <https://doi.org/10.1016/j.carbpol.2019.02.013>
- Singh, T. P., Chatli, M. K., & Sahoo, J. (2015). Development of chitosan based edible films: process optimization using response surface methodology. *Journal of Food Science and Technology*, 52(5), 2530–2543. <https://doi.org/10.1007/s13197-014-1318-6>
- Song, M. R., Choi, S. H., Oh, S. M., Kim, H. yun, Bae, J. E., Park, C. S., Kim, B. Y., & Baik, M. Y. (2017). Characterization of amorphous granular starches prepared by high hydrostatic pressure (HHP). *Food Science and Biotechnology*, 26(3), 671–678. <https://doi.org/10.1007/s10068-017-0106-2>
- Su, C. yan, Xia, T., Li, D., Wang, L. jun, & Wang, Y. (2023). Hybrid biodegradable materials from starch and hydrocolloid: fabrication, properties and applications of starch-hydrocolloid film, gel and bead. In *Critical Reviews in Food Science and Nutrition*. Taylor and Francis Ltd. <https://doi.org/10.1080/10408398.2023.2257786>
- Suderman, N., Isa, M. I. N., & Sarbon, N. M. (2018). The effect of plasticizers on the functional properties of biodegradable gelatin-based film: A review. In *Food Bioscience* (Vol. 24, pp. 111–119). Elsevier Ltd. <https://doi.org/10.1016/j.fbio.2018.06.006>
- Sugih, A. K., Christabella, L., Kristianto, H., & Prasetyo, S. (2019). Effect of different types of phosphorylating reagent on the synthesis of modified tapioca starch. *IOP Conference Series: Materials Science and Engineering*, 673(1). <https://doi.org/10.1088/1757-899X/673/1/012001>
- Sulistyo, J., & Nakahara, K. (2013). Physicochemical Properties of Modified Cassava Starch Prepared by Application of Mixed Microbial Starter. *Journal of Microbiology Biotechnology and Food Sciences*, 2(7), 1–8. <http://www.ijsk.org/ijrafs.html>
- Sun, J., Du, Y., Ma, J., Li, Y., Wang, L., Lu, Y., Zou, J., Pang, J., & Wu, C. (2019). Transparent bionanocomposite films based on konjac glucomannan, chitosan, and TEMPO-oxidized chitin nanocrystals with enhanced mechanical and

- barrier properties. *International Journal of Biological Macromolecules*, 138, 866–873. <https://doi.org/10.1016/j.ijbiomac.2019.07.170>
- Sun, J., Jiang, H., Wu, H., Tong, C., Pang, J., & Wu, C. (2020). Multifunctional bionanocomposite films based on konjac glucomannan/chitosan with nano-ZnO and mulberry anthocyanin extract for active food packaging. *Food Hydrocolloids*, 107. <https://doi.org/10.1016/j.foodhyd.2020.105942>
- Suzana, M., Maria Victória Eiras, G., Alejandra, G., Miriam, M., & Noemi E, Z. (2009). Antiplasticizing effect of glycerol and sorbitol on the properties of cassava starch films Efeito antiplastificante de glicerol e sorbitol nas propriedades de filmes de amido de mandioca. *Brazilian Journal of Food Technology*, 11(3), 194–200. www.ital.sp.gov.br/bj
- Talón, E., Trifkovic, K. T., Nedovic, V. A., Bugarski, B. M., Vargas, M., Chiralt, A., & González-Martínez, C. (2017). Antioxidant edible films based on chitosan and starch containing polyphenols from thyme extracts. *Carbohydrate Polymers*, 157, 1153–1161. <https://doi.org/10.1016/j.carbpol.2016.10.080>
- Tatirat, O., & Charoenrein, S. (2011). Physicochemical properties of konjac glucomannan extracted from konjac flour by a simple centrifugation process. *LWT*, 44(10), 2059–2063. <https://doi.org/10.1016/j.lwt.2011.07.019>
- Teixeira-Costa, B. E., & Andrade, C. T. (2021). Chitosan as a valuable biomolecule from seafood industry waste in the design of green food packaging. In *Biomolecules* (Vol. 11, Issue 11). MDPI. <https://doi.org/10.3390/biom11111599>
- Thakur, R., Pristijono, P., Scarlett, C. J., Bowyer, M., Singh, S. P., & Vuong, Q. V. (2019). Starch-based edible coating formulation: Optimization and its application to improve the postharvest quality of “Cripps pink” apple under different temperature regimes. *Food Packaging and Shelf Life*, 22. <https://doi.org/10.1016/j.fpsl.2019.100409>
- Thuppahige, V. T. W., Moghaddam, L., Welsh, Z. G., Wang, T., & Karim, A. (2023). Investigation of critical properties of Cassava (*Manihot esculenta*) peel and bagasse as starch-rich fibrous agro-industrial wastes for biodegradable food packaging. *Food Chemistry*, 422. <https://doi.org/10.1016/j.foodchem.2023.136200>
- Tian, H., Liu, D., Yao, Y., Ma, S., Zhang, X., & Xiang, A. (2017). Effect of Sorbitol Plasticizer on the Structure and Properties of Melt Processed Polyvinyl

- Alcohol Films. *Journal of Food Science*, 82(12), 2926–2932.
<https://doi.org/10.1111/1750-3841.13950>
- Tian, Y., Zhang, K., Zhou, M., Wei, Y. J., Cheng, F., Lin, Y., & Zhu, P. X. (2019). High-Performance Starch Films Reinforced With Microcrystalline Cellulose Made From Eucalyptus Pulp via Ball Milling and Mercerization. *Starch/Staerke*, 71(3–4). <https://doi.org/10.1002/star.201800218>
- Umaraw, P., & Verma, A. K. (2017). Comprehensive review on application of edible film on meat and meat products: An eco-friendly approach. *Critical Reviews in Food Science and Nutrition*, 57(6), 1270–1279.
<https://doi.org/10.1080/10408398.2014.986563>
- Vahedikia, N., Garavand, F., Tajeddin, B., Cacciotti, I., Jafari, S. M., Omidi, T., & Zahedi, Z. (2019). Biodegradable zein film composites reinforced with chitosan nanoparticles and cinnamon essential oil: Physical, mechanical, structural and antimicrobial attributes. *Colloids and Surfaces B: Biointerfaces*, 177, 25–32. <https://doi.org/10.1016/j.colsurfb.2019.01.045>
- Velásquez-Castillo, L. E., Leite, M. A., Tisnado, V. J. A., Ditchfield, C., Sobral, P. J. do A., & Moraes, I. C. F. (2023). Cassava Starch Films Containing Quinoa Starch Nanocrystals: Physical and Surface Properties. *Foods*, 12(3).
<https://doi.org/10.3390/foods12030576>
- Vieira, M. G. A., Da Silva, M. A., Dos Santos, L. O., & Beppu, M. M. (2011). Natural-based plasticizers and biopolymer films: A review. In *European Polymer Journal* (Vol. 47, Issue 3, pp. 254–263).
<https://doi.org/10.1016/j.eurpolymj.2010.12.011>
- Wang, H., Gong, X., Miao, Y., Guo, X., Liu, C., Fan, Y. Y., Zhang, J., Niu, B., & Li, W. (2019). Preparation and characterization of multilayer films composed of chitosan, sodium alginate and carboxymethyl chitosan-ZnO nanoparticles. *Food Chemistry*, 283, 397–403.
<https://doi.org/10.1016/j.foodchem.2019.01.022>
- Wang, J., Chen, X., Zhang, C., Akbar, A. R., Shi, Z., Yang, Q., & Xiong, C. (2019). Transparent konjac glucomannan/cellulose nanofibril composite films with improved mechanical properties and thermal stability. *Cellulose*, 26(5), 3155–3165. <https://doi.org/10.1007/s10570-019-02302-6>
- Wang, J., Shang, J., Ren, F., & Leng, X. (2010). Study of the physical properties of whey protein: Sericin protein-blended edible films. *European Food Research and Technology*, 231(1), 109–116. <https://doi.org/10.1007/s00217-010-1259-x>

- Wang, K., Wu, K., Xiao, M., Kuang, Y., Corke, H., Ni, X., & Jiang, F. (2017). Structural characterization and properties of konjac glucomannan and zein blend films. *International Journal of Biological Macromolecules*, 105, 1096–1104. <https://doi.org/10.1016/j.ijbiomac.2017.07.127>
- Wang, L., Lin, L., Chen, X., Tong, C., & Pang, J. (2019). Synthesis and characteristics of konjac glucomannan films incorporated with functionalized microcrystalline cellulose. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 563, 237–245. <https://doi.org/10.1016/j.colsurfa.2018.12.015>
- Wang, X., Huang, L., Zhang, C., Deng, Y., Xie, P., Liu, L., & Cheng, J. (2020). Research advances in chemical modifications of starch for hydrophobicity and its applications: A review. *Carbohydrate Polymers*, 240(116292). <https://doi.org/10.1016/j.carbpol.2020.116292>
- Wei, B., Hu, X., Li, H., Wu, C., Xu, X., Jin, Z., & Tian, Y. (2014). Effect of pHs on dispersity of maize starch nanocrystals in aqueous medium. *Food Hydrocolloids*, 36, 369–373. <https://doi.org/10.1016/j.foodhyd.2013.08.015>
- Wei, B., Zhang, B., Sun, B., Jin, Z., Xu, X., & Tian, Y. (2016). Aqueous redispersibility of starch nanocrystal powder improved by sodium hypochlorite oxidation. *Food Hydrocolloids*, 52, 29–37. <https://doi.org/10.1016/j.foodhyd.2015.06.006>
- Wibowo, C., Salsabila, S., Muna, A., Rusliman, D., & Wasisto, H. S. (2024). Advanced biopolymer-based edible coating technologies for food preservation and packaging. In *Comprehensive Reviews in Food Science and Food Safety* (Vol. 23, Issue 1, pp. 1–31). John Wiley and Sons Inc. <https://doi.org/10.1111/1541-4337.13275>
- Wu, C., Li, Y., Du, Y., Wang, L., Tong, C., Hu, Y., Pang, J., & Yan, Z. (2019). Preparation and characterization of konjac glucomannan-based bionanocomposite film for active food packaging. *Food Hydrocolloids*, 89, 682–690. <https://doi.org/10.1016/j.foodhyd.2018.11.001>
- Wu, C., Zhu, Y., Wu, T., Wang, L., Yuan, Y., Chen, J., Hu, Y., & Pang, J. (2019). Enhanced functional properties of biopolymer film incorporated with curcumin-loaded mesoporous silica nanoparticles for food packaging. *Food Chemistry*, 288, 139–145. <https://doi.org/10.1016/j.foodchem.2019.03.010>
- Xiao, H., Yang, F., Lin, Q., Zhang, Q., Tang, W., Zhang, L., Xu, D., & Liu, G. Q. (2019). Preparation and properties of hydrophobic films based on acetylated broken-rice starch nanocrystals for slow protein delivery. *International*

Journal of Biological Macromolecules, 138, 556–564.
<https://doi.org/10.1016/j.ijbiomac.2019.07.121>

Xu, J., Xia, R., Zheng, L., Yuan, T., & Sun, R. (2019). Plasticized hemicelluloses/chitosan-based edible films reinforced by cellulose nanofiber with enhanced mechanical properties. *Carbohydrate Polymers*, 224. <https://doi.org/10.1016/j.carbpol.2019.115164>

Yan, J., Cui, R., Qin, Y., Li, L., & Yuan, M. (2021). A pH indicator film based on chitosan and butterfly pudding extract for monitoring fish freshness. *International Journal of Biological Macromolecules*, 177, 328–336. <https://doi.org/10.1016/j.ijbiomac.2021.02.137>

Yang, G., Xia, Y., Lin, Z., Zhang, K., Fatehi, P., & Chen, J. (2021). Physicochemical impact of cellulose nanocrystal on oxidation of starch and starch based composite films. *International Journal of Biological Macromolecules*, 184, 42–49. <https://doi.org/10.1016/j.ijbiomac.2021.06.009>

Ye, X., Kennedy, J. F., Li, B., & Xie, B. J. (2006). Condensed state structure and biocompatibility of the konjac glucomannan/chitosan blend films. *Carbohydrate Polymers*, 64(4), 532–538. <https://doi.org/10.1016/j.carbpol.2005.11.005>

Yu, X., Liu, Q., Jin, Z., & Jiao, A. (2023). Preparation and characterization of hydroxypropyl methylcellulose/hydroxypropyl starch composite films reinforced by chitosan nanoparticles of different sizes. *Materials Today Communications*, 35. <https://doi.org/10.1016/j.mtcomm.2023.105714>

Zhai, X., Zhang, X., Ao, H., Yin, Y., Li, X., & Ren, D. (2021). Preparation and characterization of whey protein isolate/chitosan/microcrystalline cellulose composite films. *Packaging Technology and Science*, 34(9), 589–599. <https://doi.org/10.1002/pts.2597>

Zhao, J., Wang, Y., & Liu, C. (2022). Film Transparency and Opacity Measurements. *Food Analytical Methods*, 15(10), 2840–2846. <https://doi.org/10.1007/s12161-022-02343-x>

Zhong, Y., Song, X., & Li, Y. (2011). Antimicrobial, physical and mechanical properties of kudzu starch-chitosan composite films as a function of acid solvent types. *Carbohydrate Polymers*, 84(1), 335–342. <https://doi.org/10.1016/j.carbpol.2010.11.041>

Zhou, J., Tong, J., Su, X., & Ren, L. (2016). Hydrophobic starch nanocrystals preparations through crosslinking modification using citric acid. *International*

Journal of Biological Macromolecules, 91, 1186–1193.
<https://doi.org/10.1016/j.ijbiomac.2016.06.082>

Zhu, F. (2018). Modifications of konjac glucomannan for diverse applications. *Food Chemistry*, 256, 419–426.
<https://doi.org/10.1016/j.foodchem.2018.02.151>

Zhuang, C., Jiang, Y., Zhong, Y., Zhao, Y., Deng, Y., Yue, J., Wang, D., Jiao, S., Gao, H., Chen, H., & Mu, H. (2018). Development and characterization of nano-bilayer films composed of polyvinyl alcohol, chitosan and alginate. *Food Control*, 86, 191–199. <https://doi.org/10.1016/j.foodcont.2017.11.024>

