

## DAFTAR PUSTAKA

- Anestis, A., Pörtner, H. O., Karagiannis, D., Angelidis, P., Staikou, A., & Michaelidis, B. (2010). Response of *Mytilus galloprovincialis* (L.) to increasing seawater temperature and to marteliosis: Metabolic and physiological parameters. *Comparative Biochemistry and Physiology - A Molecular and Integrative Physiology*, 156(1), 57–66.  
<https://doi.org/10.1016/j.cbpa.2009.12.018>
- Aura, C. M. (2015). *An integrated approach of habitat suitability model for management of Japanese scallop (Mizuhopecten yessoensis) aquaculture*. Hokkaido University.  
<http://hdl.handle.net/2115/58593>
- Aya, F. A., Hidaka, Y., & Kudo, I. (2014). Clearance rates and ingestion efficiency of the Japanese scallop *Patinopecten yessoensis*. *Plankton Benthos Res*, 8(3), 134–140.
- Baba, K., Sugawara, R., Nitta, H., Endou, K., & Miyazono, A. (2009). Relationship between spat density, food availability, and growth of spawners in cultured *Mizuhopecten yessoensis* in Funka Bay: Concurrence with El Niño Southern Oscillation. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(1), 6–17.  
<https://doi.org/10.1139/F08-183>
- Belogradov, E. A. (1981). Biological Bases of Cultivation of the Japanese Scallop *Patinopecten yessoensis* (Jay) (Molluska, Bivalvia) in Posjet Bay, Sea of Japan. . . *Ph.D. Dissertation, Institute of Marine Biology, Vladivostok, Russian*.
- Coleman, S., Kiffney, T., Tanaka, K. R., Morse, D., & Brady, D. C. (2022). Meta-analysis of growth and mortality rates of net cultured sea scallops across the Northwest Atlantic. *Aquaculture*, 546.  
<https://doi.org/10.1016/j.aquaculture.2021.737392>
- Dulenina, P. A., & Dulenin, A. A. (2012). The distribution, size and age compositions, and growth of the scallop *Mizuhopecten yessoensis* (Bivalvia:

- Pectinidae) in the northwestern Tatar Strait. *Russian Journal of Marine Biology*, 38(4), 310–317. <https://doi.org/10.1134/S1063074012040037>
- Dvoretzky, A. G., & Dvoretzky, V. G. (2022). Biological Aspects, Fisheries, and Aquaculture of Yesso Scallops in Russian Waters of the Sea of Japan. In *Diversity* (Vol. 14, Issue 5). MDPI. <https://doi.org/10.3390/d14050399>
- Fitzgerald, D. (2021). *Maine Scallop Aquaculture Report*. University Of Mine. 1- 46.
- Hamada, T., Yamashita, N., Takagi, S., & Natsume, S. (2000). Difference in Performance of Three Ear-hanging Methods in Scallop Farming. *Bull. Fac. Fish. Hokkaido Univ*, 51(2), 105–106.
- Japan Fisheries Association. (2020). *Keterampilan Khusus Buku Teks Untuk Tes Keterampilan Perikanan (Budidaya)*. Edisi Pertama, 1-40.
- Kosaka, Y. (2016). Scallop Fisheries and Aquaculture in Japan. *Journal Scallops*, 2(1), 891–936.
- Kurniawan, R., Iskandar, Suryana, A. A. H., & Herman, R. G. (2023). The Cultivation of Scallop (*Patinopecten yessoensis*) in Hokkaido, Japan. *Asian Journal of Fisheries and Aquatic Research*, 25(3), 67–73. <https://doi.org/10.9734/ajfar/2023/v25i3668>
- Kurniawati, F., Sanjoto, T. B., & Juhadi. (2015). Pendugaan Zona Potensi Penangkapan Ikan Pelagis Kecil Di Perairan Laut Jawa Pada Musim Barat Dan Musim Timur Dengan Menggunakan Citra Aqua Modis. *Geo Image (Spatial-Ecological-Regional)*, 4(2), 9–19. <http://journal.unnes.ac.id/sju/index.php/geoimage>
- Laing, I. (2000). Effect of temperature and ration on growth and condition of king scallop *Pecten maximus* spat. *Aquaculture*, 183, 325–334. [www.elsevier.nl/locate/aqua-online](http://www.elsevier.nl/locate/aqua-online)
- Liu, W. D., Li, H. J., Bao, X. B., Gao, X. G., Li, Y. F., He, C. B., & Liu, Z. J. (2010). Genetic differentiation between natural and hatchery stocks of Japanese scallop (*Mizuhopecten yessoensis*) as revealed by AFLP analysis.

- International Journal of Molecular Sciences*, 11(10), 3933–3941.  
<https://doi.org/10.3390/ijms11103933>
- Luchin, V. A., & Grigoryeva, N. I. (2020). The Effects of Water Temperature on the Timing of Spawning and Spat Settlement of the Yesso Scallop (*Mizuhopecten yessoensis* Jay, 1857) in Minonosok Cove (Posyet Bay, Peter the Great Bay, Sea of Japan). *Russian Journal of Marine Biology*, 46(7), 580–589.  
<https://doi.org/10.1134/S1063074020070056>
- Maru, K. (1985). Ecological studies on the seed production of scallop, *Patinopecten yessoensis* (Jay). *Sci. Rep. Hokkaido Fish*, 27, 1–71.
- Miyazono, A. (2006). The Current Situation of Mariculture of Scallops and Problems in Estimating their Carrying Capacity in Funka Bay. *Japanese Journal of Benthology*, 61, 45–52.
- Muarif. (2016). Karakteristik Suhu Perairan di Kolam Budidaya Perikanan. *Jurnal Mina Sains*, 2(2), 1–6.
- Nontji, A. (2005). *Laut Nusantara*. Kepulauan Riau ; Edisi Pertama, 1–372.
- Radiarta, I. N., & Saitoh, S. I. (2009). Biophysical models for Japanese scallop, *Mizuhopecten yessoensis*, aquaculture site selection in Funka Bay, Hokkaido, Japan, using remotely sensed data and geographic information system. *Aquaculture International*, 17(5), 403–419.  
<https://doi.org/10.1007/s10499-008-9212-8>
- Radiarta, I. N., Saitoh, S. I., & Miyazono, A. (2008). GIS-based multi-criteria evaluation models for identifying suitable sites for Japanese scallop (*Mizuhopecten yessoensis*) aquaculture in Funka Bay, southwestern Hokkaido, Japan. *Aquaculture*, 284(1–4), 127–135.  
<https://doi.org/10.1016/j.aquaculture.2008.07.048>
- Silina', A. V. (1996). Mortality of late juvenile and adult stages of scallop *Mizuhopecten yessoensis* (Jay). *Aquaculture*, 141, 97–105.

- Silina, A. V. (2023). Effects of temperature, salinity, and food availability on shell growth rates of the Yesso scallop. *PeerJ*, 11. <https://doi.org/10.7717/peerj.14886>
- Silina, A. V., & Zhukova, N. V. (2007). Feeding and growth of Japanese scallop inhabiting different bottom sediment types. *Biology Bulletin*, 34(1), 55–60. <https://doi.org/10.1134/S1062359007010086>
- Sun, X., Yang, A., Wu, B., Zhou, L., & Liu, Z. (2015). Characterization of the mantle transcriptome of Yesso scallop (*Patinopecten yessoensis*): Identification of genes potentially involved in biomineralization and pigmentation. *Plos One*, 10(4), 1–19. <https://doi.org/10.1371/journal.pone.0122967>
- Sutherland, B. J. G., Itoh, N., Gilchrist, K., Boyle, B., Roth, M., & Green, T. J. (2023). Genomic diversity of wild and cultured Yesso scallop *Mizuhopecten yessoensis* from Japan and Canada. *G3: Genes, Genomes, Genetics*, 13(12), 1–11. <https://doi.org/10.1093/g3journal/jkad242>
- Yuniarti, N. W. H. A. T. (2012). *Keanekaragaman dan Distribusi Bivalvia dan Gastropoda (Moluska) di pesisir Glayem Juntinyuat, Indramayu, Jawa Barat*. Institut Pertanian Bogor. <http://repository.ipb.ac.id/handle/123456789/58979>