

## DAFTAR PUSTAKA

- Adane, T. *et al.* (2022) ‘Hematological Abnormalities in Culture Positive Neonatal Sepsis’, *Pediatric Health, Medicine and Therapeutics*, Volume 13(May), pp. 217–225. Available at: <https://doi.org/10.2147/phmt.s361188>.
- Ali, W. *et al.* (2022) ‘Comparison of Procalcitonin in Versus C Reactive Protein in The Detection of Neonatal Sepsis’, 72(1), pp. 131–136.
- Alligood, M. (2018) ‘Nursing theorists and their work’, *Journal of Hospital Librarianship*, pp. 113–113. Available at: <https://www.tandfonline.com/doi/full/10.1080/15323269.2018.1400848>.
- dos Anjos Borges, L.G. *et al.* (2023) ‘Vaginal and neonatal microbiota in pregnant women with preterm premature rupture of membranes and consecutive early onset neonatal sepsis’, *BMC Medicine*, 21(1), pp. 1–18. Available at: <https://doi.org/10.1186/s12916-023-02805-x>.
- Antonov, D. *et al.* (2020) ‘The rash that becomes purpuric, petechial, hemorrhagic, or ecchymotic’, *Clinics in Dermatology*, 38(1), pp. 3–18. Available at: <https://doi.org/10.1016/j.clindermatol.2019.07.036>.
- Arabdin, M. *et al.* (2022) ‘Frequency and Severity of Thrombocytopenia in Neonatal Sepsis’, *Cureus*, 14(2). Available at: <https://doi.org/10.7759/cureus.22665>.
- Atmaja, B.S. *et al.* (2023) ‘Karakteristik Neonatus Yang Mengalami Sepsis Neonatorum Berdasarkan Umur, Jenis Kelamin Dan Berat Bayi Lahir Di Rsud Dr. H. Abdul Moeloek Bandar Lampung’, *Jurnal Ilmu Kedokteran dan Kesehatan*, 9(10), pp. 2701–2706. Available at: <https://doi.org/10.33024/jikk.v9i10.9702>.
- Belachew, A. and Tewabe, T. (2020) ‘Neonatal sepsis and its association with birth weight and gestational age among admitted neonates in Ethiopia: Systematic review and meta-analysis’, *BMC Pediatrics*, 20(1), pp. 1–7. Available at: <https://doi.org/10.1186/s12887-020-1949-x>.
- Beudeker, C.R. *et al.* (2022) ‘Neonatal sepsis and transient immunodeficiency: Potential for novel immunoglobulin therapies?’, *Frontiers in Immunology*, 13(October), pp. 1–8. Available at: <https://doi.org/10.3389/fimmu.2022.1016877>.
- Bhogal, H.K. and Sanyal, A.J. (2016) ‘Sepsis Hiperbilirubinemias’, (3), pp. 87–96.
- Bond. *et al.* (2017) ‘gestation for improving pregnancy outcome (Review)’. Available at: <https://doi.org/10.1002/14651858.CD004735.pub4>. www.cochranelibrary.com.
- Boskabadi, H. *et al.* (2015) ‘Assessment of risk factors and prognosis in asphyxiated infants’, *Iranian Journal of Pediatrics*, 25(4). Available at: <https://doi.org/10.5812/ijp.2006>.

- Brown, R.G. *et al.* (2018) ‘Vaginal dysbiosis increases risk of preterm fetal membrane rupture, neonatal sepsis and is exacerbated by erythromycin’, *BMC Medicine*, 16(1), pp. 1–15. Available at: <https://doi.org/10.1186/s12916-017-0999-x>.
- Can, E., Hamilcikan, S. and Can, C. (2018) ‘The Value of Neutrophil to Lymphocyte Ratio and Platelet to Lymphocyte Ratio for Detecting Early-onset Neonatal Sepsis.’, *Journal of pediatric hematology/oncology*, 40(4), pp. e229–e232. Available at: <https://doi.org/10.1097/MPH.0000000000001059>.
- Can, E., Hamilcikan, S. and Cen, C. (2018) ‘The Value of Neutrophil to Lymphocyte Ratio and Platelet to Lymphocyte Ratio for Detecting Early-onset Neonatal Sepsis’, *Journal of Pediatric Hematology/Oncology*, 40(4), pp. e229–e232. Available at: <https://doi.org/10.1097/MPH.0000000000001059>.
- Catho, G. *et al.* (2023) ‘Risk of catheter-associated bloodstream infection by catheter type in a neonatal intensive care unit: a large cohort study of more than 1100 intravascular catheters’, *Journal of Hospital Infection*, 139, pp. 6–10. Available at: <https://doi.org/10.1016/j.jhin.2023.06.011>.
- Chetta, K.E. *et al.* (2023) ‘Impact of Delayed Time to Antibiotics in Medical and Surgical Necrotizing Enterocolitis’, *Children*, 10(1), pp. 1–13. Available at: <https://doi.org/10.3390/children10010160>.
- Cortés, J.S. *et al.* (2021) ‘Interleukin-6 as a Biomarker of Early-Onset Neonatal Sepsis.’, *American journal of perinatology*, 38(S 01), pp. e338–e346. Available at: <https://doi.org/10.1055/s-0040-1710010>.
- Dahlan, M.S. (2013) *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat, Dilengkapi AAplikasi dengan Menggunakan SPSS*.
- Daka, D.T. *et al.* (2023) ‘Incidence and predictors of mortality among neonates admitted with perinatal asphyxia at west Oromia tertiary hospitals, Ethiopia, 2022’, *BMC Pediatrics*, 23(1), pp. 1–16. Available at: <https://doi.org/10.1186/s12887-023-04313-6>.
- Ershad, M. *et al.* (2019) ‘Neonatal Sepsis Risk factor American Academy of Pediatrics’, *Current Emergency and Hospital Medicine Reports*, 7(3), pp. 83–90.
- Ganfure, G. and Lencha, B. (2023) ‘Sepsis Risk Factors in Neonatal Intensive Care Units of Public Hospitals in Southeast Ethiopia, 2020: A Retrospective Unmatched Case-Control Study’, *International Journal of Pediatrics (United Kingdom)*, 2023. Available at: <https://doi.org/10.1155/2023/3088642>.
- Garg, P.M. *et al.* (2022) ‘Clinical impact of NEC-associated sepsis on outcomes in preterm infants’, *Pediatric Research*, 92(6), pp. 1705–1715. Available at: <https://doi.org/10.1038/s41390-022-02034-7>.

- Getabelew, A. *et al.* (2018) ‘Prevalence of Neonatal Sepsis and Associated Factors among Neonates in Neonatal Intensive Care Unit at Selected Governmental Hospitals in Shashemene Town, Oromia Regional State, Ethiopia, 2017’, *International Journal of Pediatrics*, 2018, pp. 1–7. Available at: <https://doi.org/10.1155/2018/7801272>.
- Gialamprinou, D. *et al.* (2022) ‘Neonatal Sepsis and Hemostasis’, *Diagnostics*, 12(2), pp. 1–12. Available at: <https://doi.org/10.3390/diagnostics12020261>.
- Goh, G.L. *et al.* (2022) ‘Risk Factors for Mortality From Late-Onset Sepsis Among Preterm Very-Low-Birthweight Infants: A Single-Center Cohort Study From Singapore’, *Frontiers in Pediatrics*, 9(January), pp. 1–9. Available at: <https://doi.org/10.3389/fped.2021.801955>.
- Hincu, M.A. *et al.* (2024) ‘Investigating the Association between Serum and Hematological Biomarkers and Neonatal Sepsis in Newborns with Premature Rupture of Membranes: A Retrospective Study’, *Children*, 11(1). Available at: <https://doi.org/10.3390/children11010124>.
- IDAI (2018) ‘Buku Panduan Pelayanan Neonatal UKK Neonatalogi PP IDAI Edisi pertama Penyunting: Adhi Teguh Perma Iskandar Kartika Darma Handayani Rocky Wilar Setyadewi Lusyati Tetty Yuniati Toto Wisnu Hendarso Tunjung Wibowo’.
- Indrio, F. *et al.* (2022) ‘Development of the Gastrointestinal Tract in Newborns as a Challenge for an Appropriate Nutrition: A Narrative Review’, *Nutrients*, 14(7). Available at: <https://doi.org/10.3390/nu14071405>.
- Jamil, S., and Dkk. (207AD) *Buku ajar asuhan kebidanan ,neonatus,bayi,balita dan anak pra sekolah*.
- Kemenkes RI. (2016) *Profil Kesehatan Indo-nesia*.
- Kemenkes RI (2013) ‘Buku Saku Pelayanan Kesehatan Neonatal Esensi’, *Kementerian Kesehatan RI*, pp. 23–28.
- Kristóf, K. and Pongrácz, J. (2016) ‘Interpretation of Blood Microbiology Results - Function of the Clinical Microbiologist.’, *Ejifcc*, 27(2), pp. 147–55. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/27683527%0A http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4975230/>
- Lee J, Romero R, Lee KA, Kim EN, Korzeniewski SJ, Chaemsathong P, Y.B. (2016) ‘Meconium aspiration syndrome: a role for fetal systemic inflammation.’
- Mazuel, M. *et al.* (2024) ‘Systematic culture of central catheters and infections related to catheters in a neonatal intensive care unit: an observational study’, *Scientific Reports*, 14(1), pp. 1–7. Available at: <https://doi.org/10.1038/s41598-024-59371-2>.
- Monfredini, C. *et al.* (2021) ‘Meconium aspiration syndrome: A narrative review’, *Children*, 8(3), pp. 1–13. Available at: <https://doi.org/10.3390/children8030230>.

- Morton, S.U. and Brodsky, D. (2016) ‘Fetal Physiology and the Transition to Extrauterine Life’, *Clinics in Perinatology*, 43(3), pp. 395–407. Available at: <https://doi.org/10.1016/j.clp.2016.04.001>.
- Murthy, S. et al. (2019) ‘Risk factors of neonatal sepsis in India: A systematic review and meta-analysis’, *PLoS ONE*, 14(4), pp. 1–26. Available at: <https://doi.org/10.1371/journal.pone.0215683>.
- Nyma, Z. et al. (2020) ‘Prevalence and Associated Risk Factors of Sepsis among Neonates Admitted into Neonatal Intensive Care Units of Public Hospitals in Dhaka’, *Cureus*, 12(3). Available at: <https://doi.org/10.7759/cureus.7461>.
- Omran, H. (2017). Re: What is the difference between predictor and risk factor in Epidemiological Study?. Retrieved from: <https://www.researchgate.net/post/What-is-the-difference-between-predictor-and-risk-factor-in-Epidemiological-Study/588cae69dc332dd99236d24f/citation/download>.
- Pal, S. et al. (2020) ‘Predicting Outcome in Neonates with Possible Clinical Sepsis by Estimating an Early Score for Neonatal Acute Physiology-II (SNAP-II).’, *Journal of tropical pediatrics*, 66(4), pp. 377–384. Available at: <https://doi.org/10.1093/tropej/fmz076>.
- Polit, D. F., & Beck, C. T. (2006). The content validity index: are you sure you know what's being reported? Critique and recommendations. *Research in nursing & health*, 29(5), 489–497. <https://doi.org/10.1002/nur.20147>
- Pusponegoro, T.S. (2016) ‘Sepsis pada Neonatus (Sepsis Neonatal)’, *Sari Pediatri*, 2(2), p. 96. Available at: <https://doi.org/10.14238/sp2.2.2000.96-102>.
- Rahmawati, P., Mayetti, M. and Rahman, S. (2018) ‘Hubungan Sepsis Neonatorum dengan Berat Badan Lahir pada Bayi di RSUP Dr. M. Djamil Padang’, *Jurnal Kesehatan Andalas*, 7(3), p. 405. Available at: <https://doi.org/10.25077/jka.v7i3.894>.
- Raufaindah, E. et al. (2022) *Tatalaksana Bayi Baru Lahir*, Media Sains Indonesia.
- Ree, I.M.C. et al. (2017) ‘Thrombocytopenia in neonatal sepsis: Incidence, severity and risk factors’, *PLoS ONE*, 12(10), pp. 1–10. Available at: <https://doi.org/10.1371/journal.pone.0185581>.
- Rodrigues, I.B. et al. (2017) ‘Development and validation of a new tool to measure the facilitators, barriers and preferences to exercise in people with osteoporosis’, *BMC Musculoskeletal Disorders*, 18(1), pp. 1–9. Available at: <https://doi.org/10.1186/s12891-017-1914-5>.
- Rofli, M. (2021) ‘Teori dan Falsafah Keperawatan’, *Paper Knowledge . Toward a Media History of Documents*, 5(2), pp. 40–51.
- Saleh, K. and Alqahtani, R.M. (2021) ‘Platelet count patterns and patient outcomes in sepsis at a tertiary care center: Beyond the APACHE score’, *Medicine (United States)*, 100(18), p. E25013. Available at: <https://doi.org/10.1097/MD.0000000000025013>.
- Samanta, M. et al. (2020) ‘Performance of SNAPPE-II score in neonatal sepsis: an experience from a tertiary care center.’, *The Turkish journal of*

- pediatrics*, 62(2), pp. 191–198. Available at: <https://doi.org/10.24953/turkjped.2020.02.004>.
- Shah, B.A. and Padbury, J.F. (2014) ‘Neonatal sepsis an old problem with new insights’, *Virulence*, 5(1), pp. 170–178. Available at: <https://doi.org/10.4161/viru.26906>.
- Sharma, D. et al. (2018) ‘Biomarkers for diagnosis of neonatal sepsis: a literature review’, *Journal of Maternal-Fetal and Neonatal Medicine*, 31(12), pp. 1646–1659. Available at: <https://doi.org/10.1080/14767058.2017.1322060>.
- Sokou, R., Giallouros, G., Konstantinidi, A., Pantavou, K., Nikolopoulos, G., Bonovas, S., Lytras, T., Kyriakou, E., Lambadaridis, I., Gounaris, A., Douramani, P., Valsami, S., Kapsimali, V., Iacovidou, N. and Tsantes, Argirios E (2018) ‘Thromboelastometry for diagnosis of neonatal sepsis-associated coagulopathy: an observational study.’, *European journal of pediatrics*, 177(3), pp. 355–362. Available at: <https://doi.org/10.1007/s00431-017-3072-z>.
- Sokou, R., Giallouros, G., Konstantinidi, A., Pantavou, K., Nikolopoulos, G., Bonovas, S., Lytras, T., Kyriakou, E., Lambadaridis, I., Gounaris, A., Douramani, P., Valsami, S., Kapsimali, V., Iacovidou, N. and Tsantes, Argirios E. (2018) ‘Thromboelastometry for diagnosis of neonatal sepsis-associated coagulopathy: an observational study’, *European Journal of Pediatrics*, 177(3), pp. 355–362. Available at: <https://doi.org/10.1007/s00431-017-3072-z>.
- Sokou, R. et al. (2022) ‘Development and validation of a sepsis diagnostic scoring model for neonates with suspected sepsis’, *Frontiers in Pediatrics*, 10(October), pp. 1–15. Available at: <https://doi.org/10.3389/fped.2022.1004727>.
- Suwarna, N.O. et al. (2022) ‘Faktor Risiko Kejadian Sepsis Neonatorum Awitan Dini di Rumah Sakit Umum Pusat Dr. Hasan Sadikin Bandung’, *Sari Pediatri*, 24(2), p. 99. Available at: <https://doi.org/10.14238/sp24.2.2022.99-105>.
- UNICEF (2018) ‘Neonatal Care Clinical Guidelines’, *Ministry of Health Eswatini*, p. 180. Available at: <https://www.unicef.org/eswatini/media/631/file/UNICEF-Sd-Neonatal-Guidelines-report-2018.pdf>.
- Vázquez-Martínez, E.R. et al. (2018) ‘Sexual dimorphism in bacterial infections’, *Biology of Sex Differences*, 9(1), pp. 1–20. Available at: <https://doi.org/10.1186/s13293-018-0187-5>.
- World Health Organization (2016) ‘World Health Statistics - Monitoring Health For The SDGs’, *World Health Organization*, p. 1.121.
- Zhou, S. et al. (2021) ‘Perinatal outcomes of twin pregnancies with preterm premature rupture of the membranes at 24–34 weeks’ gestation’, *Scientific Reports*, 11(1), pp. 1–10. Available at: <https://doi.org/10.1038/s41598-021-02884-x>.