

DAFTAR PUSTAKA

- Arif, M. F., Prasetya, A. D., Lesmana, I. & Handayani, N. S. N., 2023. Comparison of Lysis Buffers for Saliva DNA Extraction using Modified Magnetic-Silica Nanoparticle Beads. *Journal of Tropical Biology*, 11(1), pp.1-8.
- Arslan, M., Tezcan, E., Camci, H. & Avci, M. K., 2021. Effect of DNA Concentration on Band Intensity and Resolution in Agarose Gel Electrophoresis. *Van Sağlık Bilimleri Dergisi*, 14(3), pp.326-333.
- Bartolome-Gallego, J., 2020. DNA Methylation in Plants: Mechanisms and Tools for Targeted Manipulation. *New Phytologist*, 227, pp.38-44.
- Claussen, W., 2005. Proline As a Measure of Stress in Tomato Plants. *Plant Science*, 168, pp.241-248.
- Colyer, H. A., Armstrong, R. N., Sharpe, D. J. & Mills, K. I., 2012. Detection and Analysis of DNA Methylation by Pyrosequencing. *Methods in Molecular Biology* (Clifton, N.J.), 863, pp.281–292.
- D'Mello, J. P. F., 2015. *Amino Acids in Higher Plants*. CABI: Wallingford.
- Dar, M. I., Naikoo, M. I., Rehman, F., Naushin, F. & Khan, F. A., 2016. *Osmolytes and Plants Acclimation to Changing Environment: Emerging Omics Technologies*. Springer : New Delhi
- David, J., Basuni. & Tatang, A., 2021. Respon Pertumbuhan Tanaman Kedelai (*Glycine max*) Terhadap Amelioran di Lahan Salin. *Jurnal Agronomi Indonesia*, 49(3), pp.259-265.
- Doyle, D. F. & Doyle, J. L., 1990. Isolation of Plant DNA From Fresh Tissue. *Focus Journal*, 1(2), pp.13-15
- Dwiyitno., Hoffman, S., Parmentier, K. & Keer, C. V., 2018. Method Comparison of DNA Isolation and Quantification for Fish and Seafood Authenticity Determination. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 13(3), pp.115-124.
- Feng, C., Gao, H., Zhou, Y., Jing, Y., Li, S., Yan, Z., Xu, K., Zhou, F., Zhang, W., Yang, X., Hussain, M. A. & Li, H., 2023. Unfolding Molecular Switches for Salt Stress Resilience in Soybean: Recent Advances and Prospects for Salt-Tolerant Smart Plant Production. *Frontiers in Plant Science*, 14(1162014), pp.1-27.
- Fernandes, H. & Zhang, P., 2014. Overview of Molecular Diagnostics in Clinical Pathology. *Pathobiology of Human Disease*, pp.3287-3303.
- Garcia-Alegria, A. M., Anduro-Corona, I., Perez-Martinez, C. J., Corella-Madueno, M. A. G., Rascon-Duran, M. L. & Astiazaran-Garcia, H., 2020. Quantification of DNA through the NanoDrop Spectrophotometer: Methodological Validation Using Standard Reference Material and Sprague Dawley Rat and Human DNA. *International Journal of Analytical Chemistry*, 2020, 8896738.
- Garg, R., Chevala, V. V. S. N., Shankar, R. & Jain, M., 2015. Divergent DNA Methylation Patterns Associated with Gene Expression in Rice Cultivars with Contrasting Drought and Salinity Stress Response. *Scientific Reports*, 5(14922). pp.1-16.

- Hafni, R., Hariani, P. R. S. & Rezeki, D., 2022. Analisis Permintaan Konsumsi Kedelai di Indonesia. *Seminar Nasional Multidisiplin Ilmu*, 3(1), pp.250-264
- Hamala, T., Ning, W., Kuittinen, H., Aryamanesh, N. & Savolainen, O., 2022. Environmental Response in Gene Expression and DNA Methylation Reveals Factors Influencing the Adaptive Potential of *Arabidopsis lyrata*. *eLife*, 11, pp.1-25.
- Hartatik, W., Haryati, U. & Irawan., 2023. *Pengelolaan lahan untuk pertanaman kedelai di lahan kering suboptimal*. Kementerian Pertanian Republik Indonesia : Bogor
- Hayat, S., Hayat, Q., Alyemeni, M. N., Wani, A. S. & Ahmad, A., 2012. Role of Proline Under Changing Environments : A review. *Plant Signaling & Behavior*, 7(11), pp.1456-1466.
- Heikruijam, J., Kishor, R. & Mazumder, P. B., 2020. The Chemistry Behind Plant DNA Isolation Protocols. *InTechOpen*.
- Hmidi, D., Abdelly, C., Athar, H., Ashraf, M. & Messedi, D., 2018. Effect of Salinity on Osmotic Adjustment, Proline Accumulation and Possible Role of Ornithine-d-aminotransferase in Proline Biosynthesis in *Cakile maritima*. *Physiology and Molecular Biology of Plants*, 24(6), pp.1017-1033.
- How-Kit, A., Daunay, A., Mazaleyrat, N., Busato, F., Daviaud, C., Teyssier, E., Deleuze, J., Gallusci, P. & Tost, P. J., 2015. Accurate CpG and Non-CpG Cytosine Methylation Analysis by High-throughput Locus-specific Pyrosequencing in Plants. *Plant Molecular Biology*, 88, pp.471-485.
- Juwarno, Nugroho, H., Hardiyati, T. & Yuniaty, A., 2020. Molecular Profiles of Five Salinity-resistant Soybean {*Glycine max* (L.) Merr.} Cultivars. *Molekul*, 15(3), pp.184-190.
- Karan, R., DeLeon, T., Biradar, H. & Subudhi P. K., 2012. Salt Stress Induced Variation in DNA Methylation Pattern and its Influence on Gene Expression in Contrasting Rice Genotypes. *PLoS ONE*, 7(6), pp.1-10.
- Kishor, K. P.B. & Sreenivasulu, N., 2014. Is Proline Accumulation per Se Correlated with Stress Tolerance or Is Proline Homeostasis a More Critical Issue?. *Plant, Cell & Environment*., 37, pp.300-311.
- Kottaridi, C., Koureas, N., Margari, N., Terzakis, E., Bilirakis, E., Pappas, A., Chrelias, C., Spathis, A., Aga, E., Pouliakis, A., Panayiotides, I. & Karakitsos, P., 2015. A Pyrosequencing Assay for the Quantitative Methylation Analysis of GALR1 in Endometrial Samples: Preliminary Results. *BioMed Research International*, 2015(756359), pp.1-6.
- Kumar,A., Dalan, M. & Carless, M. A., 2020. Analysis of DNA Methylation Using Pyrosequencing. *Epigenetics Methods*, 18, pp.37-62.
- Kumar, S. & Mohapatra, T., 2021. Dynamics of DNA Methylation and Its Functions in Plant Growth and Development. *Frontiers in Plant Science*, 12(596236), pp. 1-17.
- Kusmiyati, F., Sumarsono. & Karno., 2014. Pengaruh Perbaikan Tanah Salin Terhadap Karakter Fisiologis *Calopogonium mucunoides*. *Pastura*, 4(1), pp.1-6.

- Larasani, I. & Violita., 2021. Prolin Sebagai Indikator Ketahanan Tanaman Terhadap Cekaman Kekeringan. *Prosiding Semnas Bio 2021*. Universitas Negeri Padang : Padang.
- Lucibelli, F., Valoroso, M. C. & Aceto, S., 2022. Plant DNA Methylation: an Epigenetic Mark In Development, Environmental Interactions, And Evolution. *International Journal of Molecular Sciences*, 23(8299), pp.1-18.
- Marin, J. A., Andreu, P., Carrasco, A. & Arbeloa, A., 2010. Determination of Proline Concentration, an Abiotic Stress Marker, in Root Exudates of Excised Root Cultures of Fruit Tree Rootstocks Under Salt Stress. *Revue des Régions Arides*, 24, pp.722-727.
- Meena, M., Divyanshu, K., Kumar. S., Swapnil, P., Zehra, A., Shukla, V., Yadav, M. & Upadhyay, R. S., 2019. Regulation Of L-Proline Biosynthesis, Signal Transduction, Transport, Accumulation and Its Vital Role in Plants During Variable Environmental Conditions. *Heliyon*, 5, pp.1-20.
- Moore, L. D., Le, T. & Fan, G., 2013. DNA Methylation and Its Basic Function. *Neuropsychopharmacology*, 38, pp.23-28.
- Moukhtari, A. E., Cabassa-Hourton, C., Farissi, M. & Savoure, A., 2020. How Does Proline Treatment Promote Salt Stress Tolerance During Crop Plant Development ?. *Frontiers in Plant Science*, 11(1127), pp.1-16.
- Mulyani, A. & Agus, F., 2017. Kebutuhan dan Ketersediaan Lahan Cadangan Untuk Mewujudkan Cita-Cita Indonesia Sebagai Lumbung Pangan Dunia Tahun 2045. *Analisis Kebijakan Pertanian*, 15(1), pp.1-17.
- Mutmainnah., Hairuddin, R. & Manulang, M. K., 2022. Respon Pertumbuhan dan Keberhasilan Sambung Pucuk Tanaman Kakao (*Theobroma Cacao L.*) Klon M45 Terhadap Perendaman dan Penyemprotan POCL Biota. *Perbal: Jurnal Pertanian Berkelanjutan*, 10(1), pp.169–180.
- Muzaiyanah, S. & Wahyu, G. A. S., 2020. Pertumbuhan Beberapa Genotipe Kedelai Pada Tingkat Salinitas 10 dS/m. *Seminar Nasional dalam Rangka Dies Natalis ke-44 UNS Tahun 2020*, 4(1), pp.190-197.
- Novenda, I. L. & Nugroho, S. A., 2016. Analisis Kandungan Prolin Tanaman Kangkung (*Ipomoea reptana* Poir), Bayam (*Amaranthus spinosus*), dan Ketimun (*Cucumis sativus* L.). *Pancaran*, 5(4) pp.223-234.
- Pohan, A. K., Rosmayati. & Bayu, E. S., 2017. Pola Sebaran Karakter – Karakter Pertumbuhan Dan Produksi Kedelai (*Glycine max* L. Merril) Hasil Persilangan Grobogan dengan Genotipa Tahan Salin Pada Turunan F2. *Jurnal Agroekoteknologi FP USU*, 5(2), pp.373-383.
- Prasetyani, C. E., Nuraini, Y. & Sucahyono, D. 2021. Pengaruh Salinitas Tanah Terhadap Efektivitas Bakteri *Rhizobium* sp Toleran Salinitas pada Tanaman Kedelai (*Glycine max* L. Merril). *Jurnal Tanah dan Sumberdaya Lahan*, 8(1), pp.281-292.
- Prayitno, E. & Nuryandani, E., 2011. Optimalisasi Ekstraksi DNA Jarak Pagar (*Jatropha curcas*) Melalui Pemilihan Daun yang Sesuai. *Nusantara Bioscience*, 3, pp.1-6.

Pusat Data dan Sistem Informasi Kementerian Pertanian., 2019. *Outlook Kedelai : Komoditas Pertanian Subsektor Tanaman Pangan*. Sekretariat Jenderal Kementerian Pertanian : Jakarta.

Rai, A. N. & Penna, S., 2013. Molecular Evolution Of Plant *P5CS* Gene Involved In Proline Biosynthesis. *Molecular Biology Reports*, 40, pp.6429-6435.

Ramana, G.V., Padhy, S. P. & Chaltanya, K. V., 2012. Differential Responses Of Four Soybean (*Glycine max L.*) Cultivars To Salinity Stress. *Legume Research*, 35(3), pp.185-193.

Raza, A., Charagh, S., Abbas, S., Hassan., M. U., Saeed, F., Haider, S., Sharif, R., Anand, A., Corpas, F. J., Jin, W. & Varshney, R. K., 2023. Assessment of Proline Function in Higher Plants Under Extreme Temperatures. *Plant Biology*, 25(3), pp.379-395.

Rodriguez-Riveiro, R., Velasco, A. & Sotelo, C. G., 2022. The Influence of DNA Extraction Methods on Species Identification Results of Seafood Products. *Foods*, 11(1739), pp.1-16.

Rohmah, E. A. & Saputro, T. B., 2016. Analisis Pertumbuhan Tanaman Kedelai (*Glycine max L.*) Varietas Grobogan pada Kondisi Cekaman Genangan. *Jurnal Sains Dan Seni ITS*, 5(2), pp.29-33.

Setyawan, G. & Huda, S., 2022. Analisis Pengaruh Produksi Kedelai, Konsumsi Kedelai, Pendapatan Per Kapita, dan Kurs Terhadap Impor Kedelai di Indonesia. *Kinerja*, 19(2), pp.215-225.

Singh, P., Choudahary, K. K., Chaudhary, N., Gupta, S., Sahu, M., Tejaswini, B. & Sarkar, S. 2022. Salt Stress Resilience In Plants Mediated Through Osmolyte Accumulation And Its Crosstalk Mechanism With Phytohormones. *Frontiers in Plant Science*, 13 (1006617), pp.1-21.

Soleimani, V., Ahmadi, J. & Sadeghzadeh, B., 2015. Expression Profiling of PAP3, BZIP, and *P5CS* Genes in Soybean Under Drought Stress Conditions. *Turkish Journal of Botany*, 39, pp.952-961.

Sophian, A. & Yustina., 2022. Analisis Nilai Kemurnian DNA Menggunakan Nano Fotometer pada Rasio 260/230 yang Diisolasi dari Produk Nugget. *Muhammadiyah Journal of Nutrition and Food Science*, 3(2), pp. 82-86.

Spormann, S., Nadais, P., Sousa, F., Pinto, M., Martins, M., Sousa, B., Fidalgo, F. & Soares, C., 2023. Accumulation of Proline in Plants Under Contaminated Soils—Are We on the Same Page?. *Antioxidants*, 12(666), pp.1-26.

Strizhov, N., Abraham, E., Okresz, L., Bicking, S., Zilberstein, A., Schell, J., Koncz, C. & Szabados, L., 1997. Differential Expression of Two *P5CS* Genes Controlling Proline Accumulation During Salt-Stress Requires ABA and is Regulated by ABA1, ABI1, and AXR2 in Arabidopsis. *The Plant Journal*, 12(3), pp.557-569.

Sunarto., 2001. Toleransi Kedelai Terhadap Tanah Salin. *Buletin Agrohorti*, 29(1), pp.27-30.

Taufiq, A., Kristiono, A., Wijanarko, A., Rahmianna, A. A., Iswanto, R. & Riyanto, S. A., 2020. Adaptabilitas Varietas Unggul Kacang Tanah pada Tanah Salin. *Penelitian Pertanian Tanaman Pangan*, 4(1), pp.43-51.

- Utami, D. U., Utamaningsih, S. & Sophian, A., 2023. Analisis DNA Hasil Isolasi pada Produk Pangan Olahan Ikan (Surimi Ikan) Menggunakan *Nano Photometer*. *Jurnal Riset Sains dan Teknologi*, 7(1), pp. 9-13.
- Utomo, F. H., Kristanto, B. A. & Kusmiyati, F., 2018. Persilangan 4 Varietas Kedelai (*Glycine max L.*) dalam Rangka Perakitan Kedelai Tahan Kering. *Jurnal Agro Complex*, 2(1), pp. 93-101.
- Vanyushin, B. F., 2006. DNA Methylation in Plants. *Current Topics in Microbiology and Immunology*, 301, pp.67-122.
- Wang, H., Tang, X., Wang, H. & Shao, H., 2015. Proline Accumulation and Metabolism-Related Genes Expression Profiles in *Kosteletzkyia virginica* Seedlings Under Salt Stress. *Frontiers in Plant Science*, 6(792), pp.1-9.
- Wang, L., Wang, L., Tan, M., Zhao, W., You, J., Wang, L., Yan, X. & Wang, W., 2023. The Pattern of Alternative Splicing and DNA Methylation Alteration and Their Interaction in Linseed (*Linum usitatissimum L.*) Response to Repeated Drought Stresses. *Biological Research*, 56(12), pp.1-16.
- Wu, G. Q., Du, Y. Y., Wu, G. Q., Feng, R. J., Li, S. J. & Du, Y. Y., 2017. Exogenous Application of Proline Alleviates Salt-Induced Toxicity in Sainfoin Seedlings. *The Journal of Animal & Plant Sciences*, 27, pp.246-251.
- Yang, H., Yang, Z., Mao, Z., Li, Y., Hu, D., Li, X., Shi, G., Huang, F., Liu, B., Kong, F. & Yu, D., 2021. Genome-wide DNA Methylation Analysis of Soybean Curled-Cotyledons Mutant and Functional Evaluation of a Homeodomain-Leucine Zipper (HD-Zip) I Gene GmHDZ20. *Frontiers in Plant Science*, 11(593999), pp.1-18.
- Zhang, C. Y., Wang, N. N., Zhang, Y. H., Feng, Q. Z., Yang, C. W. & Liu, B., 2013. DNA Methylation Involved in Proline Accumulation in Response to Osmotic Stress in Rice (*Oryza sativa*). *Genetics and Molecular Research*, 12(2), pp.1269-1277.
- Zhao, C., Zhang, H., Song, C., Zhu, J. & Shabala, S., 2020. Mechanisms of Plant Responses and Adaptation to Soil Salinity. *The Innovation*, 1(1), pp.1-4.
- Zhou, X., Tian, Y., Qu, Z., Wang, J., Han, D. & Dong, S., 2023. Comparing the Salt Tolerance of Different Spring Soybean Varieties at the Germination Stage. *Plants*, 12(2789), pp. 1-15.