

DAFTAR PUSTAKA

- Al-Nimr, R.I. *et al.* (2020) ‘Intensive nutrition counseling as part of a multi-component weight loss intervention improves diet quality and anthropometrics in older adults with obesity’, *Clinical nutrition ESPEN*, 40, pp. 293–299.
- Alipour Nosrani, E. *et al.* (2022) ‘The Association between Meal-Based Diet Quality Index-International (DQI-I) with Obesity in Adults’, *BMC Nutrition*, 8(1), p. 156. Available at: <https://doi.org/10.1186/s40795-022-00654-0>.
- Alkerwi, A. (2014) ‘Diet Quality Concept’, *Nutrition*, 30(6), pp. 613–618. Available at: <https://doi.org/https://doi.org/10.1016/j.nut.2013.10.001>.
- Apovian, C.M. (2016) ‘Obesity: Definition, Comorbidities, Causes, and Burden’, *Am J Manag Care*, 22(7 Suppl), pp. s176-85.
- Arslan, F. (2011) ‘The effects of an eight-week step-aerobic dance exercise programme on body composition parameters in middle-aged sedentary obese women’, *International SportMed Journal*, 12(4), pp. 160–168.
- Asghari, G. *et al.* (2017) ‘A Systematic Review of Diet Quality Indices in Relation to Obesity’, *British Journal of Nutrition*. 2017/05/08, 117(8), pp. 1055–1065. Available at: <https://doi.org/DOI: 10.1017/S0007114517000915>.
- Bauman, A.E. *et al.* (2018) ‘The descriptive epidemiology of sedentary behaviour’, *Sedentary behaviour epidemiology*, pp. 73–106.
- Beltrán-Carrillo, V.J. *et al.* (2022) ‘Elements behind sedentary lifestyles and unhealthy eating habits in individuals wiBeltrán-Carrillo, V.J. et al. (2022) “Elements behind sedentary lifestyles and unhealthy eating habits in individuals with severe obesity”, International Journal of Qualitat’, *International Journal of Qualitative Studies on Health and Well-being*, 17(1), p. 2056967.
- BPS (2021) *Prevalensi Obesitas Pada Penduduk Umur >18 Tahun Menurut Jenis Kelamin*, 2016-2018. Available at: <https://www.bps.go.id/id/statistics-table/2/MTc4MSMy/prevalensi-obesitas-pada-penduduk-umur--18-tahun-menurut-jenis-kelamin.html>.
- Calcaterra, V. *et al.* (2021) ‘Telehealth: A Useful Tool for the Management of Nutrition and Exercise Programs in Pediatric Obesity in the COVID-19 Era’, *Nutrients*, 13(11), p. 3689.
- De Ceukelaire, W. and Bodini, C. (2020) ‘We Need Strong Public Health Care to Contain the Global Corona Pandemic’, *International Journal of Health Services*, 50(3), pp. 276–277.
- Chooi, Y.C., Ding, C. and Magkos, F. (2019) ‘The Epidemiology of Obesity’, *Metabolism*, 92, pp. 6–10. Available at:

- <https://doi.org/https://doi.org/10.1016/j.metabol.2018.09.005>.
- Dieny, F.F. *et al.* (2021) ‘Nutrition Class by Instagram: Interventions to Improve The Diet Quality, Physical Activity and Waist Circumfeence Among Female College Students with Obese’, *Jurnal Aisyah: Jurnal Ilmu Kesehatan*, 6(1), pp. 1–8.
- Equatora, M.A. *et al.* (2021) ‘Tele-Counseling Services for Clients’, in *2nd International Conference on Law and Human Rights 2021 (ICLHR 2021)*. Atlantis Press, pp. 182–188.
- Espino-Rosales, D. *et al.* (2023) ‘Estimation of the Quality of the Diet of Mexican University Students Using DQI-I’, in *Healthcare*. MDPI, p. 138.
- Farideh, S. *et al.* (2015) ‘The Relationship Between Waist Circumference and Serum Adiponectin Levels, Dietary Intake and Blood Pressure in Normal Weight, Overweight, and Obese Women’, *Journal of Obesity and Metabolic Research*, 2(2), p. 97.
- Ford, E.S., Maynard, L.M. and Li, C. (2014) ‘Trends in Mean Waist Circumference and Abdominal Obesity among US Adults, 1999-2012’, *Jama*, 312(11), pp. 1151–1153.
- Fruh, S.M. (2017) ‘Obesity: Risk Factors, Complications, and Strategies for Sustainable Long- Term Weight Management’, *Journal of the American association of nurse practitioners*, 29(S1), pp. S3–S14.
- Gadde, K.M. *et al.* (2018) ‘Obesity: Pathophysiology and Management’, *Journal of the American College of Cardiology*, 71(1), pp. 69–84.
- Hruby, A. *et al.* (2016) ‘Determinants and Consequences of Obesity’, *American journal of public health*, 106(9), pp. 1656–1662.
- Kandinasti, S. (2018) ‘Obesitas: Pentingkah Memperhatikan Konsumsi Makanan Di Akhir Pekan?’, *Amerta Nutrition*, 2(4), pp. 307–316.
- Karintrakul, S. and Angkatavanich, J. (2017) ‘A Randomized Controlled Trial of an Individualized Nutrition Counseling Program Matched with a Transtheoretical Model for Overweight and Obese Females in Thailand’, *Nutrition research and practice*, 11(4), pp. 319–326.
- Kemenkes, RI. (2014) ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 41 Tahun 2014 Tentang Pedoman Gizi Seimbang’, *Jakarta: Menteri Kesehatan Republik Indonesia*, pp. 21–52.
- Kemenkes, RI. (2018) *Hasil Utama Riskesdas 2018*.
- Kemenkes, RI. (2023) *Survei Kesehatan Indonesia Tahun 2023 Dalam Angka*.
- Kim, S. *et al.* (2003) ‘The Diet Quality Index-International (DQI-I) Provides an

- Effective Tool for Cross-National Comparison of Diet Quality as Illustrated by China and the United States', *The Journal of nutrition*, 133(11), pp. 3476–3484.
- Kim, S. et al. (2004) 'A Cross-National Comparison of Lifestyle Between China and the United States, Using A Comprehensive Cross-National Measurement Tool of The Healthfulness of Lifestyles: The Lifestyle Index', *Preventive medicine*, 38(2), pp. 160–171.
- Kuswari, M. et al. (2021) 'Efek Tele-Exercise Dibandingkan dengan Kombinasi Tele-Exercise dan Telekonseling terhadap Penurunan Berat Badan Pekerja Obesitas'.
- Kuswari, M. et al. (2022) 'Effects of Tele-Exercise and Nutrition Tele-Counselling on Fitness Level of Obese Employee during COVID-19 Pandemic Time', *JUARA: Jurnal Olahraga*, 7(1), pp. 138–150.
- Lemeshow, S. et al. (1990) *Adequacy of Sample Size in Health Studies*. Chichester: Wiley.
- Ling, J. and Zahry, N.R. (2021) 'Relationships among perceived stress, emotional eating, and dietary intake in college students: Eating self-regulation as a mediator', *Appetite*, 163, p. 105215.
- Lubis, M.Y. et al. (2020) 'Hubungan antara faktor Keturunan, Jenis Kelamin dan tingkat sosial ekonomi orang tua dengan kejadian obesitas pada mahasiswa di Universitas Malahayati tahun 2020', *Human Care Journal*, 5(4), pp. 891–900.
- Mattei, J. et al. (2017) 'The Mediterranean Diet Score is More Strongly Associated with Favorable Cardiometabolic Risk Factors Over 2 Years than Other Diet Quality Indexes in Puerto Rican Adults', *The Journal of nutrition*, 147(4), pp. 661–669.
- Miladitiya, A. (2018) 'Sensitivitas dan Spesifisitas Lingkar Pinggang dalam Mengidentifikasi Kelebihan Berat Badan dan Obesitas pada Wanita Dewasa', *Interest: Jurnal Ilmu Kesehatan*, 7(1).
- Mirkarimi, K. et al. (2015) 'Effect of motivational interviewing on a weight loss program based on the protection motivation theory', *Iranian Red Crescent Medical Journal*, 17(6).
- Nurrahmawati, F. and Fatmaningrum, W. (2018) 'Hubungan usia, stres, dan asupan zat gizi makro dengan kejadian obesitas abdominal pada ibu rumah tangga di Kelurahan Sidotopo, Surabaya', *Amerta Nutrition*, 2(3), p. 254.
- Park, S.-K. et al. (2003) 'The effect of combined aerobic and resistance exercise training on abdominal fat in obese middle-aged women', *Journal of physiological anthropology and applied human science*, 22(3), pp. 129–135.
- Puspitasari, N. (2018) 'Kejadian Obesitas Sentral pada Usia Dewasa', *HIGEIA (Journal of Public Health Research and Development)*, 2(2), pp. 249–259.

- Ranitadewi, I.N., Syauqi, A. and Wijayanti, H.S. (2018) ‘Pengaruh Pemberian Konseling Gizi terhadap Persen Lemak Tubuh Wanita Overweight dan Obesitas Peserta Senam Pilates’, *Journal of Nutrition College*, 7(3), pp. 123–132.
- Retnaningrum, G. and Dieny, F.F. (2015) ‘Kualitas diet dan aktivitas fisik pada remaja obesitas dan non obesitas’. Diponegoro University.
- Ruiz, L.D. *et al.* (2019) ‘Adolescent obesity: diet quality, psychosocial health, and cardiometabolic risk factors’, *Nutrients*, 12(1), p. 43.
- Sayón-Orea, C. *et al.* (2019) ‘Effect of a nutritional and behavioral intervention on energy-reduced Mediterranean diet adherence among patients with metabolic syndrome: interim analysis of the PREDIMED-Plus randomized clinical trial’, *Jama*, 322(15), pp. 1486–1499.
- Seo, D.-C. and Niu, J. (2015) ‘Evaluation of internet-based interventions on waist circumference reduction: a meta-analysis’, *Journal of medical Internet research*, 17(7), p. e3921.
- Shin, M.-K. *et al.* (2015) ‘Dietary Patterns and Their Associations with the Diet Quality Index-International (DQI-I) in Korean Women with Gestational Diabetes Mellitus’, *Clinical nutrition research*, 4(4), pp. 216–224.
- Shofia, N. and Sulchan, M. (2015) ‘Pengaruh konseling modifikasi gaya hidup terhadap asupan serat, kadar glukosa darah puasa, dan kadar interleukin 18 (IL-18) pada remaja obesitas dengan sindrom metabolik’. Diponegoro University.
- Sudikno, S. *et al.* (2015) ‘Faktor Risiko Overweight dan Obese pada Orang Dewasa di Indonesia (Analisis Data Riset Kesehatan Dasar 2013)’, *Gizi Indonesia*, 38(2), pp. 91–104.
- Sulistyowati, L.S. *et al.* (2015) ‘IDN_B11_Buku Obesitas-1’, *Kemenkes Ri*, pp. 1–50.
- Sumadewi, K.T. (2016) ‘Korelasi antara kadar leptin dengan imt, lingkar pinggang dan rlpp pada orang dewasa obesitas usia 19-25 tahun di Universitas Warmadewa’, *WMJ (Warmadewa Medical Journal)*, 1(2), pp. 71–82.
- Sutrisno, S. and Tamim, H. (2023) ‘Hubungan Tingkat Pendidikan dan Pengetahuan Ibu Tentang Gizi dengan Status Gizi pada Balita di Posyandu Abung Timur Wilayah Kerja Puskesmas Bumi Agung Kabupaten Lampung Utara Tahun 2020’, *Jurnal Ilmu Medis Indonesia*, 2(2), pp. 77–83.
- Tchernof, A. and Després, J.-P. (2013) ‘Pathophysiology of human visceral obesity: an update’, *Physiological reviews* [Preprint].
- Telisa, I., Hartati, Y. and Haripamilu, A.D. (2020) ‘Faktor Risiko Terjadinya Obesitas pada Remaja SMA’, *Faletehan Health Journal*, 7(03), pp. 124–131.
- Tham, K.W. *et al.* (2023) ‘Obesity in South and Southeast Asia—A New Consensus on Care and Management’, *Obesity Reviews*, 24(2), p. e13520.

- WHO (2008) *Waist Circumference and Waist-Hip Ratio Report of a WHO Expert Consultation*. Geneva.
- WHO (2020) *WHO guidelines on physical activity and sedentary behaviour*. World Health Organization.
- WHO (2021) *Obesity and Overweight*. Available at: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>.
- WHO (2022) *WHO European Regional Obesity Report 2022*. Copenhagen PP - Copenhagen: World Health Organization. Regional Office for Europe. Available at: <https://iris.who.int/handle/10665/353747>.

