

DAFTAR PUSTAKA

- Abdalbasit A. Gasmalla, M., Yang, R., Musa, A., Hua, X., & Zhang, W. 2014. Physico-chemical Assessment and Rebaudioside A. Productively of Natural Sweeteners (*Stevia Rebaudiana Bertoni*). *Journal of Food and Nutrition Research*, 2(5): 209–214. <https://doi.org/10.12691/jfnr-2-5-1>
- Abeshu, Y., & Kefale, B. 2017. Effect of some traditional processing methods on nutritional composition and alkaloid content of lupin bean. *International Journal of Bioorganic Chemistry*, 2(4): 174–179. <https://doi.org/10.11648/j.ijbc.20170204.13>
- Abou-Arab, A. E., Abou-Arab, A. A., & Abu-Salem, M. F. 2010. Physico-chemical assessment of natural sweeteners steviosides produced from Stevia rebaudiana bertoni plant. *African Journal of FoodScience*, 4(5): 269–281. <https://doi.org/https://doi.org/10.5897/AJFS.9000226>
- Acevedo, W., Capitaine, C., Rodríguez, R., Araya Durán, I., González Nilo, F., Pérez Correa, J. R., & Agosin, E. 2018. Selecting optimal mixtures of natural sweeteners for carbonated soft drinks through multi objective decision modeling and sensory validation. *Journal of Sensory Studies*, 33(6). <https://doi.org/10.1111/joss.12466>
- Ahure, D., & Ejoha, P. O. 2020. Quality evaluation of cookies from malted sorghum (*Sorghum bicolor*), sprouted soybean (*Glycine max*) and carrot (*Daucus carota*) flour blends. *Asian Journal of Biotechnology and Bioresource Technology*, 14–27. <https://doi.org/10.9734/ajb2t/2020/v6i130072>
- Akbar, C. I., Arini, F. A., & Fauziyah, A. 2019. Teh rambut jagung dengan penambahan daun stevia sebagai alternatif minuman fungsional bagi penderita diabetes melitus tipe 2. *Jurnal Aplikasi Teknologi Pangan*, 8(2): 67–73. <https://doi.org/10.17728/jatp.3122>
- Akinbode, B. A., Malomo, S. A., & Asasile, I. I. 2023. In vitro Antioxidant, Anti-inflammatory and In vivo Anti-hyperglycemia Potentials Of Cookies Made From Sorghum, Orange-flesh-sweet-potato and Mushroom Protein Isolate Flour Blends Fed to Wistar Rats. *Food Chemistry Advances*, 2: 1–14. <https://doi.org/10.1016/j.focha.2023.100263>
- Alexander, R. R., & Griffiths, J. M. (1994). Basic Biochemical Methods. *Journal of Basic Microbiology*, 34(1): 36–36.

<https://doi.org/10.1002/jobm.3620340107>

AOAC. 1995. *Official Method of Analysis of the Association of Official of Chemistry*. Association of official Analytical Chemist, inc.

AOAC. 2005. *Official Methods of Analysis. Association of Official Analytical Chemists*. Association of Analytical Communities.

Apostol, L., Belc, N., Gaceu, L., Oprea, O. B., & Popa, M. E. 2020. Sorghum flour: A valuable ingredient for bakery industry? *Applied Sciences*, 10(23): 8597. <https://doi.org/10.3390/app10238597>

Asasta, A. R., Armando, D. W., Tissadharma, J. C., Theo, K. A., & Nobelta, N. 2024. Sugar alcohol: A comparison of xylitol and sorbitol in food application. *Jurnal Global Ilmiah*, 1(4): 231–239. <https://doi.org/10.55324/jgi.v1i4.39>

Bilgiçli, N., & Levent, H. 2014. Utilization of lupin (*Lupinus albus L.*) flour and bran with xylanase enzyme in cookie production. *Legume Research - An International Journal*, 37(3): 264. <https://doi.org/10.5958/j.0976-0571.37.3.040>

Carbonell-Capella, J. M., Barba, F. J., Esteve, M. J., & Frígola, A. 2013. High pressure processing of fruit juice mixture sweetened with Stevia rebaudiana Bertoni: Optimal retention of physical and nutritional quality. *Innovative Food Science & Emerging Technologies*, 18: 48–56. <https://doi.org/10.1016/j.ifset.2013.01.011>

Carter, B. P., Galloway, M. T., Campbell, G. S., & Carter, A. H. 2015. The critical water activity from dynamic dewpoint isotherms as an indicator of crispness in low moisture cookies. *Journal of Food Measurement and Characterization*, 9(3): 463–470. <https://doi.org/10.1007/s11694-015-9254-3>

Chauhan, A., Saxena, D. C., & Singh, S. 2016. Physical, textural, and sensory characteristics of wheat and amaranth flour blend cookies. *Cogent Food & Agriculture*, 2(1): 1–8. <https://doi.org/10.1080/23311932.2015.1125773>

DeGarmo, P., Sullivan, W. G., & R, J. 1984. *Engineering Economy*. Mc Millan Publishing Company.

- Duarte, C. M., Nunes, M. C., Gojard, P., Dias, C., Ferreira, J., Prista, C., Noronha, P., & Sousa, I. 2022. Use of european pulses to produce functional beverages from chickpea and lupin as dairy slternatives. *Journal of Functional Foods*, 98: 1–10. <https://doi.org/10.1016/j.jff.2022.105287>
- Espinoza, M. I., Vincken, J.-P., Sanders, M., Castro, C., Stieger, M., & Agosin, E. 2014. Identification, Quantification, and Sensory Characterization of Steviol Glycosides from Differently Processed Stevia rebaudiana Commercial Extracts. *Journal of Agricultural and Food Chemistry*, 62(49): 11797–11804. <https://doi.org/10.1021/jf502878k>
- Ferdiansyah, M. K., & Affandi, A. R. 2017. Pengaruh Penstabil Terhadap Karakteristik Fisikokimia Cookies. *Jurnal Ilmu Pangan Dan Hasil Pertanian*, 1(1): 22–27.
- Gao, J., Guo, X., Brennan, M. A., Mason, S. L., Zeng, X.-A., & Brennan, C. S. 2019. The potential of modulating the reducing sugar released and the potential glycemic response of muffins using a combination of a stevia sweetener and cocoa powder. *Foods*, 8(12): 644. <https://doi.org/10.3390/foods8120644>
- Gerwig, G. J., te Poele, E. M., Dijkhuizen, L., & Kamerling, J. P. 2017. Structural analysis of rebaudioside A derivatives obtained by Lactobacillus reuteri 180 glucansucrase-catalyzed trans- α -glucosylation. *Carbohydrate Research*, 440–441, 51–62. <https://doi.org/10.1016/j.carres.2017.01.008>
- Góngora Salazar, V. A., Vázquez Encalada, S., Corona Cruz, A., & Segura Campos, M. R. 2018. Stevia rebaudiana : A sweetener and potential bioactive ingredient in the development of functional cookies. *Journal of Functional Foods*, 44: 183–190. <https://doi.org/10.1016/j.jff.2018.03.007>
- Grembecka, M. 2015. Sugar alcohols-their role in the modern world of sweeteners: a review. *European Food Research and Technology*, 241(1): 1–14. <https://doi.org/10.1007/s00217-015-2437-7>
- Gunawan, A., Pranata, F. S., & Swasti, Y. R. 2021. Kualitas muffin dengan kombinasi tepung sorgum (*Sorghum bicolor*) dan tepung kacang merah (*Phaseolus vulgaris*). *Jurnal Teknologi Hasil Pertanian*, 14(1): 11. <https://doi.org/10.20961/jthp.v14i1.46841>
- Gupta, P., Sharma, S., & Saxena, S. 2016. Effect of abiotic stress on growth parameters and steviol glycoside content in stevia rebaudiana (Bertoni) raised

in vitro. *Journal of Applied Research on Medicinal and Aromatic Plants*, 3(4): 160–167. <https://doi.org/10.1016/j.jarmap.2016.03.004>

Haryani, K., Lakzita, P. R., & Sari, P. P. 2021. Modifikasi tepung sorgum dengan metode fermentasi menggunakan bakteri asam laktat (*Lactobacillus bulgaricus*). *Jurnal Inovasi Teknik Kimia*, 6(1): 11–16. <https://doi.org/10.31942/inteka.v6i1.4448>

Heermann, M. L., Brown, J., Getty, K. J. K., & Yucel, U. 2022. Assessing Functionality of Alternative Sweeteners in Rolled “Sugar” Cookies. *Processes*, 10(5): 868. <https://doi.org/10.3390/pr10050868>

Hu, H., Wang, Y., Shen, M., Huang, Y., Li, C., Nie, S., & Xie, M. 2022. Effects of baking factors and recipes on the quality of butter cookies and the formation of advanced glycation end products (AGEs) and 5-hydroxymethylfurfural (HMF). *Current Research in Food Science*, 5: 940–948. <https://doi.org/10.1016/j.crfs.2022.05.012>

Indriyani, I., Yulia, A., & Rahmi, S. L. 2018. Penggunaan gula stevia pada minuman serbuk instan daun gaharu (*Aquilaria malaccensis lamk*) berkalori rendah. *Jurnal Ilmiah Ilmu Terapan Universitas Jambi/JIITUJ*, 2(1): 32–38. <https://doi.org/10.22437/jiituj.v2i1.5647>

Jariyah, Winarti, S., Sarofa, U., & Subagio, M. R. 2022. *Study of the influence of stevia and fructose to the physicochemical characteristics of mocaf-pedada biscuits*. <https://doi.org/10.2991/absr.k.220101.045>

Jayasena, V., & Nasar-Abbas, S. M. 2011. Effect of lupin flour incorporation on the physical characteristics of dough and biscuits. *Quality Assurance and Safety of Crops & Foods*, 3(3): 140–147. <https://doi.org/10.1111/j.1757-837X.2011.00100.x>

Johnson, S. K., Clements, J., Villarino, C. B. J., & Coorey, R. 2017. Lupins: Their unique nutritional and health-promoting attributes. In *Gluten-Free Ancient Grains* (pp. 179–221). Elsevier. <https://doi.org/10.1016/B978-0-08-100866-9.00008-X>

Joray, M. L., Rayas Duarte, P., Mohamed, A., & Van Santen, E. 2017. Coated lupin bean snacks. *Journal of Food Quality*, 30(2): 267–279. <https://doi.org/10.1111/j.1745-4557.2007.00120.x>

- Kaemba, A., Suryanto, E., & Mamuaja, C. F. 2017. Karakteristik Fisiko-kimia dan Aktivitas Antioksidan Beras Analog dari Sagu Baruk (*Arenga microcarpha*) dan Ubi Jalar Ungu (*Ipomea batatas L. Poiret*). *Jurnal Ilmu dan Teknologi Pangan*, 5(1): 1–8. <https://doi.org/https://doi.org/10.35799/cp.10.2.2017.27748>
- Kebede, Y. S., & Teferra, T. F. 2023. Isoelectric point isolation and characterization of proteins from lupine cultivars as influenced by chemical and thermal treatments. *Heliyon*, 9(3): 1–9. <https://doi.org/10.1016/j.heliyon.2023.e14027>
- Khattab, S. N., Massoud, M. I., Abd El-Razek, A. M., & El-Faham, A. 2017. Physico-chemical and sensory characteristics of steviolbioside synthesized from stevioside and its application in fruit drinks and food. *Journal of Food Science and Technology*, 54(1): 185–195. <https://doi.org/10.1007/s13197-016-2450-2>
- Khouryieh, H. A., Aramouni, F. M., & Herald, T. J. 2005. Physical and Sensory Characteristics of No-sugar-added/low-fat muffin. *Journal of Food Quality*, 28(5–6): 439–451. <https://doi.org/10.1111/j.1745-4557.2005.00047.x>
- Lemus-Conejo, A., Rivero-Pino, F., Montserrat-de la Paz, S., & Millan-Linares, M. C. 2023. Nutritional composition and biological activity of narrow-leaved lupins (*Lupinus angustifolius L.*) hydrolysates and seeds. *Food Chemistry*, 420: 136104. <https://doi.org/10.1016/j.foodchem.2023.136104>
- Lemus-Mondaca, R., Ah-Hen, K., Vega-Gálvez, A., Honores, C., & Moraga, N. O. (2016). Stevia rebaudiana leaves: Effect of drying process temperature on bioactive components, antioxidant capacity and natural sweeteners. *Plant Foods for Human Nutrition*, 71(1), 49–56. <https://doi.org/10.1007/s11130-015-0524-3>
- Liu, S., Chen, D., & Xu, J. 2018. The effect of partially substituted lupin, soybean, and navy bean flours on wheat bread quality. *Food and Nutrition Sciences*, 09(07), 840–854. <https://doi.org/10.4236/fns.2018.97063>
- Magomedov, M. G., Chusova, A. E., Polyansky, K. K., Pronina, O. V., & Romanova, O. N. (2019). Technology and instrumentation stevia solutions of spray drying. *Proceedings of the Voronezh State University of Engineering Technologies*, 81(3), 81–85. <https://doi.org/10.20914/2310-1202-2019-3-81-85>

- Manisha, G., Soumya, C., & Indrani, D. 2012. Studies on interaction between stevioside, liquid sorbitol, hydrocolloids and emulsifiers for replacement of sugar in cakes. *Food Hydrocolloids*, 29(2): 363–373. <https://doi.org/10.1016/j.foodhyd.2012.04.011>
- Matsumoto, A., Nakai, K., & Kawai, K. 2022. Effects of water and gelatinized starch on the viscoelasticity of pizza dough and the texture of pizza crust. *Journal of Applied Glycoscience*, 69(1): 1–7. https://doi.org/10.5458/jag.jag.JAG-2021_0014
- Medho, M. S., Muhammad, E. V., & Salli, M. K. 2022. Perbedaan Penambahan Bahan Penunjang Cookies pada Metode Creaming Terhadap Penerimaan Sensorik Cookies Tepung Komposit Jagung Putih Lokal Timor dan Daun Kelor (*Moringa oleifera*). *Partner*, 27(1): 1747–1761. <https://doi.org/10.35726/jp.v27i1.565>
- Millenda Sari, A., Melani, V., Novianti, A., Purwara Dewanti, L., & Sa'pang, M. 2020. Formulasi dodol tinggi energi untuk ibu menyusui dari puree kacang hijau (*Vigna radiata* l), puree kacang kedelai (*Glycine max*) dan buah naga merah (*Hylocereus polyrhizus*). *Jurnal Pangan Dan Gizi*, 10(2), 49–60. https://digilib.esaunggul.ac.id/public/UEU-Journal-18812-11_0939.pdf
- Morianio, M. E., & Alamprese, C. 2017. Honey, trehalose and erythritol as sucrose-alternative sweeteners for artisanal ice cream. A pilot study. *LWT*, 75, 329–334. <https://doi.org/10.1016/j.lwt.2016.08.057>
- Moss, M. M., Caswell, E. N., Yeargin, A. W., Volz, N. A., Woodland, J. C., Guthrie, L. C., Ahlborn, G. J., Eggett, D. L., & Taylor, B. J. 2022. Optimization of flour-replacing ingredients for low-carbohydrate, gluten-free muffins via a mixture design with complete sucrose substitution by d-allulose or d-tagatose. *LWT*, 167: 1–9. <https://doi.org/10.1016/j.lwt.2022.113779>
- Mota, J., Lima, A., B. Ferreira, R., & Raymundo, A. 2020. Lupin seed protein extract can efficiently enrich the physical properties of cookies prepared with alternative flours. *Foods*, 9(8): 1064. <https://doi.org/10.3390/foods9081064>
- Mudgil, D. 2017. The interaction between insoluble and soluble fiber. In *Dietary Fiber for the Prevention of Cardiovascular Disease* (pp. 35–59). Elsevier. <https://doi.org/10.1016/B978-0-12-805130-6.00003-3>
- Myers, J. S., Bean, S. R., Aramouni, F. M., Wu, X., & Schmidt, K. A. 2023. Textural and Functional Analysis Of Sorghum Flour Cookies As Ice Cream

Inclusions. *Grain & Oil Science and Technology*, 6(2): 100–111.
<https://doi.org/10.1016/j.gaost.2022.12.002>

Nielsen, O., Blide, M., & Frosch, M. 2014. *Water Activity Theory and Applications to Food* (1st Editio). Routledge.
<https://doi.org/10.1201/9780203734148>

Obeidat, B. A., Abdul-hussain, S. S., & Al Omari, D. Z. 2013. Effect of addition of germinated lupin flour on the physicochemical and organoleptic properties of cookies. *Journal of Food Processing and Preservation*, 37(5): 637–643.

Okpala, L., Okoli, E., & Udensi, E. 2013. Physico-chemical and sensory properties of cookies made from blends of germinated pigeon pea, fermented sorghum, and cocoyam flours. *Food Science & Nutrition*, 1(1): 8–14.
<https://doi.org/10.1002/fsn3.2>

Oleson, S., & Murphy, C. 2017. Prediction of stevia liking by sucrose liking: Effects of beverage background. *Chemosensory Perception*, 10(3), 49–59.
<https://doi.org/10.1007/s12078-017-9225-7>

Pan, L., Ma, X., Hu, J., Liu, L., Yuan, M., Liu, L., Li, D., & Piao, X. (2019). Low-tannin white sorghum contains more digestible and metabolisable energy than high-tannin red sorghum if fed to growing pigs. *Animal Production Science*, 59(3), 524. <https://doi.org/10.1071/AN17245>

Park, Y.-C., Oh, E. J., Jo, J.-H., Jin, Y.-S., & Seo, J.-H. 2016. Recent advances in biological production of sugar alcohols. *Current Opinion in Biotechnology*, 37: 105–113. <https://doi.org/10.1016/j.copbio.2015.11.006>

Pavanello, C., Lammi, C., Ruscica, M., Bosisio, R., Mombelli, G., Zanoni, C., Calabresi, L., Sirtori, C. R., Magni, P., & Arnoldi, A. 2017. Effects of a lupin protein concentrate on lipids, blood pressure and insulin resistance in moderately dyslipidaemic patients: A randomised controlled trial. *Journal of Functional Foods*, 37: 8–15. <https://doi.org/10.1016/j.jff.2017.07.039>

Plustea, L., Dossa, S., Dragomir, C., Cocan, I., Negrea, M., Obistioiu, D., Poiana, M.-A., Voica, D., Berbecea, A., & Alexa, E. 2024. Comparative study of the nutritional, phytochemical, sensory characteristics and glycemic response of cookies enriched with lupin sprout flour and lupin Green sprout. *Foods*, 13(5): 656. <https://doi.org/10.3390/foods13050656>

Prameswari, I. K., Manuhara, G. J., Amanto, B. S., & Atmaka, W. 2018. Effect of

water volume based on water absorption and mixing time on physical properties of tapioca starch – wheat composite bread. *Journal of Physics: Conference Series*, 1022, 1–8. <https://doi.org/10.1088/1742-6596/1022/1/012029>

- Prasad, M. P. R., Rao, B. D., Kalpana, K., Rao, M. V., & Patil, J. V. (2015). Glycaemic index and glycaemic load of sorghum products. *Journal of the Science of Food and Agriculture*, 95(8), 1626–1630. <https://doi.org/10.1002/jsfa.6861>
- Putri, N. E., & Triandita, N. 2018. Pengaruh campuran tepung jagung dan tepung kedelai Hitam terhadap penerimaan sensori cookies. *Jagros : Jurnal Agroteknologi Dan Sains (Journal of Agrotechnology Science)*, 3(1): 11–20. <https://doi.org/10.52434/jagros.v3i1.447>
- Rahmawati, L., Asmawati, A., & Saputrayadi, A. 2020. Inovasi pembuatan cookies kaya gizi dengan proporsi tepung bekatul dan tepung kedelai. *Jurnal Agrotek Ummat*, 7(1): 30–36. <https://doi.org/10.31764/agrotek.v7i1.1906>
- Rao, B. D., Kulkarni, D. B., & C., K. 2018. Study on evaluation of starch, dietary fiber and mineral composition of cookies developed from 12 sorghum cultivars. *Food Chemistry*, 238: 82–86. <https://doi.org/10.1016/j.foodchem.2016.12.069>
- Rasyid, M. I., Maryati, S., Triandita, N., Yuliani, H., & Angraeni, L. 2020. Karakteristik Sensori Cookies Mocaf dengan Substitusi Tepung Labu Kuning. *Jurnal Teknologi Pengolahan Pertanian*, 2(1): 1–7. <https://doi.org/10.35308/jtpp.v2i1.2043>
- Real-Delor, R. E., & Chamorro-Aguilera, M. E. 2022. Adherence to a gluten-free diet in celiac disease patients from paraguay. *Revista de Gastroenterología de México*, 1–8. <https://doi.org/10.1016/j.rgmx.2021.10.009>
- Romanchik-Cerpovicz, J. E., Jeffords, M. J. A., & Onyenwoke, A. C. 2019. College Student Acceptance of Chocolate Bar Cookies Containing Puree of Canned Green Peas as a Fat-Ingredient Substitute. *Journal of Culinary Science & Technology*, 17(6): 507–518. <https://doi.org/10.1080/15428052.2018.1492480>
- Rosida, D. F., Putri, N. A., & Oktafiani, M. 2020. Karakteristik cookies tepung kimpul termodifikasi (*Xanthosoma sagittifolium*) dengan penambahan tapioka. *Agrointek*, 14(1): 45–56.

<https://doi.org/10.21107/agrointek.v14i1.6309>

Sagar, N. A., & Pareek, S. 2020. Dough rheology, antioxidants, textural, physicochemical characteristics, and sensory quality of pizza base enriched with onion (*Allium cepa L.*) skin powder. *Scientific Reports*, 10(1), 18669. <https://doi.org/10.1038/s41598-020-75793-0>

Schmelter, L., Rohm, H., & Struck, S. 2021. Gluten-free bakery products: cookies made from different vicia faba bean varieties. *Future Foods*, 4: 1–7. <https://doi.org/10.1016/j.fufo.2021.100038>

Segura-Campos, M., Barbosa-Martín, E., Matus-Basto, Á., Cabrera-Amaro, D., Murguía-Olmedo, M., Moguel-Ordoñez, Y., & Betancur-Ancona, D. 2014. Comparison of chemical and functional properties of stevia rebaudiana (Bertoni) varieties cultivated in Mexican Southeast. *American Journal of Plant Sciences*, 05(03): 286–293. <https://doi.org/10.4236/ajps.2014.53039>

Setiarto, R. H. B., Widhyastuti, N., & Saskiawan, I. 2017. Pengaruh fermentasi fungi, bakteri asam laktat dan khamir terhadap kualitas nutrisi tepung sorgum. *Agritech*, 36(4): 440–449. <https://doi.org/10.22146/agritech.16769>

Setiawan, A. W., & Nugroho, R. 2016. Pengaruh waktu perendaman, penambahan soda kue, suhu perebusan dan waktu perebusan pada pembuatan susu biji kecipir. *Jurnal Inovasi Proses*, 1(2): 5862.

Shariati, M. A., Majeed, M., Mahmood, M. A., Khan, M. U., Fazel, M., & Pigorev, I. (2018). Effect of sorbitol on dough rheology and quality of sugar replaced cookies. *Potravinarstvo Slovak Journal of Food Sciences*, 12(1), 50–56. <https://doi.org/10.5219/709>

Shrestha, S., Hag, L. van 't, Haritos, V. S., & Dhital, S. 2021. Lupin proteins: structure, isolation and application. *Trends in Food Science & Technology*, 116: 928–939. <https://doi.org/10.1016/j.tifs.2021.08.035>

Simons, C. W., & Hall, C. 2018. Consumer acceptability of gluten-free cookies containing raw cooked and germinated Pinto bean flours. *Food Science & Nutrition*, 6(1): 77–84. <https://doi.org/10.1002/fsn3.531>

Sipahutar, Y. H., Yuniarti, T., Bertiantoro, A., & Perceka, M. L. 2021. Sensory characteristics and moisture content of salted sardinella (*Sardinella fimbriata*) in different salt concentration. *IOP Conference Series: Earth and*

Environmental Science, 860(1): 012077. <https://doi.org/10.1088/1755-1315/860/1/012077>

Sustriawan, B., Aini, N., Setyawati, R., Hania, R., Sandi, R. T., & Irfan, R. 2021. The Characteristics of Cookies From Sorghum Flour and Almond Flour With Variations in The Type of Fat. *IOP Conference Series: Earth and Environmental Science*, 653(1): 1–8. <https://doi.org/10.1088/1755-1315/653/1/012128>

Sustriawan, B., Aini, N., Setyawati, R., Hania, R., Tresna, R., & Irfan, R. 2021. Karakteristik cookies dari tepung sorgum dan tepung almond dengan pemanis stevia dan gula kelapa kristal. *Agrointek : Jurnal Teknologi Industri Pertanian*, 15(3): 893–902. <https://doi.org/10.21107/agrointek.v15i3.9040>

Tkachenko, A., & Pakhomova, I. 2016. Consumer properties improvement of sugar cookies with fillings with non-traditional raw materials with high biological value. *Eastern-European Journal of Enterprise Technologies*, 3(11): 54. <https://doi.org/10.15587/1729-4061.2016.70950>

Tulse, S. B., V, R., Rajiv, J., & Sakhare, S. D. 2015. Effect of co-milled wheat, green gram and barley on the rheological and quality characteristics of cookies. *Food Science and Technology International*, 21(7): 492–502. <https://doi.org/10.1177/1082013214550112>

Vatankhah, M., Garavand, F., Elhamirad, A., & Yaghbani, M. 2015. Influence of sugar replacement by stevioside on physicochemical and sensory properties of biscuit. *Quality Assurance and Safety of Crops & Foods*, 7(3): 393–400. <https://doi.org/10.3920/QAS2014.0396>

Vieira, E. D. F., Styles, D., Sousa, S., Santos, C., Gil, A. M., Gomes, A. M., & Vasconcelos, M. W. 2022. Nutritional, rheological, sensory characteristics and environmental impact of a yogurt-like dairy drink for children enriched with lupin flour. *International Journal of Gastronomy and Food Science*, 30, 1–10. <https://doi.org/10.1016/j.ijgfs.2022.100617>

Villarino, C. B. J., Jayasena, V., Coorey, R., Chakrabarti-Bell, S., & Johnson, S. K. (2016). Nutritional, health, and technological functionality of lupin flour addition to bread and other baked products: benefits and challenges. *Critical Reviews in Food Science and Nutrition*, 56(5), 835–857. <https://doi.org/10.1080/10408398.2013.814044>

Wu, Y., & Messing, J. 2014. Proteome balancing of the maize seed for higher nutritional value. *Frontiers in Plant Science*, 5. <https://doi.org/10.3389/fpls.2014.00240>

Xie, Y.-K., Li, X.-Y., Chen, C., Zhang, W.-P., Yu, X.-L., Xiao, H.-W., & Lu, F.-Y. 2023. Effects of steam and water blanching on drying characteristics, water distribution, microstructure, and bioactive components of *gastrodia elata*. *Plants*, 12(6): 1372. <https://doi.org/10.3390/plants12061372>

Xu, J., Zhang, Y., Wang, W., & Li, Y. 2020. Advanced properties of gluten-free cookies, cakes, and crackers: A review. *Trends in Food Science & Technology*, 103, 200–213. <https://doi.org/10.1016/j.tifs.2020.07.017>

Yaver, E., & Bilgiçli, N. 2021. Ultrasound-treated Lupin (*Lupinus albus L.*) Flour: Protein- and Fiber-rich Ingredient to Improve Physical and Textural Quality of Bread with a Reduced Glycemic Index. *LWT*, 148: 1–8. <https://doi.org/10.1016/j.lwt.2021.111767>

Yin, J., Cheng, L., Hong, Y., Li, Z., Li, C., Ban, X., & Gu, Z. 2021. Use of two-stage dough mixing process in improving water distribution of dough and qualities of bread made from wheat–potato flour. *Journal of Integrative Agriculture*, 20(1): 300–310. [https://doi.org/10.1016/S2095-3119\(20\)63433-5](https://doi.org/10.1016/S2095-3119(20)63433-5)

Žilić, S., Aktağ, I. G., Dodig, D., & Gökmən, V. 2021. Investigations on the formation of Maillard reaction products in sweet cookies made of different cereals. *Food Research International*, 144: 110352. <https://doi.org/10.1016/j.foodres.2021.110352>

Zulaidah, A. 2016. *Modifikasi Ubi Kayu Dengan Kombinasi Proses Penggaraman dan Proses Biologi Untuk Substitusi Terigu*. 11(25): 3–8.