

DAFTAR PUSTAKA

- A'yunin, Q., Aunu, R. & Idham, S.H., 2019. Perilaku Kunjungan dan Efisiensi Penyerbukan *Heterotrigona itama* (Cockerell) dan *Tetragonula laeviceps* (Smith) (Hymenoptera: Apidae) pada Labu Siam. *Jurnal Ilmu Pertanian Indonesia*, 24(3), pp 247-257.
- Abbot, P., 2022. Defense in Social Insects: Diversity, Division of Labor, and Evolution. *Annual Reviews*, 67, pp 407-36.
- Alpian, Yorlandi, K.Y., Nuwa, Reri, Y., Herwin, J., & Wahyu S., 2022. Identifikasi Jenis Tanaman Sebagai Pakan Lebah Madu Kelulut (*Trigona spp.*) di KPHP Katingan Hulu. *Jurnal Hutan Tropis*, 10(3), pp 277-283.
- Astariani, N.K. & Gupta, I.G.B.W., 2022. PKM Budidaya Lebah Kele Kele di Desa Sibang Kaja Kecamatan Abiansemal Kabupaten Badung Bali. *J-ABDI: Jurnal Pengabdian kepada Masyarakat*, 1(8), pp 1631–1638.
- Atmowidi, T., Canta, L., Hasibuan, S.S., Utari, N.W.S., Dorly & Prawasti, T.S., 2022. The Pollen Load on Stingless Bees (Apidae: Meliponinae) Foraged in Urban Area. *Acta Universitatis Agriculturae Et Silviculturae Mendelianae Brunensis*, 70(3), pp 227-234.
- Azmi, Afzan, W., Zulqurnain, N.S. & Ghazi, R., 2015. Melissopalynology and Foraging Activity of Stingless Bees, *Lepidotrigona Terminata* (Hymenoptera: Apidae) From An Apiary In Besut, Terengganu. *Journal of Sustainability Science and Management*, 10(1), pp 27-35.
- Barbosa, B.C., Paschoalini, M., Maciel, T.T., & Prezoto, F., 2016. Floral Visitors and Their Temporal Patterns of Activity in Flowers of *Dombeya wallichii* (Lindl.) K. Schum (Malvaceae). *Entomotropica*, 31(16), pp 131-136.
- Basari, N., Ramli S.N. & Khairi A.S.M., 2018. Food Reward and Distance Influence The Foraging Pattern Of Stingless Bee, *Heterotrigona itama*. *Insects*, 9, pp 1-10. <https://doi.org/10.3390/insects9040138>
- Boogert, N.J., Hofstede, Elisabeth, F., Monge, & Aguilar, I., 2006. The Use of Food Source Scent Marks by The Stingless Bee *Trigona corvina* (Hymenoptera: Apidae): The Importance of the Depositor's Identity. *Apidologie*. 37 (3), pp 366–375. <https://doi.org/10.1051/apido:2006001>. ISSN 0044-8435
- Burkle L.A., Runyon J.B., 2016. Drought and Leaf Herbivory Influence Floral Volatiles and Pollinator Attraction. *Global Change Biology*, 22, pp 1644–1654.
- Dadang, & Heni P., 2020. Pengaruh Kepercayaan Dan Kepuasan Konsumen Terhadap Sistem Transaksi Online Shop Shopee. *Jurnal Manajemen Bisnis*, 9(1), pp 43-50.
- Devi, 2014. Analisis Kandungan Glukosa Nektar Bunga Sumber Pakan dan Madu yang Dihasilkan Lebah (*Apis cerana* Fabr.) pada Dua Lokasi Yang Berbeda. Bandar Lampung.
- Erwan, Purnamasari, D. K. & Agustin, W., 2020. Pengaruh Desain Kotak Terhadap Produktivitas Lebah *Trigona* sp. *Jurnal Sains Teknologi & Lingkungan*, 66(2), pp 192-201.
- Fadhilah, R. & Rizkika, K. 2015. *Laba: Lebah Tanpa Sengat*. PT Tribus Swadaya.

- Ferreira, N.S. & Hrncir M., 2012. Thermal Tolerance of Workers of The Stingless Bee *Melipona Subnitida* (Apidae, Meliponini). In: X Encontro Sobre Abelhas, 2012, Ribeirão Preto, Brasil. *Anais do X Encontro Sobre Abelhas*, pp 176.
- Gallagher, M.K. & Campbell D.R., 2017. Shifts in Water Availability Mediate Plant–Pollinator Interactions. *The New Phytologist*, 215, pp 792–802.
- Gruter, C. & Francis L.W.R., 2011. Flower Constancy in Insect Pollinators: Adaptive Foraging Behaviour or Cognitive Limitation?. *Communicative & Integrative Biology*. 4(6), pp 633-636.
- Haneda, Noor, F.C.A.P., Lufthi R., & Yeni A.M., 2022. Keanekaragaman Serangga Tanah di Tegakan Kenanga (*Cananga odorata* (Lam.) Hook.f. & Thomson) dengan Perlakuan Pemupukan. *Silvikultura Tropika*, 13(3), pp 191-197.
- Harano, K.I. & Nakamura J., 2016. Nectar Loads as Fuel For Collecting Nectar And Pollen In Honeybees: Adjustment By Sugar Concentration. *J Comp Physiol A*, 202, pp 435–443. <https://doi.org/10.1007/s00359-016-1088-x>
- Harder, L.D. & Barret S.C.H., 1996. Pollen Dispersal and Mating Patterns in Animal-Pollinated Plants. In: Lloyd DC & Barret SC (Eds). *Floral Biology*. New York (US): Chapman. https://doi.org/10.1007/978-1-4613-1165-2_6
- Harjanto, S., Meiardhy, M., Arbainsyah & Abrar, R., 2020. Budidaya Lebah Madu Kelulut Sebagai Alternatif Mata Pencaharian Masyarakat. Modul Pelatihan Daring Budidaya Lebah Kelulut (Meliponikultur). Yayasan Swaraowa, Kalipentung, Kab. Sleman. Daerah Istimewa Yogyakarta
- Hartati, Sukmini, Choiruddin, Hadi, W., & Rita, M., 2020. Akuntabilitas Publik dari Aspek Pembukuan, Inventarisasi, dan Pelaporan Aset Tetap. *Eksistansi*, 9(1), pp 1240-1249.
- Hayes, L. & Gruter, C., 2022. When Should Bees Be Flower Constant? An Agent-Based Model Highlights The Importance Of Social Information And Foraging Conditions. *Journal of Animal Ecology*, 92, pp 580–593.
- Hemmings, Z. & Andrew, N.R., 2017. Effects of Microclimate And Species Identity On Body Temperature And Thermal Tolerance Of Ants (Hymenoptera: Formicidae). *Aust. Entomol.* 56 (1), pp 104–114.
- Hennessy, G., Ciaran, H., Charlotte, E., Paul, W., 2020. Gone with The Wind: Effects of Wind on Honey Bee Visit Rate and Foraging Behaviour. *Animal Behaviour*, 161(4), pp 23-31.
- Hidayat, Rahmad. 2019. Aktivitas Terbang Harian dan Mencari Polen H. itama di Balai Pelatihan Pemberdaya Masyarakat Sinarmas. *Thesis*. Pekanbaru. Universitas Islam Riau.
- Hills, P.S.M., Wells P.H., Wells H., 1997. Spontaneous Flower Constancy And Learning In Honeybees As A Function Of Colour. *Animal Behaviour*. 54, pp 615-627. <https://doi.org/10.1006/anbe.1996.0467>
- Hirmarizqi, A.A.N., Eka, S., Rosha, K.F., Nur, A.H. & Rossy, H., 2019. Identifikasi Lebah Kelulut Asal Bangka dan Pendataan Jenis Tumbuhan Penghasil Resin Bahan Baku Pembuatan Propolis. *Ekotonia*, 04(1), pp 37-42.

- Hrncir, M., Silva, C.M., Souza, V.H.S.T. & Fonseca, V.L.I., 2019. Stingless Bees and Their Adaptations To Extreme Environments. *Journal of Comparative Physiology A*. <https://doi.org/10.1007/s00359-019-01327-3>
- Huda, A.N., Che Salmah M.R., Hassan A.A., Hamdan A., Razak M.N.A., 2015. Pollination Services of Mango Flower Pollination. *Journal of Insect Science*, 15(1), pp 113-120. <https://doi.org/10.1093/jisesa/iev090>
- Jaboor, S.K., Carmen, R.B.S. & Vanessa, K., 2022. The Effect of Environmental Temperature on Bee Activity At Strawberry Farms. *Austral Ecology*, 47(7), 1470-1479.
- Jarau, S., Dambacher, J., Twele, R., Aguilar, I., Francke, W., Ayasse & Manfred, 2010. The Trail Pheromone of a Stingless Bee, *Trigona corvina* (Hymenoptera, Apidae, Meliponini), Varies between Populations. *Chemical Senses*. 35 (7), pp 593–601. <https://doi.org/10.1093/chemse/bjq057>. ISSN 0379-864.
- Junior, J.B.F.S., Araújo J.P. & Magdala, C., 2019. Influence of the Thermal Environment on the Stingless Bee Foraging Activity: a mini-review. *J Anim Behav Biometeorol*, 7, pp 176-178.
- Junior, N.T.F., Blochtein B., de Moraes J.F., 2010. Seasonal Flight and Resourcecollection Patterns Of Colonies Of The Stingless Bee *Melipona bicolor schenckiGribodo* (Apidae, Meliponini) in an Araucaria Forest Area In Southern Brazil. *Rev Bras Entomol.* 54(4), pp 630-636.
- Kahono, S., & Erniwati, 2014. Keragaman dan kelimpahan lebah sosial (Apidae) pada bunga tanaman pertanian musiman yang diaplikasi pestisida di Jawa Barat. *Berita Biologi*, 13(3), pp 231-238.
- Kartikasari, D., Muslimin, M. A. I. I. & Putri, Putri, D. F. A., 2023. Budidaya Lebah Klanceng di Peternakan Azka Trigona Desa Jiwut, Kabupaten Blitar. *Jurnal Ilmu Pertanian*, 2(2), pp 100-112.
- Kidokoro, M.K. & Higashi, S., 2010. Flower Constancy in The Generalist Pollinator *Ceratina flavipes* (Hymenoptera: Apidae): An Evaluation by Pollen Analysis. *Psyche*, pp 1-8. <http://dx.doi.org/10.1155/2010/891906>
- Kleinert, G.A., 1982. The Influence of Climatic Factors on Flight Activity of *Plebeia emerina* Friese (Hymenoptera, Apidae, Meliponinae) in winter. *Rev. Brasil. Ent.*, 26(1), pp 1-13.
- Kovac, H., Stabenheimer A., Hetz, S.K., Petz, M. & Crailsheim, K., 2007. Respiration of Resting Honeybees. *J Insect Physiol*, 53(12), pp 1250–1261.
- Kuppler, J., Höfers M.K., Trutschchnig W., Bathke A.C., Eiben J.A., Daehler C.C. & Junker R.R., 2017. Exotic Flower Visitors Exploit Large Floral Trait Spaces Resulting in Asymmetric Resource Partitioning with Native Visitors. *Functional Ecology*, 31, pp 2244–2254
- Kuppler, J., Wieland R.R., Junker & Ayasse, M., 2021. Drought-Induced Reduction in Flower Size and Abundance Correlates with Reduced Flower Visits by Bumble Bees. 13(1), pp 1-8.
- Listanti, R., Masrukhi, M., Novitasari, D., & Safitri, E., 2022. Pengembangan Usaha Budidaya Lebah *Trigona* sp (Klanceng) Melalui Peningkatan Produksi dan Teknik Pengemasan di Desa Glempang Kecamatan Pekuncen Kabupaten

- Banyumas. *Jurnal Lembaga Penlitian Dan Pengabdian Masyarakat*, 11(1), pp 208–213.
- Lukman, L., Hardiansyah, G., & Siahaan, S., 2020. Potensi Jenis Lebah Madu Kelulut (*Trigona spp*) untuk Meningkatkan Ekonomi Masyarakat Desa Galang Kecamatan Sungai Pinyuh Kabupaten Mempawah. *Jurnal Hutan Lestari*, 8(4), pp 792–801. doi: <http://dx.doi.org/10.26418/jhl.v8i4.44327>
- Maia-Silva, C., Hrncir M., Silva C.I. & Imperatriz-Fonseca V.L., 2015. Survival Strategies Of Stingless Bees (*Melipona Subnitida*) In An Unpredictable Environment, The Brazilian Tropical Dry. *Apidologie*, 46, pp 631–643. <https://dx.doi.org/10.1007/s13592-015-0354-1>
- Mantel S.J. & Sweigart A.L., 2019. Divergence in Drought-Response Traits Between Sympatric Species of *Mimulus*. *Ecology and Evolution*, 9, pp 10291–10304.
- Miller-Struttmann N.E., Geib J.C., Franklin J.D., Kevan P.G., Holdo R.M., Ebert May D., Lynn A.M., Kettenbach J.A., Hedrick E. & Galen C., 2015. Functional Mismatch in A Bumble Bee Pollination Mutualism Under Climate Change. *Science New York*, N.Y., 349, pp 1541–1544.
- Nacko, S., Hall, M.A., Gloag, R., Lynch, K., Spooner-Hart, R.N., Cook, J.M. & Riegler, M., 2023. Heat Stress Survival And Thermal Tolerance of Australian Stingless Bees. *Journal of Thermal Biology*, 117(103671), pp 1–10.
- Nasution, M.J., Khairul, & Hasibuan, R., 2019. Sumber Pakan Lebah Madu (*Apis cerana* Fab.) di Kecamatan Rantan Selatan Kabupaten Labuhan batu. *Jurnal Pembelajaran dan Biologi Nukleus*.
- Nugroho, R.B. & Soesilohadi, R.C.H. 2015. Aktivitas Mencari Makan Lebah pekerja, *Trigonasp* (Hymenoptera: Apidae) di Gunungkidul. *Biomedika*, 8(1). ISSN : 2302 – 1306.
- Nuraini, M.T., Sukmawati, & Fajri, M., 2020. Keanekaragaman Sumber Pakan dan Perilaku Mencari Pakan Lebah *Tetragonula laeviceps* (Hymenoptera: Meliponini) di Kecamatan Parigi Selatan. *BIO-EDU: Jurnal Pendidikan Biologi*, 5(3), pp 173-184.
- Oronje, M.L., Hagen, M., Gikungu, M., Kasina, M., Kraemer, M., 2012. Pollinator Diversity, Behavior and Limitation on Yield of Karela (*Momordica charantia* L. Cucurbitaceae) in Western Kenya. *African Journal of Agricultural Research*. 7(11), pp 1629–1638.
- Pangestika, N.W., Atmowidi T. & Kahono S., 2017. Pollen Load and Flower Constancy of Three Species of Stingless Bees (Hymenoptera, Apidae, Meliponinae). *Tropical Life Sciences Research*. 28(2), pp 179-187. <https://doi.org/10.21315/tlsr2017.28.2.13>
- Pasaribu, R., Putranto, H.D., & Sutriyono, 2017. Perbandingan Produksi Lebah Madu *Apis cerana* pada Dua Sistem Integrasi Yang Berbeda Di Kabupaten Rejang Lebong. *Jurnal Sain Peternakan Indonesia*, 12(4), pp 432-443
- Pearce, A.M., O'Neill K.M., Miller R.S. & Blodgett S., 2012. Diversity of Flower-Visiting Bees And Their Pollen Loads On A Wildflower Seed Farm In Montana. *Journal of the Kansas Entomological Society*, 85(2), pp 97-108

- Phillips, B.B., Shaw R.F., Holland M.J., Fry E.L., Bardgett R.D., Bullock J.M. & Osborne J.L., 2018. Drought Reduces Floral Resources for Pollinators. *Global Change Biology*, 24, pp 3226–3235.
- Puentes, S.M.D., Jessica, C.C.L., Doughlas, G., & Jose, W.S.O., 2019. Foraging Behaviour of *Apis mellifera* L. and *Scaptotrigona bipunctata* on *Dombeya wallichii* Flowers in Southern Brazil. *Agricultural Sciences*, 10, 1124-1134.
- Putra, R.E., Julio, S., Ida, K. & Agus, D.P., 2017. Pola kunjungan serangga liar dan efek penambahan koloni *Trigona (Tetragonula laeviceps)* Smith pada penyerbukan kabocha (*Cucurbita maxima*). *Jurnal Entomologi Indonesia*, 14(2), pp 69-79.
- Rahmad, B., Nurhayati D., & Mulawarman. 2021. Jenis Lebah Madu dan Tanaman Sumber Pakan pada Budi Daya Lebah Madu di Hutan Produksi Subanjeriji, Kabupaten Muara Enim, Sumatera Selatan. *Jurnal Penelitian Kehutanan Faloak*, 5(1), pp 47-61.
- Rahmani, A. S., Putra, R. E. & Gunawan, W., 2020. Efisiensi Penyerbukan oleh Penyerbuk Lia dan Lebah *Tertagonula laeviceps* pada Bunga Ranti dan Kacang Panjang. *Jurnal Agronomi Indonesia*, 48(3), pp 283-291.
- Ramadhani, R.F., Rika, R., Nunik, S.A., Siria, B., Erin, T., & Hermann, B., 2021. Perilaku Mencari Makan Lebah Tanpa Sengat dan Penggunaan Sumber Daya Serbuk Sari dalam Minyak Perkebunan Kelapa Sawit dan Karet di Sumatera. *Indonesian Journal of Entomology*, 18(2), pp 81-92.
- Ramdoni, A. & Harmonis, 2021. Pola Aktivitas Keluar Masuk Sarang Tiga Jenis Lebah Kelulut di Kampus Gunung Kelua Universitas Mulawarman. *Prosiding SIKMA*, 9(2), 27-36.
- Ransberry, V.E., MacMillan H.A. & Sinclair B.J., 2011. The Relationship Between Chill-Coma Onset And Recovery At The Extremes of The Thermal Window of *Drosophila melanogaster*. *Physiol. Biochem. Zool.* 84 (6), pp 553–559.
- Rosawanti, P., 2022. Pemberdayaan Masyarakat Dengan Budidaya Pakan Lebah dan Pemanenan Madu Kelulut. *Selaparang*, 6(3), pp 1082-1088.
- Roscha, J., Pimentel, R.R., Rosa, M.M.T., & Machado, S.R., 2010. Anatomia e Histoquímica Dos Nectarios Florais de *Dombeya wallichii* (Lindl.) K. Schum. E *Dombeya natalensis* Sond. (Malvaceae). *Rev. Biol. Neotrop*, 7(1), pp 27-36.
- Ruslan, W., Afriani, Miswan, Elijannahdi, Nurdiyah, Satara, M., Fitralisan & Fahri, 2015. Frekuensi Kunjungan Lebah *Apis cerana* Dan *Trigona sp.* Sebagai Penyerbuk Pada Tanaman *Brassica rapa*. *Online Jurnal of Natural Science*, 4(1), pp 65-72.
- Sari, W.R., Widhiono, I. & Darsono. 2020. Efektivitas Penyerbukan Lebah Madu (*Apis mellifera*) pada Tanaman Stroberi (*Fragaria x ananassa* var Duch.) di Desa Serang, Purbalingga. *BioEksakta: Jurnal Ilmiah Biologi Unsoed*, 2(1), pp 86-90.
- Shuel, R.W., 1992. The production of nectar and pollen. In: Graham JM (ed.). *The hive and the honeybee*. Hamilton. Illinois (US): Dadant Publication.

- Soroye, P., Newbold T. & Kerr J., 2020. Climate Change Contributes To Widespread Declines Among Bumble Bees Across Continents. *Science (New York, N.Y.)* 367, pp 685–688.
- Souza, B.A., Carvalho C.A.L. & Alves R.M.O., 2006. Flight Activity of *Melipona asilvai* Moure (Hymenoptera: Apidae). *Braz. J. Biol.*, 66(2b), pp 731-737.
- Sowmen, S., Rusdimansyah, Imana, M., Qurrata, A., Mardhiyetti, & Riesi S., 2022. PKM Introduksi Vegetasi Tanaman Pakan Lebah dan Potensi Budidaya Lebah Tanpa Sengat (Galo-Galo) di Jorong Rimbo Janduang, Nagari Lingkuang Aua, Kecamatan Pasaman, Kabupaten Pasaman Barat. *Warta Pengabdian Andalas*, 29(3), pp , 239-244.
- Suwarno, Akbar, N., Rizki, A. & Siregar, Z., 2023. *Heterotrigona itama* Cockerell's Nest Exit Activity (Hymenoptera: Apidae: Meliponinae) in Pocut Merah Intan Forest Park, Aceh Besar Regency. *Bioeduscience*, 7(3), pp 242-250. <https://doi.org/10.22236/jbes/12739>
- Syaifuddin, Hamdani, F., & Trisnu, S., 2021. Produksi Madu Kelulut (*Trigona itama*) pada Dua Tipe Pola Agroforestri Pakan Lebah yang Berbeda (Studi di Desa Mangkauk dan Kelurahan Landasan Ulin Utara. *Jurnal Sylva Scientiae*, 4(5), pp 767-777.
- Tarigan, R., Barus, S., Hutabarat, R. C., Sembiring, P., Riset, B., & Brin, N., 2022. Keanekaragaman Dan Aktivitas Serangga Pengunjung Pada Bunga Wortel. *Jurnal Entomologi Indonesia*, 19(3), pp 214-222.
- Teixido A.L. & Valladares F., 2014. Disproportionate Carbon and Water Maintenance Costs of Large Corollas in Hot Mediterranean Ecosystems. *Perspectives in Plant Ecology, Evolution and Systematics*, 16, pp 83–92.
- Teixido, A.L., Leite-Santos V.B., Paiva É.A.S. & Silveira F.A.O., 2019. Water-Use Strategies In Flowers From A Neotropical Savanna Under Contrasting Environmental Conditions During Flowering. *Plant Physiology and Biochemistry: PPB*. 144, pp 283–291.
- Trianto, M. & Purwanto, H., 2020. Morphological Characteristics and Morphometrics of Stingless Bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas*, 21(6), pp 2619-2628.
- Vijayan, M., Saravanan, P.A., & Srinivasan, M.R., 2018. Pengaruh Musim Dan Waktu Terhadap Perilaku Mencari Makan Lebah Tak Bersengat, *Tetragonula iridipennis* Smith (Hymenoptera: Apidae). *Jurnal Pertanian Madras*, 105, pp 286–290.
- Vollet-Neto, A., Menezes, C. & Imperatriz-Fonseca. V.L., 2011. Brood Production Increases When Artificial Heating Is Provided To Colonies Of Stingless Bees. *Journal of Apicultural Research*, 50(3), pp 242-247.
- Walter, J., 2020. Dryness, Wetness and Temporary Flooding Reduce Floral Resources of Plant Communities With Adverse Consequences For Pollinator Attraction. *Journal of Ecology*, 108, pp 1453–1464
- Widhiono, I., 2015. Strategi Konservasi Serangga Pollinator. Purwokerto: Universitas Jenderal Soedirman.

- Yanto, S.H., Yoza, D., & Budiani, E.S., 2016. Potensi Pakan *Trigona spp* di Hutan Larangan Adat Desa Rumbio Kabupaten Kampar. *Forestry Department. JOM Faperta UR*, 3(2), pp 17.
- Yustia, I.P.J., Rauf A. & Maryana N., 2016. Ritme aktivitas penerbangan harian *Tetragonula laeviceps* (Smith) (Hymenoptera: Apidae) di Bogor. *Jurnal Entomologi Indonesia*, 14(3), pp 61 – 69.
- Zhao, H, Li, G., Guo, D., Li, H., Liu, Q., Xu, B., & Guo, X., 2021. Response Mechanisms to Heat Stress in Bees. *Apidologie*, 52, pp 388–399.

