

DAFTAR PUSTAKA

- Afifah, Khusnul. (2017). Pengaruh Variasi Konsentrasi KH_2PO_4 Pada Sintesis Fotokatalis Ag_3PO_4 Dan Uji Aktivitasnya Terhadap Rhodamin B. *Skripsi*. Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Jenderal Soedirman
- Akmal. (2010). Biodegradasi Fenol Limbah Cair Industri Tekstil Oleh Candida Tropicalis. *Skripsi*. Institut Pertanian Bogor
- Angi, A., Sanlı, D., Erkey, C., & Birer, Ö. (2014). *Catalytic activity of copper (II) oxide prepared via ultrasound assisted Fenton-like reaction. Ultrasonics Sonochemistry*, 21(2), 854–859.
- Babuponnusami A, Muthukumar K. (2014). *A review on fenton and improvements to the Fenton process for wastewater treatment. Journal of Environmental Chemical Engineering*. 2(1): 557–572.
- Barokah, Siti. (2014). Aktivitas Fotokatalitik CuO/ZnO Pada Reaksi Oksidasi Fenol. *Skripsi*. Universitas Negeri Semarang.
- Bayu Aji, Prasetyo. (2015). Penurunan Nilai COD Air Limbah Pabrik Tahu Menggunakan Reagen Fenton Secara Batch. *Skripsi*. Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Semarang
- Birgani, P. M., Ranjbar, N., Abdullah, R. C., Wong, K. T., Lee, G., Ibrahim, S., Jang, M. (2016). An efficient and economical treatment for batik textile wastewater containing high levels of silicate and organic pollutants using a sequential process of acidification, magnesium oxide, and palm shell-based activated carbon application. *Journal of Environmental Management*, 184, 229–239.
- Bolton, Judy L. dan Tareisha Dunlap. (2016). Formation and Biological Targets of Quinones: Cytotoxic versus Cytoprotective Effects. *Chemical Research in Toxicology*, pp. 1-25
- Campo, EM, Romero R, Roa G, Peralta-Reyes E, Valencia JE, Natividad R. (2014). Photofenton oxidation of phenolic compounds catalyzed by iron-PILC. *Fuel*. 138 (3): 149–155.
- Cetinkaya, S. G., Morcali, M. H., Akarsu, S., Ziba, C. A., & Dolaz, M. (2018). *Comparison of classic Fenton with ultrasound Fenton processes on industrial textile wastewater. Sustainable Environment Research*, 28(4), 165–170.
- Chaudhari, P., S. Mishra. (2016). Effect of CuO as a dopant in TiO_2 on ammonia and hydrogen sulphide sensing at room temperature, *Measurement*, 90 468-474
- Chen, Z., Weilin W., Zhengguo Z., and Xiaoming F. (2013). High efficiency visible-light-driven $\text{Ag}_3\text{PO}_4/\text{AgI}$ photocatalysts: Z-Scheme photocatalytic mechanism for their enhanced photocatalytic activity. *The Journal of Physical Chemistry*. (117), pp 19346-19352.
- Chotimah, Chusnul, (2008). Penurunan Kadar Fenol Limbah Batik Menggunakan Metode AOPs (Advanced Oxidation Processes). *Skripsi*. Jurusan Kimia

Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Jenderal Soedirman

- Day, R. A., dan A. L. Underwood, (2002), Analisis Kimia Kuantitatif, Jakarta: Erlangga
- Deng Y, Zhao R. (2015). *Advanced oxidation processes (AOPs) in wastewater treatment. Current Pollution Reports*. 1(3):167–176.
- Fiolida, Intan Agnes Singyu. (2016) Preparasi Dan Karakterisasi Komposit CuO-Zeolit Alam Untuk Fotodegradasi Zat Warna Rhodamin B Dengan Sinar Ultraviolet. *Skripsi*. Fakultas Matematika Dan Ilmu Pengetahuan Alam UNY.
- Flyunt, R., W. Knolle, A. Kahnt, C. E. Halbig, A. Lotnyk, T. Haupl, A. Prager, S. Eigler dan B. Abel. (2016). *High quality reduced graphene oxide flakes by fast kinetically controlled and clean indirect UV-induced radical reduction. Nanoscale*, 00, pp. 1-10.
- Gami A, Shukor MY, Khalil KA, Dahala FA, Khalid A. (2014). Phenol and its toxicity. *Journal of Environmental Microbiology and Toxicology*. 2(1): 11-24
- Haddad ME, Regti A, Laamari MR, Mamouni R. Saffaj N. (2014). Use of Fenton reagent as advanced oxidative process for removing textile dyes from aqueous solutions. *Journal of Materials and Environmenal. Science*. 5(3): 667-674.
- Hadjltaief, H.B., Zina M.B., Galvez M.E., Costa P.D. (2015). Photo-fenton oxidation of phenol over a Cu-doped Fe-pillared clay. *Comptes Rendus Chimie*. 18(10): 1161–1169
- Handoko, E., & Sumilat, W. A. (2000). Metabolisme Hidrogen Peroksida Dan Peranannya Pada Infeksi Telinga. Laboratorium Ilmu Penyakit Telinga Hidung Tenggorok Fakultas Kedokteran Universitas Brawijaya. Malang - Indonesia
- Haris, A. (2003). Peranan mikroba dalam mendegradasi minyak bumi dan fenol pada air terproduksi dari industri perminyakan *Thesis*. Bogor: Sekolah Pascasarjana, Institut Pertanian Bogor.
- Karci, A. (2014). Degradation of chlorophenols and alkylphenol ethoxylates, two representative textile chemicals, in water by advanced oxidation processes: the state of the art on transformation products and toxicity. *Chemosphere*. 99(3): 1–18.
- Karmanto dan Sulistya, R. (2014). Elektrodekolorisasi zat warna rhemazol violet 5R menggunakan elektroda grafit. *J Kaunia*. Volume 10, p.11-19
- Keputusan Menteri Lingkungan Hidup No. Kep-51/MENLH/10/1995 tentang Buku Mutu Limbah Cair bagi Kegiatan Industri
- Khan, A., Qamart, M., Muneer, M., (2012). Synthesis of highly Active visible light-Driven Collodial Silver orthophosphate. *Chemistry Physic Letter.*, pp 54-58
- Khan, S. B., Ali, F., Kamal, T., Anwar, Y., Asiri, A. M., & Seo, J. (2016). *CuO embedded chitosan spheres as antibacterial adsorbent for dyes. International Journal of Biological Macromolecules*, 88, 113–119.2016.03.026
- Khopkar, S. M. (2008). *Konsep Dasar Kimia Analitik*. Jakarta: UI-Press

- Khusnuryani A, Martani E, Wibawa T, Widada J. (2015). Karakterisasi bakteri pendegradasi fenol dan pembentuk biofilm dari sumber alami dan artificial. *Kaunia*. 11(1) :1436- 4050.
- Lestari, Mastuti Widi. (2012). Sintesis Dan Karakterisasi Nanokatalis CuO/TiO₂ Yang Diaplikasikan Pada Proses Degradasi Limbah Fenol. *Skripsi*. Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Semarang
- Li, B., Y. Hao, B. Zhang, X. Shao, L. Hu, (2017). A multifunctional noble-metal-free catalyst of CuO/TiO₂ hybrid nanofibers, *Applied Catalysis A: General*, 531 (2017) 1-12.
- Loperz-Varquez, A.D., Santamaria, M. T., dan Gomez, c, (2010), Congo red Photocatalytic decolorization using modovoed titanium. World academy of science. *Engineering and Technology*. Volume 71.
- Mahrus, Rizky. (2017). Fotodegradasi Alkyl Benzene Sulfonate (ABS) dan Linier Alkyl Benzene Sulfonate (LAS) pada Limbah Laundry Menggunakan Fotokatalis TiO₂ Dopan Cu dengna Bantuan Lampu Tungsten. *Skripsi*. Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Jenderal Soedirman
- Miroslava, Edelmannová, Kuan-YuLin, Jeffrey C.S.Wu, IvanaTroppová, LiborČapek, KamilaKočí, (2018). Photocatalytic hydrogenation and reduction of CO₂ over CuO/ TiO₂ photocatalysts. *Applied Surface Science Volume 454*, Pages 313-318
- Mukaromah, A. H., Irawan. (2009). Pemanfaatan Reaktor Membran Fotokatalitik dalam Mendegradasi Fenol dengan Katalisis TiO₂ dengan Adanya Ion Logam Fe (III) dan Cu (II). *Laporan Penelitian*. Universitas Muhammadiyah Semarang.
- Muslimin. (2009). Sintesis Nanosized CuO/ZnO dan Pemanfaatannya sebagai sumber energi Alternative Solar Cell. *Skripsi*, Jurusan Kimia FMIPA Universitas Negeri Semarang.
- Natawidha, Catur Nitya Vinaya, (2012). Degradasi Limbah detergen (Senyawa Linear alkilbenzena sulfonate) dengan fotokatalis komposit berbasis TiO₂ dan Batu Apung. *Skripsi*. Universitas Indonesia. Jakarta.
- Ollis, D.F., Pelizzetti, E., & Serpone, N. (1986). Heterogeneous Photocatalysis in the Environment: Application to Water Purification. *Chemical Review*. 18: 603-637.
- Oturan MA, Aaron JJ. (2014). Advanced oxidation processes in water/wastewater treatment: principles and applications. *Environmental Science and Technology*. 44(23): 2577– 2641.
- Palupi, E., (2006). Degradasi Methylene Blue dengan Metode fotokatalisis dan meteode fotoelektro katalisis menggunakan Film TiO₂. *Skripsi*. Departemen Fisika Fakultas Matematika dan ilmu pengetahuan alam Institut pertanian Bogor

- Prawithasari, R.E., Fadilah, I., Mudjijono, Saraswati, T.E., dan Darwanto, (2015). Aktivitas Fotokatalitik nano TiO₂ Terdukung pada membrane selulosa Asetat/ Nata de coco (CA/NDC) dalam Reaksi Fotodegradasi. *Materials Science and Engineering*. Volume 29, p. 99-101
- Rajamanickam, D. & Shanthi, M. (2016). Photocatalytic Degradation of an Organic Pollutan by Zinc Oxide- Solar Process. *Arab J. Chem*. Volume 9, pp 858-868
- Rani, Manviri. Uma, Shanker. (2018). Photocatalytic degradation of toxic phenols from water using bimetallic metal oxide nanostructures. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Pages 546-561.
- Saleh, R., & Taufik, A., (2018). Degradation of Methylene Blue and Congo-Red dyes using Fenton, photo-Fenton, sono-Fenton, and sonophoto-Fenton methods in the presence of iron (II, III) oxide/zinc oxide/graphene (Fe₃O₄/ZnO/graphene) composites. *Separation and Purification Technology Journal*.
- Setyaningtyas, Tien., Kapti Riyani, Dian Windy Dwiasi, Ening Budhi Rahayu. (2018). Degradation of Phenol in Batik Wastewater Using Fenton Reagent under UV Rays. *Jurnal Kimia VALENSI*, Vol. 4, No. 1, Mei 2018 [26-33]
- Shkrob, A. I., and M. C. Sauer, Jr. (2004). *Hole Scavenging and Photo-Stimulated Recombination of Electron-Hole Pairs in Aqueous TiO₂ Nanoparticles*. Chemistry Division, Argonne National Laboratory, Argonne, IL 60439
- Slamet., Ellyana, M. M., Bismo, S. (2007). Modifikasi Zeolit Alam Lampung dengan Fotokatalis TiO₂ Melalui Metode Sol Gel dan Aplikasinya Untuk Penyisihan Fenol. *Laporan Penelitian*. Departemen Teknik Kimia, Fakultas Teknik, Universitas Indonesia.
- Smirnoff, N., & Cumbes, Q. J. (1989). Hydroxyl radical scavenging activity of compatible solutes. *Phytochemistry*, 28(4), 1057–1060. doi:10.1016/0031-9422(89)80182-7
- SNI 06-6989.21, 2004. Air dan air limbah – Bagian 21 Cara Uji Kadar Fenol secara Spektrofotometri. Badan Standarisasi Nasional.
- Sunil J, Kulkarni, Jayant P, Kaware. (2013). Review on research for removal of phenol from wastewater. *International Journal of Scientific and Research Publications*. 3(4): 1-5.
- Sutrisno. Hari, Arianingrum. Retno, dan Ariswan, (2006). Phenol photodegradation using Titanium Oxide Catalysts and Tinanium Silicate Mesoporous – Mesostructure. *Jurnal Bioteknologi*. 3 (2): 63-66.
- Verma, M., & Haritash, A. K. (2019). *Degradation of amoxicillin by Fenton and Fenton-integrated hybrid oxidation processes*. *Journal of Environmental Chemical Engineering*, 7(1), 102886.
- Vorontsov, A. V. (2018). Advancing Fenton and photo-Fenton water treatment through the catalyst design. *Journal of Hazardous Materials*.
- Wardhani, Sri., D. Purwonugroho dan D. Margiana. (2008). *Phenol Oxidation Using Natural Zeolite Supported Metal Ion Catalyst*. *Journal of Indo.J.Chem*. Vol.2, hal.215-218

- Widiarti, N. (2011), Aktivitas Katalitik CuO/TS-1 pada Reaksi Hidroksilasi Benzene. *Tesis*. Jurusan Kimia FMIPA Institut Teknoogi Sepuluh Nopember: Surabaya.
- Wijaya, k., Sugiharto, E., Fatimah, I., Sudiyono, S., dan Kurniasih, D., (2006). Utilasi TiO₂-Zeolit dan sinar UV untuk fotodegradasi zat warna congo red. *Teknoin*, 11(3), p.199-209
- Wright, M.R., (2004). *An introduction to chemicals Kinetics*. In”John Wiley&Sons Ltd.
- Yan, X., Gao, Q., Qin, J., Yang, X., Li, Y. dan Tan, H., (2013). Morphollogy Controlled Syntesis of Ag₃PO₄ Microcubes with enhanced visible light driven photocatalyc activity. *Ceramic International*. Volume 39, p.9715-9720
- Yazdanbakhsh AR, Daraei H, Davoodabadi M. (2015). Investigation the performance of advanced oxidation processes for degradation of phenol from water. *Environmental Science an Indian Journal*. 11(3): 083-088.
- Zhai, Andy. (2012). Determination of Phenols in Drinking Water with Agilent Bond Elut Plexa SPE and HPLC. Agilent Technologies, Inc: USA
- Zhang A, Li Y. (2014). Removal of phenolic endocrine disrupting compounds from waste activated sludge using UV, H₂O₂ and UV/H₂O₂ oxidation processes. Effects of reaction conditions and sludge matrix. *Science of The Total Environment*. 493(9): 307–323.
- Zhishen, J., Mengcheng, T., & Jianming, W. (1999). The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food Chemistry*, 64(4), 555–559.