

DAFTAR PUSTAKA

- Amano, K. 2020. Classical cesarean section. *International Surgery*, 67(4.)
- Bogra, J., Arora, N. dan Srivastava, P. 2005. Synergistic effect of intrathecal fentanyl and bupivacaine in spinal anesthesia for cesarean section. *BMC Anesthesiology*.
- Bollag, L., Lim, G., Sultan, P., Habib, A.S., Landau, R., Zakowski, M., Tiouririne, M., Bhambhani, S. dan Carvalho, B. 2021. Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery After Cesarean. *Anesthesia and Analgesia*, 132(5), pp. 1362–1377
- Bujedo, B.M. 2014. Spinal opioid bioavailability in postoperative pain. *Pain Practice*. Blackwell Publishing Inc., pp. 350–364.
- Cummings, A., Orgill, B.D. dan Fitzgerald, B.M. 2023. Intrathecal Morphine. *The Essence of Analgesia and Analgesics*, pp. 197–200.
- Dahlan, S. 2010. *Besar Sampel Dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. 3rd edn. Editor : Sopiudin Dahlan. Jakarta: Salemba Medika.
- Drasner, K. dan Larson, M.D. 2011. Spinal and Epidural Anesthesia. *Basics of Anesthesia*. Elsevier, pp. 252–283.
- Ebrie, A.M., Woldeyohanis, M., Abafita, B.J., Ali, S.A., Zemedkun, A., Yimer, Y., Ashebir, Z. dan Mohammed, S. 2022. Hemodynamic and analgesic effect of intrathecal fentanyl with bupivacaine in patients undergoing elective cesarean section; a prospective cohort study. *PLoS ONE*.
- Ferrarezi, W.P.P., Braga, A. de F. de A., Ferreira, V.B., Mendes, S.Q., Brandão, M.J.N., Braga, F.S. da S. dan Carvalho, V.H. 2021. Spinal anesthesia for elective cesarean section. Bupivacaine associated with different doses of fentanyl: randomized clinical trial. *Brazilian Journal of Anesthesiology (English Edition)*, 71(6)
- Girgin, N.K., Gurbet, A., Turker, G., Aksu, H. dan Gulhan, N. 2008. Intrathecal morphine in anesthesia for cesarean delivery: dose-response relationship for combinations of low-dose intrathecal morphine and spinal bupivacaine. *Journal of Clinical Anesthesia*, 20(3), pp. 180–185.
- Guglielminotti, J., Landau, R. dan Li, G. 2019. Adverse Events and Factors Associated with Potentially Avoidable Use of General Anesthesia in Cesarean Deliveries. *Anesthesiology*. 130(6), pp. 912–922.
- Helmi, M. 2010. *Perbandingan Onset dan Durasi Bupivakain 0,5% Isobarik 20 mg dan Bupivakain 0,5% Hiperbarik 20 mg pada Subarachnoid Block*. Thesis. Fakultas Kedokteran Universitas Gadjah Mada.

- Indradata, F., Purnomo, H.D., Thamrin, M.H., Santoso, S.B., Arianto, A.T. dan Suprpto, R. 2018. Perbandingan Efektivitas Anestesi Spinal dengan Bupivacain 12,5 Mg dan Bupivacain 5 Mg yang ditambah Fentanyl 50 Mcg pada Seksio Sesarea. *Jurnal Anestesi Obstetri Indonesia*.
- John, F.B., David, C.M., dan John D.W. 2018. *Morgan & Mikhail's Clinical Anesthesiology*. 6th edn. Editor : D.C.M. John F. Butterworth. McGraw Hill.
- Karaman, S., Günösen, I., Uyar, M., Biricik, E. dan Firat, V. 2011. The effects of morphine and fentanyl alone or in combination added to intrathecal bupivacaine in spinal anesthesia for cesarean section', *Agri*, 23(2), pp. 57–63.
- Kassa, M.W., Mkubwa, J.J., Shifa, J.Z. dan Agizew, T.B. 2020. Type of anaesthesia for caesarean section and failure rate in Princess Marina hospital, Botswana's largest referral hospital. *African Health Sciences*, 20(3), pp. 1229–1236.
- Koop, L.K. dan Tadi, P. 2022. Neuroanatomy, Sensory Nerves. *StatPearls* [Internet] Diakses pada 3 August 2023.
- Macfarlane, A.J.R., Brull, R. dan Chan, V.W.S. 2018. *SPINAL, EPIDURAL, AND CAUDAL ANESTHESIA*.
- Maher, T.J. 2012. Anesthetic Agents: General and Local Anesthetics. *Foye's Principles of Medicinal Chemistry*. Lippincott Williams & Wilkins.
- Martinez V.A., dan Singh, P. 2023. Epidural Morphine. *The Essence of Analgesia and Analgesics*, pp. 181–184.
- Mebazaa, M.S., ouerghi, S., ben Meftah, riadh, ben Cheikh, M., MeStiri, tahar dan ben aMMar, M.S. 2010. Reduction of Bupivacaine Dose in Spinal Anaesthesia for Caesarean Section May Improve Maternal Satisfaction by Reducing Incidence of Low Blood Pressure Episodes', *J. ANESTH*, 20(5), p. 2010.
- Nazli, B., Oguzalp, H., Horasanli, E., Gamli, M., Dikmen, B. dan Gogus, N. 2014. The effects on sensorial block, motor block, and haemodynamics of levobupivacaine at different temperatures applied in the subarachnoid space. *BioMed Research International*, 2014.
- Ngan Kee, W.D., Shaw, K.S., Ng, F.F., Ng, K.K.L., So, R. dan Lee, A. 2015. Synergistic Interaction Between Fentanyl and Bupivacaine Given Intrathecally for Labor Analgesia. *Survey of Anesthesiology*, 59(1), pp. 25–26.
- Pardo, M., dan Miller, R.D. 2018. *Basics of anesthesia*. 7th edn. Edited by Manuel C. Pardo dan Ronald D. Miller. Elsevier.
- Plaat, F., Stanford, S.E.R., Lucas, D.N., Andrade, J., Careless, J., Russell, R., Bishop, D., Lo, Q. dan Bogod, D. 2022. Prevention and management of intra-operative pain during

- caesarean section under neuraxial anaesthesia: a technical and interpersonal approach. *Anaesthesia*, 77(5), pp. 588–597.
- POGI. 2022. *Seksio Sesarea. Panduan Klinis*. Jakarta.
- Ramos-Matos, C.F., Bistas, K.G. dan Lopez-Ojeda, W. 2023. Fentanyl. *xPharm: The Comprehensive Pharmacology Reference*, pp. 1–5.
- Roofthoof, E., Joshi, G.P., Rawal, N., Van de Velde, M., Joshi, G.P., Pogatzki-Zahn, E., et al. 2021. PROSPECT guideline for elective caesarean section: updated systematic review and procedure-specific postoperative pain management recommendations. *Anaesthesia*, 76(5), pp. 665–680.
- Shafiei, F.T., McAllister, R.K. dan Lopez, J. 2023. Bupivacaine. *The Essence of Analgesia and Analgesics*, pp. 274–276.
- Shah, O.M. dan Bhat, K.M. 2017. Comparison of the Efficacy and Safety of Morphine and Fentanyl as Adjuvants to Bupivacaine in Providing Operative Anesthesia and Postoperative Analgesia in Subumbilical Surgeries Using Combined Spinal Epidural Technique', *Anesthesia, Essays and Researches*, 11(4), p. 913.
- Shahrokhi, M. dan Asuncion, R.M.D. 2023. Neurologic Exam. *Journal of Equine Veterinary Science*, 23(11), pp. 484–492.
- Sng, B.L., Siddiqui, F.J., Leong, W.L., Assam, P.N., Chan, E.S.Y., Tan, K.H. et al. 2016. Hyperbaric versus isobaric bupivacaine for spinal anaesthesia for caesarean section. *Cochrane Database of Systematic Reviews*. John Wiley and Sons Ltd.
- Stifani, N. 2014. Motor neurons and the generation of spinal motor neuron diversity. *Frontiers in Cellular Neuroscience*
- Suhanda, R.M., Yp, B., Rsi, Y.W., Madiun, A. dan Anestesiologi, K. 2015. Perbandingan Antara Durasi Blok Sensorik dan Motorik pada Seksio Sesarea dengan Spinal Anestesi Kombinasi Bupivacain 0,5% Hiperbarik 5 mg dan Fentanil 25 mg dengan Bupivacain 0,5% Hiperbarik 7,5 mg dan Fentanil 15 mg. *Jurnal Komplikasi Anestesi*, 3.
- Sultan, P., Sultan, E. dan Carvalho, B. 2021. Regional anaesthesia for labour, operative vaginal delivery and caesarean delivery: a narrative review. *Anaesthesia*. Blackwell Publishing Ltd, pp. 136–147.
- Thornton, P., Hanumanthaiah, D., Aoibheann O'leary, R. dan Iohom, G. 2015. Spinal fentanyl added to bupivacaine and morphine Effects of fentanyl added to a mixture of intrathecal bupivacaine and morphine for spinal anaesthesia in elective caesarean section. *Romanian Journal of Anaesthesia and Intensive Care*.
- Watson, S.E., Richardson, A.L. dan Lucas, D.N. 2022. Neuraxial and general anaesthesia for caesarean section. *Best Practice and Research: Clinical Anaesthesiology*. Bailliere Tindall Ltd, pp. 53–68.

- Weigl, W., Bieryło, A., Wielgus, M., Krzemień-Wiczyńska, Ś., Kołacz, M. dan Dąbrowski, M.J. 2017. Perioperative analgesia after intrathecal fentanyl and morphine or morphine alone for cesarean section. *Medicine (United States)*, 96(48).
- Yancey, R. 2018. Anesthetic management of the hypertensive patient: Part II. *Anesthesia Progress*, 65(3), pp. 206–213.
- Zayia, L.C. dan Tadi, P. 2022. Neuroanatomy, Motor Neuron. *StatPearls* [Internet]. Diakses pada 1 August 2023.
- Zuarez-Easton, S., Zafran, N., Garmi, G. dan Salim, R. 2017. Postcesarean wound infection: Prevalence, impact, prevention, and management challenges. *International Journal of Women's Health*. Dove Medical Press Ltd, pp. 81–88.
- Zulkifli, M., Salahuddin, A. and Ahmad, M.R. 2019. Perbandingan Efektivitas Anestesi Spinal Menggunakan Bupivakain 0,5% Hiperbarik Dosis 7,5 Mg dengan 5 Mg pada Seksio Sesarea', *Jurnal Anestesi Obstetri Indonesia*.

