

DAFTAR PUSTAKA

- Agrawal, S., Shanker, O. 2022. Post Partum Urinary Retention after Vaginal Delivery. *IJIRMS*. 7(12): 1-6.
- Angraini, C., Nurdiana, Safitri, D., Aprian, Y. S. 2022. Hubungan Berat Badan Bayi Baru Lahir dengan Kejadian Ruptur Perineum Persalinan Normal. *Posding*. 1 (2): 618-625
- Arnold, M.J., Sadler, K. and Lacerations, O (2021). ‘Obstetric Lacerations: Prevention and Repair’, *American Family Phisichian*. 103 (12). 746-749.
- Avondstondt, A.M., Hidalgo, R.J., Salamon, C.G. 2020. ‘Intrapartum risk factors for postpartum urinary retention: a case-control study’, *International Urogynecology Journal*, 31(11), pp. 2395–2398.
- Ayu, I., Kasari, D., Wahyuni, C. (2021) ‘Analisis Pantang Makan Dengan Derajat Luka Perineum Terhadap Penyembuhan Luka Pada Ibu Nifas Hari Ke-7 Di PMB Ibunda Ny. Indah An analysis on the abstinence with the degree of perineal wounds against wound healing on the 7th day postpartum mothers at PMB of Mrs. Indah S.W, SST, Cendono Village, Kandat District’, *Jurnal Perempuan dan Anak (JPA)*, 1(1), pp. 46–57.
- Ayyash, M., Briskin, R., Calimente, S., Kallabat, H., Pezzillo, M., Estanol., M.V. (2023) ‘Retrospective Clinical Characterization of Women with Prolonged Persistent Postpartum Urinary Retention ”’, *Research Square*, pp. 1–11.
- Barba, M., Frigerio, M., Madoro, s., Bernasconi, D., Cola, A., Palmieri, S., et al., (2021) ‘Postpartum urinary retention: Absolute risk prediction model’, *LUTS: Lower Urinary Tract Symptoms*, 13(2), pp. 257–263.
- Barret, K, E., Barman, S, M., Boitano, S., Brooks, H,L. (2015). *Buku Ajar Fisiologi Kedokteran Edisi 24*. New York: Mc Graw Hill.
- Bayu, B., Lengkong, R., Wantania, J., (2019) ‘Postpartum Urinary Retention after Vaginal Delivery Retensi Urin pada Pasien Pascasalin Pervaginam’. *Indonesia jurnal Obtetri Ginecology*. 7(2), pp 141-147.
- Billet, M., Windsor, T.A. (2019) ‘Urinary Retention’, *Emergency Medicine Clinics of North America*. W.B. Saunders, pp. 649–660.
- Cao, D., Rao L., Zhang, D., Lu, B.,(2022) ‘Prevalence and risk factors of overt postpartum urinary retention among primiparous women after vaginal delivery: a case-control study’, *BMC Pregnancy and Childbirth*, 22(1).
- Cardozo, L. and Staskin, D. (2023)’ *Textbook of Female Urology and Urogynecology Surgical Perspective’s*:1 (5).
- Carlson, N., Ellis, J., Page, K., Dun, A,A., Phillippi, J., (2021) ‘Review of Evidence-Based Methods for Successful Labor Induction’, *Journal of Midwifery and Women’s Health*. John Wiley and Sons Inc, pp. 459–469.
- Cunningham, G.F., Leveno, K,J., Bloom, S,L., Hoffman, B,L., Casey, B.M., Catherine, Y (2015) *Williams OBSTETRICS 25 Edition*. New York:Mc Graw Hill.
- Desai, N.M., Tsukerman, A. (2023) *Vaginal Delivery*. StatPearls.
- Dolezal, P., Ostatnikova,M., Balazovjechova,B., Psenkova, P., Zahumensky, J., (2022) ‘Covert postpartum urinary retention: causes and consequences

- (PAREZ study)', *International Urogynecology Journal*, 33(8), pp. 2307–2314.
- Doumouchtsis, S.K., De, T.R., Daly, O., Melendez-Muno, J., Lindo, F., While, A., *et al.*, (2023) 'An International Continence Society (ICS)/ International Urogynecological Association (IUGA) joint report on the terminology for the assessment and management of obstetric pelvic floor disorders', *International urogynecology journal*, 34(1), pp. 1–42.
- Eroschenko, V. (2018) *Difiore Atlas Edisi 12*. Jakarta
- Flores, J.L., Cortes, G.A. and Leslie, S.W. (2023) *Physiology, Urination*.
- Friedman, S.H., Reed, E. and Ross, N.E. (2023) 'Postpartum Psychosis', *Current Psychiatry Reports*. Springer, pp. 65–72.
- Gill, P., Henning, J., Calson K., Van Hook, J., (2023) *Abnormal Labor Continuing Education Activity*.
- Gupta, A., Pampapati, V., Murugesan, R., Nayak, D., Keepanasseril, A., (2021) 'Postpartum urinary retention in women undergoing instrumental delivery: A cross-sectional analytical study', *Acta Obstetricia et Gynecologica Scandinavica*, 100(1), pp. 41–47.
- Textbook of Medical Physiology*. Jakarta
- Hafid, R. N. H. 2020. Hubungan Berat Badan Bayi dengan Ruptur Perineum pada Primigravida di Wilayah Rural. *Jurnal Berita Kesehatan*. 15(1): 1-4.
- Hardiyanti, R., Islamy, N. and Sayuti, M. (2022) 'Ruptur Perineum Grade 3A Post Trauma: Laporan Kasus', *Jurnal Ilmu Medis Indonesia*, 2(1), pp. 11–24.
- Hosakoppal, S., Brown, O., Peaceman, A. (2022) 'Postpartum urinary retention after the institution of a universal voiding protocol', *Journal of Maternal-Fetal and Neonatal Medicine*, 35(25), pp. 10199–10205.
- Hutchison, M.G., Di Battista, A., Lawrence, D., Pyndiura, K., Corallo, D., Ricads, D., (2022) 'Randomized controlled trial of early aerobic exercise following sport-related concussion: Progressive percentage of age-predicted maximal heart rate versus usual care', *PLoS ONE*, 17(12 December).
- Kawasoe, I. dan Kataoka, Y. (2020) 'Prevalence and risk factors for postpartum urinary retention after vaginal delivery in Japan: A case-control study', *Japan Journal of Nursing Science*, 17(2).
- Lamblin, G., Chene, G., Aeberli, C., Soare, R., Moret, S., Bouvet, L., Doret-Dion, M., (2019) 'Identification of risk factors for postpartum urinary retention following vaginal deliveries: A retrospective case-control study', *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 243, pp. 7–11.
- Li, Q., Zhu, S. and Xiao, X. (2020) 'The risk factors of postpartum urinary retention after vaginal delivery: A systematic review', *International Journal of Nursing Sciences*. Chinese Nursing Association, pp. 484–492.
- Mavrotas, J., Gandhi, A., Kalogianni, V., Patel, V., Batura D., (2022) 'Acute urinary retention', *British Journal of Hospital Medicine*, 83(1).
- Mohr, S., Railo, L., Gobrecht-Keller, U., Mueller, M., Kuhn, A., (2022) 'Postpartum urinary retention: what are the sequelae? A long-term study and review of the literature', *International Urogynecology Journal*, 33(6), pp. 1601–1608.
- Mulder, F.E.M., Van der, V.S., Pol, F., Bos, M., Van Leeuwen, J., Dietz, V., Hakvoort, R., Roovers, J. (2019) 'Accuracy of postvoid residual volumes

- after vaginal delivery: a prospective equivalence study to compare an automatic scanning device with transurethral catheterization', *International Urogynecology Journal*, 30(5), pp. 773–778.
- Netter, F. (2019) *Atlas of Humanity Anatomy 6th Edition*. Jakarta
- Nurmaulin, B. S. 2023. Determinan Kelengkapan Berkas Rekam Medis Rawat Inap Di Rumah Sakit. *Kesehatan Deli Sumatra*. 1(2);1-9
Umum Daerah Tanjungpura Kabupaten Langkat Tahun 2023
- Nusee, Z., M Noh, H., Rashid, A. R., Ismail, H., Zakaria, H. 2020. *European Journal of Medical and Health Sciences*. 2(4): 1-5.
- Oktharina, E., Fauzi, A., Bernolian, N., Kesty, C., (2021) 'Risk Factors of Postpartum Urinary Retention', *Indonesian Journal of Obstetrics and Gynecology*, 9(4), pp. 209–214.
- Perú Biurrun, G., Gonzalez- Diaz, E., Fernandez, C.,(2020) 'Post Partum Urinary Retention and Related Risk Factors', *Urology*, 143, pp. 97–102.
- Polat, M., Şentürk, M. B., Şentürk, M. B., Pulatoğlu, Ç., Doğan, O., Kılıççıs, Ç., Budak, M.S., (2018) 'Postpartum urinary retention: Evaluation of risk factors', *Turkish Journal of Obstetrics and Gynecology*, 15(2), pp. 70–74.
- Purborini, S. F. A., Rumaropen, N. S. 2023. Relationship of Age, Parity, and Education Level with Unwanted Pregnancy in Fertile age couples in Surabaya. *Media Gizi Kesmas*. 12(1): 207–211.
- Pustaka, T., Djusad, S. (2020) 'Manajemen Retensio Urin Pasca Persalinan Pervaginam Post-Partum Urinary Retention Management', *Manajemen Retensio Urin Pasca Persalinan Pervaginam eJKI*, 8(1).
- Putri, S. R., Rosiawati, Nurzakiah, S. 2024. Pengaruh Senam Kegel Terhadap Laserasi Perineum Ibu Pasca Bersalin. *Journal of Midwifery*. 12 (1): 111-115
- Rahayuningsih, F.B. (2021) *Peningkata Kualitas Hidup Ibu Nifas*. Makasar: CV. Nas Media Pustaka.
- Ramar, C.N., Grimes, W.R. (2023) *Perineal Lacerations Continuing Education Activity*.
- Rao Bolla, S., Odeluga, N., Amrei, R., Jetti, R.,(2023) *Histology, Bladder*.
- Ridharaudha Zahrania', A., Sholihin, R.M. (2022) 'Urinary Retention', *Continuing Medical Education*, pp. 418–427.
- Ris Natalia, J., Rodiani, Zulfadli. 2020. Pengaruh Obesitas dalam Kehamilan Terhadap Berat Badan Janin. *Medula*. 10 (3): 539-543
- Sastroasmoro, S., Ismael, S. (2014) *Dasar-dasar Metodologi Penelitian Klinis Edisi Ke-4 2011*. 5th edn.
- Schunke, M., Schuller, E., Schumacher, U. (2019) *Prometheus Atlas Anatomi Manusia, Kepala, Leher, & Neuroanatomi*. Jakarta: EGC.
- Septiani, N. D., Hariyono, Rosyidah, I. 2021. Hubungan Pesalinan Kala II Lama dengan Kejadian Retensio Urine. *Jurnal Kebidanan*. 11 (1): 1-10. ISSN 2580-4774 (Online)
- Sherwood, L. (2019) *Fisiologi Manusia dari Sel ke Sistem*. 9th edn. Jakarta: Kedokteran EGC.
- Stairs, J., Rolnik, D., Pascali, D., Clancy, A., (2022) *LinkOut-more resources Full Text Sources*.
- Spinelli, A., Laurenti, V., Carrano, F.M., Gonzalez-Diaz, E.B.,orycka-Kiciak, K. 2021. Diagnosis an Treatment of Obstetric Anal Sphincter Injuries: New Evidence and Perspectives. *J. Clin. Med*. 2021, 10, 3261.

- Stairs, J., Rolnik, D.L., Clancy, A. 2022. Association between obstetrical anal sphincter injury and postpartum urinary retention: a contemporary nationwide cohort study. *Urogynecol Journal*. 33 (12) doi: 10.1007/s00192-022-05346-8
- Suzuki, S., Kakizaki, E., Kobayashi, R., Teshima, S., (2019) 'Risk factors for postpartum urinary retention after vaginal delivery at term without epidural anesthesia', *Journal of Maternal-Fetal and Neonatal Medicine*, 32(20), pp. 3470–3472.
- Tsurraya, I., Ridlo, ihya dan Pribakti, B. (2019) 'Retensio Urin Post Partum', *Jurnal Medika*, pp. 1–14.
- Worrall, A.P., O'Leary Bobby D and Salameh, F. (2023) 'Obstetric Anal Spincter Injury (OASI) in the Presence of An Intact Perineum', *BMJ*, pp. 1–5.
- Ye, D., Yao, L.Q. (2023) 'Prolonged second stage of labor is associated with persistent urinary retention after forceps delivery: An observational study', *Medicine (United States)*, 102(38), p. E35169.
- Zahra, T. A., Hidayati, F. 2023. Hubungan Berat Badan pada Ibu Selama Kehamilan dengan Kejadian BBLR. *Jurnal Muara Medika dan Psikologi Klinis* . 3 (1): 15-21.

