

DAFTAR PUSTAKA

- Adnan, M. L. 2021. Efek Konsumsi Kefir Terhadap Dislipidemia Terkait Sindrom Metabolik: Sebuah Tinjauan Pustaka. *Jurnal Khazanah*. 13(1):30-39.
- Al-Shemmari, I.G.M., Altaee, R.A.M.K., Hassan, A.H. 2018. Evaluation Of Antidiabetic and Antihyperlipidemic Activity Of Kefir In Alloxan Induced Diabetes Mellitus Rat. *Scientific Journal of Medical Research*. 2(6):83-86.
- Amani, Z.A., Mustarichie, R. 2018. Antihyperglycemic Activity of Several Plants in Indonesia. *Farmaka*. 116(1):127–132.
- Arifah, Y., Sunarti, Prabandari, R. 2022. Efek Bunga Telang (*Clitoria ternatea L.*) terhadap Kolesterol Total, LDL, HDL pada Tikus (*Rattus norvegicus*). *Journal Syifa Sciences and Clinical Research (JSSCR)*. 4(1):18-31.
- Arifani, D., Zulaikhah, S.R., Luthfi, S.A.C. 2023. Sifat Fisikokimia Yoghurt Buah Naga Merah (*Hylocereus polyrhizus L.*) dengan Penambahan Berbagai Level Susu Skim. *Jurnal Ilmu dan Teknologi Peternakan*. 11(1):1–5.
- Aryanta, I.W.R. 2021. Kefir dan Manfaatnya Bagi Kesehatan. *E-Jurnal Widya Kesehatan*. 3(1):35–38.
- Asosiasi Kefir Susu Indonesia. 2016. *Pedoman Pembuatan & Pemanfaatan Kefir: Warisan Islam untuk Kesehatan Dunia*. Asosiasi Kefir Susu Indonesia, Jakarta.
- Azizi, N.F., Kumar, M.R., Yeap S.K., Abdullah, J.O., Khalid, M., Omar A.R., Osman, M.A., Mortadza, S.A.S., Alitheen, N.B. 2021. Kefir and Its Biological Activities. *Foods*. 10(6):1-26.
- Balakrishnan, G., Agrawal, R. 2014. Antioxidant Activity And Fatty Acid Profile of Fermented Milk Prepared By *Pediococcus Pentosaceus*. *J. Food Sci. Technol*. 51(12):4138–4142.
- Bourrie, B.C.T., Cotter, P.D., Willing, B.P. 2018. Traditional Kefir Reduces Weight Gain and Improves Plasma and Liver Lipid Profiles More Successfully Than a Commercial Equivalent In a Mouse Model of

- Obesity. *Journal of Functional Foods*. 46(1):29-37.
- Bourrie, B.C.T., Richard, C., Willing, B.P. 2020. Kefir In The Prevention and Treatment of Obesity and Metabolic Disorders. *Current Nutrition Reports*. 9(3):184–192.
- Buettner, R., Scholmerich, J., Bollheimer, L.C. 2007. High-Fat Diets: Modeling the Metabolic Disorders of Human Obesity in Rodents. *Obesity (Silver Spring)*. 15 (4):798–808.
- Bustami, Z.S., Setiawati, A., Suyatna, F.D. 1995. Farmakologi dan Terapi: Pengantar Farmakologi. Gaya Baru, Jakarta.
- Chawla, A., Chawla, R., Jaggi, S. 2016. Microvasular and Macrovascular Complications in Diabetes Mellitus: Distinct or Continuum? *Indian Journal Endocrinology and Metabolisme*. 20(4):546–553.
- Danda, R. S., Habiba, N.M., Rincon-Choles, H., Bhandari, B.K., Barnes, J.L., Abboud, H.E., Pergola, P.E. Kidney Involvement in a Nonenetic Rat Model of Type 2 Diabetes. *Kidney International*. 68(6):2562-2571.
- Daulay, M., Syahputra, M., Sari, M.I., Widyawati, T., Anggraini, D. R. 2024. Potensi *Myrmecodia pendans* dalam Mencegah Komplikasi Diabetes Melitus sebagai Agen Antidiabetik dan Antihiperlipidemia. *Jurnal Kedokteran Hewan Terbuka*. 14(7):1607-1613.
- Demir, S., Nawroth, P.P., Herzig, S., Üstünel, B.E. 2021. Emerging Targets in Type 2 Diabetes and Diabetic Complications. *Advanced Science*. 8(18):1-23.
- Elamin. N.M.H., Fadlalla, I.M.T., Omer, S.A., Ibrahim, H.A.M. 2018. Histopathological Alteration in STZ-Nicotinamide Diabetic Rats, a Complication of Diabetes or a Toxicity of STZ?. *International Journal of Diabetes and Clinical Research*. 5(3):1-8.
- Eleazu, C.O., Eleazu, K.C., Chukwuma, S.E. 2013. Review of The Mechanism of Cell Death Resulting from Streptozotocin Challenge in Experimental Animals, Its Practical Use and Potential Risk to Humans. *Journal of*

Diabetes & Metabolic Disorders. 12(1):1-7.

- Ertekin, B., Guzel-Seydim, Z.B. 2009. Effect of Fat Replacers on Kefir Quality. *J Sci Food Agric.* 90(4):543-548.
- Faiqotunnuriyah, Cahyati, W.H. 2021. Faktor yang Berhubungan dengan Kejadian Neuropati Diabetik pada Penderita Diabetes Melitus Tipe 2. *Kesmas Indonesia.* 13(1):64-76.
- Farag, M.A., Jomaa, S.A., El-Wahed A.A., El-Seedi H.R. 2020. The Many Faces of Kefir Fermented Dairy Products: Quality Characteristics, Flavour Chemistry, Nutritional Value, Health Benefits, And Safety. *Nutrients.* 12(2):1-23.
- Febrinasari, R.P., Solikhah, T.A., Pakha, D.N., Putra, S.E. 2020. *Buku Saku Diabetes Melitus Untuk Awam.* Penerbitan dan Pencetakan UNS (UNS Press), Surakarta.
- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K.B., Ostolaza, H., Martín, C. 2020. Pathophysiology of Type 2 Diabetes Mellitus. *International Journal of Molecular Sciences.* 21(17):1–34.
- Ghasemi, A., Jeddi, S. 2023. Streptozotocin As a Tool For Induction of Rat Models of Diabetes: A Practical Guide. *Excli J.* 22:274–294.
- Gheibi, S., Kashfi, K., Ghasemi, A. 2017. A Practical Guide for Induction of Type-2 Diabetes in Rat: Incorporating a High-Fat Diet and Streptozotocin. *Biomedicine & Pharmacotherapy.* 95(2017):605-613
- Hammer, G.D., McPhee, S.J. 2014. *Pathophysiology of Disease: An Introduction to Clinical Medicine Seventh Edition.* McGraw Hill Education, Singapore.
- Hardiansyah, A. 2020. Identifikasi Nilai Gizi dan Potensi Manfaat Kefir Susu Kambing Kaligingseng. *Journal of Nutrition College.* 9(3):208-214.
- Hasan, A. M., Rahmayani, F., Rudyanto, W. 2022. Pengaruh Kadar LDL dan HDL pada Stroke. *Jurnal Penelitian Perawat Profesional.* 4(4):1245–

1252.

- Hirano T. 2018. Pathophysiology of Diabetic Dyslipidemia. *Journal Atherosclerosis and Thrombosis*. 25(9):771–782.
- IDF Diabetes Atlas. 2021. *IDF Diabetes Atlas 10th Edition*. (<https://diabetesatlas.org/atlas/tenth-edition/>). Diakses 7 April 2024.
- Istawa, R.A., Fajri, R., Arifin, D.Z. 2018. Daya Terima, Kadar Protein, Kadar Lipid, dan Jumlah Mikroba pada Kefir Susu Sapi dan Kefir Susu Kambing Sebagai Alternatif Minuman Probiotik. *Journal of Holistic and Health Sciences*. 2(2):60-65.
- Kaur, N. 2017. Role of Nicotinamide In Streptozotocin Induced Diabetes in Animal Models. *BMC Endocrine Disorders*. 2(1):1-10.
- Kinteki, G.A., Rizqiati, H., Hintono, A. 2018. Pengaruh Lama Fermentasi Kefir Susu Kambing Terhadap Mutu Hedonik, Total Bakteri Asam Laktat (BAL), Total Khamir dan pH. *Jurnal Teknologi Pangan*. 3(1):42–50.
- Lestari, Zulkarnain, Sijid, A.S.T. 2021. Diabetes Melitus: Review Etiologi, Patofisiologi, Gejala, Penyebab, Cara Pemeriksaan, Cara Pengobatan dan Cara Pencegahan. *Prosiding Seminar Nasional Biologi*, 8 November, Gowa P: 237–241.
- Marsellinda, E., Ferilda, D.S. 2022. Evaluasi Terapi Obat Dislipidemia pada Pasien Diabetes Melitus Yang Mengalami Dislipidemia yang Dirawat di Rumah Sakit Islam Siti Rahmah. *Menara Ilmu*. 16(1):15-20.
- Masiello, P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys, D., Novelli, M., Ribes, G. 1998. Experimental NIDDM Development of A New Model in Adult Rats Administered Streptozotocin and Nicotinamide. *Diabetes*. 47(2):224-229.
- Moeljanto, R.D., Wiryanta, B.T.W. 2002. *Khasiat & Manfaat Susu Kambing: Susu Terbaik dari Hewan Ruminansia*. Agromedia Pustaka, Jakarta.
- Munjiati, N.E., Sulistiyowati, R., Kurniawan. 2021. Pengaruh Pemberian

- Streptozotocin Dosis Tunggal Terhadap Kadar Glukosa Tikus Wistar (Rattus norvegicus). *Meditory*. 9(1):62-67.
- Mizukami, H., Kudoh, K. 2022. Diversity of Pathophysiology in Type 2 Diabetes Shown By Islet Pathology. *Journal of Diabetes Investigation*. 13(1):6–13.
- Muntafiah, A., Pratama, T.S., Ati, V.R.B. 2019. Evaluasi Potensi Antidiabetes Sari Buah Markisa Ungu (*Passiflora Edulis* Var *Edulis*) pada Tikus Model Diabetes Melitus yang Diinduksi Aloksan. *Jurnal Kedokteran Brawijaya*. 30(3):191–196.
- Muntafiah, A., Sunarti, Nurliyani. 2015. Potensi Antihiperqlikemia Kefir Berbasis Susu Kambing Dan Kedelai Pada Tikus Model Dm Tipe 2. *Mandala Heal*. 8(3):612–621.
- Nahid, M.H. E., IMT, F., Shadia, A.O., Hala, A.M.I. 2018. Histopathological Alteration in STZ-Nicotinamide Diabetic Rats, A Complication Of Diabetes or A Toxicity of STZ? *International Journal Diabetes and Clinical Research*. 5(3):1-8.
- Noor, S.M., Dharmayanti, I., Wahyuwardani, S., Muharsani, S., Cahyaningsih, T., Widianingrum, Y., Sukmasari, P.K., Syawal, M., Febretrisiana, A., Misniwaty, A., et al. 2022. *Penanganan Rodensia Dalam Penelitian Sesuai Kaidah Kesejahteraan Hewan*. IAARD Press, Jakarta.
- Nurannisa, F., Kertia, N., Lestari, L.A. 2019. Efek Konsumsi Yogurt Terhadap Glukosa Darah Diabetes Melitus Tipe 2. *Jurnal Gizi Indonesia*. 8(10):40-44.
- Nurdin, N.A., Harun, A.D., Ningsih, S.D., Eka, N., Pratiwi, A. 2022. Hubungan Kadar High Density Lipoprotein (HDL) Terhadap Glukosa Darah Sewaktu pada Penderita Diabetes Mellitus Di RS Benyamin Guluh Kolaka. *Jurnal Analisis Kesehatan Kendari*. 5(1):30–34.
- Perkeni. 2021. *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia-2021*. PB Perkeni, Jakarta.
- Pratama, S.E., Probosari, E. Pengaruh Pemberian Kefir Susu Sapi Terhadap Kadar

- Kolesterol LDL Tikus Jantan Sprague Dawley Hiperkolesterolemia. *Journal of Nutrition College*. 1(1):358-364.
- Pratiwi, W.R., Hediningsih, Y., Isworo J.T. 2021. Hubungan Kadar Glukosa Darah dengan Kadar HDL (High Density Lipoprotein) pada Pasien Diabetes Melitus Tipe 2. *Jurnal Labora Medika*. 5(1):29–34.
- Punaro, G.R, Maciel, F.R., Rodrigues, A.M., Rogero, M.M., Bogsan, C.S.B., Oliveira, M.N., Ihara, S.S.M., Araujo, S.R.R., Sanches, T.R.C., Andrade, L.C., et al. 2014. Kefir Administration Reduced Progression of Renal Injury in STZ-Diabetic Rats By Lowering Oxidative Stress. *Nitric Oxide - Biol. Chem*. 37(1):53–60.
- Raras, T.Y.M. 2022. Kefir: Mikrobiologi, Senyawa Bioaktif, dan Manfaatnya pada Penyakit Non Infeksi. *Majalah Kesehatan*. 9(4):263-280.
- Ratnasari P.M.D., Kurnianta, P.D.M., Prasetya, A.A.N.P.R. 2020. Penggunaan Statin dan Antiplatelet sebagai Pencegahan Sekunder Komplikasi Kardiovaskuler pada Pasien Diabetes Melitus Tipe 2. *Majalah Farmasi dan Farmakologi*. 24(2):42–48.
- Rosa, D.D, Dias, M.M.S., Grzeškowiak, L.M., Reis, S.A., Conceição, L.I., Peluzio, M.D.C.G. 2017. Milk Kefir: Nutritional, Microbiological and Health Benefits. *Nutrition Research Reviews*. 30(1):82–96.
- Rusdiana, S., Praharani, L., Sumanto. 2015. Kualitas dan Produktivitas Susu Kambing Perah Persilangan di Indonesia. *Jurnal Penelitian dan Pengembangan Pertanian*. 34(2):79-86.
- Qin, J., Li, Y., Cai, Z., Li, S. Zhu, Zhang, F., Liang, S. *et al*. 2012. A Metagenome-Wide Association Study of Gut Microbiota in Type 2 Diabetes. *Nature*. 490(7418):55-60.
- Sagith, D.V., Ilmiawati, C., Katar, Y. 2018. Pengaruh Pemberian Ekstrak Biji Melinjo (*Gnetum gnemon*) Terhadap Kadar Kolesterol LDL Pada Tikus Galur Wistar (*Rattus norvegicus*) Model Hiperkolesterolemia. *Jurnal Kesehatan Andalas*. 7(4):486-490.

- Saptaningtyas, R., Wahyuhendra, R., Isworo, J.T. 2022. Hubungan Gula Darah Puasa Dengan Kolesterol LDL pada Pasien Diabetes Mellitus Tipe 2 di RSUD William Booth Kota Semarang. *Jambura Journal of Health Science and Research*. 4(3):604-608.
- Sari D.R.T., Ustiatik, R., Witoyo, J.E., Krisnamurti, G.C., Bare, Y. 2021. Kajian Bioinformatika Penghambatan Alosterik Asemanan dan Glukomananterhadap C-Jun NH2 Terminal Kinase (JNK). *Jurnal Biologi dan Pendidikan Biologi*. 2(2):28–36.
- Saxelin, M., Elo, S., Salminen, S., Vapaatalo, H. 1991. Dose Response Colonisation of Faeces after Oral Administration of *Lactobacillus casei* Strain GG. *Microbial Ecology in Health and Disease*. 4:209-214.
- Setyawardani, T., Sumarmono, J. 2015. Chemical and Microbiology Characteristics of Goat Milk Kefir During Storage Different Temperatures. *Journal of the Indonesian Animal Agriculture*. 40(3):183-188.
- Sheleme, T., Mamo, G., Melaku, T., Sahilu, T. 2020. Prevalence, Patterns and Predictors of Chronic Complications of Diabetes Mellitus at A Large Referral Hospital in Ethiopia: A Prospective Observational Study. *Diabetes, Metabolic Syndrome and Obesity*. 13(1):4909–4918.
- Sherwood, L. 2018. *Fisiologi Manusia: dari Sel ke Sistem*. EGC, Jakarta.
- Srinivasan, K., Viswanad, B., Asrat, L., Kaul, C.L., Ramarao, P. 2005. Combination of High Fat Diet-Fed and Low-Dose Streptozotocin-Treated Rat: a Model for Type 2 Diabetes and Pharmacological Screening. *Pharmacological Research*. 52(4):313–320.
- St-Onge, M., Farnworth, E.R., Savard, T., Chabot, D., Mafu, A., Peter, J.J.H. 2002. Kefir Consumption Does Not Alter Plasma Lipid Levels or Cholesterol Fractional Synthesis Rates Relative to Milk in Hyperlipidemic Men: A Randomized Controlled Trial. *BMC Complementary Medicine and Therapies*. 2(1):1-7.

- Sunarti, Nurliyani, Tyas, A.S.A., Kristian, S.D., Prasetyastuti. 2015. The Influence Of Goat Milk and Soybean Milk Kefir On Il-6 And Crp Levels In Diabetic Rats. *Romanian Journal of Diabetes, Nutrition and Metabolic Diseases*. 22(3):261-267.
- Sutanti, V., Rachmawati, Y.L., Putra, B.V.N., Pangestu, H. 2023. Studi In-Vitro Efektifitas Grain Kefir dengan Kombinasi Sorbitol Terhadap Pertumbuhan. *eJournal Kedokteran Indonesia*. 11(2):156–162.
- Turker, G., Kizilkaya, B., Cevik, N. 2013. The Mineral Composition of Kefir Produced from Goat and Cow Milk. *Journal of Food, Agriculture and Environment*. 11(2):62-65.
- Utomo A.A., Aulia, A., Rahmah, S., Amalia, R. 2020. Faktor Risiko Diabetes Mellitus Tipe 2. *Jurnal Kebidanan dan Keperawatan Aisyiah*. 01(01):44–52.
- H.J. Wang, H.J., Jin, Y.X., Shen, W., Neng, J., Wu, T., Li, Y., Fu, Z. W. 2007. Low Dose Streptozotocin (STZ) Combined with High Energy Intake Can Effectively Induce Type 2 Diabetes through Altering the Related Gene Expression, *Asia Pac. J. Clin. Nutr.* 16(2007):412-417.
- WHO. 2023. *Diabetes*. (<https://www.who.int/news-room/factsheets/detail/diabetes>). Diakses 12 Desember 2023.
- Widiasari, K.R., Wijaya, I.M.K., Suputra, P.A.. 2021. Diabetes Melitus Tipe 2: Faktor Risiko, Diagnosis, Dan Tatalaksana. *Ganesha Medicine Journal*. 1(2):114-120.
- Yatmihatun, S., Estuningsih. 2020. Perbandingan Aplikasi Terapi Akupuntur dengan Susu Fermentasi Kefir untuk Menghambat Proses Penuaan Dini di Kota Surakarta. *Jurnal Kesehatan Kusuma Husada*. 11(2):153-160.
- Yudha, N.S.D., Arsana, P.M., Rosandi, R. 2021. Perbandingan Profil Lipid pada Pasien Diabetes Melitustipe 2 Dengan Kontrol Glikemik Yang Terkendali dan Kontrol Glikemik Yang Tidak Terkendali Di RSUD Dr.Saiful Anwar Malang. *Jurnal Penyakit Dalam Indonesia*. 8(4):172–178.

- Zalukhu, M.L., Phyma, A.R., Pinzon, R.T. 2016. Proses Menua, Stres Oksidatif, dan Peran Antioksidan. *Cermin Dunia Kedokteran*. 43(10):733-736.
- Zhang, L., Chu, J., Hao, W.H., Jiao, Z.J., Li, H., Yang, C., *et al.* 2021. Gut Microbiota and Type 2 Diabetes Mellitus: Association, Mechanism, and Translational Applications. *Mediators of Inflammation*. 1(1):1-12.
- Zhang, L., Lv, X., Li, J., Xu, Z., Chen, L. 2008. The Characterization of High-Fat Diet and Low-Dose Streptozotocin Induced Type 2 Diabetes Rat Model. *Journal of Diabetes Research*. 2008(1):704045.

