

## DAFTAR PUSTAKA

- Al-Ghouti, M. A. & Da'ana, D. A. (2020). Guidelines for The Use and Interpretation of Adsorption Isotherm Models: A Review. *Journal of Hazardous Materials*, 393.
- Anam, Choirul., & Sirojudin. (2007). Analisis Gugus Fungsi pada Sampel Uji, Bensin dan Spiritus Menggunakan Metode Spektroskopi FT-IR. *Berkala Fisika*, 10(1), 79–85.
- Anggorowati, H., Perwitasari, & Lestari, I. (2022). Manik Komposit Abu Layang Batu Bara-Alginat untuk Menghilangkan Rhodamin B. *Eksbergi*, 19(3), 160–164.
- Apriliani, Ade. (2010). Pemanfaatan Arang Ampas Tebu Sebagai Adsorben Ion Logam Cd, Cr, Cu, dan Pb dalam Air Limbah. *Skripsi*. Fakultas Sains dan Teknologi, UIN Syarif Hidayatullah, Jakarta.
- Apriyanti, H., Candra, I. N., & Elvinawati, E. (2018). Karakterisasi Isoterm Adsorpsi dari Ion Logam Besi (Fe) Pada Tanah di Kota Bengkulu. *Alotrop*, 2(1).
- Arivoli, S., Hema, M., Parthasarathy, S., & Manju, N. (2010). Adsorption Dynamic of Methylene Blue by Acid Activated Carbon. *Journal of Chemical and Pharmaceutical Research*, 2(5), 626–641.
- Astuti, S. K. (2022). Adsorpsi Zat Warna Metilen Biru Menggunakan Serbuk Cangkang Biji Karet (*Hevea Brasiliensis*) Terenkapsulasi Kalsium Alginat. *Skripsi*. Institut Teknologi Sumatera. Lampung Selatan.
- Astuti, W. (2018). *Buku Adsorpsi Menggunakan Material Berbasis Lignoselulosa*. Semarang: Undip Press.
- Aulia, D. A. N., Shofiyani, A., & Zaharah, T. A. (2017). Penentuan Stabilitas Kimia dan Termal Membran Komposit Kitosan Tercetak Ion Logam pada Permukaan Karbon. *Jurnal Kimia Khatulistiwa*, 6(4), 23–24.
- Ayu, G. I., Diantariani, N. P., & Suarya, P. (2015). *Fotodegradasi Zat Warna Tekstil Congo Red dengan Fotokatalis ZnO-Arang Aktif dan Sinar Ultraviolet (UV)*. Jurusan Kimia FMIPA Universitas Udayana. 175–182.
- Azis, T., Ahmad, L. O., Awaliyah, K., & Kadir, L. A. (2020). Study of Kinetics and Adsorption Isotherm of Methylene Blue Dye using Tannin Gel from Ceriops tagal. *Jurnal Kimia Sains dan Aplikasi*, 23(10), 370–376.
- Bahl, B. S., G. D Tuli, & A. Bahl. (1997). *Essential of Physical Chemistry*. New Delhi: S. Chand and Company.

- Banerjee, S. & Chattopadhyaya, M. C. (2017). Adsorption Characteristics for the Removal of a Toxic Dye Tartazine from Aqueous Solutions by a Low Cost Agricultural By-Product. *Arabian Journal of Chemistry*, 10: S1629-S1638.
- Baunsele, A. B., & Missa, H. (2020). Kajian Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Sabut Kelapa. *Akta Kimindo*, 5(2), 76–85.
- Ching, S., Bansal, N., & Bhandari, B. (2015). Alginate Gel Particles—A Review of Production Techniques and Physical Properties. *Critical Reviews in Food Science and Nutrition*.
- Christina, P. M., S. M, Nisatun., dan Saptaaji, R. (2007). Studi Pendahuluan Mengenai Degradasi Zat Warna Azo (Metil Orange) dalam Pelarut Air Menggunakan Mesin Berkas Elektron 350 Kev/10 Ma. *Jurnal Forum Nuklir*, 1(1), 31.
- Cruz, A., Couto, L., Esplugas, S., & Sans, C. (2017). Study of the contribution of homogeneous catalysis on heterogeneous Fe(III)/alginate mediated photo-Fenton process. *Chemical Engineering Journal*, 272–280.
- Dachriyanus, D. (2017). *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Padang: LPTIK Universitas Andalas.
- Dharmawan, A. P., & Herdyastuti, N. (2019). Penentuan Kapasitas Adsorpsi Karbon Aktif sebagai Adsorben Logam Tembaga dalam Limbah Laboratorium UNESA. *Journal of Chemistry*, 8(3).
- Dewi, N., Awaluddin, A., & Mukhtar, A. (2016). *Pengaruh Konsentrasi Hidrogen Peroksida pada Degradasi Methylene Blue Menggunakan Mangan Oksida yang Disintesis dengan Metode Sol-Gel*. <http://repository.unri.ac.id/>. 1–7.
- Donati, I., & Paoletti, S. (2009). Material Properties of Alginates. In: Algi-Nates: Biology and Applications. *Rehm, B. H. A.*
- Dwijayanti, U., Gunawan, Widodo, D. S., Haris, A., Suyati, L., & Lusiana, R. A. (2020). Adsorpsi Methylene Blue (MB) Menggunakan Abu Layang Batubara Teraktivasi Larutan NaOH. *Analit: Analytical and Environmental Chemistry*, 5(1), 1–14.
- Elmoubarki, R., Mahjoubi, F. Z., Tounsadi, H., Moustadraf, J., Abdennouri, M., Zouhri, A., El Albani, A., & Barka, N. (2015). Adsorption of Textile Dyes on Raw and Decanted Moroccan Clays: Kinetics, Equilibrium And Thermodynamics. *Water Resources and Industry*, 9, 16–29.
- Fatiha, M., & Belkacem, B. (2016). Adsorption of Methylene Blue from Aqueous Solutions Using Natural Clay. *J. Mater. Environ. Sci*, 7(1), 285–292.

- Fatimah, I., Sugiharto, E., Wijaya, K., Tahir, I., & Kamalia. (2006). Titanium Oxide Dispersed on Natural Zeolite ( $\text{TiO}_2/\text{Zeolite}$ ) and Its Application for Congo Red Photodegradation. *Indonesian Journal of Chemistry*, 6, 8–42.
- Fatimah, I. (2013). *Kinetika Kimia*. Yogyakarta: Graha Ilmu.
- Foo, K. Y. dan Hameed B. H. (2012). Factors Affecting The Carbon Yield and Adsorption Capability of The Mangosteen Peel Activated Carbon Prepared by Microwave Assisted  $\text{K}_2\text{CO}_3$  Activation. *Chemical Engineering Journal*, 180, 66–74.
- Gandjar, I. G., & Rohman, A. (2007). *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar.
- Habib, A., Sathish, V., Mallik, S., & Khoda, B. (2018). 3D Printability of Alginate-Carboxymethyl Cellulose Hydrogel. *Materials*, 11, 454.
- Handayani, L. W., Riwayanti, I., & Ratnani, R. D. (2015). Adsorpsi Pewarna Metilen Biru Menggunakan Senyawa Xanthan Pulpa Kopi. *Momentum*, 11(1), 19–23.
- Haug, A., & Smidsrod, O. (1962). Determination of Intrinsic Viscosity Ofalginates. *Acta Chemica Scandinavica*, 1569–1578.
- Hassan, S. M., Amin, Z. B., Thorabian, A., & Seyed, S. M. (2015). Removal of Nitrate from Ground Water Using Activated Carbon Prepared from Rice Husk and Sludge of Paper Industry Wastewater Treatment. *ARPN Journal of Engineering and Applied Sciences*, 10(17).
- Heslop, R., & D. L. Robinson. (1960). *Inorganic Chemistry*. Elsevier Publishing Company.
- Hossain, M. A., Ngo, H., Hao, W. S., Guo, & Nguyen, T. V. (2012). Removal of Copper from Water by Adsorption onto Banana Peel as Bioadsorbent. *Int. J. of GEOMATE*, 2(2), 227–234.
- Huda, T. & T. K. Yulitaningtyas. (2018). Kajian Adsorpsi Methylene Blue Menggunakan Selulosa dari Alang-alang. *Indonesian J. Chem. Anal*, 1(1), 9–19.
- Isnanto, J., Koestiarti, T., & Sunyatno. (2014). Pelet-Tanin Sebagai Adsorben Ion  $\text{Pb}^{2+}$ . *UNESA Journal of Chemistry*, 3.
- Kandisa, R.V., Saibaba, K. N., Shaik, K. B., & Gopinath, R. (2016). Dye Removal by Adsorption: A Review. *Journal of Bioremediation & Biodegradation*, 7(6), 371.

- Kaur, M., & Datta, M. (2014). Adsorption Behavior of Reactive Red 2 (RR2) Textile Dye Onto Clays: Equilibrium and Kinetic Studies. *Eur, Chem Bull Section B – Research Paper*, 3(8), 838–849.
- Kurniawan, T. A., Mengting, Z., Fu, D., Yeap, S. K., Othman, M. H. D., Avtar, R., & Ouyang, T. (2020). Functionalizing TiO<sub>2</sub> with Graphene Oxide for Enhancing Photocatalytic Degradation of Methylene Blue (MB) in Contaminated Wastewater. *Journal of Environmental Management*, 270(April), 110871.
- Kyaw, T. T., K. S. Wint, & K. M. Naing. (2011). Studies on the Sorption Behavior of Dyes on Cross-linked Chitosan Beads in Acid Medium. *International Biomedical Engineering and Technology IPCBEE*, 11, 174–178.
- Lasmana, A. (2016). Adsorpsi Zat Warna Congo Red Menggunakan Zeolit Alam Teraktivasi. *Skripsi*. Universitas Riau.
- Lee, K. Y., & D. J. Mooney. (2012). Alginate: Properties and Biomedical Applications. *Journal Progress in Polymer Science*, 37(1), 106–126.
- Letocha, A., Miastkowska, M., dan Sikora, E. (2022). Preparation and Characteristics of Alginate Microparticles for Food, Pharmaceutical and Cosmetic Applications. *Polymers (Basel)*, 14, 1–32.
- Lynam, M. M., Kilduff, J. E., & Weber, W. J. Jr. (1995). Adsorption of p-nitrophenol from Dilute Aquadeous Solution. *J. Chem Edu*, 72, 80–84.
- Manjanna, M., Shivakumar, B., & Pramod, K. T. M. (2009). Formulation of Oral Sustained Release Aceclofenac Sodium Microbeads. *International Journal of Pharmtech Research*. India.
- Manzoor, K., Ahmad, M., Ahmad, S., & Ikram, S. (2019). Removal ff Pb(II) And Cd(II) From Wastewater Using Arginine Cross-Linked Chitosan-Carboxymethyl Cellulose Beads as Green Adsorbent. *RSC Advances*, 9, 7890–7892.
- Moniz, L., Baunsele, A. B., Boelan, E. G., Kopon, A. M., Leba, M. A. U., Tukan, M. A., & Komisia, F. (2024). Optimasi Adsorpsi Metilen Biru Memanfaatkan Sabut Buah Lontar Teraktivasi Asam. *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 12(1), 17–31.
- Morch, A., Donati, I., & Strand, B. (2006). Effect of Ca2c, Ba2c, Andsr2con Alginate Microbeads. *Biomacromolecules*, 1471–1480.
- Musiam, S., Ratu, M. N., Indah, F. R., Amaliyah, W., Riza, A., Eka, K., & Saftia, A. (2019). Analisis Zat Pemutih Berbahaya pada Krim Malam di Klinik

- Kecantikan Kota Banjarmasin. *Jurnal Insan Farmasi Indonesia*, 2(1), 18–25.
- Naimah, S., Ardhanie, S., Jati, B. N., Aidha, N. N., & Arianita, A. (2014). Degradasi Zat Warna pada Limbah Cair Industri Tekstil dengan Metode Fotokatalitik Menggunakan Nanokomposit TiO<sub>2</sub>-Zeolit. *Jurnal Kimia Kemasan*, 36, 225–36.
- Naseeruteen, F., Hamid, N. S. A., Suah, F. B. M., Ngah, W. S. W., & Mehamod, F. S. (2018). Adsorption of Malachite Green from Aqueous Solution by Using Novel Chitosan Ionic Liquid Beads. *International Journal of Biological Macromolecules*, 107, 1270–1277.
- Nguyen, M. L., & Juang, R. S. (2015). Modification of Crosslinked Chitosan Beads With Histidine and Saccharomyces Cerevisiae for Enhanced Ni (II) Biosorption. *Journal of The Taiwan Institute of Chemical Engineers*, 56, 96–102.
- Ningsih, S. K. (2016). *Sintesis Anorganik*. Padang: UNP Press.
- Nurzihan, A., Nuri, R. U., Siregar, S. H., & Nasution. H. (2019). Adsorpsi Zat Warna Methylene Blue Menggunakan Bentonit Termodifikasi Ethylene Diamine Tetra Aceticacid (EDTA). *Prosiding SainsTeKes Semnas MIPAKes UMR*, 1, 1–13.
- Oko, S., Kurniawan, A., & Winanti, C. (2022). Penurunan Kadar Zat Warna Remazol Brilliant Blue R dengan Metode Adsorpsi Menggunakan Serbuk CaCO<sub>3</sub> dari Cangkang Telur dan Karbon Aktif. *Metana : Media Komunikasi Rekayasa Proses dan Teknologi Tepat Guna*, 18(1), 39–45.
- Oliveira, T. P., Marques, G. N., Macedo Castro, M. A., Viana Costa, R. C., Rangel, J. H. G., Rodrigues, S. F., Dos Santos, C. C., & Oliveira, M. M. (2020). Synthesis and Photocatalytic Investigation of ZnFe<sub>2</sub>O<sub>4</sub> in The Degradation of Organic Dyes Under Visible Light. *Journal Of Materials Research and Technology*, 9(6), 15001–15015.
- Panner, M. H. (2017). Ultraviolet, Visible, Flouresence Spectroscopy. *Instructor's Manual for Food Analysis*, 91–94.
- Prastika, Irma. (2015). Analisis Cemaran Lemak Babi dalam Bakso di Purwokerto Menggunakan Spektroskopi Fourier Transform Infrared (FTIR) dan Kemometrik. *Skripsi*. Farmasi, Purwokerto, Universitas Muhammadiyah Purwokerto.
- Priadi, C. R., Anita, S. P., & Moersidik, S. S. (2014). Adsorpsi Logam Seng dan Timbal pada Limbah Cair Industri Keramik oleh Limbah Tanah Liat. *Reaktor*, 15, 10–19.

- Priyadarshanee, M., & Das, S. (2021). Biosorption and Removal of Toxic Heavy Metals by Metal Tolerating Bacteria for Bioremediation of Metal Contamination: a Comprehensive Review. *Journal of Environmental Chemical Engineering*, 9(1).
- Quadrado, R., & Fajardo, A. (2017). Fast Decolorization of Azo Methyl Orange Via Heterogeneous Fenton and Fenton-Like Reactions Using Alginate- $\text{Fe}^{2+}/\text{Fe}^{3+}$  Films As Catalysts. *Carbohydrate Polymers*.
- Rahayu, Nurlette, S., & Baunsele, A. B. (2023). Pengaruh Waktu Kontak dan pH Optimum terhadap Adsorpsi Pewarna Metilen Biru oleh Film Kompleks Polielektrolit Alginat-Kitosan. *Jurnal Sains dan Terapan Kimia*, 5(2), 87–92.
- Rahmawati, A., & S. J. Santoso. (2012). Studi Adsorpsi Logam Pb (II) dan Cd (II) pada Asam Humat dalam Medium Air. *Alchemy*, 2(1), 46–57.
- Riwayati, I., Fikriyyah, N., & Suwardiyono. (2019). Adsorpsi Zat Warna Methylene Blue Menggunakan Abu Alang-Alang (*Imperata cylindrica*) Teraktivasi Asam Sulfat. *Inovasi Teknik Kimia*, 4(2), 6–11.
- Rosales, E., Iglesias, O., Pazos, M., & Sanroman, M. (2012). Decolourisation of Dyes Under Electro-Fenton Process Using Fe Alginate Gel Beads. *Journal of Hazardous Materials*, 369–377.
- Rowe, R., Sheskey, P., & Quinn, M. (2009). *Handbook of Pharmaceutical Excipients*. Sixth Edition, 549–553.
- Rukmana, Dadan. (2016). Adsorpsi Metilen Biru oleh Kalsium Alginat. *Skripsi*. Institut Teknologi Bandung.
- Rusmini. (2010). *Analisis Besi dalam Mineral Literit melalui Proses Kopresipitasi Menggunakan Nikel Dibutil Ditiokarbonat*. Semarang: UNNES.
- Rusnadi, & Safitri, I. (2023). Pembuatan dan Penggunaan Bulir Kalsium Alginat-PVA (Polivinil Alkohol) untuk Adsorpsi Ion Cd(II). *J. Kartini Kimia*, 6(1), 38–44.
- Sadiq, A. C., Olasupo, A., Rahim, N. Y., Wan Ngah, W. S., & Mohd Suah, F. B. (2021). Comparative Removal of Malachite Green Dye From Aqueous Solution Using Deep Eutectic Solvents Modified Magnetic Chitosan Nanoparticles and Modified Protonated Chitosan Beads. *Journal of Environmental Chemical Engineering*, 9(5).
- Sami, N. M., Elsayed, A. A., Ali, M. M. S., Metwally, S. S. (2022). Ni-Alginate Hydrogel Beads for Establishing Breakthrough Curves of Lead Ions

- Removal from Aqueous Solutions. *Environmental Science and Pollution Research*, 1–11.
- Sanjaya, A. S., & Agustine, R. P. (2015). Studi Kinetika Adsorpsi Pb Menggunakan Arang Aktif dari Kulit Pisang. *Konversi*, 4(1), 17–24.
- Santhiarsa, N., Marsyahyo, E., Sonief, A. A., & Pratikto. (2013). Uji Fourier Transform Infrared Tentang Pengaruh Perlakuan NaOH dan KOH pada Serat Arenga Pinnata. *Prosiding Konferensi Nasional Engineering Hotel IV*, Universitas Udayana Bali. 503–511.
- Saragih, S. A. (2008). *Pembuatan dan Karakterisasi Karbon Aktif dari Batubara Riau Sebagai Adsorben*. Jakarta: Universitas Indonesia.
- Sartono, A. A. (2006). *Difraksi sinar-X (X-RD)*. Jakarta: UI Press.
- Setiabudi, A., & Muzakir, A. (2012). *Karakterisasi Material*. Rifan Hardian.
- Shrivastava, V. S. (2010). Removal of Hazardious Textile Dyes from Aqueous Solution by Using Commercial Activated Carbon with TiO<sub>2</sub> and ZnO As Photocatalyst. *International Journal of ChemTech Research*, 2(1), 427–435.
- Sihombing, Y. P. (2019). Adsorpsi Zat Pewarna Tekstil Methyl Orange Menggunakan Adsorben Kulit Buah Kakao (*Theobroma cacao L*). *Tugas Akhir*. Universitas Sumatera Utara.
- Skjak-Brae, G., Grasdalen, K. H., Draget, K. I., & Smidsrod, O. (1989). Inhomogeneous Polysaccharide Ionic Gels. *Carbohydrate Polymer*, 10, 31–54.
- Suarsa, I. W. (2015). *Spektroskopi*. Bali: FMIPA Universitas Udayana.
- Sun, L. S., Hu, H., Sun, H., Guo, H., Zhu, M., Liu, & Sun. (2013). Malachite green Adsorption onto Fe<sub>3</sub>O<sub>4</sub>@SiO<sub>2</sub>-NH<sub>2</sub>: Isotherms, Kinetic and Process Optimization. *RSC Adv*, 16.
- Sun, X., Yang, L., Li, Q., Liu, Z., Dong, T., & Liu, H. (2015). Polyethylenimine-Functionalized Poly (Vinyl Alcohol) Magnetic Microspheres As A Novel Adsorbent For Rapid Removal Of Cr(VI) From Aqueous Solution. *Chem Eng J*, 62, 101–8.
- Sundarraj, P., Eswaran, P., Marimuthu, A., Subhadra, L. B., & Kannaiyan, P. (2012). One Pot Synthesis and Characterization of Alginate Stabilized Semiconductor Nanoparticles. *Bull. Korean Chem. Soc*, 33(10), 1–7.

- Tan, K. L., & Hameed, B. H. (2017). Insight Into The Adsorption Kinetics Models for The Removal of Contaminants From Aqueous Solutions. *Journal of the Taiwan Institute of Chemical Engineers*, 74, 25–48.
- Tanheita fino, S., Zaharah, T. A., & Destiari, L. (2016). Modifikasi Kitosan dengan Kaolin dan Aplikasinya Sebagai Adsorben Timbal (II). *Jurnal Kimia Khatulistiwa*, 5(2), 33–42.
- Underwood, A. L. dan Day, R. A. (2002). *Analisis Kimia Kuantitatif Edisi Keenam*. Jakarta: Erlangga.
- Unej. (2017). Spektrofotometri Sinar Tampak (Visible). Retrieved Juni 25, 2024, from <https://kimia.fmipa.unej.ac.id/?p=472>
- Wanchanthuek, R., & Thapol, A. (2011). The Kinetic Study of Methylene Blue Adsorption over MgO from PVA Template Preparation. *J. Environ. Sci. Technol*, 4(5), 552–559.
- Wang, B., Wan, Y., Zheng, Y., Lee, X., Liu, T., Yu, Z., . . . Gao, B. (2018). Alginate-Based Composites for Environmental applications: A Critical Review. *Critical Reviews in Environmental Science and Technology*, 1–39.
- Wankasi, D., Horsfall, M., & Spiff, A. R. (2005). Desorption of Pb<sup>2+</sup> and Cy<sup>2+</sup> from Nipa Palm (Nypa Fruticans Wurmb) Biomass, Niger Delta University. *Biotechnology*, 4(9), 923–927.
- Widihati, I. A. G., Diantariani, N. P., & Nikmah, Y. F. (2011). Fotodegradasi Metilen Biru dengan Sinar UV dan Katalis Al<sub>2</sub>O<sub>3</sub>. *Jurnal Kimia*, 5(1), 31–42.
- Wiranda, A. (2015). *DR-UV*. Padang: Universitas Negeri Padang.
- Wu, D., Zhao, J., Zhang, L., Wu, Q., & Yang, Y. (2010). Lanthanum Adsorption Using Iron Oxide Loaded Calcium Alginate Beads. *Hydrometallurgy*, 101, 76–83.
- Yang, C., Wang, M., Haider, H., Yang, J., Sun, J., Chen, Y., . . . Suo, Z. (2013). strengthening alginate/polyacrylamidehydrogels using various multivalent cations. *ACS Appl. Mat. Interf.*, 10418-10422.
- Yang, J., Xie, Y., & He, W. (2011). Research Progress on Chemical Modification of Alginate: A Review. *Carbohydrate Polymers*, 33–39.
- Yuningrat, N. W. (2016). Fotodegradasi Metil Orange dalam Reaktor Fixed Bed Batu Apung Semen. *Jurnal Sains dan Teknologi*, 5(1). doi:ISSN: 2303-3142.
- Yantyana, I., Amalia, V., dan Fitriyani, R. (2018). Adsorpsi Ion Logam Timbal (II) Menggunakan Mikrokapsul Ca-Alginat. *al-Kimiya*, 5(1), 17–26.

- Yudiani, N. D. N. (2021). Sintesis Nanopartikel Alginat-Kitosan Sebagai Adsorben Zat Warna Metilen Biru. *Skripsi*. Universitas Gadjah Mada.
- Zannah, M. (2020). Isoterm Adsorpsi Metilen Biru oleh Biochar dari Kulit Singkong (*Manihot esculenta crantz*) yang Dimodifikasi Menggunakan Magnetit ( $Fe_3O_4$ ). *Skripsi*, 27–30.
- Zhang, Y., Xu, Q., Zhang, S., Liu, L., Zhou, J., Xu, H., Xiao, H., Li, J. (2013). Preparation of Thiol-Modified  $Fe_3O_4@SiO_2$  Nanoparticles and Their Application for Gold Recovery From Dilute Solution. *Separation and Purification Technology*, 116, 391–397.
- Zulfiah, V. (2017). Sintesis dan Uji Toksisitas Kompleks Nikel (II) dengan Ligand N,N'-Bis(Salisilidina)-1,2-Fenilendiamina (Salofen). *Skripsi*. Institut Teknologi Sepuluh Nopember. Surabaya.

