

DAFTAR PUSTAKA

- Alem, D. D. (2020). An overview of data analysis and interpretations in research. *Academicresearchjournals*, 8(1)(March 2020), 1–27. <https://doi.org/10.14662/IJARER2020.015>
- Arina, & Bunga. (2020). Pengaruh aromaterapi terhadap tingkat kelelahan (fatigue) pada pasien gagal ginjal yang menjalani terapi hemodialisa. *Seminar Nasional Keperawatan Universitas Muhammadiyah Surakarta (SEMNASKEP)*, 45–53.
- Bai, Y.-L., Chang, Y.-Y., Chiou, C.-P., & Lee, B.-O. (2019). Mediating effects of fatigue on the relationships among sociodemographic characteristics, depression, and quality of life in patients receiving hemodialysis. *Nursing & Health Sciences*, 21(2), 231–238. <https://doi.org/10.1111/nhs.12587>
- Biçer, S., & Taşci, S. (2022). The effect of body acupressure on blood pressure and fatigue levels in individuals suffering from hypotension during hemodialysis: A randomized controlled trial. *Alternative Therapies in Health and Medicine*, 28(2), 6–16.
- Burdelis, R. E. M., & Cruz, F. J. S. M. (2023). Prevalence and predisposing factors for fatigue in patients with chronic renal disease undergoing hemodialysis: a cross-sectional study. *Sao Paulo Medical Journal = Revista Paulista de Medicina*, 141(5), e2022127. <https://doi.org/10.1590/1516-3180.2022.0127.R1.01122022>
- Butarbutar, D. T. (2014). Uji reliabilitas dan validitas Fatigue Severity Scale versi bahasa indonesia pada dokter residen RSUP Dr.Sardjito Yogyakarta. *Pertemuan Ilmiah Regional XXVI Dokter Spesialis Saraf JOGLOSEMARMAS*, 0–10.
- Çeçen, S., & Lafcı, D. (2022). Integrated treatment methods applied for fatigue in hemodialysis patients. *Bezmialem Science*, 10(4), 523–528. <https://doi.org/10.14235/bas.galenos.2021.5188>
- Charan, J., & Biswas, T. (2013). How to calculate sample size for different study designs in medical research? *Indian Journal of Psychological Medicine*, 35(2), 121–126. <https://doi.org/10.4103/0253-7176.116232>
- Chen, Dunaevich, A., Apfelbaum, N., Kuzi, S., Mazaki-Tovi, M., Aroch, I., &

- Segev, G. (2020). Acute on chronic kidney disease in cats: Etiology, clinical and clinicopathologic findings, prognostic markers, and outcome. *Journal of Veterinary Internal Medicine*, 34(4), 1496–1506. <https://doi.org/10.1111/jvim.15808>
- Chen, S.-R., Hou, W.-H., Lai, J.-N., Kwong, J. S. W., & Lin, P.-C. (2022). Effects of acupressure on anxiety: A systematic review and meta-analysis. *Journal of Integrative and Complementary Medicine*, 28(1), 25–35. <https://doi.org/10.1089/jicm.2020.0256>
- Chun, Y., & Park, S. (2016). Effects of the auricular acupressure on pruritus and fatigue in hemodialysis patients. *Korean Journal of Adult Nursing*, 28(4), 436–446. <https://doi.org/10.7475/kjan.2016.28.4.436>
- Cohen, J. (1988). Statistical power analysis for the behavioral sciences. In *Sustainability (Switzerland)* (2nd ed., Vol. 11, Issue 1). Lawrence Erlbaum Associates, Publishers.
- Dehyadegari, S., Oloumi, M. M., & Azizi, S. (2020). Histopathological evaluation of the role of negative electrical charge on renal ischemia/reperfusion injuries on brain and heart tissues in rat. *Veterinary Research Forum*, 11(1), 15–20. <https://doi.org/10.30466/vrf.2018.86965.2126>
- Dinas Kesehatan Kabupaten Banyumas. (2023). *Data kasus penyakit gagal ginjal Kabupaten Banyumas. Dinas Kesehatan Kabupaten Banyumas.*
- Elliott, M. J., Ravani, P., Quinn, R. R., Oliver, M. J., Love, S., MacRae, J., Hiremath, S., Friesen, S., James, M. T., & King-Shier, K. M. (2023). Patient and clinician perspectives on shared decision making in vascular access selection: A qualitative study. *American Journal of Kidney Diseases*, 81(1), 48-58.e1. <https://doi.org/10.1053/j.ajkd.2022.05.016>
- Farragher, J. F., Thomas, C., Ravani, P., Manns, B., Elliott, M. J., & Hemmelgarn, B. R. (2019). Protocol for a pilot randomised controlled trial of an educational programme for adults on chronic haemodialysis with fatigue (Fatigue-HD). *BMJ Open*, 9(7). <https://doi.org/10.1136/bmjopen-2019-030333>
- Finsterer, J., & Mahjoub, S. Z. (2013). Fatigue in healthy and diseased individuals. *American Journal of Hospice and Palliative Medicine®*, 31(5), 562–575. <https://doi.org/10.1177/1049909113494748>

- Gobbi, L., Baruzzo, E., Iodice, L., Comunian, G., Martinello, F., Marigo, M., Carretta, G., Rossi, B., & Calò, L. A. (2021). Fatigue in hemodialysis patients: A single-center cross-sectional study. *Clinical Nephrology*, 96(5), 281–288. <https://doi.org/10.5414/CN110305>
- Gregg, L. P., Bossola, M., Ostrosky-Frid, M., & Hedayati, S. S. (2021). Fatigue in CKD epidemiology, pathophysiology, and treatment. *Clinical Journal of the American Society of Nephrology: CJASN*, 16(9), 1445–1455. <https://doi.org/10.2215/CJN.19891220>
- Habibzadeh, H., Dalavan, O. W., Alilu, L., Wardle, J., Khalkhali, H., & Nozad, A. (2020). Effects of foot massage on severity of fatigue and quality of life in hemodialysis patients: a randomized controlled trial. *International Journal of Community Based Nursing and Midwifery*, 8(2), 92.
- Hadadian, F., Sohrabi, N., Farokhpayam, M., Farokhpayam, H., Towhidi, F., Fayazi, S., Soroush, A., & Abdi, A. (2016). The effects of transcutaneous electrical acupoint stimulation (Teas) on fatigue in haemodialysis patients. *Journal of Clinical and Diagnostic Research*, 10(9), YC01–YC04. <https://doi.org/10.7860/JCDR/2016/19516.8532>
- Hakim, L. N. (2020). Urgensi revisi undang-undang tentang kesejahteraan lanjut usia. *Aspirasi: Jurnal Masalah-Masalah Sosial*, 11(1), 43–55. <https://doi.org/10.46807/aspirasi.v11i1.1589>
- Hendryadi, H. (2017). Validitas isi: Tahap awal pengembangan kuesioner. *Jurnal Riset Manajemen Dan Bisnis (JRMB) Fakultas Ekonomi UNIAT*, 2(2), 169–178. <https://doi.org/10.36226/jrmb.v2i2.47>
- Hintistan, S., & Deniz, A. (2018). Evaluation of symptoms in patients undergoing hemodialysis. *Bezmialem Science*, 6(2), 112–118. <https://doi.org/10.14235/bs.2018.1530>
- Ho, Y. F., Chen, Y. C., & Li, I. C. (2021). A qualitative study on shared decision-making of patients with chronic kidney disease. *Nursing Open*, 8(6), 3430–3440. <https://doi.org/10.1002/nop2.891>
- Indah, N., Triwibowo, P., Rini, C., Desria, K., Hairunnisa, N., Aprilia, G. G., Amri, A., Abiyoso, D., Zuarni, D., & Rosanti, F. D. (2021). *Pemanfaatan akupresur* (E. H. Pradana (ed.)). Kementerian Kesehatan RI.

https://drive.google.com/file/d/1XIFsQ3mw-tQn5oW_a6t9ChZcRRKmAqPs/view

- Irwanti, D. (2019). Evaluasi beban kerja spa terapis. *Jurnal Ergonomi Indonesia*, 05(02), 74–82. <https://doi.org/10.24843/JEI.2019.v05.i02.p04>
- Karl T. Ulrich, S. D. E. (2016). Product design and development. In *Integrated Functional Sanitation Value Chain: The role of the sanitation economy* (6th ed.). McGraw-Hill Education. <https://industri.fatek.unpatti.ac.id/wp-content/uploads/2019/03/202-Product-Design-and-Development-Karl-T.-Ulrich-Steven-D.-Eppinger-Edisi-6-2015.pdf>
- Kemenkes RI. (2023). *Survei Kesehatan Indonesia (SKI)*. Badan Kebijakan Pembangunan Kesehatan. https://drive.google.com/file/d/1rjNDG_f8xG6-Y9wmhJUUnXhJ-vUFevVJC/view
- Kim, S. H., Joung, J. Y., Lee, Y. H., & Son, C. G. (2024). Anatomical exploration of the KI1 acupoint: Implications for medial and lateral plantar nerve stimulation. *Medicina (Lithuania)*, 60(4), 1–7. <https://doi.org/10.3390/medicina60040535>
- Liao, L. Y., Chien, L. W., & Liu, C. F. (2024). Far-infrared stimulation of Neiguan acupoints improves heart rate variability and ameliorate fatigue in hemodialysis patients: A randomized trial. *Journal of the Chinese Medical Association*, 87(3), 340–345. <https://doi.org/10.1097/JCMA.0000000000001060>
- Lindquist, R., Snyder, M., & Tracy, M. F. (2014). *Compelementary & alternative therapies in nursing* (Sevent Ed). Springer Publishing Company. <https://dokumen.pub/qdownload/complementary-and-alternative-therapies-in-nursing-8nbsped-0826144349-9780826144348.html>
- Liu, C., Yang, J., Li, H., Deng, Y., Dong, A., Ma, Y., Zhang, S., Chen, S., & Zhang, M. (2023). Acupressure for sleep disorders, fatigue, depression and pruritus in hemodialysis patients: A systematic review and meta-analysis. *Research Square*, 1–14. <https://doi.org/10.21203/rs.3.rs-2579123/v1>
- Menting, J., Tack, C. J., Bleijenberg, G., Donders, R., Droogleever Fortuyn, H. A., Fransen, J., Goedendorp, M. M., Kalkman, J. S., Strik-Albers, R., van Alfen, N., van der Werf, S. P., Voermans, N. C., van Engelen, B. G., & Knoop, H.

- (2018). Is fatigue a disease-specific or generic symptom in chronic medical conditions? In *Health Psychology* (Vol. 37, Issue 6, pp. 530–543). American Psychological Association. <https://doi.org/10.1037/hea0000598>
- Molfino, A., Imbimbo, G., Amabile, M. I., Ammann, T., Lionetto, L., Salerno, G., Simmaco, M., Chiappini, M. G., & Muscaritoli, M. (2023). Fatigue in patients on chronic hemodialysis: The role of indoleamine 2,3-dioxygenase (IDO) activity, interleukin-6, and muscularity. *Nutrients*, 15(4). <https://doi.org/10.3390/nu15040876>
- Mulyono, W. A., Sumarwati, M., Purwandari, H., & Prasetya, A. (2024). Symptom burdens among chronic kidney disease patients undergoing hemodialysis. *Journal of Bionursing*, 6(1 SE-Articles). <https://doi.org/10.20884/1.bion.2024.6.1.293>
- Naamani, Z. Al, Gormley, K., Noble, H., Santin, O., & Maqbali, M. Al. (2021). Fatigue , anxiety , depression and sleep quality in patients undergoing haemodialysis. *BMC Nephrology*, 22, 157. <https://doi.org/https://doi.org/10.1186/s12882-021-02349-3>
- Nafisah, S., Irawati, M., & Hidayati, W. (2021). Anxiety of hemodialysis patient with access arteriovenous fistula (Av-Shunt): A qualitative study. *Nurse and Health: Jurnal Keperawatan*, 10(2), 240–248. <https://doi.org/10.36720/nhjk.v10i2.240>
- Ng, M. S. N., Chan, D. N. S., Cheng, Q., Miaskowski, C., & So, W. K. W. (2021). Association between financial hardship and symptom burden in patients receiving maintenance dialysis: A systematic review. *International Journal of Environmental Research and Public Health*, 18(18). <https://doi.org/10.3390/ijerph18189541>
- Paluch, A. E., Pool, L. R., Isakova, T., Lewis, C. E., Mehta, R., Schreiner, P. J., Sidney, S., Wolf, M., & Carnethon, M. R. (2019). Association of fitness with racial differences in chronic kidney disease. *American Journal of Preventive Medicine*, 57(1), 68–76. <https://doi.org/10.1016/j.amepre.2019.02.016>
- Pan, M. (2023). Prototyping methods: techniques and its significance. *Journal of Research and Development*, 11(2), 216. <https://doi.org/10.35248/2311.3278.23.11.216>

- Prastiwi, F., Wihastuti, T. A., & Ismail, D. D. S. L. (2021). Factors associated with fatigue in chronic kidney disease patients undergoing hemodialysis: A systematic review. *Jurnal Kedokteran Brawijaya*, 31(4), 260–268. <https://doi.org/10.21776/ub.jkb.2021.031.04.12>
- Prastiwi, F., Wihastuti, T. A., & Ismail, D. D. S. L. (2022). Correlational analysis of physiological and psychological factors with fatigue on chronic kidney disease patients undergoing hemodialysis. *Jurnal Aisyah : Jurnal Ilmu Kesehatan*, 7(1), 85–92. <https://doi.org/10.30604/jika.v7i1.803>
- Pretto, C. R., Winkelmann, E. R., Hildebrandt, L. M., Barbosa, D. A., Colet, C. de F., & Stumm, E. M. F. (2020). Quality of life of chronic kidney patients on hemodialysis and related factors. *Revista Latino-Americana de Enfermagem*, 28, 1–11. <https://doi.org/10.1590/1518-8345.3641.3327>
- Rahayu, H. S. E. (2018). *Akupresur untuk kesehatan wanita berbasis hasil penelitian*. Unimma Press. <https://books.google.co.id/books?id=LGHWDwAAQBAJ>
- Rajin, M. (2020). *Buku bahan ajar keperawatan komplementer terapi akupunktur*. Lembaga Chakra Brahmana Lentera. https://books.google.co.id/books?id=_IjwDwAAQBAJ&printsec=frontcover&source=gbs_ge_summary_r&cad=0#v=onepage&q&f=false
- Ramai, P., & Lobo, D. (2021). Supportive therapy for fatigue in hemodialysis patients. *International Journal of Health Sciences and Research*, 11(7), 367–373. <https://doi.org/10.52403/ijhsr.20210750>
- Rifa'i, A., Kalim, H., Handono, K., & Wahono, C. (2018). Validity and reliability fatigue severity scale in patients with Systemic Lupus Erythematosus (SLE) in Indonesia. *Indonesian Journal of Rheumatology*, 8. <https://doi.org/10.37275/ijr.v8i1.5>
- Rosti-Otajärvi, E., Hämäläinen, P., Wiksten, A., Hakkarainen, T., & Ruutiainen, J. (2017). Validity and reliability of the Fatigue Severity Scale in Finnish multiple sclerosis patients. *Brain and Behavior*, 7(7), e00743. <https://doi.org/10.1002/brb3.743>
- RSUD Ajibarang. (2023). *Data rekam medis pasien gagal ginjal kronis*.
- Sabouhi, F., Kalani, L., Valiani, M., Mortazavi, M., & Bemanian, M. (2013). Effect

- of acupressure on fatigue in patients on hemodialysis. *Iranian Journal of Nursing and Midwifery Research*, 18(6).
- Sarwono, A. E., & Handayani, A. (2021). *Metode kuantitatif* (Issue 1940310019). Unisri Press. https://sirisma.unisri.ac.id/berkas/42CETAK_FIX_metode_kuantitatif_new.pdf
- Sasongko, A., Jayanti, W. E., & Risdiansyah, D. (2020). USE kuestionnaire untuk mengukur daya guna sistem informasi e-tadkzirah. *Jurnal Khatulistiwa Informatika*, 8(2). <https://doi.org/10.31294/jki.v8i2.9135>
- Shahdadi, H., Sheikh, S., & Ghanbarzehi, N. (2018). The prevalence of fatigue in hemodialysis patients in Iran : A literature review. *Prensa Med Argent*, 104:1.
- Shirazian, S., Smaldone, A., Rao, M. K., Silberzweig, J., Jacobson, A. M., Fazzari, M., & Weinger, K. (2018). A protocol for a pilot randomized controlled trial to assess the feasibility and effect of a cognitive behavioral intervention on quality of life for patients on hemodialysis. *Contemporary Clinical Trials*, 73, 51–60.
- Simatupang, L., Marintan Sinaga, R., Studi Ilmu Keperawatan, P., Murni Teguh, S., & Jawa No, J. (2020). Pengaruh akupresur dan latihan napas dalam terhadap fatigue dan kualitas tidur pasien hemodialisa di Murni Teguh Memorial Hospital. *Jurnal Riset Hesti Medan*, Vol 5, No 1 (2020), 56–60. <https://jurnal.kesdammedan.ac.id/index.php/jurhesti/article/view/181/112>
- Suandika, M., Chen, S. Y., Fang, J. T., Yang, S. H., Tsai, Y. F., Weng, L. C., Tsay, P. K., & Tang, W. R. (2023). Effect of acupressure on fatigue in hemodialysis patients: A single-blinded randomized controlled trial. *Journal of Integrative and Complementary Medicine*, 29(2), 111–118. <https://doi.org/10.1089/jicm.2022.0644>
- Sugiyono. (2022). *Metode penelitian kuantitatif, kualitatif, dan R&D*. Alfabeta Bandung.
- Susanto, G., & Upoyo, A. S. (2024). Non-invasive acupoint stimulation as a complementary therapy for fatigue in hemodialysis patients : A systematic review. *Malahayati International Journal of Nursing and Health Science*, 07(9), 1148–1163. <https://doi.org/https://doi.org/10.33024/minh.v7i9.756>
- Tsirigotis, S., Polikandrioti, M., Alikari, V., Dousis, E., Koutelekos, I., Toulia, G.,

- Pavlatou, N., Panoutsopoulos, G. I., Leftheriotis, D., & Gerogianni, G. (2022). Factors associated with fatigue in patients undergoing hemodialysis. *Cureus*, 14(3). <https://doi.org/10.7759/cureus.22994>
- Wessel, M., Thies, F., & Benlian, A. (2022). The role of prototype fidelity in technology crowdfunding. *Journal of Business Venturing*, 37(4), 106220. <https://doi.org/https://doi.org/10.1016/j.jbusvent.2022.106220>
- Xinyin Liu, Xiaoran Wang, Hongzhen Ma, W. Z. (2022). Mechanisms underlying acupuncture therapy in chronic kidney disease: A narrative overview of preclinical studies and clinical trials. *Frontiers in Nephrology*, 2(November), 1–21. <https://doi.org/10.3389/fneph.2022.1006506>
- Yang, J., Croghan, I. T., Fokken, S. C., Johnson, D. E., Calva, J. J., Do, A., Mueller, M. R., Bauer, B. A., & Chon, T. Y. (2023). Satisfaction and feasibility evaluation of an electronic massager—Mxpert Manipulative Massage Automation (EMMA): A Pilot Study. *Journal of Primary Care and Community Health*, 14. <https://doi.org/10.1177/21501319231199010>
- Yelpaze, İ., & Yakar, L. (2020). Comparison of Teacher Training Programs in terms of Attitudes towards Teaching Profession and Teacher Self-Efficacy Perceptions: A Meta-Analysis. *International Journal of Assessment Tools in Education*, 7(4), 549–569. <https://doi.org/10.21449/ijate.725701>
- Yu-Ling Bai, Liu-Yuan Lai, Bih-O Lee, Y.-Y. C. and C.-P. C. (2015). The impact of depression on fatigue in patients with haemodialysis: A correlational study. *Journal of Clinical Nursing*, 24(13–14), 2014–2022. <https://doi.org/10.1111/jocn.12804>
- Zheng, H. D., Wang, Z. Q., Li, S. S., Lu, Y., Huang, Y., Zhou, C. L., Lu, Y. Q., Liu, H. R., Liu, Y. N., & Wu, H. G. (2020). Effect of acupoints on acupuncture-moxibustion and its therapeutic mechanism. *World Journal of Traditional Chinese Medicine*, 6(3), 239–248. https://doi.org/10.4103/wjtcn.wjtcn_18_20
- Zuo, M., Tang, J., Xiang, M., Long, Q., Dai, J., & Hu, X. (2018). Relationship between fatigue symptoms and subjective and objective indicators in hemodialysis patients. *International Urology and Nephrology*, 50(7), 1329–1339. <https://doi.org/10.1007/s11255-018-1871-4>

Zyga, S., Alikari, V., Sachlas, A., Fradelos, E. C., Stathoulis, J., Panoutsopoulos, G., Georgopoulou, M., Theophilou, P., & Lavdaniti, M. (2015). Assessment of fatigue in end stage renal disease patients undergoing hemodialysis: Prevalence and associated factors. *Medical Archives (Sarajevo, Bosnia and Herzegovina)*, 69(6), 376–380. <https://doi.org/10.5455/medarh.2015.69.376-380>

