

DAFTAR PUSTAKA

- Akgul, Esra Ardahan., Yanar, Nisa. (2024). The Effectiveness of the Therapeutic Toys on the Comfort Level and Vital Signs of the Neonates During Intravenous Cannula Insertion (Comfiestudy): A Randomized Controlled Trial. *J Pediatr Nurs* (76). DOI: 10.1016/j.pedn.2024.01.015
- Akhtar, K., Haque M., & Khatoon, S. (2013). Kangaroo mother care: A simple method to care for low-birth-weight infants in developing countries. *J Shaheed Suhrawardy Med Coll*, 5 (1), 49-54.
- Altimier, L., & Phillips, R. (2016). The Neonatal Integrative Developmental Care Model: Advanced Clinical Applications of the Seven Core Measures for Neuroprotective Family-centered Developmental Care. *Newborn and Infant Nursing Reviews*, 16(4), 230–244. <https://doi.org/10.1053/j.nainr.2016.09.030>
- American Academy of Pediatrics. (2016). Prevention and Management of Procedural Pain in the Neonate: An Update. *Pediatrics* 137 (2).
- Amin, Gehan Mohammed., Elkhair, Samar S A. (2024). Effect of Crochet Octopus on Physiological Parameters and Comfort Level among Preterm Infants. *IEJNSR*, Vol.5 (2).
- Anand, K.J.S. (2007). Pain assessment in preterm neonates. *Pediatrics*, 119 (3), 605-607.
- Astuti, Dyah Dwi., Rustina, Yeni., Waluyanti, Fajar Tri. (2016). “Empeng” Efektif Menurunkan Nyeri Bayi Saat Pengambilan Darah Vena. *Jurnal Keperawatan Indonesia* 19 (2), 78-84.
- Badr, L.K., Abdallah, B., Hawari, M., Saadieh, S., Kassab, M., Nakad, P., & Breidi, J. (2010). Determinants of premature infant pain responses to heel sticks. *Pediatric Nursing*, 36 (3), 129-136.
- Bahrudin, M. (2017). *Patofisiologi Nyeri*. Saintika Medika, 13(1).
- Beheshtipoor, N., Memarizadeh, A., Hashemi, F., Porarian, S., & Rambod, M. (2014). The effect of kangaroo care on pain and physiological parameters in preterm infants on heel-stick procedure: A randomized controlled crossover study. *Galen Medical Journal*, 2 (4), 157-68.
- Blomqvist, Y. T., Gradin, M., & Olsson, E. (2020). Pain Assessment and Management in Swedish Neonatal Intensive Care Units. *Pain Management Nursing*, 21(4), 354–359.
- Bowden, V.R., & Greenberg, C.S. (2010). *Children and their families: The continuum of care (2th ed)*. Philadelphia: Lippincott Williams & Wilkins
- Charil, A., Laplante, D.P., Vaillancourt, C., & King, S. (2010). Prenatal stress and brain development. *Brain Research Review*, 65, 56-79.
- Chaudhari, S. (2011). Neonatal intensive care practice harmful to the developing brain. *Indian Pediatrics*, 48 (17), 437-440.
- Cignacco, E., Hamers, J.P.H., Stoffeel, L., Lingen, R.A.V., Schutz, N., Muller, R.,..., Nelle, M. (2008). Routine procedure in NICU: Factors influencing pain assessment and ranking by pain intensity. *Swiss Med WKLY*, 138 (33-34), 484-491.
- Cong, X., McGrath, J.M., Cusson, R.M., & Zhang, D. (2013). Pain Assessment And Measurement In Neonates. *Advances in Neonatal Care*, 13 (6), 379- 395.

- Dahlan, M.S. (2009). *Besar Sampel Dan Cara Pengambilan Sampel Dalam Penelitian Kedokteran Dan Kesehatan Edisi 2*. Jakarta: Salemba Medika.
- De Clifford-Faugère, G., Laporte, G., Gélinas, C., Lavallée, A., Fontaine, G., Feeley, N., Colson, S., & Aita, M. (2022). French Translation, Adaptation, and Initial Validation of the Nurses' Attitudes and Perceptions of Pain Assessment in Neonatal Intensive Care Questionnaire (NAPPAQ). *Pain Management Nursing*, 23(2), 204–211. <https://doi.org/10.1016/j.pmn.2021.04.003>
- Direktorat Statistik Kesejahteraan Rakyat. (2023). *profil-statistik-kesehatan-2023 (Vol. 7)*. Badan Pusat Statistik.
- El-Nagger, N.S.M., El-Azim, H.A., & Hassan, S.M.Z. (2013). Effect of kangaroo mother care on premature infant's physiological, behavioral, and psychosocial outcomes in Ain Shams Maternity and Gynecological Hospital in Cairo Egypt. *Life Science Journal*, 10 (1), 703-716.
- Fitri, S. Y. R., Lusmilasari, L., Juffrie, M., & Bellieni, C. V. (2020). Modified Sensory Stimulation Using Breastmilk for Reducing Pain Intensity in Neonates in Indonesia: A Randomized Controlled Trial. *Journal of Pediatric Nursing*, 53, e199–e203. <https://doi.org/10.1016/j.pedn.2020.04.004>
- Gibbins, S., Stevens, B.J., Yamada, J., Dionne, K., Campbell-Yeo, M., Lee, G., ..., Taddio, A. (2014). Validation of the premature infant pain profile (PIPP). *Early Human Development*, 90, 189-193.
- Gill, S.V., Benson, T.A.M., Teasdale, A., & Munsell, E.G. (2013). Birth and developmental correlates of birth weight in a sample of children with potential sensory processing disorder. *BMC Pediatrics*, 13 (29), 1-8.
- Gitto, E., Pellegrino, S., Manfrida, M., Aversa, S., Trimarchi, G., Barberi, I., & Reiter, R. J. (2012). Stress response and procedural pain in the preterm newborn: The role of pharmacological and non-pharmacological treatments. *European Journal of Pediatrics*, 171(6), 927–933. <https://doi.org/10.1007/s00431-011-1655-7>
- Hall, R. W., & Anand, K. J. S. (2005). Physiology of Pain and Stress in the Newborn. *NeoReviews*, 6(2), e61–e68. <https://doi.org/10.1542/neo.6-2-e61>
- Hastjarjo, T. D. (2019). Rancangan Eksperimen-Kuasi. *Buletin Psikologi*, 27(2), 187. <https://doi.org/10.22146/buletinpsikologi.38619>
- Hatfield, L.A., Meyers, M.A., & Messing, T.M. (2013). A systematic review of the effects of repeated painful procedures in infants: Is there a potential to mitigate future pain responsivity? *Journal of Nursing Education and Practice*, 3 (8), 99-112.
- Hendy, A., Alsharkawy, S. S., & El-Nagger, N. S. (2023). Nurses' Performance about Creating Healing Environment and Clustering Nursing Care for Premature Infants. *Original Article Egyptian Journal of Health Care*, 14(2), 148.
- Hockenberry, M., & Wilson, D. (2009). *Wong's nursing care of infants and children*. St. Louis: Mosby Elsevier.
- Jamal, F., Andika, T. D., & Adhiany, E. (2022). Penilaian dan Modalitas Tatalaksana Nyeri. *Jurnal Kedokteran Nanggroe Medika*, 5(3).

- Jayant, D.D., Phalke, D.B., Bangal, V.B., Peeyuusha, D., & Sushen, B. (2011). Maternal risk factors for low birth weight neonates: A hospital based case control study in rural area of Western Maharashtra India. *National Journal of Community Medicine*, 2 (3), 394-398.
- Johnston, C.C., Fernandes, A.M., & Campbell-Yeo, M. (2011). Pain in neonates is disfferent. *Pain*, 152 (8), S65-S73.
- Kapoor, Anju., Khan, Mohammad A., & Beohar, Vijaya. (2021). Pain Relief in Late Preterm Neonates: A Comparative Study of Kangaroo Mother Care, Oral Dextrose 50% and Supine Nesting Position. *International Journal of Applied and Basic Mediocl Research* 11 (3).
- Kasim, K., Sadak, A.A.E., Zayed, K., Wahed, A.A., & Mosaad, M. (2014). Nosokomial infection in a neonatal intensive care unit. *Middle East Journal of Scientific Research*, 19 (1), 1-7.
- Kementerian Kesehatan Republik Indonesia. (2022). *Profil Kesehatan Indonesia 2021*.
- Kolcaba, K. (2006). *Comfort*. New York: Springer Publishing Company. Retrieved from <http://search.proquest.com/docview/189465206?accountid=17242>
- Kostandy, R.R., Ludington-Hoe, S.M., Cong, X., Abouelfettoh, A., Bronson, C., & Stankus, A. (2008). Kangaroo care (skin contact) reduces crying response to pain in preterm neonates: Pilot results. *Pain Management Nursing*, 9 (2), 55-65.
- Kristiyan, A., Djagat Purnomo, H., & Ropyanto, C. B. (2019). Pengaruh Kompres Dingin dalam Penurunan Nyeri Pasien Post Percutaneous Coronary Intervention (PCI): Literature review. In *Journal of Holistic Nursing and Health Science* (Vol. 2, Issue 1). <https://ejournal2.undip.ac.id/index.php/hnhs>
- Kyololo, O. M., Stevens, B. J., & Songok, J. (2021). Procedural Pain in Hospitalized Neonates in Kenya. *Journal of Pediatric Nursing*, 58, 15–20. <https://doi.org/10.1016/j.pedn.2020.11.007>
- Landis, J Richard., Koch, Gary G. (1977). The Measurement of Observer Agreement for Categorical Data. *Biometrics* 33 (1).
- Lawn, J.E., Mwansa-Kambafwile, J., Horta, B.L., Barros, F.C., & Cousens, S. (2010). Kangaroo mother care' to prevent neonatal deaths due to preterm birth complications. *International Journal of Epidemiology*, 39 (11), 144-154.
- Lestari, Jianti Fina., Etika, Risa., Lestari, Pudji. (2020). Faktor Risiko Maternal Bayi Berat Lahir Rendah (BBLR): Studi Systematic Review. *Indonesian Midwifery and Health Science Journal* 4 (1).
- Ludington-Hoe, S.M., Morgan, K., & Abouelfett, A. (2008). A clinical guideline for implementation of kangaroo care with premature infants of 30 or more weeks' postmenstrual age. *Advances in Neonatal Care*, 8 (3), 3-23.
- Manani, M., Jegatheesan, P., Sandre, G.D., Song, D., Showalter, L., & Govindaswami, B. (2013). Elimination of admission hypothermia in preterm very low birth weight infants by standardization of delivery room management. *The Premanente Journal*, 17 (3), 8-13.
- Marchant, A. (2014). Neonates do not feel pain: A critical review of the evidence. *Bioscience Horizons*, 7 (6), 1-9.

- Maxwell, L.G., Malavolta, C.P., & Fraga, M.V. (2013). Assessment of pain in neonate. *Clin Perinatal*, 40, 457-469.
- Nimbalkar, Somashekhar M., Chaudary, Neha S., Gadhavi, Keshardan V., Phatak, Ajay. (2012). Kangaroo Mother Care in Reducing Pain in Preterm Neonates on Heel Prick. *Indian J Pediatr (January 2013)* 80(1):6–10
- Ozcelik, Cagrı C., Eren, Ozge., Sabaz, Nagihan., Bulut, Muhammet. (2022). Effect of using crochet octopus in reducing the pain: a randomized controlled study. *Journal of Tropical Pediatrics*, 2022, 69(1), 1–8
<https://doi.org/10.1093/tropej/fmac107>
- Padhye, N.S., Williams, A.L., Khattak, A.Z., & Lasky, R.E. (2009). Heart rate variability in response to pain stimulus in VLBW infants followed longitudinally during NICU stay. *Dev Psychobiol*, 51(8), 638-649. Doi: 10.1002/dev.20399.
- Pagni, Alyssa M., Kellar, Sophia., Rood, Mary. (2017). Effects of Kangaroo Care on Procedural Pain in Preterm Infants: A Systematic Review. *Honors Research Projects*. 441.
http://ideaexchange.uakron.edu/honors_research_projects/441
- Patel, B.K., & Shah, J.S. (2012). Necrotizing enterocolitis in very low birth weight infants: A systematic review. *Gastroenterology*, 54 (2), 1-7.
- Perry, A.G., & Potter, P.A. (2010). *Buku ajar fundamental keperawatan konsep, proses, dan praktik*. Jakarta: EGC.
- Polit, D.F., & Beck. C.T. (2012). *Nursing research: Generating and assessing evidence for nursing practice (9th ed.)*. Philadelphia: Lippincott Williams & Wilkins.
- Puspitasari, Wahyu Dwi., & Febrinita, Filda. (2021). Pengujian Validitas Isi (Content Validity) Angket Persepsi Mahasiswa Terhadap Pembelajaran Daring Mata Kuliah Matematika Komputasi. *Focus Action of research Mathematic 4 (1)*.
- Rahayuningsih, Sri Intan., Rosni., Ramlah., Fajri, Nova. (2021). Efektivitas Terapi Non-Farmakologis Terhadap Nyeri Tindakan Invasif pada Neonatus di Rumah Sakit Umum Daerah dr. Zainoel Abidin. *Journal of Medical Science*. 2(1).
- Rahayuningsih, S.R. (2009). *Efek pemberian ASI terhadap tingkat nyeri dan lama tangisan bavi saat penyuntikan imunisasi*. Tesis tidak Dipublikasikan. FIKUI, Depok.
- Santjaka, A. (2008). *Bio statistik*. Purwokerto: Global internusa.
- Saputri, Arindi Ayuanita., Megawati, Nur., Mandasari, Dwi. (2024). Effectiveness of Telenursing Based on Mobile Learning Peri-Ku Application on Self-efficacy of Low Birth Weight and Premature Infants: A Quasy Experimental Study in the Perinatology Room of Banyumas Hospital. *Jurnal Viva Medika* 17 (2).
- Saryono. (2011). *Metodologi Penelitian Keperawatan*. Purwokerto: UPT Percetakan dan Penerbitan UNSOED.
- Sasongko, Agung., Jayanti, Wanty Eka., & Risdiansyah, Deni. (2020). Use Questionnaire Untuk Mengukur Daya Guna Sistem Informasi E-Tadkzirah. *Jurnal Khatulistiwa Informatika VIII (2)*.
- Sastroasmoro, S., & Ismael, S. (2014). *Dasar - Dasar Metodologi Penelitian Klinis (5th ed.)*. Jakarta: Sagung Seto.

- Schellack, N. (2011). A review of pain management in neonate. *S Afr Pharm J*, 78 (7), 10-13.
- Schmalisch, G., Wilitzki, S., Roehr, C.C., Proquitte, H., & Buhrer, C. (2012). Development of lung function in very low birth weight infants with or without bronchopulmonary dysplasia: Longitudinal assessment during the first 15 months of corrected age. *BMC Pediatrics*, 12 (37), 1-9.
- Sebayang, S.K., Dibley, M.J., Kelly, P.J., Shankar, A.V., Shankar, A.H. (2012). Determinants of low birthweight, small- for-gestational-age and preterm birth in Lombok, Indonesia: Analyses of the birthweight cohort of the SUMMIT trial. *Trop Med Int Health*, 17 (8), 938-50.
- Smith, Aisling., Penrose, Paula., Tamgumus, Sean., & El-Khuffash, Afif. (2018). Tentacles For Tinies: The Many Arms of the Crocheted Octopus. *Irish Medical Journal* 111 (8).
- Stapelkamp, C., Carter, B., Gordon, J., & Watts, C. (2011). Assessment of acute pain in children: Development of evidence-based guidelines. *International Journal of Evidence Based Healthcare*, 9, 39-50.
- Suradi, R., & Yanuarso, P.B. (2000). Metode kanguru sebagai pengganti inkubator untuk bayi berat lahir rendah. *Sari Pediatri*, 2 (1), 29-35.
- Suryani, E. (2020). *Bayi Berat Lahir Rendah dan Penatalaksanaannya*. Blitar: Strada Pres
- Sutan, R., Mohtar, M., Mahat, A.N., & Tamil, A.M. (2014). Determinant of low birth weight infants: A matched case control study. *Open Journal of Preventive Medicine*, 4 (2), 91-99.
- Triani, effa, & Lubis, M. (2006). Penggunaan Analgesia Nonfarmakologis Saat Tindakan Invasif Minor pada Neonatus. *Sari Pediatri*, 8(2).
- Viengsakhone, L., Yoshida, Y., Rashid, H.O., & Sakamoto, J. (2010). Factors affecting low birth weight at four central hospitals in Vientiane LAO PDR. *Nagoya J Med Sci*, 72, 51-58.
- Vinall, J. Miller, S.P., Chau, V., Brummelte, S., Synnes, A.R., & Grunau, R.E. (2013). Neonatal pain in relation to postnatal growth in infants born very preterm. *Pain*, 153, 1374-1381.
- Vu-Ngoc, H., et al. (2020). Analgesic Effect Of Non Nutritive Sucking In Term Neonates: A Randomized Controlled Trial. *Pediatrics And Neonatology*, 61(1), 106–113.
- Wilson, L., Kolcaba, K. (2004). Practical application of comfort theory in the perianesthesia setting. *Journal of PeriAnesthesia Nursing*, 19(3), 164-173.
- World Health Organization/WHO. (2022). *WHO Recommendations for Care of The Preterm or Low Birth Weight Infant*. Geneva: World Health Organization.
- Yamada, J., Stinson, J., Lamba, J., Dickson, A., McGrath, P. J., & Stevens, B. (2008). A review of systematic reviews on pain interventions in hospitalized infants. *Pain Res Manage*, 13(5), 413.
- Yudiyanta., Khoirunnisa, Novita., & Novitasari, Ratih Wahyu. (2015). Assessment Nyeri. *Cermin Dunia Kedokteran* 42 (3).