

DAFTAR PUSTAKA

- Alimansur, M., & Santoso, P. (2019). Faktor Resiko Dekubitus Pada Pasien Stroke. *Jurnal Ilmu Kesehatan*, 8(1), 82. <https://doi.org/10.32831/jik.v8i1.259>
- Almutairi, D., Almutairi, M., & Al-Dossary, R. (2021). The prevalence of pressure ulcers in the intensive care units in Saudi Arabia: A meta-analysis. *Journal of Tissue Viability*, 30(2), 168–175. <https://doi.org/10.1016/j.jtv.2021.02.002>
- Anrys, C., Van Tiggelen, H., Verhaeghe, S., Van Hecke, A., & Beeckman, D. (2019). Independent risk factors for pressure ulcer development in a high-risk nursing home population receiving evidence-based pressure ulcer prevention: Results from a study in 26 nursing homes in Belgium. *International Wound Journal*, 16(2), 325–333. <https://doi.org/10.1111/iwj.13032>
- Anzalna Risma Fattah, R. A., & Budiati Sri Hidayati, A. (2023). Efektivitas Pemberian Bantal Anti Dekubitus Pada Pasien Bedrest : Case Report. *Jurnal Syntax Fusion*, 3(06), 622–630. <https://doi.org/10.54543/fusion.v3i06.327>
- Aryani, A., Widiyono, W., & Putra, F. A. (2022). Pemberian Minyak Zaitun Dan Pengaturan Posisi Miring 30 Derajat Menurunkan Kejadian Dekubitus Pada Pasien Stroke. *Jurnal Wacana Kesehatan*, 7(1), 1. <https://doi.org/10.52822/jwk.v7i1.394>
- Badrujamaludin, A., Melanie, R., & Nurdiantini, N. (2022). *Pengaruh mobilisasi dan massage terhadap pencegahan risiko luka tekan pada pasien tirah baring*. 15(4), 610–623.
- Bergstrom, N., Horn, S. D., Rapp, M., Stern, A., Barrett, R., Watkiss, M., & Krahn, M. (2014). Preventing Pressure Ulcers: A Multisite Randomized Controlled Trial in Nursing Homes. *Ontario Health Technology Assessment Series*, 14(11), 1–32.
- Bosma, S., & Christopher, R. (2023). Implementing a Unit-Based Alarm Management Bundle for Critical Care Nurses. *Critical Care Nurse*, 43(2), 36–45. <https://doi.org/10.4037/ccn2023418>
- Chapman, S. (2017). Preventing and treating pressure ulcers: evidence review. *British Journal of Community Nursing*, 22 Suppl 3(Sup3), S37–S40. <https://doi.org/10.12968/bjcn.2017.22.Sup3.S37>
- Charan, J., & Biswas, T. (2013). How to calculate sample size for different study designs in medical research? *Indian Journal of Psychological Medicine*, 35(2), 121–126. <https://doi.org/10.4103/0253-7176.116232>
- Cho, I., Kim, J., & Park, H. (2019). Factors affecting pressure ulcer development in older adults undergoing surgery: a prospective study. *Journal of Wound, Ostomy and Continence Nursing*, 46(3), 181–186. <https://doi.org/10.1097/WON.0000000000000529>
- Citra, B. D., C. Sitompul, H., & Restuastuti, T. (2017). Efektivitas Alih Baring Tiap 2 Jam Terhadap Pencegahan Ulkus Dekubitus pada Pasien Pasca Stroke dengan Tirah Baring Lama di Bangsal Saraf RSUD Arifin Achmad Pekanbaru. *Jurnal Ilmu Kedokteran*, 4(2), 133. <https://doi.org/10.26891/jik.v4i2.2010.133-140>
- Coleman, S., Gorecki, C., Nelson, E. A., Closs, S. J., Defloor, T., Halfens, R.,

- Farrin, A., Brown, J., Schoonhoven, L., & Nixon, J. (2013). Patient risk factors for pressure ulcer development: systematic review. *International Journal of Nursing Studies*, 50(7), 974–1003. <https://doi.org/10.1016/j.ijnurstu.2012.11.019>
- Cortés, O. L., Herrera, V. M., Salazar, L. D., Rojas, Y. A., Esparza, M., Taborda, A., & Dennis, R. J. (2023). Impact of hydrocolloid dressings in the prevention of pressure ulcers in high-risk patients: a randomized controlled trial (PENFUP). *Scientific Reports*, 13(1), 21639. <https://doi.org/10.1038/s41598-023-47483-0>
- Cox, J. (2017). Pressure Injury Risk Factors in Adult Critical Care Patients: A Review of the Literature. *Ostomy/Wound Management*, 63(11), 30–43.
- Crotty, A., Killian, J. M., Miller, A., Chilson, S., & Wright, R. (2023). Using wearable technology to prevent pressure injuries: An integrative review. *Worldviews on Evidence-Based Nursing*, 20(4), 351–360. <https://doi.org/10.1111/wvn.12638>
- Crotty, M., van den Berg, M., & Cameron, I. D. (2023). Automated reminders for preventing pressure injuries in hospitals. *Journal of Clinical Nursing*, 32(1–2), 45–53. <https://doi.org/10.1111/jocn.16234>
- Defloor, T. (2000). The effect of position and mattress on interface pressure. *Applied Nursing Research*, 13(1), 2–11. [https://doi.org/10.1016/S0897-1897\(00\)80013-0](https://doi.org/10.1016/S0897-1897(00)80013-0)
- Dorihi Kale, E., Nurachmah, E., Pujasari, H., Keperawatan, J., Kesehatan Kemenkes Kupang, P., & Ilmu Keperawatan, F. (2014). Penggunaan Skala Braden Terbukti Efektif Dalam Memprediksi Kejadian Luka Tekan. *Jurnal Keperawatan Indonesia*, 17(3), 2354–9203.
- Edsberg, L. E., Black, J. M., Goldberg, M., McNichol, L., Moore, L., & Sieggreen, M. (2016). Revised National Pressure Ulcer Advisory Panel Pressure Injury Staging System. *Journal of Wound, Ostomy and Continence Nursing*, 43(6), 585–597. <https://doi.org/10.1097/WON.0000000000000281>
- Erika, E., Fridayana Fitri, R., & Sumiati, A. (2022). Pengaruh Perawatan Luka Menggunakan Gel Lidah Buaya Terhadap Kesembuhan Dekubitus. *Jurnal Indah Sains dan Klinis*, 2(3), 40–51. <https://doi.org/10.52622/jisk.v2i3.35>
- Firmansyah, D., Rahayu, U., Yudianto, K., & Keperawatan, F. (2022). Studi Literatur : Validitas Prediksi Skala Braden Pada Kejadian Dekubitus Di Indonesia. *Medical-Surgical Journal of Nursing Research David Firmansyah, et.al*, 1(1), 38–48.
- Gillespie, B. M., Chaboyer, W. P., McInnes, E., Kent, B., Whitty, J. A., & Thalib, L. (2014). Repositioning for pressure ulcer prevention in adults. *The Cochrane Database of Systematic Reviews*, 2014(4), CD009958. <https://doi.org/10.1002/14651858.CD009958.pub2>
- Hendryadi, H. (2017). Validitas isi: Tahap awal pengembangan kuesioner. *Jurnal Riset Manajemen dan Bisnis (JRMB) Fakultas Ekonomi UNIAT*, 2(2), 169–178. <https://doi.org/10.36226/jrmb.v2i2.47>
- Hotaling, J. M., Sarma, A. V., & Simhan, J. (2017). Obesity, physical activity and erectile dysfunction: an update. *Nature Reviews Urology*, 14(7), 433–444. <https://doi.org/10.1038/nrurol.2017.76>
- Jaul, E., Barron, J., Rosenzweig, J. P., & Menczel, J. (2018). An overview of co-morbidities and the development of pressure ulcers among older adults.

- BMC Geriatrics*, 18(1), 305. <https://doi.org/10.1186/s12877-018-0997-7>
- Kapp, S., Gerdtz, M., Gefen, A., Prematunga, R., & Santamaria, N. (2019). An observational study of the maintenance of the 30° side-lying lateral tilt position among aged care residents at risk of developing pressure injuries when using the standard care pillow and a purpose-designed positioning device. *International Wound Journal*, 16(5), 1080–1086. <https://doi.org/10.1111/iwj.13142>
- Karl T. Ulrich, S. D. E. (2016). Product design and development. In *Integrated Functional Sanitation Value Chain: The role of the sanitation economy* (6th ed.). McGraw-Hill Education.
- Kottner, J., Cuddigan, J., Carville, K., Balzer, K., Berlowitz, D., Law, S., Litchford, M., Mitchell, P., Moore, Z., Pittman, J., Sigaudo-Roussel, D., Yee, C. Y., & Haesler, E. (2019). Prevention and treatment of pressure ulcers/injuries: The protocol for the second update of the international Clinical Practice Guideline 2019. *Journal of Tissue Viability*, 28(2), 51–58. <https://doi.org/https://doi.org/10.1016/j.jtv.2019.01.001>
- Lahmann, N. A., Tannen, A., & Dassen, T. (2015). Pressure ulcer prevalence in Germany: a systematic review. *Journal of Wound Care*, 24(8), 347–352. <https://doi.org/10.12968/jowc.2015.24.8.347>
- Lund, A. (2001). Measuring Usability with the USE Questionnaire. *Usability and User Experience Newsletter of the STC Usability SIG*, 8.
- Lupiañez-Perez, I., Uttumchandani, S. K., Morilla-Herrera, J. C., Martin-Santos, F. J., Fernandez-Gallego, M. C., Navarro-Moya, F. J., Lupiañez-Perez, Y., Contreras-Fernandez, E., & Morales-Asencio, J. M. (2015). Topical olive oil is not inferior to hyperoxygenated fatty acids to prevent pressure ulcers in high-risk immobilised patients in home care. Results of a multicentre randomised triple-blind controlled non-inferiority trial. *PloS One*, 10(4), e0122238. <https://doi.org/10.1371/journal.pone.0122238>
- Lydia Hall: Care, Cure, Core Nursing Theory - Nurseslabs. (n.d.). Diambil 25 Juni 2024, dari <https://nurseslabs.com/lydia-e-halls-care-cure-core-theory/>
- Mahmuda, I. N. N. (2019). Pencegahan Dan Tatalaksana Dekubitus Pada Geriatri. *Biomedika*, 11(1), 11. <https://doi.org/10.23917/biomedika.v11i1.5966>
- Mayangsari, B. (2020). Pengaruh Perubahan Posisi Terhadap Risiko Terjadinya Dekubitus di Rumah Sakit PGI Cikini. *Jurnal Keperawatan Cikini*, 1(2), 35–41. <https://jurnal.akperrscikini.ac.id/index.php/JKC>
- Mervis, J. S., & Phillips, T. J. (2019). Pressure ulcers: Pathophysiology, epidemiology, risk factors, and presentation. *Journal of the American Academy of Dermatology*, 81(4), 881–890. <https://doi.org/10.1016/j.jaad.2018.12.069>
- Moore ZEH, & Cowman, S. (2012). Repositioning for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, 9. <https://doi.org/10.1002/14651858.CD006898.pub3>
- Mubarrok, R. A., Nur imamah, I., & Haniyatun, I. (2023). Penerapan Mobilisasi untuk Mengeurangi Kejadian Dekubitus pada Pasien Stroke Non Hemoragik di RSUD dr.Moewardi Surakarta. *Jurnal Ilmu Kesehatan*, 2(9), 163–171.
- Nanang, Sugiarto, Èdè, Surya, & Darmawan. (2014). The Factors Affecting the Length of Stay in the Intensive Care Units of Pertamina Central Hospital in Indonesia Related to Healthcare Associated Infections. *Journal of US-China*

- Medical Science*, 11, 195–204.
<https://api.semanticscholar.org/CorpusID:42951173>
- Ness, S. J., Hickling, D. F., Bell, J. J., & Collins, P. F. (2018). The pressures of obesity: The relationship between obesity, malnutrition and pressure injuries in hospital inpatients. *Clinical Nutrition (Edinburgh, Scotland)*, 37(5), 1569–1574. <https://doi.org/10.1016/j.clnu.2017.08.014>
- Pan, M. (2023). Prototyping methods: techniques and its significance. *Journal of Research and Development*, 11(2), 216. <https://doi.org/10.35248/2311.3278.23.11.216>
- Park, S. H., & Choi, Y. K. (2015). The effect of a pressure ulcer prevention program based on the health belief model for older adults in nursing homes. *International Journal of Nursing Studies*, 52(5), 944–953. <https://doi.org/10.1016/j.ijnurstu.2014.11.005>
- Park, S. H., Lee, Y. S., & Kwon, Y. J. (2017). Gender differences in pressure ulcer development among older patients with hip fractures. *Journal of Clinical Nursing*, 26(23–24), 4825–4833. <https://doi.org/10.1111/jocn.13820>
- Pickham, D., Ballew, B., Ebong, K., Shinn, J., Lough, M. E., & Mayer, B. (2016). Evaluating optimal patient-turning procedures for reducing hospital-acquired pressure ulcers (LS-HAPU): study protocol for a randomized controlled trial. *Trials*, 17, 190. <https://doi.org/10.1186/s13063-016-1313-5>
- Pickham, D., Pihulic, M., Valdez, A., Mayer, B., Duhon, P., & Larson, B. (2018). Pressure Injury Prevention Practices in the Intensive Care Unit: Real-world Data Captured by a Wearable Patient Sensor. *Wounds: A Compendium of Clinical Research and Practice*, 30(8), 229–234.
- Polit, D. F., & Beck, C. T. (2021). *Nursing Research: Generating and Assessing Evidence for Nursing Practice* (11th ed.). Wolters Kluwer.
- Potter, P.A. & Perry, A. G. (2014). *Fundamentals of Nursing: Fundamental Keperawatan*. Edisi 7. (E. 7 (Ed.)).
- Powers, J. (2016). Two Methods for Turning and Positioning and the Effect on Pressure Ulcer Development: A Comparison Cohort Study. *Journal of Wound, Ostomy, and Continence Nursing: Official Publication of The Wound, Ostomy and Continence Nurses Society*, 43(1), 46–50. <https://doi.org/10.1097/WON.0000000000000198>
- Sahensolar, L. N., Bidjuni, H., & Kallo, V. (2021). Gambaran Tingkat Kegawat Daruratan Pasien Di Instalasi Gawat Darurat (Igd) Rumah Sakit Bhayangkara Kota Manado. *Jurnal Keperawatan*, 9(1), 1. <https://doi.org/10.35790/jkp.v9i1.36763>
- Said, S., Haskas, Y., & Semana, A. (2013). FAKTOR YANG MEMPENGARUHI TERJADINYA DEKUBITUS PADA PASIEN YANG DIRAWAT DI RUANG ICU RS LABUANG BAJI MAKASSAR. *Jurnal Ilmiah Kesehatan Diagnosis*, 2, 1–6.
- Saladin, K. S., & Porth, C. M. (2020). *Anatomy & Physiology: The Unity of Form and Function* (9th Editio). McGraw-Hill Education. <https://www.mheducation.com/>
- Santamaria, N. et al. (2018). Obesity and pressure ulcers: A prospective cohort study. *Journal of Tissue Viability*, 27(2), 75–81. <https://doi.org/10.1016/j.jtv.2018.06.001>
- Sari, E. D., Suriadi, & Herman. (2018). Pengaruh Pemberian Virgin Coconut Oil

- (VCO) pada Area Tertekan Untuk Mencegah Luka Tekan pada Pasien Tirah Baring. *Jurnal ProNers*, 3(1), 1–15.
- Sasongko, A., Jayanti, W. E., & Risdiansyah, D. (2020). USE kuesionnaire untuk mengukur daya guna sistem informasi e-tadkzilah. *Jurnal Khatulistiwa Informatika*, 8(2). <https://doi.org/10.31294/jki.v8i2.9135>
- Setiani, D. (2019). Efektif Massage dengan Virgin Coconut Oil Terhadap Pencegahan Luka Tekan di Intensive Care Unit. *Jurnal Husada Mahakam*, 3(8), 389–442. <http://repository.urecol.org/index.php/procedding/articel/view/681>
- Simamora, T. Y., Kristanti, F., & Wibawa, S. R. (2023). Manajemen Luka Tekan Pada Pasien Tirah Baring : Literature Review. *Jurnal Keperawatan Klinis dan Komunitas (Clinical and Community Nursing Journal)*, 7(3), 155. <https://doi.org/10.22146/jkkk.80144>
- Stacey, M. C., & O’Sullivan, G. (2020). Diabetes and pressure ulcers: assessing the risk. *Wound Practice and Research*, 28(1), 20–25. <https://doi.org/10.33235/wpr.28.1.4>
- Sugiyono. (2017). *Metode Penelitian Kuantitatif; Kualitatif; Dan R&D*. Alfabeta; CV. Bandung.
- Sumah, D. F. (2020). Keberhasilan Penggunaan Virgin Coconut Oil secara Topikal untuk Pencegahan Luka Tekan (Dekubitus) Pasien Stroke di Rumah Sakit Sumber Hidup Ambon. *Jurnal Kedokteran dan Kesehatan*, 16(2), 93. <https://doi.org/10.24853/jkk.16.2.93-102>
- Sumarno, A. S. (2019). Pressure ulcers: the core, care and cure approach. *British Journal of Community Nursing*, 24(Sup12), S38–S42. <https://doi.org/10.12968/bjcn.2019.24.Sup12.S38>
- Tarihoran, D. E. T. A. U. (2015). *Pengaruh Posisi Miring 30 Derajat Terhadap Kejadian Luka Tekan Grade I (Non Blanchable Erythema) Pasien Stroke*. <https://api.semanticscholar.org/CorpusID:80470068>
- Tayyib, N., Coyer, F., & Lewis, P. A. (2016). Implementing a pressure ulcer prevention bundle in an adult intensive care. *Intensive & Critical Care Nursing*, 37, 27–36. <https://doi.org/10.1016/j.iccn.2016.04.005>
- Umara, A. F. (2019). The Model Theory Approach “Care, Core, Cure” for Patients with Cardiovascular Disease. *International Journal of Nursing and Health Services (IJNHS)*, 1(2), 120–128. <https://doi.org/10.35654/ijnhs.v1i2.53>
- Vanderwee, K., Grypdonck, M., & Defloor, T. (2008). Alternating pressure air mattresses as prevention for pressure ulcers: a literature review. *International Journal of Nursing Studies*, 45(5), 784–801. <https://doi.org/10.1016/j.ijnurstu.2007.07.003>
- Wessel, M., Thies, F., & Benlian, A. (2022). The role of prototype fidelity in technology crowdfunding. *Journal of Business Venturing*, 37(4), 106220. <https://doi.org/https://doi.org/10.1016/j.jbusvent.2022.106220>
- Widodo, W., Rosa, E. M., & Kurniasari, N. (2017). Pengaruh Tindakan Keperawatan Reduksi Luka Tekan Terhadap Penurunan Risiko Luka Tekan. *Jurnal Ilmiah Kesehatan Keperawatan*, 13(2). <https://doi.org/10.26753/jikk.v13i2.214>
- Yap, T. L., Horn, S. D., Sharkey, P. D., Zheng, T., Bergstrom, N., Colon-Emeric, C., Sabol, V. K., Alderden, J., Yap, W., & Kennerly, S. M. (2022). Effect of

- Varying Repositioning Frequency on Pressure Injury Prevention in Nursing Home Residents: TEAM-UP Trial Results. *Advances in Skin & Wound Care*, 35(6), 315–325. <https://doi.org/10.1097/01.ASW.0000817840.68588.04>
- Zhang, P., Li, Y., Wu, X., & Lu, L. (2018). Diabetes mellitus and risk of pressure ulcers: a meta-analysis. *Diabetes Research and Clinical Practice*, 142, 46–55. <https://doi.org/10.1016/j.diabres.2018.05.025>

