

VI. DAFTAR PUSTAKA

- Abbas, A. 2021. Meta Analysis of the Relationship of Obesity with Type 2 Diabetes Mellitus in Indonesia. *STRADA Jurnal Ilmiah Kesehatan*. 10(1): 276-282.
- Afandi., Rafli, M., & Marpaung, F.R. 2019. Correlation Between Apoprotein B/Apoprotein A-I Rasio With Homa Ir Value (Homeostatic Model Assesment Insulin Resistance) In Type 2 Diabetes Mellitus. *Journal Of Vocational Health Studies*. 3(2):78 - 82.
- Ameni, D. 2015. The Effect of Frozen Storage on The Survival Of Microorganism And Their Products Found Kefir. *World Journal of Pharmaceutical and Life Sciences*. 1(2): 42-53.
- Azizi, N.F., Kumar, M.R., Yeap S.K., Abdullah, J.O., Khalid, M., Omar A.R., Osman, M.A., Mortadza, S.A.S., Alitheen, N.B. 2021. Kefir and Its Biological Activities. *Foods*. 10(6):1-26.
- Biadala, A., & Adzahan, N. M. 2021. Storage Stability of Antioxidant in Milk Products Fermented with Selected Kefir Grain Microflora. *Molecules (Basel, Switzerland)*. 26(11): 3307.
- Calatayud, M., Börner, R. A., Ghyselinck, J., Verstrepen, L., Medts, J., Abbeele, P. V. D., Boulangé, C. L., Priour, S., Marzorati, M., & Damak, S. 2021. Water Kefir and Derived Pasteurized Beverages Modulate Gut Microbiota, Intestinal Permeability and Cytokine Production In Vitro. *Nutrients*. 13(11): 3897.
- Choi, J. W., Kang, H. W., Lim, W. C., Kim, M. K., Lee, I. Y., & Cho, H. Y. (2017). Kefir prevented excess fat accumulation in diet-induced obese mice. *Bioscience, biotechnology, and biochemistry*, 81(5): 958–965.
- Dahlan, MS. 2014. Statistik Untuk Kedokteran Dan Kesehatan. Edisi 6. Jakarta, Salemba Medika.
- Díaz-Urbina, D., Escartín-Pérez, R. E., Lopez-Alonso, V. E., and Mancilla-Díaz, J. M. (2017). Effects of a high-fat diet on eating behavioral patterns. *Colombian Psychology Act*, 21(1): 95-105.
- Dungga, E.V. & Indiarti, Y. 2024. Faktor Risiko Pasien Diabetes Melitus Tipe 2 Di Puskesmas Monano Kabupaten Gorontalo Utara. *Jambura Noursing Journal*. Vol. 6(1): 40-56.
- Farag, M.A., Jomaa, S.A., El-Wahed A.A., El-Seedi H.R. 2020. The Many Faces of Kefir Fermented Dairy Products: Quality Characteristics, Flavour Chemistry, Nutritional Value, Health Benefits, And Safety. *Nutrients*. 12(2):1-23.
- Frankenberg, A. D. von ., Reis, A. F., & Gerchman, F.. (2017). Relationships between adiponectin levels, the metabolic syndrome, and type 2 diabetes: a literature review. *Archives of Endocrinology and Metabolism*, 61(6): 614–622.

- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. 2020. Pathophysiology of Type 2 Diabetes Mellitus. *International journal of molecular sciences*. 21(17): 6275.
- Ghasemi, A., Khalifi, S., Jeddy, S. 2014. Streptozotocin-nicotinamide-induced rat model of type 2 diabetes. *Acta physiologica Hungarica*. Vol. 101(4): 408-20.
- Gheibi, S., Kashfi, K., & Ghasemi, A. 2017. A practical guide for induction of type-2 diabetes in rat: Incorporating a high-fat diet and streptozotocin. *Biomedicine & Pharmacotherapy*. 95: 605–613.
- Ghizi, A.C. da S., Silva, M. de A., Moraes, F.S. de A., Silva, C.L. da., Endringer, D.C., Scherer, R., Lenz, D., Lima, E.M. de., Brasil, G.A., Maia, J.F., Bissoli, N.S., Andrade, T.U. de. 2021. Kefir improves blood parameters and reduces cardiovascular risks in patients with metabolic syndrome. *Pharma Nutrition*. 16(100266): 2213-4344.
- Ginting, E. E., Sari, C. F., Leny, L., Parhan, P., & Ginting, P. 2022. Analisa Senyawa Metabolit Sekunder dan Pengaruh Pemberian Serbuk Semut Jepang Terhadap Kadar Kolesterol Pada Tikus Putih Jantan. *Jurnal Ilmiah Ibnu Sina*. 7(1): 56-65.
- Goyal R, Singhal M, Jialal I. Type 2 Diabetes. [Updated 2023 Jun 23]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK513253/>
- Guarino, D., Nannipieri, M., Iervasi, G., Taddei, S., & Bruno, R. M. (2017). The Role of the Autonomic Nervous System in the Pathophysiology of Obesity. *Frontiers in physiology*, 8, 665. <https://doi.org/10.3389/fphys.2017.00665>
- Hamida, R. S., Shami, A., Ali, M. A., Almohawes, Z. N., Mohammed, A. E., & Bin-Meferij, M. M. 2021. Kefir: A protective dietary supplementation against viral infection. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*. 133: 110974.
- Hardiansyah, A. 2020. Identifikasi Nilai Gizi dan Potensi Manfaat Kefir Susu Kambing Kaligesing. *Journal of Nutrition College*. 9(3): 208-214.
- He, M. Q., Wang, J. Y., Wang, Y., Sui, J., Zhang, M., Ding, X., Zhao, Y., Chen, Z. Y., Ren, X. X., & Shi, B. Y. 2020. High-fat diet-induced adipose tissue expansion occurs prior to insulin resistance in C57BL/6J mice. *Chronic diseases and translational medicine*, 6(3): 198–207.
- Hedayatnia, M., Asadi, Z., Zare-Feyzabadi, R. 2020. Dyslipidemia and cardiovascular disease risk among the MASHAD study population. *Lipids Health Dis*. 19: 42.
- Hirano T. 2018. Pathophysiology of Diabetic Dyslipidemia. *Journal of atherosclerosis and thrombosis*. 25(9): 771–782.
- IDF Diabetes Atlas. 2021. *IDF Diabetes Atlas 10th Edition*. (online)

- Kaur, N. 2017. Role of Nicotinamide in Streptozotocin Induced Diabetes in Animal Models. *Journal of Endocrinology and Thyroid Research*. 2(1): 1-4.
- Kinteki, G.A., Rizqiaty, H., Hintono, A. 2018. Pengaruh Lama Fermentasi Kefir Susu Kambing Terhadap Mutu Hedonik, Total Bakteri Asam Laktat (BAL), Total Khamir dan pH. *Jurnal Teknologi Pangan*. 3(1): 42–50.
- Kishore, L., Anu, K., Navpreet, K. 2017. Role of Nicotinamides in Streptozotocin Induced Diabetes in Animal Models. *Journal of Endocrinology and Thyroid Research*. 2(1): 1-4.
- Leon, C., Hill, J. S., & Wasan, K. M. 2005. Potential role of acyl-coenzyme A:cholesterol transferase (ACAT) Inhibitors as hypolipidemic and antiatherosclerosis drugs. *Pharmaceutical research*. 22(10): 1578–1588.
- Liu, T., Zhao, D., & Qi, Y. 2022. Global Trends in the Epidemiology and Management of Dyslipidemia. *Journal of clinical medicine*. 11(21): 6377.
- Luo, J., Yang, H. & Song, B.L. 2020. Mechanisms and regulation of cholesterol homeostasis. *Nat Rev Mol Cell Biol*. 21: 225–245.
- Molehin R O., Omotade I., Oloyede, Adefegha, S.A. 2018. Streptozotocin-Induced Diabetes in Rats: Effects of White Butterfly (*Clerodendrum volubile*) leaves on blood glucose levels, lipid profile and antioxidant status, *Toxicology Mechanisms and Methods*. 28(8): 573-586.
- Manara, L.C., Fagundes, J.A.S., Camargo, D.F.M., Caram, A.L.A., Mazali, M.R., Kamimura, E.S., Maldonado, R.R. 2020. Analysis of kefir information propagated in digital media. *International Journal for Innovation Education and Research*. 8(8): 551-567.
- Mooradian, A. 2009. Dyslipidemia in type 2 diabetes mellitus. *Nat Rev Endocrinol*. 5: 150–159.
- Morigny, P., Houssier, M., Mouisel, E., & Langin, D. 2016. Adipocyte lipolysis and insulin resistance. *Biochimie*. 125: 259–266.
- Muntafiah, A., Nurliyani, & Sunarti. 2018. Goat-Soy Milk Kefir Increase Nitric Oxide Bioavailability by Increasing Endothelial Nitric Oxide Synthase (eNOS) Gene Expression in Diabetic rats. *Progress in Nutrition*. 20(2-S): 257-262.
- Muntafiah, A., Sunarti, Nurliyani. 2015. Potensi Antihiperglikemia Kefir Berbasis Susu Kambing Dan Kedelai Pada Tikus Model Dm Tipe 2. *Mandala Heal*. 8(3): 612–621.
- Noor, SM., Dharmayanti, NLPI., Wahyuwardani, S., Muharsini, S., Cahyaningsih, T., Widianingrum, V., Sukmasari, PK, Muhammad, Febretrisiana, A., Misniwati, A., Tiesnamurti B. 2022. *Penanganan Rodensia Dalam Penelitian Sesuai Kaidah Kesejahteraan Hewan*. Jakarta: IAARD Press.
- Nurliyani, N., Harmayani, E., & Sunarti, S. 2022. Synbiotic goat milk kefir improves health status in rats fed a high-fat and high-fructose diet. *Veterinary world*. 15(1): 173–181.

- Ostadrahimi, A., Taghizadeh, A., Mobasser, M., Farrin, N., Payahoo, L., Beyramalipoor Gheshlaghi, Z., & Vahedjabbari, M. 2015. Effect of probiotic fermented milk (kefir) on glycemic control and lipid profile in type 2 diabetic patients: a randomized double-blind placebo-controlled clinical trial. *Iranian journal of public health*. 44(2): 228–237.
- Perakakis, N., Farr, O. M., & Mantzoros, C. S. 2021. Leptin in Leanness and Obesity: JACC State-of-the-Art Review. *Journal of the American College of Cardiology*. 77(6): 745–760.
- Perkeni. 2021. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. PB Perkeni, Jakarta.
- Prado, M.R., Blandón, L.M., Vandenberghe, L.P.S., Rodrigues, C., Castro, G.R., Thomaz-Soccol, V., Soccol, C.R. 2015. Milk kefir: Composition, Microbial Cultures, Biological Activities, and Related Products. *Front. Microbiol.* 6: 1–10.
- Prayoga, I & Ramona, Yan & Suaskara, Ida. 2021. Bakteri Asam Laktat Bermanfaat Dalam Kefir dan Perannya Dalam Meningkatkan Kesehatan Saluran Pencernaan. *Simbiosis*. 9: 115.
- Qomariyah, F., DM, P. O., & Prabandari, R. 2021. Risk Factors for Type 2 Diabetes Mellitus at Puskesmas Selatan Purwokerto Selatan, Banyumas Regency. *Jurnal Farmasi & Sains Indonesia*. 4(2): 79-84.
- Quinto, E. , Jiménez, P. , Caro, I. , Tejero, J. , Mateo, J. and Gírbés, T. 2014. Probiotic Lactic Acid Bacteria: A Review. *Food and Nutrition Sciences*. 5(18): 1765-1775.
- Rias, Y. A., Sutikno, E. 2017. Hubungan Antara Berat Badan Dengan Kadar Gula Darah Acak Pada Tikus Diabetes Mellitus. *Jurnal Wiyata*. 4(1): 72-77.
- Rosa, D. D., Grześkowiak, Ł. M., Ferreira, C. L. L. F., Fonseca, A. C. M., Reis, S. A., Dias, M. M., ... Peluzio, M. do C. G. 2016. Kefir reduces insulin resistance and inflammatory cytokine expression in an animal model of metabolic syndrome. *Food & Function*. 7(8): 3390–3401.
- Sapra A, Bhandari P. Diabetes. [Updated 2023 Jun 21]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK551501/>
- Sekhar, M.S., Marupuru, S., Reddy, B.S., Kurian, S.J., Rao, M. 2020. Chapter 21 - Physiological role of cholesterol in human body. *Dietary Sugar, Salt and Fat in Human Health*. 453-481
- Silitonga, H. A., Siahaan, J. M., & Anto, E. J. 2019. Correlation between Obesity and Lipid Profile in Type 2 Diabetes Mellitus Patients at the Endocrine and Metabolic Polyclinic in General Hospital Pirngadi Medan. *Open access Macedonian journal of medical sciences*. 7(8): 1309–1313.

- Soemardji, A.A. 2004. Penentuan Kadar Gula Darah Mencit Secara Cepat: Untuk Diterapkan dalam Penapisan Aktivitas Antidiabetes In Vivo. *Acta Pharmaceutica Indon.* 29(3): 115-116.
- St-Onge, M. P., Farnworth, E. R., Savard, T., Chabot, D., Mafu, A., & Jones, P. J. 2002. Kefir consumption does not alter plasma lipid levels or cholesterol fractional synthesis rates relative to milk in hyperlipidemic men: a randomized controlled trial. *BMC complementary and alternative medicine*, 2: 1.
- Suharto, I.P.S. & Nurseskasatmata, S.E. 2020. Blood Glucose Influence on Cholesterol and Blood Pressure of Patients with Type II Diabetes Mellitus. *STRADA Jurnal Ilmiah Kesehatan.* 9(2): 629-634.
- Sukmawati, Asgap, A.R.P. 2017. Uji Efek Jus Taoge Terhadap Kadar Kolesterol Tikus (*Rattus norvegicus*) Jantan Hiperlipidemia. *As-Syifaa.* 9(2): 188-194.
- Susanti, I., Setiarto, R.H.B., Kahfi, J., Giarni, R., Muhamaludin., Ramadhaningtyas, D.P., Randy, A. 2023. The Mechanism of Probiotics in Preventing the Risk of Hypercholesterolemia. *Agricultural Science.* 11: 156-170
- Szkudelski T. 2012. Streptozotocin-nicotinamide-induced Diabetes in the Rat. Characteristics of the experimental model. *Exp Biol Med.* 237(5): 481-90.
- Taskinen, M. R., & Borén, J. 2015. New insights into the pathophysiology of dyslipidemia in type 2 diabetes. *Atherosclerosis.* 239(2): 483–495.
- Tsai, C. C., Lin, P. P., Hsieh, Y. M., Zhang, Z. Y., Wu, H. C., & Huang, C. C. 2014. Cholesterol-Lowering Potentials of Lactic Acid Bacteria Based on Bile-Salt Hydrolase Activity and Effect of Potent Strains on Cholesterol Metabolism in vitro and in vivo. *The Scientific World Journal.* 690752.
- Wang, Z., Yang, Y., Xiang, X., Zhu, Y., Men, J., & He, M. 2010. *Wei sheng yan jiu. Journal of hygiene research.* 39(2): 133–142.
- Witjes, V. M., Boleij, A., & Halffman, W. 2020. Reducing versus Embracing Variation as Strategies for Reproducibility: The Microbiome of Laboratory Mice. *Animals : an open access journal from MDPI.* 10(12): 2415.
- Yerlikaya O. 2014. Starter cultures used in probiotic dairy product preparation and popular probiotic dairy drinks. *Food Science and Technology.* 34(2): 221-229.
- Yilmaz I, Arslan, B. 2022. The effect of kefir consumption on the lipid profile for individuals with normal and dyslipidemic properties: a randomized controlled trial. *Rev Nutr.*
- Yusuf D., Nuraida L., Dewanti-Hariyadi R., Hunaefi D. 2020. In Vitro Characterization of Lactic Acid Bacteria from Indonesian Kefir Grains as Probiotics with Cholesterol-Lowering Effect. *J. Microbiol. Biotechnol.* 30: 726–732.