

DAFTAR PUSTAKA

- Abdullah, Iriani, V., Rosdianto, N. O., Adyani, K., Rosyeni, Y., & Rusyanti, S. (2024). *Dismenore*. NEM.
- Agritubella, S. M., & Fizistri, J. (2022). Experience of Menstrual Pain in Late Adolescence: Scale and Implementation at Home. *JONAH: Journal of Nursing and Homecare*, 1(1).
- Al-Mgoter, N. (2019). Cardio-metabolic disturbances are more correlated with waist-hip ratio (WHR) than body mass index (BMI) in patients with coronary vascular disease. *The Journal of the Pakistan Medical Association*, 69(8), S36–S39.
- Alibabić, V., Mujić, I., Rudić, D., Golob, M., Šertović, E., Bajramović, M., & Jokić, S. (2014). Assessment of Diet Quality and Nutritional Risks Representation of University of Bihać. *Procedia - Social and Behavioral Sciences*, 116, 2137–2140.
- Amsi, & Muhajirin. (2011). *Gizi Dan Makanan Sehat*. Salemba Medika.
- Andriani, A. K. (2011). *Hubungan Riwayat Keluarga dan Keadaan Stres Dengan Terjadinya Dismenore Pada Mahasiswi FKM Unair*. Universitas Airlangga.
- Anggriani, A., Mulyani, Y., & Pratiwi, L. D. (2021). Pengaruh Terapi Farmakologi Dan Non-Farmakologi Terhadap Penurunan Nyeri Menstruasi Pada Mahasiswi Fakultas Farmasi Universitas Bhakti Kencana Bandung. *Jurnal Riset Kefarmasian Indonesia*, 3(3), 174–188.
- Anwar, C., & Rosdiana, E. (2019). Hubungan Indeks Masa Tubuh dan Usia Menarche dengan Kejadian Dismenorea pada Remaja Putri di SMA Negeri 1 Samudera tahun 2015. *Journal of Healthcare Technology and Medicine*, 2(2), 144–153.
- Ardyastin, N. K. M. M., Wibawa, A., Adiputra, L. M. I. S. H., Gede, I. W., & Sutadarma. (2019). Hubungan Rasio Lingkar Pinggang-Pinggul Terhadap Tingkat Nyeri Menstruasi Primer pada Remaja Perempuan. *Majalah Ilmiah Fisioterapi Indonesia*, 7(1), 44–48.
- Astuti, E. P. (2018). Hubungan Indeks Masa Tubuh (IMT) Dengan Dismenorea Pada Remaja. *Jurnal Kebidanan*, 9(2), 121–137.
- Aulya, Y., Kundaryanti, R., & Rena, A. (2021). Hubungan Usia Menarche dan Konsumsi Makanan Cepat Saji dengan Kejadian Dismenore Primer pada Siswi di Jakarta Tahun 2021. *Jurnal Menara Medika*, 4(1), 10–21.
- Batubara, J. R. L., Soesanti, F., & Waal, H. D. van de. (2014). Age at Menarche in Indonesian Girls: a National Survey. *Acta Medica Indonesiana*, 42(2), 78–81.
- Bays, H. (2014). Central obesity as a clinical marker of adiposopathy; increased visceral adiposity as a surrogate marker for global fat dysfunction. *Current Opinion in Endocrinology, Diabetes, and Obesity*, 21(5), 345–351.

- Begum, M. R., & Hossain, M. A. (2019). Validity and Reliability of Visual Analogue Scale (Vas) for Pain Measurement. *Journal of Medical Case Reports and Reviews*, 2(11), 394–402.
- Bovet, J. (2019). Evolutionary theories and men's preferences for women's waist-to-hip ratio: Which hypotheses remain? A Systematic Review. *Frontiers in Psychology*, 10, 1–20.
- Cnop, M., Havel, P. J., Utzschneider, K. M., Carr, D. B., Sinha, M. K., Boyko, E. J., Retzlaff, B. M., Knopp, R. H., Brunzell, J. D., & Kahn, S. E. (2014). Relationship of adiponectin to body fat distribution, insulin sensitivity and plasma lipoproteins: Evidence for independent roles of age and sex. *Diabetologia*, 46(4), 459–469.
- De Sanctis, V., Soliman, A., Bernasconi, S., Bianchin, L., Bona, G., Bozzola, M., Buzi, F., De Sanctis, C., Tonini, G., Rigon, F., & Perissinotto, E. (2015). Primary dysmenorrhea in adolescents: Prevalence, impact and recent knowledge. *Pediatric Endocrinology Reviews*, 13(2), 512–520.
- Departemen Kesehatan RI. (2011). *Pedoman Praktis Mempertahankan Berat Badan Normal berdasarkan Indeks Massa Tubuh dengan Gizi Seimbang*. Direktorat Gizi Masyarakat.
- Dwilianto, R., Matondang, A. U., & Yarni, L. (2024). Perkembangan Masa Dewasa Awal. *Jurnal Review Pendidikan Dan Pengajaran*, 7(3), 12.
- Evans, J., & Salamonsen, L. A. (2016). Inflammation, leukocytes and menstruation. *Reviews in Endocrine and Metabolic Disorders*, 13(4), 277–288.
- Fahimah, Margawati, A., & Fitranti, D. Y. (2017). Hubungan Konsumsi Asam Lemak Omega-3, Aktivitas Fisik Dan Persen Lemak Tubuh Dengan Tingkat Dismenore Pada Remaja. *Journal of Nutrition College*, 6(4), 268–276.
- Fatmah. (2010). *Gizi Usia Lanjut*. Erlangga.
- Francavilla, R., Petraroli, M., Messina, G., Stanyevic, B., Bellani, A. M., Esposito, S. M. R., & Street, M. E. (2023). Dysmenorrhea: Epidemiology, Causes and Current State of the Art for Treatment. *Clinical and Experimental Obstetrics and Gynecology*, 50(12).
- Gustini, L., Lipoeto, N. I., & Utama, B. I. (2017). Hubungan Massa Lemak dengan Dismenore Primer pada Remaja Putri di Stikes Ceria Buana Bukittinggi. *Jurnal Kesehatan Andalas*, 6(1), 32–36.
- Habibi, N. (2015). *Prevalence of Primary Dysmenorrhea and Its Related Dietary, Anthropometric, Menstrual, Sociodemographic Factors in Isfahan Medical Sciences University, Iran*. Universiti Putra Malaysia.
- Hamzah, B., & Rahmawati, H. (2020). Faktor-Faktor Yang Berhubungan Dengan Tingkat Stres Akademik Pada Mahasiswa Stikes Graha Medika. *Indonesian Journal for Health Sciences*, 4(2), 59–67.
- Harjatmo, T. P., Par'i, H. M., & Wiyono, S. (2017). *Penilaian Status Gizi (Pertama)*. Kementerian Kesehatan RI.

- Harlow, S. D., & Park, M. (1996). A longitudinal study of risk factors for the occurrence, duration and severity of menstrual cramps in a cohort of college women. *BJOG: An International Journal of Obstetrics and Gynaecology*, 103(11), 1134–1142.
- Hellmann, J., Zhang, M. J., Tang, Y., Rane, M., Bhatnagar, A., & Spite, M. (2014). Increased Saturated Fatty Acids in Obesity Alter Resolution of Inflammation in Part by Stimulating Prostaglandin Production. *The Journal of Immunology*, 191(3), 1383–1392.
- Hendrik. (2016). *Problema Haid: Tinjauan Syariat Islam dan Medis*. Tiga Serangkai.
- Jebb, S., McCarthy, D., & Fry, T. (2004). New body fat reference curves for adult. *Obesity Reviews (NAASO)*, 1032–1036.
- Jeong, J.-H., Lee, J.-M., Lee, C., Cho, J.-H., Jang, J.-B., & Lee, K.-S. (2007). A Study on the Relation of Dysmenorrhea of some patients and Body Composition Analysis. *The Journal of Oriental Obstetrics & Gynecology*, 20(3), 155–163.
- Ju, H., Jones, M., & Mishra, G. (2014). The prevalence and risk factors of dysmenorrhea. *Epidemiologic Reviews*, 36(1), 104–113.
- Ju, H., Jones, M., & Mishra, G. D. (2015). A U-shaped relationship between body mass index and dysmenorrhea: A longitudinal study. *PLoS ONE*, 10(7), 1–12.
- Jusni, Akhfar, K., Arfiani, & Khaera, N. (2022). Hubungan Indeks Massa Tubuh (Imt) Dengan Kejadian Dismenorea Di Kabupaten Bulukumba. *Jmns*, 4(1), 39–45.
- Kadir, S., & Mokodompis, Y. (2022). Body Fat Percentage Factors in Public Health Student Universitas Negeri Gorontalo. *Journal of Pharmaceutical Negative Results*, 13(3), 415–421.
- Kemenkes RI. (2014a). *Kategori Umur*. Ditjen Yankes.
- Kemenkes RI. (2014b). *Pedoman Gizi Seimbang*. Dirjen Bina Gizi.
- Kemenkes RI. (2015). Profil Indonesia Tahun 2015. In *Kementerian Kesehatan RI*.
- Kemenkes RI. (2018). *Buku KIE Kader Kesehatan Remaja*. Kementerian Kesehatan RI.
- Kusuma, T. A., Hikmanti, A., & Yanti, L. (2023). Penerapan Senam Dismenore untuk Meringankan Nyeri Dismenore. *Jurnal Kreativitas Pengabdian Kepada Masyarakat (PKM)*, 6(9), 3896–3909.
- Lakkawar, N., L, J. R., Arthi, N., & Alaganandam, P. (2014). A Study of Menstrual Disorders in Medical Students and its Correlation with Biological Variables. *Scholars Journal of Applied Medical Sciences (SJAMS)*, 2(6E), 3165–3175.
- Larasati, T. A., & Alatas, F. (2016). Dismenore Primer dan Faktor Risiko Dismenore Primer pada Remaja. *Majority*, 5(3), 79–84.

- Lassek, W. D., & Gaulin, S. J. C. (2008). Waist-hip ratio and cognitive ability: is gluteofemoral fat a privileged store of neurodevelopmental resources? *Evolution and Human Behavior*, 29(1), 26–34.
- Latthe, P., Latthe, M., Say, L., Gülmezoglu, M., & Khan, K. S. (2006). WHO systematic review of prevalence of chronic pelvic pain: A neglected reproductive health morbidity. *BMC Public Health*, 6, 1–7.
- Lestari, N. M. S. D. (2015). Pengaruh dismenorea pada remaja. *Seminar Nasional FMIPA UNDIKSHA III*, 323–329.
- Listiyana, A. D., Mardiana, M., & Prameswari, G. N. (2015). Obesitas sentral dan kadar kolesterol darah total. *Jurnal Kesehatan Masyarakat*, 9(1), 37–43.
- Madhubala, C., & Jyoti, K. (2017). Relation between dysmenorrhea and body mass index in adolescents with rural versus urban variation. *Journal of Obstetrics and Gynecology of India*, 62(4), 442–445.
- Mahvash, N., Eidy, A., Mehdi, K., Zahra, M. T., Mani, M., & Shahla, H. (2012). The effect of physical activity on primary dysmenorrhea of female university students. *World Applied Sciences Journal*, 17(10), 1246–1252.
- Mansjoer, A. (2005). *Kapita Selekt Kedokteran* (Ketiga). Media Aesculapius Fakultas Kedokteran Universitas Indonesia.
- Manuaba, I. A. C., Manuaba, I. B. G. F., & Manuaba, I. B. G. (2015). *Memahami Kesehatan Reproduksi Wanita* (2nd ed.). EGC.
- Martinez, E. F., Zafra, M. D. O., & Fernandez, M. L. P. (2018). Lifestyle and prevalence of dysmenorrhea among Spanish female university students. *Journal PLOS ONE*, 1–11.
- Masuda, M., Murata, K., Naruto, S., Uwaya, A., Isami, F., & Matsuda, H. (2012). Matrix metalloproteinase-1 inhibitory activities of *Morinda citrifolia* seed extract and its constituents in UVA-irradiated human dermal fibroblasts. *Biological & Pharmaceutical Bulletin*, 35(2), 210–215.
- Merdekawati, D., Dasuki, D., & Melany, H. (2019). Perbandingan Validitas Skala Ukur Nyeri VAS dan NRS Terhadap Penilaian Nyeri di IGD RSUD Raden Mattaher Jambi. *Riset Informasi Kesehatan*, 7(2), 114–121.
- Midilli, T. S., Yasar, E., & Baysal, E. (2015). Dysmenorrhea characteristics of female Students of health school and affecting factors and their knowledge and use of complementary and alternative medicine methods. *Holistic Nursing Practice*, 29(4), 194–204.
- Mohamad Shalan, N. A. A., Mustapha, N. M., & Mohamed, S. (2017). Chronic toxicity evaluation of *Morinda citrifolia* fruit and leaf in mice. *Regulatory Toxicology and Pharmacology*, 83, 46–53.
- Najiyah, M. (2023). *HUBUNGAN STATUS GIZI, RASIO LINGKAR PINGGANG PANGGUL, FREKUENSI KONSUMSI KAFEIN DENGAN POLA MENSTRUASI SANTRIWATI DI PONDOK PESANTREN USWATUN HASANAH KOTA SEMARANG*. UIN Walisongo.

- Nasir, M. N. B. M. (2019). *Hubungan Antara Lingkar Pinggang dengan Frekuensi Serangan dan Intensitas Nyeri pada Mahasiswa Malaysia yang Mengalami Migren*. Universitas Sumatera Utara.
- Okoro, R., Malgwi, H., & Okoro, G. (2013). Evaluation of Factors that Increase the Severity of Dysmenorrhoea among University Female Students in Maiduguri, North Eastern Nigeria. *Internet Journal of Allied Health Sciences and Practice*, 11(4), 1–10.
- Paath, E. F., Rumdasih, Y., & Heryati. (2004). *Gizi Dalam Kesehatan Reproduksi*. EGC.
- Pakniat, H., Jahanian, S., Hemmati, N., & Ranjkesh, F. (2018). The Association of Anthropometric Indices with Dysmenorrhea in High School Students: A Cross-Sectional Study. *International Journal of School Health*, 6(1), 1–6.
- Paluwih, N. A., Sihombing, R. M., & Lebawicaksaputri, K. (2019). the Difference of Pain Scale Using Numeric Rating Scale and Visual Analog Scale in Post-Operative Patients. *Nursing Current Jurnal Keperawatan*, 7(1), 52.
- Par'i, H. M. (2016). *Penilaian Status Gizi: Dilengkapi Proses Asuhan Gizi Terstandar*. EGC.
- Pedersen, S. B., Kristensen, K., Hermann, P. A., Katzenellenbogen, J. A., & Richelsen, B. (2016). Estrogen controls lipolysis by up-regulating $\alpha 2A$ -adrenergic receptors directly in human adipose tissue through the estrogen receptor α . Implications for the female fat distribution. *Journal of Clinical Endocrinology and Metabolism*, 89(4), 1869–1878.
- Petraglia, F., Bernardi, M., Lazzeri, L., Perelli, F., & Reis, F. M. (2017). Dysmenorrhea and related disorders. *F1000Research*, 6, 1–7.
- Potter, P. A., & Perry, A. G. (2006). *Buku Ajar Fundamental Keperawatan Konsep Proses dan Praktik Volume 2* (4th ed.). EGC.
- Price, G. M., Uauy, R., Breeze, E., Bulpitt, C. J., & Fletcher, A. E. (2016). Weight, shape, and mortality risk in older persons: Elevated waist-hip ratio, not high body mass index, is associated with a greater risk of death. *American Journal of Clinical Nutrition*, 84(2), 449–460.
- Proverawati, A., & Wati, E. K. (2011). *Ilmu Gizi Keperawatan & Gizi Kesehatan*. Nuha Medika.
- Pudiastuti, R. D. (2012). *3 Fase penting pada wanita : Menarche, Menstruasi, dan Menopause*. Elex Media Komputindo.
- Putri, A. F. (2018). Pentingnya Orang Dewasa Awal Menyelesaikan Tugas Perkembangannya. *SCHOULID: Indonesian Journal of School Counseling*, 3(2), 35–40.
- Rad, M., Sabzevar, M. T., Rastaghi, S., & Dehnavi, Z. M. (2018). The relationship between anthropometric index and primary dysmenorehea in female high school students. *Journal of Education and Health Promotion*, 7(1), 1–6.

- Rahman, M. M., Salikunna, N. A., Sumarni, S., Wahyuni, R. D., Badaruddin, R., Ramadhan, M. Z., & Arief, A. (2021). Hubungan Asupan Lemak Terhadap Persentase Lemak Tubuh Mahasiswa Fakultas Kedokteran Universitas Tadulako Angkatan 2019. *Healthy Tadulako Journal (Jurnal Kesehatan Tadulako)*, 7(1), 21–29.
- Rahmayanti, A., Jafar, F. I., & Rijai, L. (2023). Analisis Karakteristik Dismenore pada Remaja Putri. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 18, 7–11.
- Rahmiati, B. F., Jauhari, M. T., Ardian, J., & Aini, Q. (2020). Pengaruh Frekuensi Penggorengan dan Penambahan Sari Mengkudu (*Morindacitrifolia*) terhadap Jumlah Asam Lemak Trans pada Minyak Jelantah. *Nutriology : Jurnal Pangan, Gizi, Kesehatan*, 1(1), 18–25.
- Ramadhania, A. R., Hasna, A. N., Winata, R. K., Ridwan, H., & Sopiah, P. (2024). Hubungan Aktivitas Fisik dan Pola Makan terhadap Status Indeks Masa Tubuh Normal. *SEHATMAS: Jurnal Ilmiah Kesehatan Masyarakat*, 3(1), 58–66.
- Rathi, R., & Mahishale, A. (2023). Determining Correlation between Severity of Primary Dysmenorrhea and Resting Metabolic Rate in College-Going Girls of 18–25 Years of Age:” An Observational Study. *Journal of the Scientific Society*, 50(2), 201–205.
- Rudatiningtyas, U. F., Fitriyani, T., & Rosita, A. T. (2022). Gambaran Kejadian Dismenore Primer Pada Santriwati Di Pondok Pesantren Nurussyifa Purwokerto Tahun 2021. *Jurnal Bina Cipta Husada*, 18(1), 34–42.
- Rusydi, R., Gunawan Tamtomo, D., & Kartikasari, L. R. (2021). Hubungan Indeks Massa Tubuh Dengan Kejadian Dismenorea Primer Pada Remaja Relationship Between Body Mass Index with Dysmenorrhea Primer in Adolescents. *Jurnal Ilmu Kesehatan Masyarakat Berkala*, 3(1), 80–85.
- Sadiman. (2017). Analisis Faktor Yang Berhubungan Dengan Kejadian Dismenorrhea. *Jurnal Kesehatan*, 8(1), 41–49.
- Santrock, J. W. (2003). *Adolescence: Perkembangan Remaja* (Keenam). Erlangga.
- Shalini, S., Nazer, A. A., Kasi, M., Ahmed, N. Z., Sridevi, C., & Ravichandran, V. (2014). Menstrual disorders among students—an overview. *Research Journal of Pharmacy and Technology*, 7(6), 704–711.
- Sharif, S., Al-kamil, E. A., & Attiya, M. (2007). Stress and coping strategies among medical students in basrah. *The Medical Journal of Basrah University*, 25(2), 29–32.
- Singh, K., Srivastava, D., Misra, R., & Tyagi, M. (2015). Relationship between primary dysmenorrhea and body composition parameters in young females. *International Journal of Health Sciences and Research*, 5(7), 150–155.
- Smeltzer, S. C., & Bare, B. G. (2014). *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth (Vol.2)* (8th ed.). EGC.
- Sokol, A., Wirth, M. D., Manczuk, M., Shivappa, N., Zatonska, K., Hurley, T. G.,

- & Hébert, J. R. (2016). Association between the dietary inflammatory index, waist-to-hip ratio and metabolic syndrome. *Nutrition Research*, 36(11), 1298–1303.
- Sominsky, L., & Spencer, S. J. (2014). Eating behavior and stress: A pathway to obesity. *Frontiers in Psychology*, 5, 1–8.
- Stewart, K., & Deb, S. (2016). Dysmenorrhoea. *Obstetrics, Gynaecology and Reproductive Medicine*, 26(12), 364–367.
- Sudirjo, E., & Alif, M. N. (2018). *Pertumbuhan dan Perkembangan Motorik: Konsep Perkembangan dan Pertumbuhan Fisik dan Gerak Manusia*. UPI Sumedang Press.
- Sugani, S., & Priandarini, L. (2010). *Cara Cerdas Untuk Sehat : Rahasia Hidup Sehat Tanpa Dokter (Pertama)*. TransMedia Pustaka.
- Sugiyono. (2013). *Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif dan R&D*. Alfabeta.
- Sukarni, I. (2014). *Buku Ajar Keperawatan Maternitas*. Nuha Medika.
- Supariasa, I. D. N., Bakri, B., & Fajar, I. (2001). *Penilaian Status Gizi*. EGC.
- Sutjiato, M., Kandou, G. ., & Tucunan, A. A. . (2015). Hubungan Faktor Internal dan Eksternal dengan Tingkat Stress pada Mahasiswa Fakultas Kedokteran Universitas Sam Ratulangi Manado. *Jikmu*, 5(1), 30–42.
- Taqiyah, Y., Alam, R. I., & Jusmawati. (2022). Kejadian Obesitas Dengan Tingkat Dismenhore Primer Pada Remaja Putri. *Window of Nursing Journal*, 01(01), 48–55.
- Tavares, G., Driusso, P., Rodrigues, J. C., Garcia, A., & Avila, M. A. (2022). Numerical rating scale for dysmenorrhea-related pain: a clinimetric study. *Journal of the International Society of Gynecological Endocrinology*, 38(8), 661–665.
- Tiroidimos, I., Georgouvia, I., Savvala, T. N., Karanika, E., & Noukari, D. (2009). Healthy lifestyle habits among Greek university students: Differences by sex and faculty of study. *Eastern Mediterranean Health Journal*, 15(3), 722–728.
- Victor, P., Danborn, B., & Adebisi, S. (2016). Anthropometric and body composition parameters of Kaduna and Rivers State women aged 18–30 years. *Journal of Experimental and Clinical Anatomy*, 15(1), 49–55.
- Widjanarko, B. (2016). Dismenore Tinjauan Terapi pada Dismenore Primer. *Majalah Kedokteran Damianus*, 5(1), 1–10.
- Winpenney, E. M., van Sluijs, E. M. F., White, M., Klepp, K. I., Wold, B., & Lien, N. (2018). Changes in diet through adolescence and early adulthood: longitudinal trajectories and association with key life transitions. *The International Journal of Behavioral Nutrition and Physical Activity*, 15(1), 1–9.

- World Health Organization. (2008). *Waist Circumference and Waist-Hip Ratio: Report of a WHO Expert Consultation*.
- World Health Organization. (2018). More Active People For A Healthier World. In *Journal of Policy Modeling* (Vol. 28, Issue 6). WHO.
- Wulandari, S., & Ungsianik, T. (2013). Status Gizi, Aktivitas Fisik, dan Usia Menarche Remaja Putri. *Jurnal Keperawatn Indonesia*, 16(1), 55–59.

