

DAFTAR PUSTAKA

- Abdurrasyid, Z., Astawan, M., Lioe, H., & Wresdiyati, T. (2023). Evaluation of hypoglycaemic potency in tempe with soybean germination. *Food Research*, 7, 217–227.
- Adegunloye, D. V., Agarry, O. O., Adebolu, T. T., & Adetuyi, F. C. (2006). Effect of leaf-packaging on the microbiological assessment of some food items. *African Journal of Biotechnology*, 5(5), 445–447.
- Afify, A. E. M. M. R., El-Beltagi, H. S., El-Salam, S. M., & Omran, A. A. (2012). Protein solubility, digestibility and fractionation after germination of sorghum varieties. *PLoS ONE*, 7(2), 1–6. <https://doi.org/10.1371/journal.pone.0031154>
- Agustia, F. C., Murdiati, A., Supriyadi, & Indrati, R. (2023). Production of Dipeptidyl Peptidase-IV Inhibitory Peptides from Germinated Jack Bean [*Canavalia ensiformis* (L.) DC.] Flour. *Preventive Nutrition and Food Science*, 28(2), 149–159. <https://doi.org/10.3746/pnf.2023.28.2.149>
- Agustia, F. C., Supriyadi, S., Murdiati, A., & Indrati, R. (2023). Germination of jack bean [*Canavalia ensiformis* (L.) DC.] and its impact on nutrient and anti-nutrient composition. *Food Research*, 7(5), 210–218. [https://doi.org/10.26656/fr.2017.7\(5\).905](https://doi.org/10.26656/fr.2017.7(5).905)
- Alfanesa, R., Rahayuni, T., & Hartani, L. (2021). Pengaruh Jenis Kemasan Terhadap Sifat Organoleptik Dan Kimiawi Tempe Biji Karet. *Angewandte Chemie International Edition*, 6(11), 951–952., 96, 2013–2015.
- Alimahana, F., Kartika, I., Utami, A. W., Cahyanto, M. N., & Utami, T. (2023). Fermentasi Sari Koro Pedang Putih (*Canavalia ensiformis* (L.) DC.) dengan Penambahan Sukrosa dan Susu Skim. *AgriTECH*, 43(2), 116. <https://doi.org/10.22146/agritech.62345>
- AOAC. (2005). Official Methods of Analysis of AOAC International. *Journal of the Association of Official Agricultural Chemists*, 18.
- Astawan, M., Rahmawati, I. S., Cahyani, A. P., Wresdiyati, T., Putri, S. P., & Fukusaki, E. (2020). Comparison between the potential of tempe flour made from germinated and nongerminated soybeans in preventing diabetes

- mellitus. *HAYATI Journal of Biosciences*, 27(1), 16–23.
<https://doi.org/10.4308/hjb.27.1.16>
- Astawan, M., Wresdiyati, T., & Sirait, J. (2015). Pengaruh Konsumsi Tempe Kedelai Grobogan Terhadap Profil Serum, Hematologi Dan Antioksidan Tikus. *Jurnal Teknologi Dan Industri Pangan*, 26(2), 155–162.
<https://doi.org/10.6066/jtip.2015.26.2.155>
- Beasley, J. M., & Wylie-Rosett, J. (2013). The Role of Dietary Proteins among Persons with Diabetes. *Diabetes*, 15(9), 1–11.
<https://doi.org/10.1007/s11883-013-0348-2>
- Campbell, A. P., & Rains, T. M. (2015). Dietary protein is important in the practical management of prediabetes and type 2 diabetes. *Journal of Nutrition*, 145(1), 164S–169S. <https://doi.org/10.3945/jn.114.194878>
- Chelule, P. K., Mbongwa, H. P., Carries, S., & Gqaleni, N. (2010). Lactic acid fermentation improves the quality of amahewu, a traditional South African maize-based porridge. *Food Chemistry*, 122(3), 656–661.
<https://doi.org/10.1016/j.foodchem.2010.03.026>
- Chen, C. C., Shih, Y. C., Chiou, P. W. S., & Yu, B. (2010). Evaluating nutritional quality of single stage- and two stage-fermented soybean meal. *Asian-Australasian Journal of Animal Sciences*, 23(5), 598–606.
<https://doi.org/10.5713/ajas.2010.90341>
- Corwin, E. J. (2009). *Buku Saku Patofisiologi* (E. K. Yudha, E. Wahyuningsih, D. Yulianti, & P. E. Karyuni (eds.); 3th ed.). Penerbit Buku Kedokteran EGC.
- DeGarmo, E. P. (Ernest P., Sullivan, W. G., & Canada, J. R. (1984). Engineering economy / E. Paul DeGarmo, William G. Sullivan, John R. Canada. In *Engineering economy* (7th ed.). Macmillan.
- Dewi, I. W. R., Anam, C., & Widowati, E. (2010). *Karakteristik Sensoris, Nilai Gizi dan Aktivitas Antioksidan Tempe Kacang Gude (Cajanus Cajan (L.) Millsp.) dan Tempe Kacang Tunggak (Vigna Unguiculata (L.) Walp.) dengan Berbagai Variasi Waktu Fermentasi*. 12(2), 1–35.
<https://doi.org/10.13057/biofar/f120204>
- Diniyah, N., Windarti, W. S., Maryanto, Purnomo, B. H., & Wardani, W. (2014). Karakterisasi Tempe Koro Pedang [*Canavalia Ensiformis* (L)] yang Dibuat

- dengan Variasi Persentase Ragi dan Jenis Pengemas. *Journal of Agro-Based Industry*, 31(1), 1–10.
http://ejournal.kemenperin.go.id/ihp/article/download/2597/pdf_43
- Dostálová, J., Kadlec, P., Bernášková, J., Houška, M., & Strohalm, J. (2009). The changes of α -galactosides during germination and high pressure treatment of legume seeds. *Czech Journal of Food Sciences*, 27(SPEC. ISS.), 2007–2010.
<https://doi.org/10.17221/1076-cjfs>
- Duda, H. J., Biologi, S. P., Khatulistiwa, S. P., Sengkuang, J. P., & Barat, K. (2024). *The Effect of Different Packaging and Incubation Period on The Organoleptic Quality of Soybean Tempe (Glycine max (L .) Merrill*. 9(2), 118–125.
- Ellent, S. ., Dewi, L., & Tapilouw, M. C. (2022). Karakteristik Mutu Tempe Kedelai (Glycine Max L.) yang Dikemas Dengan Klobot. *Jurnal Teknologi Pertanian*, 11(1), 32–40.
- Fatimah, P. S., & Siregar, P. A. (2020). Pola Konsumsi Buah dan Sayur dengan Kejadian Diabetes Mellitus pada Masyarakat Pesisir. *Bali Health Published Journal*, 2(1), 26–36.
- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of Type 2 Diabetes Mellitus. *International Journal of Molecular Sciences*, 21(17).
<https://doi.org/10.3390/ijms21176275>
- Gannon, M. C., & Nuttall, F. Q. (2010). Amino acid ingestion and glucose metabolism-A review. *IUBMB Life*, 62(9), 660–668.
<https://doi.org/10.1002/iub.375>
- Ghiassi Tarzi, B., Gharachorloo, M., Baharinia, M., & Mortazavi, S. A. (2012). The effect of germination on phenolic content and antioxidant activity of chickpea. *Iranian Journal of Pharmaceutical Research : IJPR*, 11(4), 1137–1143.
- Handayani, M., Riani, I., Utami, A., & Ichsan, O. (2023). Degradasi Protein Selama Fermentasi Koro Kratok (Phaseolus lunatus) menggunakan Rhizopus oligosporus. *Jurnal Teknologi Agro-Industri*, 10.
<https://doi.org/10.34128/jtai.v10i1.176>

- Handoyo, T., & Morita, N. (2006). Structural and Functional Properties of Fermented Soybean (Tempeh) by Using *Rhizopus oligosporus*. *International Journal of Food Properties*, 9, 347. <https://doi.org/10.1080/10942910500224746>
- Hardiany, N. S. (2013). Cathepsin dan Calpain: Enzim Pemecah Protein dalam Sel. *EJournal Kedokteran Indonesia*, 1(1), 75–81. <https://doi.org/10.23886/ejki.1.1602.75-83>
- Hidayat, M., Sujatno, M., Nugraha, & Setiawan. (2010). Transduksi Sinyal Hormon Kolesistokinin sebagai Target untuk Mengatasi Obesitas. *Jurnal Kesehatan Masyarakat*, 9(2), 173–182.
- Hidayat, N. (2006). *Mikrobiologi Industri*. Andi Offset.
- I.R, F., & Wirawanni, Y. (2014). Hubungan Konsumsi Karbohidrat, Konsumsi Total Energi, Konsumsi Serat, Beban Glikemik dan Latihan Jasmani dengan Kadar Glukosa Darah pada Pasien Diabetes Mellitus Tipe 2. *Diponegoro Journal of Nutrition and Health*, 2(3), 1–27.
- Ikram, A., Saeed, F., Afzaal, M., Imran, A., Niaz, B., Tufail, T., Hussain, M., & Anjum, F. M. (2021). Nutritional and end-use perspectives of sprouted grains: A comprehensive review. *Food Science & Nutrition*, 9(8), 4617–4628. <https://doi.org/10.1002/fsn3.2408>
- Indrawati, I., & Maimaznah, M. (2020). Pengaruh Konsumsi Tempe terhadap Kadar Gula darah pada Penderita Diabetes Melitus di Kelompok Senam Ibu-Ibu di Kelurahan Talang Banjar Jambi. *Jurnal Akademika Baiturrahim Jambi*, 9(1), 110. <https://doi.org/10.36565/jab.v9i1.195>
- Indreswari, M., Nafiusokhib, N., & Ahmad, S. (2022). Pengaruh Waktu Penyimpanan Dan Variasi Kemasan Terhadap Nilai Suhu Dan Kualitas Fisik Sawi. *EduFisika: Jurnal Pendidikan Fisika*, 6(2), 93–104. <https://doi.org/10.59052/edufisika.v6i2.14200>
- Kanetro, B., & Setyowati, A. (2013). Profil Asam Amino Penstimulasi Sekresi Insulin dalam Ekstrak Sesudah Pemisahan Protein Kecambah Kacang-Kacangan Lokal. *Agritech*, 33(3), 258–264.
- Kehinde, B. A., & Sharma, P. (2020). Recently isolated antidiabetic hydrolysates and peptides from multiple food sources: a review. *Critical Reviews in Food*

- Science and Nutrition*, 60(2), 322–340.
<https://doi.org/10.1080/10408398.2018.1528206>
- Khalisa, K., Lubis, Y. M., & Agustina, R. (2021). Uji Organoleptik Minuman Sari Buah Belimbing Wuluh (*Averrhoa bilimbi* L.). *Jurnal Ilmiah Mahasiswa Pertanian*, 6(4), 594–601. <https://doi.org/10.17969/jimfp.v6i4.18689>
- Kolic, J., Sun, W. G., Johnson, J. D., & Guess, N. (2023). Amino acid-stimulated insulin secretion: a path forward in type 2 diabetes. *Amino Acids*, 55(12), 1857–1866. <https://doi.org/10.1007/s00726-023-03352-8>
- Kristiadi, O. H., & Lunggani, A. T. (2022). Tempe Kacang Kedelai Sebagai Pangan Fermentasi Unggulan Khas Indonesia: Literature Review Tempeh as Indonesian Special Fermented Food: Literature Review. *Jurnal Andaliman-Jurnal Gizi Pangan, Klinik Dan Masyarakat*, 2(2), 48–56. <https://jurnal.unimed.ac.id/2012/index.php/jgpk/article/view/40334/pdf>
- Kustyawati, M. E., Nawansih, O., & Nurdjanah, S. (2017). Profile of aroma compounds and acceptability of modified tempeh. *International Food Research Journal*, 24(2), 734–740.
- Leila Rahmi, S., & Wulansari, D. (2018). Formulasi Tempe Berbumbu serta Pengujian Kandungan Gizi Spiced Tempe Formulation and Evaluation of its Nutrition Values. *Jurnal Teknologi Dan Manajemen Agroindustri*, 7, 57–65.
- Li, Y. C., Qian, H., Lan, X. S., Cui, Y., Wang, H., Du, C., & Xia, X. (2014). The Effects of Germination on Chemical Composition of Peanut Seed. *Food Science and Technology Research*, 20(4), 883–889. <https://doi.org/10.3136/fstr.20.883>
- Lo, D., Rawendra, R. D. S., Huang, C. S., Khatri-Chhetri, R., Wang, Y. T., & Wu, M. C. (2018). Anti-oxidative and protective effect of soy tempeh on di(2-ethylhexyl)-phthalate (DEHP) injured FL83B mice liver cells. *IOP Conference Series: Earth and Environmental Science*, 195(1). <https://doi.org/10.1088/1755-1315/195/1/012058>
- Manders, R. J. F., Wagenmakers, A. J. M., Koopman, R., Zorenc, A. H. G., Menheere, P. P. C. A., Schaper, N. C., Saris, W. H. M., & Van Loon, L. J. C. (2005). Co-ingestion of a protein hydrolysate and amino acid mixture with carbohydrate improves plasma glucose disposal in patients with type 2

- diabetes. *American Journal of Clinical Nutrition*, 82(1), 76–83.
<https://doi.org/10.1093/ajcn/82.1.76>
- Mao, T., Huang, F., Zhu, X., Wei, D., & Chen, L. (2021). Effects of dietary fiber on glycemic control and insulin sensitivity in patients with type 2 diabetes: A systematic review and meta-analysis. *Journal of Functional Foods*, 82, 104500. <https://doi.org/10.1016/j.jff.2021.104500>
- Martono, Y., Danriani, L. D., & Hartini, S. (2016). Pengaruh Fermentasi terhadap Kandungan Protein dan Asam Amino pada Tepung Gaplek yang Difortifikasi Tepung Kedelai (*Glycine max* (L)). *Jurnal Agritech*, 36(01), 56. <https://doi.org/10.22146/agritech.10684>
- Mastuti, T. S., & Handayani, R. (2014). Senyawa kimia penyusun ekstrak ethyl asetat dari daun pisang batu dan ambon hasil distilasi air. *Prosiding SNST Ke-5 Tahun 2014 Fakultas Teknik Universitas Wahid Hasyim Semarang*, 60–64.
- Mensink, M. (2024). Dietary protein, amino acids and type 2 diabetes mellitus: a short review. *Frontiers in Nutrition*, 11(July), 1–6. <https://doi.org/10.3389/fnut.2024.1445981>
- Moskowitz, H., Beckley, J., & Resurreccion, A. V. A. (2012). Sensory and Consumer Research in Food Product Design and Development: Second Edition. *Sensory and Consumer Research in Food Product Design and Development: Second Edition*. <https://doi.org/10.1002/9781119945970>
- Moulia, M. N., Ahmad, S. R., & Afifah, N. (2024). Pengaruh Konsentrasi Ragi dan Lama Waktu Fermentasi terhadap Kadar Protein , Kadar Serat dan Sensori Tempe Segar. 18(3), 199–204. <https://doi.org/10.24198/jt.vol18n3.5>
- Mufidah, I., Azizah, N., & Darni, J. (2018). (Analysis Different Types Packaging on The Proximate Levels and Acceptance of Tempe *Leucaena leucocephala*). *Darussalam Nutrition Journal*, 2(2), 21–31.
- Muliani, S., Asriany, A., & Lahay, N. (2022). Analisis Kandungan Protein Kasar Dan Serat Kasar Pada Limbah Sayuran Pasar (Kol, Sawi, Kulit Jagung) Dengan Penambahan Em4 Sebagai Pakan Alternatif. *Buletin Nutrisi Dan Makanan Ternak*, 16(1), 9–17. <https://journal.unhas.ac.id/index.php/bnmt/article/download/24732/9006/792>

- Munir, N. F., Tartar, S. U., & Ashari, N. (2023). Effect of Variation in Packaging and Fermentation Duration on Quality Characteristics of Tempeh base Sorghum (*Sorghum bicolor* L. Moench). *PROPER: Jurnal Penelitian Pertanian Terapan*, 1(2), 68–75. <https://doi.org/10.61119/prp.v1i2.460>
- Newsholme, P., Bender, K., Kiely, A., & Brennan, L. (2007). Amino acid metabolism, insulin secretion and diabetes. *Biochemical Society Transactions*, 35(5), 1180–1186. <https://doi.org/10.1042/BST0351180>
- Nuraini, V., Puyanda, I. R., Kunciati, W. A. S., & Margareta, L. A. (2022). Perubahan Kimia dan Mikrobiologi Tempe Busuk Selama Fermentasi Chemical and Microbiological Changes of Over Fermented Tempeh During Fermentation. *Jurnal Agroteknologi*, 15(02), 127. <https://doi.org/10.19184/j-agt.v15i02.25729>
- Nurjanati, M., Winarsi, H., & Dwiyantri, H. (2018). Efek Lama Perkecambahan Terhadap Sifat Sensori dan Kadar Protein Terlarut Susu Kecambah Kacang Merah (Sukarah) untuk Remaja Obesitas The Effect Of Germination Time On Sensory Properties And Soluble Protein Content In Red Bean Sprouts Milk (Sukarah) For Ob. *Jurnal Gizi Dan Pangan Soedirman*, 2(2), 27–42. <http://jos.unsoed.ac.id/index.php/jgps>
- Nurrahman, Astuti, M., Suparmo, & Soesatyo, M. H. (2012). The Mold Growth, Organoleptic Properties and Antioxidant Activities of Black Soybean Tempe Fermented by Different Inoculums. *Agritech*, 32(1), 60–65.
- Nursiwi, A., Ishartani, D., Sari, A. M., & Nisyah, K. (2018). Perubahan kadar protein, kadar serat dan kadar fenol selama fermentasi tempe lamtoro (*Leucaena leucocephala*). *Peran Keanekaragaman Hayati Untuk Mendukung Indonesia Sebagai Lumbung Pangan Dunia*, 2(1), 81–87.
- Ojeda-Montes, M. J., Gimeno, A., Tomas-Hernández, S., Cereto-Massagué, A., Beltrán-Debón, R., Valls, C., Mulero, M., Pujadas, G., & Garcia-Vallve, S. (2018). Activity and selectivity cliffs for DPP-IV inhibitors: Lessons we can learn from SAR studies and their application to virtual screening. *Medicinal Research Reviews*, 38. <https://doi.org/10.1002/med.21499>
- Onyango, C., Noetzold, H., Ziemer, A., Hofmann, T., Bley, T., & Henle, T. (2005).

- Digestibility and antinutrient properties of acidified and extruded maize-finger millet blend in the production of uji. *Lwt*, 38(7), 697–707. <https://doi.org/10.1016/j.lwt.2004.09.010>
- Paruntu, O. L., Legi, N. N., Djendra, I. M., & Kaligis, G. (2018). Asupan Serat Dan Magnesium Dengan Kadar Glukosa Darah Pada Pasien Diabetes Mellitus Tipe II. *Jurnal GIZIDO*, 10(2), 101–107. <https://doi.org/10.47718/gizi.v10i2.837>
- PERKENI. (2021). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. In *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*. PB PERKENI. www.ginasthma.org.
- Permadi, M. R., Oktafa, H., & Khafidurahman, A. (2018). Perancangan Sistem Uji Sensoris Makanan Dengan Pengujian Preference Test (Hedonik Dan Mutu Hedonik), Studi Kasus Roti Tawar, Menggunakan Algoritma Radial Basis Function Network. *Jurnal Mikrotik*, 8(1), 29–42.
- Purwanto, Y. A., & Welianan. (2018). Quality of Soybean “Tempe ” Stored Under Various Temperature Conditions. *Journal of Agro-Based Industry*, 35(2), 106–112.
- Puspitojati, E., Cahyanto, M. N., Marsono, Y., & Indrati, R. (2019). Changes in amino acid composition during fermentation and its effects on the inhibitory activity of angiotensin-i-converting enzyme of jack bean tempe following in vitro gastrointestinal digestion. *Journal of Food and Nutrition Research*, 58(4), 319–327.
- Qomariyah, F., DM, P. O., & Prabandari, R. (2021). Faktor Resiko Kejadian Diabetes Melitus Tipe 2 Di Puskesmas Purwokerto Selatan Kabupaten Banyumas. *Jurnal Farmasi & Sains Indonesia*, 4(2), 79–84. <https://doi.org/10.52216/jfsi.vol4no2p79-84>
- Rachmah, A. N., Cempaka, L., & Mukaromah, A. S. (2024). Jenis Ragi dan Bahan Pembungkus Terhadap Kualitas Tempe. *Berkala Ilmiah Biologi*, 15(2), 81–90. <https://doi.org/10.22146/bib.v15i2.6341>
- Radiati, A. R. (2016). Analisis Sifat Fisik, Sifat Organoleptik, Dan Kandungan Gizi Pada Produk Tempe Dari Kacang Non-Kedelai. *Jurnal Aplikasi*

- Teknologi Pangan*, 5(1), 16–22. <https://doi.org/10.17728/jatp.v5i1.32>
- Raharjo, D. S., Bhuja, P., & Amalo, D. (2019). *The Effect of Fermentation on Protein Content and Fat Content of Tempeh Gude (Cajanus cajan)*. 16(3), 55–63.
- Roden, M., & Shulman, G. I. (2019). The integrative biology of type 2 diabetes. *Nature*, 576(7785), 51–60. <https://doi.org/10.1038/s41586-019-1797-8>
- Salim, R. (2017). Analisis Jenis Kemasan Terhadap Kadar Protein Dan Kadar Air Pada Tempe. *Jurnal Katalisator*, 2(2), 106. <https://doi.org/10.22216/jk.v2i2.2531>
- Sayuti, S. (2015). Pengaruh Bahan Kemasan Dan Lama Inkubasi Terhadap Kualitas Tempe Kacang Gude Sebagai Sumber Belajar Ipa. *BIOEDUKASI (Jurnal Pendidikan Biologi)*, 6(2), 148–158. <https://doi.org/10.24127/bioedukasi.v6i2.345>
- Schwartz, S. S., Epstein, S., Corkey, B. E., Grant, S. F. A., Gavin, J. R., & Aguilar, R. B. (2016). The time is right for a new classification system for diabetes: Rationale and implications of the β -cell-centric classification schema. *Diabetes Care*, 39(2), 179–186. <https://doi.org/10.2337/dc15-1585>
- Sher, M. G., Nadeem, M., Syed, Q., Abass, S., & Hassan, A. (2011). Study on Protease from Barley Tempeh and in vitro Protein Digestibility. *Jordan Journal of Biological Sciences*, 4(4), 257–264.
- Singh, A., Sharma, S., & Singh, B. (2017). Effect of germination time and temperature on the functionality and protein solubility of sorghum flour. *Journal of Cereal Science*, 76, 131–139. <https://doi.org/https://doi.org/10.1016/j.jcs.2017.06.003>
- Starzyńska-Janiszewska, A., Duliński, R., Stodolak, B., Mickowska, B., & Wikiera, A. (2016). Prolonged tempe-type fermentation in order to improve bioactive potential and nutritional parameters of quinoa seeds. *Journal of Cereal Science*, 71, 116–121. <https://doi.org/10.1016/j.jcs.2016.08.001>
- Supriyanto, Bagus Setyawan, & Rosiana Ulfa. (2022). Analisis Kandungan Protein Dan Organoleptik Tempe Dengan Media Yang Berbeda. *Jurnal Teknologi Pangan Dan Ilmu Pertanian (Jipang)*, 4(2), 23–29. <https://doi.org/10.36526/jipang.v4i2.2681>

- Susanti, I., Siregar, N. C., & Supriatna, D. (2013). Potensi Kacang Koro Pedang (Canavilla Ensiformis Dc) Sebagai Sumber Protein Produk Pangan. *Indonesian Journal of Industrial Research*, 7(1), 1–13.
- Susilowati, A., Rachmat, B., & Larasati, R. A. (2020). Hubungan Pola Konsumsi Serat Dengan Kontrol Glikemik Pada Diabetes Tipe 2 (T2D) Di Kecamatan Bogor Tengah [Relationship of Fiber Consumption Patterns To Glycemic Control in Type 2 Diabetes (T2D) in Central Bogor Sub-District]. *Penelitian Gizi Dan Makanan (The Journal of Nutrition and Food Research)*, 43(1), 41–50. <https://doi.org/10.22435/pgm.v43i1.3083>
- Tojang, D., Saparuddin, S., Alimuddin, A., & Arham, Z. (2021). Effects of Pretreatment and Solid-State Fermentation on Tempeh Protein Content. *Oriental Journal Of Chemistry*, 37(1), 53–57. <https://doi.org/10.13005/ojc/370106>
- Tucker, L. A. (2018). Fiber Intake and Insulin Resistance in 6374 Adults: The Role of Abdominal Obesity. *Nutrients*, 10(2), 237. <https://doi.org/10.3390/nu10020237>
- Umami, S., Jaya, I. K. S., Darawati, M., & Widiada, I. G. N. (2018). Kajian Sifat Organoleptik dan Masa Simpan Tempe Kedelai dengan Beberapa Jenis Kemasan. *Jurnal Gizi Prima*, 3(2), 142–148.
- Utari, D. M., Rimbawan, R., Riyadi, H., Muhilal, M., & Purwastyastuti, P. (2011). Potensi Asam Amino pada Tempe untuk Memperbaiki Profil Lipid dan Diabetes Mellitus. *Kesmas: National Public Health Journal*, 5(4), 166. <https://doi.org/10.21109/kesmas.v5i4.137>
- Van Hung, P., Hoang Yen, N. T., Lan Phi, N. T., Ha Tien, N. P., & Thu Trung, N. T. (2020). Nutritional composition, enzyme activities and bioactive compounds of mung bean (*Vigna radiata* L.) germinated under dark and light conditions. *LWT*, 133, 110100. <https://doi.org/https://doi.org/10.1016/j.lwt.2020.110100>
- Van Loon, L. J. C., Kruijshoop, M., Menheere, P. P. C. A., Wagenmakers, A. J. M., Saris, W. H. M., & Keizer, H. A. (2003). Amino acid ingestion strongly enhances insulin secretion in patients with long-term type 2 diabetes. *Diabetes Care*, 26(3), 625–630. <https://doi.org/10.2337/diacare.26.3.625>

- Vangipurapu, J., Stancáková, A., Smith, U., Kuusisto, J., & Laakso, M. (2019). Nine amino acids are associated with decreased insulin secretion and elevated glucose levels in a 7.4-year follow-up study of 5,181 Finnish men. *Diabetes*, 68(6), 1353–1358. <https://doi.org/10.2337/db18-1076>
- Waterborg, J. H. (2002). The Lowry Method for Protein Quantitation. In J. M. Walker (Ed.), *The Protein Protocols Handbook* (pp. 7–9). Humana Press. <https://doi.org/10.1385/1-59259-169-8:7>
- Widaningrum, Sukasih, E., & Purwani, E. Y. (2015). Introductory Study on Processing of Fermented Jack Bean (*Canavalia Ensiformis*). *Indonesian Journal of Agricultural Postharvest Research*, 12(3), 129–136. <https://doi.org/10.21082/jpasca.v12n3.2015.129-136>
- Widoyo, S., Handajani, S., & Nandariyah. (2015a). Pengaruh Lama Fermentasi Terhadap Kadar Serat Kasar dan Aktivitas Antioksidan Tempe Beberapa Varietas Kedelai. *Biofarmasi*, 13(2), 59–65. <https://doi.org/10.13057/biofar/f130203>
- Widoyo, S., Handajani, S., & Nandariyah. (2015b). The Effect of Fermentation Time to Crude Fiber Contents and Antioxidant Activities in Several Soybean Varieties of Tempeh. *Biofarmasi*, 13(2), 59–65. <https://doi.org/10.13057/biofar/f130203>
- Winarsi, H. (2019). Fermentasi Bakteri Asam Laktat Meningkatkan Kandungan Fenolik dan Serat Yogurt Susu Kecambah Kacang Merah (*Phaseolus vulgaris* L.), Minuman Fungsional untuk Obesitas. *Jurnal Gizi Dan Pangan Soedirman*, 3(1), 64. <https://doi.org/10.20884/1.jgps.2019.3.1.1526>
- Wresdiyati, T., Sa'diah, S. I. T. I., Winarto, A. D. I., & Febriyani, V. (2015). Alpha-Glucosidase Inhibition and Hypoglycemic Activities of *Sweetenia mahagoni* Seed Extract. *Hayati Journal of Biosciences*, 22(2), 73–78. <https://doi.org/10.4308/hjb.22.2.73>
- Wu, Y., Ding, Y., Tanaka, Y., & Zhang, W. (2014). Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. *International Journal of Medical Sciences*, 11(11), 1185–1200. <https://doi.org/10.7150/ijms.10001>
- Yan, J., Zhao, J., Yang, R., & Zhao, W. (2019). Bioactive peptides with

- antidiabetic properties: a review. *International Journal of Food Science & Technology*, 54(6), 1909–1919. <https://doi.org/10.1111/ijfs.14090>
- Yarlina, V. P., Ramdani, M. R., Zaida, Sukri, N., Djali, M., Andoyo, R., & Lani, M. N. (2022). Protein Isolate of Jack Bean Tempeh (*Canavalia ensiformis*) by Spray Drying Method with Variation of Inlet Temperature. *International Journal on Advanced Science, Engineering and Information Technology*, 12(5), 1775–1780. <https://doi.org/10.18517/ijaseit.12.5.16228>
- Zuhrina. (2012). *Pengaruh Penambahan Tepung Kulit Pisang Raja (Musa paradisiaca) Terhadap Daya Terima Kue Donat*. <https://api.semanticscholar.org/CorpusID:107620455>

