

DAFTAR PUSTAKA

- Aaqil, M., Peng, C., Kamal, A., Nawaz, T., Zhang, F., & Gong, J. 2023. Tea harvesting and processing techniques and its effect on phytochemical profile and final quality of black tea: A review. *Foods*, 12, 4467.
- Abinaya, C., Suresh, J., Rajamani, K., Vennila, P., & Ganapathy, S. 2021. Effect of different drying treatments on the biochemical components of java tea (*Orthosiphon stamineus Benth.*). *The Pharma Innovation Journal*, 10(11): 1677–1679.
- Abudurehman, B., Yu, X., Fang, D., & Zhang, H. 2022. Enzymatic oxidation of tea catechins and its mechanism. *Molecules*, 27(3): 942.
- Afriansyah, S., Tira, B. S., & Khasanah, A. N. 2019. “Pearl Tea” inovasi teh herbal buah Mangrove Pedada (*Sonneratia caseolaris*) sebagai sumber antioksidan dalam mendukung tercapainya industri kreatif 4.0 daerah Jambi. *Khazanah Intelektual*, 3(3): 527–542.
- Agustina, Ferdinand, & Priskila, O. 2024. Manfaat daun kumis kucing untuk penyakit nyeri kemih. *JCI (Jurnal Cakrawala Ilmiah)*, 3(11): 3169–3176.
- Aini, L. 2018. Perbedaan Metode Pengolahan Terhadap Mutu Minuman Teh Herbal Daun Kelor. *Skripsi*. Fakultas Teknologi Pertanian, Universitas Andalas, Padang.
- Albaar, N. M. 2015. Aktivitas antioksidan jus rumput gandum (*Triticum aestivum*) sebagai minuman kesehatan. *MKMI: Media Kesehatan Masyarakat Indonesia*, 11, 197–202.
- Alexander, L., Moelich, E. I., de Beer, D., Muller, M., Walczak, B., & Joubert, E. 2021. High-temperature oxidation reduces the bitterness of honeybush infusions depending on changes in phenolic composition. *LWT*: 139.
- Apriliyanti, M. W., Suryanegara, M. A., Wahyono, A., & Djamila, S. 2020. Kondisi optimum perlakuan awal dan pengeringan kulit buah naga kering. *Jurnal Teknologi Dan Industri Pangan*, 31(2): 155–163.
- Assad, M., Ashaolu, T. J., Khalifa, I., Baky, M. H., & Farag, M. A. 2023. Dissecting the role of microorganisms in tea production of different fermentation levels: a multifaceted review of their action mechanisms, quality attributes and future perspectives. *World Journal of Microbiology and Biotechnology*, 39(10).
- Badan Standarisasi Nasional. 2011. *SNI 3143:2011 (Minuman teh dalam kemasan)*.
- Badan Standarisasi Nasional. 2016. *SNI 1902: 2016 (Teh Hitam)*.

- Berampu, I. M. S., Fachrial, E., & Lister, I. N. E. 2024. The effect of ethanol extract of Cat's Whiskers leaves (*Orthosiphon stamineus*) on reducing cholesterol levels in female Sprague Dawley rats. *Jurnal Penelitian Pendidikan IPA*, 10(6): 325–331.
- Bhattacharya, S. 2021. Central Composite Design for Response Surface Methodology and Its Application in Pharmacy. In *Response Surface Methodology in Engineering Science*. Intechopen.
- Bhebbhe, M., Chipurura, B., & Muchuweti, M. 2015. Determination and comparison of phenolic compound content and antioxidant activity of selected local Zimbabwean herbal teas with exotic *Aspalathus linearis*. *South African Journal of Botany*, 100: 213–218.
- Briand, L., & Salles, C. 2016. Taste perception and integration. In *Flavor: From Food to Behaviors, Wellbeing and Health* (pp. 101–119). Elsevier Inc.
- Cai, X., Xiao, C., Xue, H., Xiong, H., Hang, Y., Xu, J., & Lu, Y. 2018. A comparative study of the antioxidant and intestinal protective effects of extracts from different parts of Java tea (*Orthosiphon stamineus*). *Food Science and Nutrition*, 6(3): 579–584.
- Cao, G., Hu, K., Hu, Z., Wu, Q., Liu, S., Chen, X., Meng, X., Hu, Z., & Feng, L. 2024. Mutagenesis selection and large-scale cultivation of non-green *Chlamydomonas reinhardtii* for food applications. *Frontiers in Nutrition*, 11.
- Chen, Y., Zeng, L., Liao, Y., Li, J., Zhou, B., Yang, Z., & Tang, J. 2020. Enzymatic reaction-related protein degradation and proteinaceous amino acid metabolism during the black tea (*Camellia sinensis*) manufacturing process. *Foods*, 9(1).
- Cheng, L., Wang, Y., Zhang, J., Xu, L., Zhou, H., Wei, K., Peng, L., Zhang, J., Liu, Z., & Wei, X. 2021. Integration of non-targeted metabolomics and E-tongue evaluation reveals the chemical variation and taste characteristics of five typical dark teas. *LWT*, 150.
- Deb, S., & Pou, K. R. J. 2016. A Review of Withering in the Processing of Black Tea. *Journal of Biosystems Engineering*, 41(4): 365–372.
- Dong, H., Li, Y., Lai, X., Hao, M., Sun, L., Li, Q., Chen, R., Li, Q., Sun, S., Wang, B., Zhang, Z., & Liu, X. 2024. Effects of fermentation duration on the flavour quality of large leaf black tea based on metabolomics. *Food Chemistry*, 444, 138680.
- Faramayuda, F., Julian, S., Windyaswari, A. S., Mariani, T. S., Elfahmi, & Sukrasno. 2021. Review: Flavonoid pada tanaman kumis kucing (*Orthosiphon stamineus Benth.*). *Proceeding of Mulawarman Pharmaceuticals Conferences*, 282–287.

- Faustina, D. R. 2018. Pengaruh Waktu Pelayuan Dan Perajangan Terhadap Sifat Fisik, Kimia Dan Organoleptik Teh Herbal Pucuk Merah (*Syzygium Oleana*). *Skripsi*. Fakultas Teknologi Hasil Pertanian, Universitas Brawijaya, Malang.
- Ghosh, A., Bag, A. K., Sharma, P., Tudu, B., Sabhapondit, S., Baruah, B. D., Tamuly, P., Bhattacharyya, N., & Bandyopadhyay, R. 2015. Monitoring the fermentation process and detection of optimum fermentation time of black tea using an electronic tongue. *IEEE Sensors Journal*, 15(11): 6255–6262.
- Gimbun, J., Pang, S. F., & Yusoff, M. M. 2019. *Orthosiphon stamineus* (Java Tea). In *Nonvitamin and Nonmineral Nutritional Supplements* (pp. 327–333). Elsevier.
- Gomaa, A., & Boye, J. 2015. Simultaneous detection of multi-allergens in an incurred food matrix using ELISA, multiplex flow cytometry and liquid chromatography mass spectrometry (LC-MS). *Food Chemistry*, 175, 585–592.
- Halim, Y., Evelyn, F., & Rosa, D. 2021. Karakteristik fisikokimia teh hitam herbal daun jambu biji yang ditambahkan dengan sari jeruk nipis dan *Eucalyptus globulus*. *Fast- Jurnal Sains Dan Teknologi*, 5(2): 146–161.
- Ho, C. T., Zheng, X., & Li, S. 2015. Tea aroma formation. *Food Science and Human Wellness*, 4(1): 9–27.
- Hossain, M. A., & Rahman, S. M. M. 2015. Isolation and characterisation of flavonoids from the leaves of medicinal plant *Orthosiphon stamineus*. *Arabian Journal of Chemistry*, 8(2): 218–221.
- Indiyani, A. 2023. Kualitas seduhan dalam penentuan komposisi minuman herbal bubuk daun kumis kucing (*Orthosiphon aristatus* Bl. Miq.) Dan daun keji beling (*Strobilanthes crispus* Bl.). *JIMTANI (Jurnal Ilmiah Mahasiswa Pertanian)*, 3(6): 623–631.
- Jariene, E., Lasinskas, M., Danilcenko, H., Vaitkeviciene, N., Slepetiene, A., Najman, K., & Hallmann, E. 2020. Polyphenols, antioxidant activity and volatile compounds in fermented leaves of medicinal plant rosebay willowherb (*Chamerion angustifolium* (L.) Holub). *Plants*, 9(12): 1–15.
- Jiang, B., Luo, X., Yan, J., Liu, K., Wang, C., Jiao, W., Zhao, H., Liu, M., & Yang, L. 2024. Investigation of the Effect of Fragrance-Enhancing temperature on the taste and aroma of black tea from the cultivar *Camellia sinensis* (L.) O. Kuntze cv. Huangjinya using metabolomics and sensory histology techniques. *Fermentation*, 10, 520.
- Kini, M. S. 2020. Pengaruh Lama Fermentasi dan Lama Pengeringan Terhadap Sifat Fisik, Kimia dan Organoleptik Teh Herbal Pucuk Merah (*Syzygium*

oleana). *Skripsi*. Fakultas Teknologi Hasil Pertanian, Universitas Brawijaya, Malang.

- Leksono, A., & Murtini, E. S. 2021. Effects of fermentation duration on physicochemical and organoleptic characteristics of three agarwoods (*Aquilaria*) leaves tea. *Jurnal Pangan Dan Agroindustri*, 9(2): 73–82.
- Liem, J. L., & Herawati, M. M. 2021. Pengaruh umur daun teh dan waktu oksidasi enzimatis terhadap kandungan total flavonoid pada teh hitam (*Camellia sinesis*). *Jurnal Teknik Pertanian Lampung*, 10(1): 41–48.
- Liu, Y., Guo, C., Zang, E., Shi, R., Liu, Q., Zhang, M., Zhang, K., & Li, M. 2023. Review on herbal tea as a functional food: classification, active compounds, biological activity, and industrial status. *Journal of Future Foods*, 3(3): 206–219.
- Liu, Y., Luo, Y., Zhang, L., Luo, L., Xu, T., Wang, J., Ma, M., & Zeng, L. 2020. Chemical composition, sensory qualities, and pharmacological properties of primary leaf hawk tea as affected using different processing methods. *Food Bioscience*, 36.
- Loh, Z. H., Oh, H. K. F., & Lim, Y. Y. 2018. Relationship between polyphenol oxidase activity and phenolics degradation on ambient air-drying of herbal plants. *Journal of Food Processing and Preservation*, 42(7).
- Mahrita, S., Kusumadati, W., Faridawaty, E., & Tianto. 2022. Pengaruh lama pengeringan terhadap mutu teh herbal daun sungkai (*Peronema canescens* Jack). *JCI: Jurnal Cakrawala Ilmiah*, 2(4): 1411–1422.
- Maitulung, I., Maarisit, W., Pareta, D. N., & Lengkey, Y. K. 2022. Uji aktivitas antioksidan ekstrak etanol akar Manukan (*Rhinacanthus nasutus* (L) Kurz). *The Tropical Journal of Biopharmaceutical*, 5(2): 127–134.
- Manik, R. P. S. 2023. Pengaruh Penambahan Jahe Merah dan Variasi Suhu Pengeringan terhadap Karakteristik Mutu dan Kandungan Antioksidan Teh Celup Daun Kumis Kucing. *Skripsi*. Fakultas Pertanian, Universitas Sumatera Utara, Medan.
- Marini, F., de Beer, D., Walters, N. A., de Villiers, A., Joubert, E., & Walczak, B. 2017. Multivariate analysis of variance of designed chromatographic data. A case study involving fermentation of rooibos tea. *Journal of Chromatography A*, 1489: 115–125.
- Meilgaard, M. 2007. *Sensory Evaluation Techniques* (Fourth Edition). CRC Press.
- Mutmainah, N., Chadijah, S., & Qaddafi, Muh. 2018. Penentuan suhu dan waktu optimum penyeduhan batang teh hijau (*Camelia sinensis* L.)

Terhadap kandungan antioksidan kafein, tanin dan katekin. *Lantanida Journal*, 6(1): 1–11.

- Ng, Z. X., Than, M. J. Y., & Yong, P. H. 2021. *Peperomia pellucida* (L.) Kunth herbal tea: Effect of fermentation and drying methods on the consumer acceptance, antioxidant and anti-inflammatory activities. *Food Chemistry*, 344.
- Njoku, C. N., & Otisi, S. K. 2023. Application of Central Composite Design with Design Expert v13 in Process Optimization. In P. Kayarogannam (Ed.), *Response Surface Methodology - Research Advances and Applications*. Intechopen.
- Ntezimana, B., Li, Y., He, C., Yu, X., Zhou, J., Chen, Y., Yu, Z., & Ni, D. 2021. Different withering times affect sensory qualities, chemical components, and nutritional characteristics of black tea. *Foods*, 10(11).
- Nurcholis, W., Mahendra, F. R., Gultom, M. F., Khoirunnisa, S., Kurnia, M. A. C., & Harahap, H. H. 2022. Phytochemical, antioxidant and antibacterial screening of *Orthosiphon stamineus* leaf extract two phenotypes. *Jurnal Jamu Indonesia*, 7(3): 121–129.
- Nurhayati, D. R., & Yusoff, S. F. 2022. Potensi Herbal dan Rempah. In *Herbal dan Rempah* (pp. 2–9). Scopindo Media Pustaka.
- Okafor, G. I., & Ogbobe, N. M. 2015. Production and quality evaluation of green and black herbal teas from *Moringa oleifera* leaf. *Journal of Food Resource Science*, 4(3): 62–72.
- Ošťálová, M., Tremlová, B., Pokorná, J., & Král, M. 2015. Chlorophyll as an indicator of green tea quality. *Acta Veterinaria Brno*, 83: 103–109.
- Pariyani, R., Ismail, I. S., Azam, A. A., Abas, F., & Shaari, K. 2017. Identification of the compositional changes in *Orthosiphon stamineus* leaves triggered by different drying techniques using 1H NMR metabolomics. *Journal of the Science of Food and Agriculture*, 97(12): 4169–4179.
- Parveen, A., Qin, C. Y., Zhou, F., Lai, G., Long, P., Zhu, M., Ke, J., & Zhang, L. 2023. The chemistry, sensory properties and health benefits of aroma compounds of black tea produced by *Camellia sinensis* and *Camellia assamica*. *Horticulturae*, 9(12).
- Perdani, C. G., Pranowo, D., Wijana, S., & Muliawati, D. 2020. Karakterisasi mutu ekstrak kopi hijau di Jawa Timur untuk meningkatkan nilai ekonominya sebagai bahan sediaan obat. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 9(3): 228–240.
- Polat, A., Şat, İ. G., & Ilgaz, Ş. 2018. Comparison of black tea volatiles depending on the grades and different drying temperatures. *Journal of Food Processing and Preservation*, 42(7).

- Poswal, F. S., Russell, G., Mackonochie, M., MacLennan, E., Adukwu, E. C., & Rolfe, V. 2019. Herbal teas and their health benefits: A scoping review. *Plant Foods for Human Nutrition*, 74(3): 266–276.
- Pou, K. R. J. 2016. Fermentation: The key step in the processing of black tea. *Journal of Biosystems Engineering*, 41(2): 85–92.
- Purnomo, D., Putri, A. Y., Hisyam, H. M., Rimatunnisa, R., Indriani, D. R., Adinda, P. R., Hasanah, Y. R., & Hamad, A. 2022. Effect of drying method on antioxidant activity and total flavonoid content of Java Tea crude drug (*Orthosiphon aristatus*). *RiCE: Research in Chemical Engineering*, 2(1): 29–33.
- Purwanti, L., Dasuki, U. A., & Imawan, A. R. 2019. Perbandingan aktivitas antioksidan dari seduhan 3 merk teh hitam (*Camellia sinensis* (L.) kuntze) dengan metode seduhan berdasarkan SNI 01-1902-1995. *Jurnal Ilmiah Farmasi Farmasyifa*, 2(1): 19–25.
- Rahmi, M. 2018. Pengaruh Penambahan Bubuk Jahe (*Zingiber officinale*, Rosc) pada Teh Herbal Daun Kumis Kucing (*Orthosiphon stamineus*, Benth.) Terhadap Karakteristik Kimia dan Sensoris Teh Herbal yang Dihasilkan. *Diploma Thesis*. Fakultas Teknologi Pertanian. Universitas Andalas, Padang.
- Ramadhanti, A., Nurjanah, S., Widyasanti, A., & Ainina, N. 2024. Pemodelan kondisi hidrodistilasi minyak atsiri jahe merah (*Zingiber officinale* var. *Roscoe*) dengan menggunakan *Response Surface Methodology*. *Agrointek : Jurnal Teknologi Industri Pertanian*, 18(2)L 429–439.
- Ranade, S. S., & Thiagarajan, P. 2017. Selection of a design for response surface. *IOP Conference Series: Materials Science and Engineering*, 263(2).
- Rauf, A., Pato, U., & Ayu, D. F. 2017. Aktivitas antioksidan dan penerimaan panelis teh bubuk daun alpukat (*Persea Americana* Mill.) berdasarkan letak daun pada ranting. *Jom FAPERTA*, 4(2).
- Rivai, H., Zulharmita, & Muliandari, T. 2019. Analisis kualitatif dan kuantitatif kandungan kimia daun kumis Kucing (*Orthosiphon aristatus* (Blume) Miq) dari ekstrak heksan, aseton, etanol, dan air. *Jurnal Fakultas Farmasi Universitas Andalas*, 1–6.
- Rohadi, I, L. D., & Putri, A. S. 2019. Antioxidant capacity of white tea (*Camelia sinensis*) extract: Compared to green, oolong and black tea. *IOP Conference Series: Earth and Environmental Science*, 292(1).
- Salasa, A. M., Ratnah, St., & Abdullah, T. 2021. Kandungan total flavonoid dan aktivitas antioksidan ekstrak daun kumis kucing (*Orthosiphon stamineus* B.). *Media Farmasi*, 17(2): 162–167.

- Sari, I. P., & Adriansyah, P. N. A. 2024. Pengawasan mutu dalam proses pengolahan teh hitam dan pengaruhnya pada kualitas produk akhir. *JUTHAP: Jurnal Teknologi Hasil Pertanian*, 1(1): 34–43.
- Sheibani, E., Duncan, S. E., Kuhn, D. D., Dietrich, A. M., Newkirk, J. J., & O’Keefe, S. F. 2015. Changes in flavor volatile composition of oolong tea after panning during tea processing. *Food Science and Nutrition*, 4(3): 456–468.
- Shonte, T. T., & de Kock, H. L. 2017. Descriptive sensory evaluation of cooked stinging nettle (*Urtica dioica* L.) leaves and leaf infusions: Effect of using fresh or oven-dried leaves. *South African Journal of Botany*, 110: 167–176.
- Shu, Z., Zhou, H., Chen, L., Wang, Y., Ji, Q., & He, W. 2025. Effect of four different initial drying temperatures on biochemical profile and volatilome of black tea. *Metabolites*, 15, 74.
- Soares, S., Brandão, E., Guerreiro, C., Soares, S., Mateus, N., & De Freitas, V. 2020. Tannins in food: Insights into the molecular perception of astringency and bitter taste. In *Molecules* (Vol. 25, Issue 11). MDPI AG.
- Soheili-Fard, F., Ghassemzadeh, H. R., & Salvatian, S. B. 2015. Impact of withering time duration on some biochemical properties and sensory quality attributes of black tea. *Biological Forum*, 7(1).
- Son, H. U., Lee, S., Heo, J. C., & Lee, S. H. 2017. The solid-state fermentation of *Artemisia capillaris* leaves with *Ganoderma lucidum* enhances the anti-inflammatory effects in a model of atopic dermatitis. *International Journal of Molecular Medicine*, 39(5): 1233–1241.
- Stat-Ease. 2025. *Design Expert*. <https://www.statease.com/docs/v23.1/> diakses pada 11 Maret 2025.
- Su, D., Zhu, J., Li, Y., Qin, M., Lei, Z., Zhou, J., Yu, Z., Chen, Y., Zhang, D., & Ni, D. 2025. Effect of drying temperature on sensory quality, flavor components, and bioactivity of Lichuan black tea processed by Echa No. 10. *Molecules*, 30(2): 361.
- Surahmaida, Umarudin, & Junairiah. 2019. Senyawa bioaktif daun kumis kucing (*Orthosiphon stamineus*). *Jurnal Kimia Riset*, 4(1): 81–88.
- Sutrisno, E. , Dewi, D. O. , Ariani, M. , Sayekti, W. D., Pramono, L. H., & Hassanah, I. F. 2023. Diversifikasi Pangan Lokal untuk Ketahanan Pangan: Perspektif Ekonomi, Sosial, dan Budaya. In S. Widowati & R. A. Nurfitriani (Eds.), *Diversifikasi Pangan Lokal untuk Ketahanan Pangan: Perspektif Ekonomi, Sosial, dan Budaya*. BRIN.
- Tang, P., Shen, D. Y., Xu, Y. Q., Zhang, X. C., Shi, J., & Yin, J. F. 2018. Effect of fermentation conditions and plucking standards of tea leaves on the

- chemical components and sensory quality of fermented juice. *Journal of Chemistry*, 2018: 1–7.
- Tanjung, R., Hamzah, F., & Efendi, R. 2016. Lama fermentasi terhadap mutu teh daun sirsak (*Annona muricata* L.). *JOM Faperta Universitas Riau*, 3(2).
- Taokaenchan, N., Satienperakul, S., Ueda, Y., Tsutsumi, S., & Yasuda, S. 2021. Effects of drying temperature on the amount of secondary metabolites and antioxidant activity of *Orthosiphon aristatus* (Blume) Miq. tea extracts. *Philippine Journal of Science*, 150(4): 735–742.
- Teshome, K. 2019. Effect of tea processing methods on biochemical composition and sensory quality of black tea (*Camellia sinensis* (L.) O. Kuntze): A review. *Journal of Horticulture and Forestry*, 11(6): 84–95.
- Tuan, H. Q., Thinh, N. D., & Tu, N. T. M. 2016. Effect of drying temperature on the volatile composition of Orthodox black tea. *Journal of Vietnam Agricultural Science and Technology*, 14(10): 1485–1490.
- van Schoor, H. M. 2022. Honeybush tea quality: Effect of water source and evaluation of NIR hyperspectral imaging as a tool to predict quality. *Thesis*. Food Technology Department. Stellenbosch University, Stellenbosch.
- Wang, H., Shen, S., Wang, J., Jiang, Y., Li, J., Yang, Y., Hua, J., & Yuan, H. 2022. Novel insight into the effect of fermentation time on quality of Yunnan Congou black tea. *LWT*, 155.
- Wijaya, C. H., & Carolina, C. 2022. Preferensi konsumen terhadap minuman fungsional berbasis ekstrak kumis kucing (*Orthosiphon aristatus*) sebagai jamu. *Jurnal Mutu Pangan : Indonesian Journal of Food Quality*, 9(1): 1–9.
- Wijaya, C. H., Sutisna, N., Nurtama, B., Muhandri, T., & Indariani, S. 2018. Development of Java tea based functional drink: Scale-up formula optimization based on the sensory and antioxidant properties. *Journal of Applied Pharmaceutical Science*, 8(9): 55–60.