

DAFTAR PUSTAKA

- Adubofuor, J., Anomah, J. W., & Amoah, I. (2018). Anti - Nutritional Factors And Mineral Composition Of Pumpkin Pulp And Functional Properties Of Pumpkin - Wheat Composite Flour For Bread Preparation. *International Journal Of Innovative Food Science And Technology*, 1(1), 1–9. <https://doi.org/10.25218/Ijifst.2018.01.001.01>
- Alchuriyah, S., & Wahjuni, C. U. (2016). The Factors That Affect Stroke At Young Age In Brawijaya Hospital Surabaya. *Jurnal Berkala Epidemiologi*, 4(1), 62. <https://doi.org/10.20473/Jbe.V4i12016.62-73>
- Amagai, T. (2016). Addition Of Alpha-Amylase And Thickener To Blenderized Rice Provides Suitable Viscosity For Use In Nutritional Support. *Journal Of Nutrition & Health*, 2(1), 1–7. <https://doi.org/10.13188/2469-4185.1000016>
- Anggraeni, G. D., Nissa, C., Candra, A., & Kurniawati, D. M. (2023). Analisis Kandungan Gizi Dan Viskositas Formula Enteral Berbasis Tepung Sorgum Dan Tepung Kedelai Untuk Diabetes Mellitus. *Journal Of Nutrition College*, 12(4), 287–295. <https://doi.org/10.14710/Jnc.V12i4.38094>
- Arnold, M., Liesirova, K., Broeg-Morvay, A., Meisterernst, J., Schlager, M., Mono, M. L., El-Koussy, M., Kägi, G., Jung, S., & Sarikaya, H. (2016). Dysphagia In Acute Stroke: Incidence, Burden And Impact On Clinical Outcome. *Plos One*, 11(2), 1–11. <https://doi.org/10.1371/Journal.Pone.0148424>
- Astuti, S., Pengajar, S., Teknologi, J., Pertanian, I., Pertanian, F., Lampung, U., Soemantri, J., No, B., Lampung, B., & 35145, L. (2008). *Isoflavon Kedelai Dan Potensinya Sebagai Penangkap Radikal Bebas*. 13(2), 126–136.
- Boehme, A. K., Esenwa, C., & Elkind, M. S. V. (2017). Stroke Risk Factors, Genetics, And Prevention. *Circulation Research*, 120(3), 472–495. <https://doi.org/10.1161/Circresaha.116.308398>
- Cassidy, A., Rimm, E. B., O'reilly, É. J., Logroscino, G., Kay, C., Chiuve, S. E., & Rexrode, K. M. (2012). Dietary Flavonoids And Risk Of Stroke In Women. *Stroke*, 43(4), 946–951. <https://doi.org/10.1161/Strokeaha.111.637835>
- Chaipai, S., Kriangsinyot, W., & Srichamnong, W. (2018). Effects Of Ripening Stage And Cooking Methods On Available Glucose, Resistant Starch And Estimated Glycemic Index Of Bananas (*Musa Sapientum*; Nam-Wa Variety). *Malaysian Journal Of Nutrition*, 24(2), 269–279.
- Chen, H., Fu, C., Fang, W., Wang, Z., Zhang, D., & Zhang, H. (2025). Influence Of Nutritional Status On Rehabilitation Efficacy Of Patients After Stroke—A Scoping Review. *Frontiers In Neurology*, 16(January), 1–12. <https://doi.org/10.3389/Fneur.2025.1502772>
- Chiu, H. F., Shen, Y. C., Venkatakrishnan, K., & Wang, C. K. (2018). Food For Eye Health: Carotenoids And Omega-3 Fatty Acids. In *Encyclopedia Of Food Chemistry*. Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.21740-X>
- Dayanand, G., Sharma, A., Ahmed, M., Jyothi, P. P., & Rani, M. (2015). Effect Of Banana On Blood Pressure Of Hypertensive Individuals: A Cross Sectional Study From Pokhara, Nepal. *Medical Science*, 3(2), 233.

<https://doi.org/10.29387/MS.2015.3.2.233-237>

- Devi, I. C., Ardiningsih, P., & Idiawati, N. (2019). Kandungan Gizi Dan Organoleptik Cookies Tersubstitusi Tepung Kulit Pisang Kepok (Musa Paradisiaca Linn). *Jurnal Kimia Khatulistiwa*, 8(1), 71–77.
- Dewi, A. K., Melani, V., Palupi, K. C., Sa'pang, M., & Ronitawati, P. (2021). Formulasi Banana Soymilk: Susu Nabati Tinggi Kalium Dan Rendah Lemak. *Ilmu Gizi Indonesia*, 5(1), 81. <https://doi.org/10.35842/ilgi.V5i1.214>
- Dhillon, N. P. S., Laenoi, S., Srimat, S., Pruangwitayakun, S., Mallappa, A., Kapur, A., Yadav, K. K., Hegde, G., Schafleitner, R., Schreinemachers, P., & Hanson, P. (2020). Sustainable Cucurbit Breeding And Production In Asia Using Public-Private Partnerships By The World Vegetable Center. *Agronomy*, 10(8). <https://doi.org/10.3390/Agronomy10081171>
- Elvizahro, L., Dewi, A., Purwandari, A. N., Prastiwi, R. Y., Putri, S. E., & Majid, V. M. (2020). Formulations Of Edamame Flour Based Enteral Nutrition As An Alternative Liquid Diet For Stroke Patients. *Academic Hospital Journal*, 3(1), 10–17. www.journal.ugm.ac.id/Ahj
- Fanzurna, C. (2020). Formulasi Foodbars Berbahan Dasar Tepung Kulit Pisang Kepok Dan Tepung Kedelai. *Jurnal Bioindustri*, 2(2), 439–452.
- Farpour, S., Asadi-Shekaari, M., Borhani Haghighi, A., & Farpour, H. R. (2023). Improving Swallowing Function And Ability In Post Stroke Dysphagia: A Randomized Clinical Trial. *Dysphagia*, 38(1), 330–339. <https://doi.org/10.1007/S00455-022-10470-0>
- Fitranti, D. Y., & Marthandaru, D. (2016). Pengaruh Susu Kedelai Dan Jahe Terhadap Kadar Kolesterol Total Pada Wanita Hiperkolesterolemia. *Jurnal Gizi Indonesia (The Indonesian Journal Of Nutrition)*, 4(2), 89–95. <https://doi.org/10.14710/Jgi.4.2.89-95>
- Garcia, J. M., Iv, E. C., Matta, Z., & Clark, M. (2005). *Viscosity Measurements Of Nectar- And Honey-Thick Liquids : Product , Liquid , And Time Comparisons*. 335, 325–335. <https://doi.org/10.1007/S00455-005-0034-9>
- Glaurensi, N. (2020). Pengaruh Substitusi Tepung Kedelai (Glycine Max (L.) Merrill) Terhadap Mutu Organoleptik Dan Kadar Zat Gizi Makro Brownies Sebagai Alternatif Snack Bagi Anak Penderita Kurang Energi Protein. *Jurnal Ilmu Gizi Indonesia (Jigzi)*, 1(1), 1–13.
- Habiba, U., Robin, M. A., Hasan, M. M., Toma, M. A., Akhter, D., & Mazumder, M. A. R. (2021). Nutritional, Textural, And Sensory Quality Of Bars Enriched With Banana Flour And Pumpkin Seed Flour. *Foods And Raw Materials*, 9(2), 282–289. <https://doi.org/10.21603/2308-4057-2021-2-282-289>
- Hagnyonowati, H. (2017). Penatalaksanaan Gizi Pada Pasien Stroke Dengan Disfagia. *Medica Hospitalia : Journal Of Clinical Medicine*, 3(3), 204–206. <https://doi.org/10.36408/Mhjcm.V3i3.236>
- Harti, L. B., & Kurniasari, F. N. (2021). Perbedaan Kandungan Energi, Zat Gizi Makro, Dan Omega 3 Formula Enteral Blenderized Dan Komersial. *Indonesian Journal Of Human Nutrition*, 8(2), 174–181.

<https://doi.org/10.21776/Ub.Ijhn.2021.008.02.8>

- Hartley, C., Keast, R. S. J., Carr, A. J., Roberts, S. S. H., & Bredie, W. L. P. (2024). Investigating Taste Perception Of Maltodextrins Using Lactisole And Acarbose. *Foods*, 13(13), 1–13. <https://doi.org/10.3390/Foods13132130>
- Hron, B., & Rosen, R. (2020). Viscosity Of Commercial Food-Based Formulas And Home-Prepared Blenderized Feeds. *Journal Of Pediatric Gastroenterology And Nutrition*, 70(6), E124–E128. <https://doi.org/10.1097/Mpg.0000000000002657>
- Jelinek, M., Jurajda, M., & Duris, K. (2021). Oxidative Stress In The Brain: Basic Concepts And Treatment Strategies In Stroke. *Antioxidants*, 10(12), 1–12. <https://doi.org/10.3390/Antiox10121886>
- Khusanaini, N., Sutjiati, E., Luthfiah, F., Program,), Dietisien, S. P., Malang, K., Norma, K. :, Khusnaini, S., Safira Khusanaini, N., Sutjiati, E., Luthfiah, F., Program,), Dietisien, S. P., Malang, K., Norma, K. :, & Khusnaini, S. (2023). Formula Enteral Blenderized Berbahan Dasar Kacang Hijau Dengan Penambahan Sari Apel Dan Putih Telur Sebagai Makanan Alternatif Untuk Penderita Stroke. *Harena: Jurnal Gizi*, 3(2), 2774–7654.
- Kudelka, W., Kowalska, M., & Popis, M. (2021). Quality Of Soybean Products In Terms Of Essential Amino Acids Composition. *Molecules*, 26(16), 1–9. <https://doi.org/10.3390/Molecules26165071>
- Laily, R. S. (2017). Hubungan Karakteristik Penderita Dan Hipertensi Dengan Kejadian Stroke Iskemik. *Jurnal Berkala Epidemiologi*, 5(1), 48–59. <https://doi.org/10.20473/Jbe.V5i1>
- Lamusu, D. (2018). Uji Organoleptik Jalangkote Ubi Jalar Ungu (Ipomoea Batatas L) Sebagai Upaya Diversifikasi Pangan. *Jurnal Pengolahan Pangan*, 3(1), 9–15. <https://doi.org/10.31970/Pangan.V3i1.7>
- Lestari, S., Rahmawati A, M., Shita J, D., & Eka T, L. (2019). Modifikasi Formula Enteral Rumah Sakit Siap Seduh. *Jurnal Gizi Dan Kesehatan*, 11(26), 11–18. <https://doi.org/10.35473/Jgk.V11i26.51>
- Laporan Riskesdas 2018 Nasional. In Lembaga Penerbit Balitbangkes (P. Hal 156). [https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/1/Laporan Riskesdas 2018 Nasional.pdf](https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/1/Laporan_Riskesdas_2018_Nasional.pdf)
- Lismawati, Tutik, & Nofita. (2021). Kandungan Beta Karoten Dan Aktivitas Antioksidan Terhadap Ekstrak Buah Labu Kuning (Cucurbita Moschata). *Jurnal Mandala Pharmacon Indonesia*, 7(2), 263–273. <http://jurnal-pharmaconmw.com/jmpi/index.php/jmpi/article/view/111>
- Mahan, K., Escott-Stump, S., & Raymond, J. (2012). *Krause's Food And The Nutrition Care Process*.
- Majeed, M., Anwar, S., Khan, M. U., Asghfar, A., Shariati, M. A., Semykin, V., & Fazel, M. (2017). Study Of The Combined Effect Of Pectin And Banana Powder As Carbohydrate Based Fat Replacers To Develop Low Fat Cookies. *Foods And Raw Materials*, 5(2), 62–69. <https://doi.org/10.21603/2308-4057-2017-2-62-69>

- Maryanto, S., & Wening, D. K. (2023). Nilai Gizi Bolu Kukus Dan Cookies Labu Kuning (Cucurbita Moschata Durh) Berbahan Formula Modisco. *Media Gizi Kesmas*, 12(1), 379–383. <https://doi.org/10.20473/Mgk.V12i1.2023.379-383>
- Masitha, D., Kern Nugrohowati, A., Candra, A., Subagio, H. W., & Murbawani, E. A. (2021). Kejadian Disfagia, Kesesuaian Diet, Dan Kejadian Malnutrisi Pada Pasien Stroke Usia Muda Di Rsup Dr Kariadi Semarang. *Jnh (Journal Of Nutrition And Health*, 9(1), 1–14.
- Maulida, M., Mayasari, D., & Rahmayani, F. (2018). Pengaruh Rasio Kolesterol Total Terhadap High Density Lipoprotein (Hdl) Pada Kejadian Stroke Iskemik The Influence Of Total Cholesterol Ratio Against High Density Lipoprotein (Hdl) In The Incidence Of Ischemic Stroke. *Majority*, 7(21), 214–218.
- Novitasari, R. (2013). Studi Pembuatan Dodol Pisang. *Jurnal Teknologi Pertanian*, 2(1), 48–56. <https://doi.org/10.32520/Jtp.V2i1.50>
- Nugroho, A. (2016). Validasi Metode Pengujian Viskositas Mu01/Vis/2011 Di Laboratorium Terpadu Dengan Menggunakan Viskometer Brookfield. *Integrated Lab Journal*, 4(1), 87–94.
- Nurhikmah, I. R., Fitriyanti, A. R., & Sulistyaningrum, H. (N.D.). *Karakteristik Fisik Dan Karakteristik Kimia Firm Yoghurt Dengan Penambahan Pure Labu Kuning*. 2020, 614–623.
- Nurjanah, H., Setiawan, B., & Roosita, K. (2020). Potensi Labu Kuning (Cucurbita Moschata) Sebagai Makanan Tinggi Serat Dalam Bentuk Cair. *Indonesian Journal Of Human Nutrition*, 7(1), 54–68. <https://doi.org/10.21776/Ub.Ijhn.2020.007.01.6>
- Nuroso, A. (2012). Studi Pembuatan Tepung Pisang. *Jurnal Teknologi Pertanian*, 1(2), 1–9. <https://doi.org/10.32520/Jtp.V1i2.39>
- Octo Prasetio, P., Deviyanti Puspita, I., & Fatmawati, I. (2021). Kadar Serat Pangan Dan Sifat Organoleptik Crackers Bekatul Jagung Dengan Penambahan Tepung Kacang Bambara (Dietary Fiber And Organoleptic Of Corn Bran Crackers With Addition Of Bambara Groundnut Flour). *Jurnal Teknologi Pangan Dan Gizi*, 20(2), 130–138.
- Ojo, O., & Brooke, J. (2016). The Use Of Enteral Nutrition In The Management Of Stroke. *Nutrients*, 8(12), 1–6. <https://doi.org/10.3390/Nu8120827>
- Pasaribu, S. F., Lestari, W., Chandra, P., Rachmawati, N. A., Billah, M. M., Purba, T. H., & Situmorang, R. K. (2024). Uji Mutu Hedonik Snack Bar Kecambah Beras Hitam Sebagai Cemilan Antidiabetes. 4, 8978–8988.
- Perhimpunan Dokter Spesialis Saraf Indonesia (Perdossi). (2011). Guideline Stroke 2011. *Perdossi*, 49–50.
- Permadi, M. R., Huda Oktafa, & Khafidurrohman Agustianto. (2019). Perancangan Pengujian Preference Test, Uji Hedonik Dan Mutu Hedonik Menggunakan Algoritma Radial Basis Function Network. *Sintech (Science And Information Technology) Journal*, 2(2), 98–107.

<https://doi.org/10.31598/Sintechjournal.V2i2.282>

- Phipps, M. S., & Cronin, C. A. (2020). Management Of Acute Ischemic Stroke. *The Bmj*, 368. <https://doi.org/10.1136/Bmj.L6983>
- Prabakaran, M., Lee, K. J., An, Y., Kwon, C., Kim, S., Yang, Y., Ahmad, A., Kim, S. H., & Chung, I. M. (2018). Changes In Soybean (Glycine Max L.) Flour Fatty-Acid Content Based On Storage Temperature And Duration. *Molecules*, 23(10). <https://doi.org/10.3390/Molecules23102713>
- Pramesti, C., Gizi, P. S., Kedokteran, F., & Semarang, U. N. (2024). *Formulasi Enteral Berbasis Protein Kedelai Soy Protein-Based Enteral Formulation As An Alternative To High Protein Food*. 04, 8–20.
- Pratiwi, L. E., & Noer, E. R. (2014). Analisis Mutu Mikrobiologi Dan Uji Viskositas Formula Enteral Berbasis Labu Kuning (Curcubita Moschata) Dan Telur Bebek. In *Journal Of Nutrition College* (Vol. 3, Issue 4). <https://doi.org/10.14710/Jnc.V3i4.6915>
- Puspita, E. (2022). Analisa Kandungan Bcaa Pada Formula Enteral Untuk Pasien Sirosis Hepatikum. *Svasta Harena Rafflesia*, 1(1), 1–10.
- Rahadiyanti, A., Nissa, C., Annisa, W. I., Wijayanti, L., Dieny, F. F., & Fitranti, D. Y. (2022). Optimasi Sifat Organoleptik, Indeks, Dan Beban Glikemik Formula Enteral Berbasis Tepung Tempe Dan Tepung Bengkuang. *Jurnal Gizi Klinik Indonesia*, 19(1), 10. <https://doi.org/10.22146/Ijcn.69187>
- Rahmadanti, T. S., Candra, A., & Nissa, C. (2020). Pengembangan Formula Enteral Hepatogomax Untuk Penyakit Hati Berbasis Tepung Kedelai Dan Tepung Susu Kambing. *Jurnal Gizi Indonesia (The Indonesian Journal Of Nutrition)*, 9(1), 1–10. <https://doi.org/10.14710/Jgi.9.1.1-10>
- Rahmaniyah Utami , N., & Tri Prasetyawati, Z. (2020). Substitusi Tepung Labu Kuning Pada Pembuatan Cookies Kastengel. *Jurnal Media Penndidikan, Gizi Dan Kuliner*, 9(2), 55–61.
- Rauf, R., & Utami, A. (2020). Nutrition Value And Viscosity Of Polymeric Enteral Nutrition Products Based On Purple Sweet Potato Flour With Variation Of Maltodextrin Levels. *Jurnal Gizi Indonesia (The Indonesian Journal Of Nutrition)*, 8(2), 119–125. <https://doi.org/10.14710/Jgi.8.2.119-125>
- Rolfes, S. R., Pinna, K., & Whitney, E. (2012). *Understanding Normal And Clinical Nutrition*, 8th Ed. http://books.google.com.au/books/about/Understanding_Normal_And_Clinical_Nutrit.html?id=C27b9y83r8cc&pgis=1
- Ruhdiana, T., & Sandi, S. P. H. (2023). Kandungan Gizi Pisang Kepok (Musa Paradisiaca Linn) Keripik Pisang Terhadap Glukosa Darah. *Abdimas : Jurnal Pengabdian Mahasiswa*, 2(1), 3503–3508.
- Sabbouh, T., & Torbey, M. T. (2018). Malnutrition In Stroke Patients: Risk Factors, Assessment, And Management. *Neurocritical Care*, 29(3), 374–384. <https://doi.org/10.1007/S12028-017-0436-1>
- Safira, S. A., Gumilar, M., Dewi, M., & Mulyo, G. P. E. (2022). Sifat Organoleptik

- Dan Nilai Gizi Cookies Soygreen Formula Tepung Kacang Hijau Dan Tepung Kacang Kedelai. *Jurnal Kesehatan Siliwangi*, 2(3), 1028–1040. <https://doi.org/10.34011/Jks.V2i3.868>
- Sapriana, S. S. (2019). Pengaruh Pemberian Pisang Lampung (*Musa Acuminata*) Terhadap Penurunan Tekanan Darah Sistolik Pada Lansia Penderita Hipertensi. *Pontianak Nutrition Journal (Pnj)*, 2(2), 29. <https://doi.org/10.30602/Pnj.V2i2.482>
- Ström, E., Östgren, C. J., Nystrom, F. H., & Wijkman, M. O. (2022). Associations Between Fruit Consumption And Home Blood Pressure In A Randomly Selected Sample Of The General Swedish Population. *Journal Of Clinical Hypertension*, 24(6), 723–730. <https://doi.org/10.1111/Jch.14491>
- Sutikno, V., Rahadiyanti, A., Fitranti, D. Y., Dieny, F. F., Afifah, D. N., & Nissa, C. (2020). Gliteros Enteral Formula Based On Tempeh Flour And Jicama Flour For Patients With Hyperglycemia. *Food Research*, 4, 38–45. [https://doi.org/10.26656/Fr.2017.4\(S3\).S17](https://doi.org/10.26656/Fr.2017.4(S3).S17)
- Tarwendah, I. P. (2017). Studi Komparasi Atribut Sensori Dan Kesadaran Merek Produk Pangan. *Jurnal Pangan Dan Agroindustri*, 5(2), 66–73.
- Thu Hien, N. T., Thong, T. H., Tung, L. T., Khoi, V. H., Thu Hoai, D. T., Tinh, T. T., Van Huy, N., & Kien, V. D. (2022). Dysphagia And Associated Factors Among Patients With Acute Ischemic Stroke In Vietnam. *Annals Of Medicine And Surgery*, 84(August), 104887. <https://doi.org/10.1016/J.Amsu.2022.104887>
- Triandini, I. G. A. A. H., & Wangiyana, I. G. A. S. (2022). Mini-Review Uji Hedonik Pada Produk Teh Herbal Hutan. *Jurnal Silva Samalas: Journal Of Forestry And Plant Science*, 5(1), 12–19.
- Tumanggor, M., Sitepu, N. F., & Ritarwan, K. (2023). Latihan Menelan Terhadap Kemampuan Menelan Pasien Stroke Yang Mengalami Disfagia. *Journal Of Telenursing (Joting)*, 5(1), 405–415. <https://doi.org/10.31539/Joting.V5i1.5323>
- Wakita, M., Masui, H., Ichimaru, S., & Amagai, T. (2012). Determinant Factors Of The Viscosity Of Enteral Formulas: Basic Analysis Of Thickened Enteral Formulas. *Nutrition In Clinical Practice*, 27(1), 82–90. <https://doi.org/10.1177/0884533611427146>
- Wirth, R., Smoliner, C., Jäger, M., Warnecke, T., Leischker, A. H., Dziewas, R., Lochs, H., Weimann, A., Ockenga, J., Bischoff, S. C., Sieber, C., & Adolph, M. (2013). Guideline Clinical Nutrition In Patients With Stroke. *Experimental And Translational Stroke Medicine*, 5(1), 1–11. <https://doi.org/10.1186/2040-7378-5-14>
- Yang, L., Zhang, T., Li, H., Chen, T., & Liu, X. (2023). Control Of Beany Flavor From Soybean Protein Raw Material In Plant-Based Meat Analog Processing. *Foods*, 12(5), 1–18. <https://doi.org/10.3390/Foods12050923>
- Yoon, G. A., & Park, S. (2014). Antioxidant Action Of Soy Isoflavones On Oxidative Stress And Antioxidant Enzyme Activities In Exercised Rats.

Nutrition Research And Practice, 8(6), 618–624.
<https://doi.org/10.4162/Nrp.2014.8.6.618>

Yulifianti, R., Muzaiyanah, S., & Utomo, J. S. (2018). Kedelai Sebagai Bahan Pangan Kaya Isoflavon. *Buletin Palawija*, 16(2), 84.
<https://doi.org/10.21082/Bulpa.V16n2.2018.P84-93>

