

DAFTAR PUSTAKA

- Adaganti, S.Y., Yaliwal, V.S., Kulkarni, B.M., Desai, G.P. and Banapurmath, N.R., 2014. Factors Affecting Bioethanol Production from Lignocellulosic Biomass (*Calliandra calothyrsus*). *Waste and Biomass Valorization*, [online] 5(6), pp.963–971. <https://doi.org/10.1007/s12649-014-9305-8>.
- Adamsa, S.N., Jenningsa, S. and Warnock, N., 2020. Plant invasion depresses native species richness, but control of invasive species does little to restore it. *Plant Ecology & Diversity*, 13(3–4), pp.257–266. <https://doi.org/https://doi.org/10.1080/17550874.2020.1817998>.
- Adhikari, D., Barik, S.K. and Upadhaya, K., 2012. Habitat distribution modelling for reintroduction of *Ilex khasiana* Purk., a critically endangered tree species of northeastern India. *Ecological Engineering*, 40(2012), pp.34–37. <https://doi.org/https://doi.org/10.1016/j.ecoleng.2011.12.004>.
- Aerts, R., Honnay, O. and Nieuwenhuyse, A. Van, 2018. Biodiversity and human health: mechanisms and evidence of the positive health effects of diversity in nature and green spaces. *British Medical Bulletin*, 127(1), pp.5–22. <https://doi.org/10.1093/bmb/ldy021>.
- Agossou, C. and Kang, S., 2020. Climatic factors controlling interannual variability of the onset of vegetation phenology in the northern Sub-Saharan Africa from 1988 to 2013. *African Journal of Ecology*, 58(2), pp.299–308. <https://doi.org/https://doi.org/10.1111/aje.12699>.
- Aguilera, A.G., Alpert, P., Dukes, J.S. and Harrington, R., 2010. Impacts of the invasive plant *Fallopia japonica* (Houtt.) on plant communities and ecosystem processes. *Biol Invasions*, 12(2010), pp.1243–1252. <https://doi.org/10.1007/s10530-009-9543-z>.
- Alday, J.G., Cox, E.S., Santana, V.M., Lee, H., Ghorbani, J., Milligan, G., McAllister, H.A., Pakeman, R.J., Duc, M.G. Le and Marrs, R.H., 2023. Recovery of upland acid grasslands after successful *Pteridium aquilinum* control: Long-term effectiveness of cutting, repeated herbicide treatment and bruising. *Journal of Environmental Management*, 2023(342), p.118273. <https://doi.org/https://doi.org/10.1016/j.jenvman.2023.118273>.
- Allouche, O., Tsoar, A. and Kadmon, R., 2006. Assessing the accuracy of species distribution models: prevalence, kappa and the true skill statistic (TSS). *Journal of Applied Ecology*, 43(2006), pp.1223–1232. <https://doi.org/https://doi.org/10.1111/j.1365-2664.2006.01214.x>.
- Alsamadisi, A.G., Tran, L.T. and Papeş, M., 2020. Employing inferences across scales: Integrating spatial data with different resolutions to enhance Maxent models. *Ecological Modelling*, 415(2020), p.108857. <https://doi.org/https://doi.org/10.1016/j.ecolmodel.2019.108857>.
- Araujo, M.B. and Peterson, A.To., 2012. Uses and misuses of bioclimatic envelope modeling. *Ecology*, 93(7), pp.527–1539. <https://doi.org/https://doi.org/10.1016/j.tree.2006.09.010>.
- Ashcroft, M.B., French, K.O. and Chisholm, L.A., 2011. An evaluation of environmental factors affecting species distributions. *Ecological Modelling*, 222(2011), pp.524–531. <https://doi.org/https://doi.org/10.1016/j.ecolmodel.2010.10.003>.

- Assad, R., Rashid, I., Reshi, Z.A. and Sofi, I.A., 2021. Invasiveness traits help Amaranths to invade Kashmir Himalaya, India. *Tropical Ecology*, 62(2021). <https://doi.org/https://doi.org/10.1007/s42965-020-00129-y>.
- Austin, M., 2007. Species distribution models and ecological theory: A critical assessment and some possible new approaches. *Ecological Modelling*, 200(2007), pp.1–19. <https://doi.org/10.1016/j.ecolmodel.2006.07.005>.
- Ayanlade, A., Jeje, O.D., Nwaezeigwe, J.O., Orimoogunje, O.O.I. and Olokeogun, O.S., 2021. Rainfall seasonality effects on vegetation greenness in different ecological zones. *Environmental Challenges*, 4(2021), p.100144. <https://doi.org/https://doi.org/10.1016/j.envc.2021.100144>.
- Baldwin, R.A., 2009. Use of Maximum Entropy Modeling in Wildlife Research. *Entropy*, 11(2009), pp.854–866. <https://doi.org/https://doi.org/10.3390/e11040854>.
- Barbet-Massin, M., Thuiller, W. and Jiguet, F., 2012. The fate of European breeding birds under climate, landuse and dispersal scenarios. *Global Change Biology*, 18(2012), pp.881–890. <https://doi.org/https://doi.org/10.1111/j.1365-2486.2011.02552.x>.
- Barneby, R.C., 1998. *Memoirs of the New York Botanical Garden*. Bronx, NY 10458-5126, USA: The New York Botanical Garden.
- Barraquanda, F. and Gimenez, O., 2019. Integrating multiple data sources to fit matrix population models for interacting species. *Ecological Modelling*, 411(2019), p.108713. <https://doi.org/https://doi.org/10.1016/j.ecolmodel.2019.06.001>.
- Basari, Z., 2012. TEKNIK PEMBONGKARAN TUMBUHAN INVASIF *Acacia nilotica* (L) Willd. Ex. Del DENGAN TIRFOR DI TAMAN NASIONAL BALURAN JAWA TIMUR. *Jurnal Penelitian Hasil Hutan*, 30(4), pp.279–290. <https://doi.org/https://doi.org/10.20886/jphh.2012.30.4.279-290>.
- Baxter, C., Johnson, R., Riley, C., Byler, D., Dietz, R., Esperance, J., Estey, M., Earsom, S., Paveglio, F., Taylor, J., Green, D., Laney, W., Miranda, L., Perkins, D., Crouse, D., Czarnecki, C., Fefer, S., Motivans, K., Frondorf, A. and Heglund, P., 2006. *Strategic Habitat Conservation*. <https://doi.org/10.13140/2.1.3014.6887>.
- Bertelsmeier, C., Luque, G.M., Hoffmann, B.D. and Courchamp, F., 2015. Worldwide ant invasions under climate change. *Biodiversity and Conservation*, 24(1), pp.117–128. <https://doi.org/https://doi.org/10.1007/s10531-014-0794-3>.
- Bhadouria, R., Singh, R., Srivastava, P. and Raghubanshi, A.S., 2016. Understanding the ecology of tree-seedling growth in dry tropical environment: a management perspective. *Energy, Ecology and Environment*, 1(5), pp.296–309. <https://doi.org/DOI 10.1007/s40974-016-0038-3>.
- Bierzychudek, P., 2014. Plant Biodiversity and Population Dynamics. In: R.K. Monson, ed. *Ecology and the Environment*. [online] New York, NY: Springer New York. pp.29–65. https://doi.org/10.1007/978-1-4614-7501-9_15.
- Blumenthal, D.M., 2006. Interactions between resource availability and enemy release in plant invasion. *Ecology Letters*, 9(2006), pp.887–895. <https://doi.org/10.1111/j.1461-0248.2006.00934.x>.
- Bocedi, G., Palmer, S.C.F., Malchow, A.-K., Zurell, D., Watts, K. and Travis, J.M.J., 2021. RangeShifter 2.0: an extended and enhanced platform for modelling spatial eco-evolutionary dynamics and species' responses to environmental changes. *Ecography*, 44(2021), pp.1453–1462. <https://doi.org/doi:10.1111/ecog.05687>.

- Bodin, L. and Gass, S.I., 2003. On teaching the analytic hierarchy process. *Computers & Operations*, 2003(30), pp.487 – 1497. [https://doi.org/http://dx.doi.org/10.1016/S0305-0548\(02\)00188-0](https://doi.org/http://dx.doi.org/10.1016/S0305-0548(02)00188-0).
- Braun, M., Schindler, S. and Essl, F., 2016. Distribution and management of invasive alien plant species in protected areas in Central Europe. *Journal for Nature Conservation*, 32(2016), pp.48–57. <https://doi.org/https://sci.bban.top/pdf/10.1016/dx.doi.org/10.1016/j.jnc.2016.07.002>.
- Brown, J.L. and Yoder, A.D., 2015. Shifting ranges and conservation challenges for lemurs in the face of climate change. *Ecology and Evolution*, 6(5), pp.1131–1142. <https://doi.org/https://doi.org/10.1002%2Fece3.1418>.
- BTNGC, 2015. *Pemetaan dan Pengendalian Tanaman Invasif Taman Nasional Gunung Ciremai Tahun 2015*. Kuningan: Balai Taman Nasional Gunung Ciremai.
- Bucklin, D.N., Basille, M., Benschoter, A.M., Brandt, L.A., Mazzotti, F.J., Romanach, S.S., Speroterra, C. and Watling, J.I., 2015. Comparing species distribution models constructed with different subsets of environmental predictors. *Diversity and Distributions*, 21(2015), pp.23–35. <https://doi.org/10.1111/ddi.12247>.
- Bush, A., Mokany, K., Catullo, R., Hoffmann, A., Kellermann, V., Sgro, C., McEvey, S. and Ferrier, S., 2016. Incorporating evolutionary adaptation in species distribution modelling reduces projected vulnerability to climate change. *Ecology Letters*, 12(19). <https://doi.org/https://doi.org/10.1111/ele.12696>.
- Byun, C., Blois, S. de and Brisson, J., 2013. Plant functional group identity and diversity determine biotic resistance to invasion by an exotic grass. *Journal of Ecology*, 2013(101), pp.128–139. <https://doi.org/https://doi.org/10.1111/1365-2745.12016>.
- Cacho, O.J., Spring, D., Hester, S. and Nally, R. Mac, 2010. Allocating surveillance effort in the management of invasive species: A spatially-explicit model. *Environmental Modelling & Software*, 25(2010), pp.444–454. <https://doi.org/10.1016/j.envsoft.2009.10.014>.
- Cai, Y., Zhang, Y. and Wu, Y., 2024. Theoretical framework and differentiated policies for national park zoning management: A Baishanzu case study in China. *iScience*, 27(2024), p.111377. <https://doi.org/https://doi.org/10.1016/j.isci.2024.111377>.
- Campbell, S.D., McMillan, H., Brazier, D.A., Setter, M. and Setter, S.D., 2019. *Advancing Splatter Gun Technology for Rangeland Weed. 1st Queensland Pest Animal and Weed Symposium*. Available at: <<https://era.dpi.qld.gov.au/id/eprint/7021>>.
- Cardenas, E., Orellana, L.H., Konstantinidis, K.T. and Mohn, W.W., 2018. Effects of timber harvesting on the genetic potential for carbon and nitrogen cycling in five North American forest ecozones. *Scientific Reports*, 2018(8), p.3142. <https://doi.org/DOI:10.1038/s41598-018-21197-0>.
- Caswell, H., 2001. *Matrix Population Models: Construction, Analysis, and Interpretation*. 2nd ed. Sinauer Associates is an imprint of Oxford University Press.
- Cauwer, V. De, Muys, B., Revermann, R. and Trabucco, A., 2014. Potential, realised, future distribution and environmental suitability for *Pterocarpus angolensis* DC in southern Africa. *Forest Ecology and Management*, 315(2014), pp.211–226. <https://doi.org/http://dx.doi.org/10.1016/j.foreco.2013.12.032>.

- Chamberlain, J., 2001. *Calliandra calothyrsus*: An agroforestry tree for the humid tropics. *Tropical Forestry Papers No. 40*.
- Clements, D.R. and Ditommaso, A., 2011. Climate change and weed adaptation: can evolution of invasive plants lead to greater range expansion than forecasted? *Weed Research*, 3(51). <https://doi.org/https://doi.org/10.1111/j.1365-3180.2011.00850.x>.
- Conroy, M.J., Runge, M.C., Nichols, J.D., Stodola, K.W. and Cooper, R.J., 2011. Conservation in the face of climate change: The roles of alternative models, monitoring, and adaptation in confronting and reducing uncertainty. *Biological Conservation*, 144(2011), pp.1204–1213. <https://doi.org/http://dx.doi.org/10.1016/j.biocon.2010.10.019>.
- Costa, H., Medeiros, V., Azevedos, E.B. and Silva, L., 2013. Evaluating ecological-niche factor analysis as a modelling tool for environmental weed management in island systems. *Weed Research*, 53(3). <https://doi.org/10.1111/wre.12017>.
- Coulin, C., Vega, G.J. de la, Chifflet, L., Calcaterra, L.A. and Schilman, P.E., 2019. Linking thermo-tolerances of the highly invasive ant, *Wasmannia auropunctata*, to its current and potential distribution. *Biological Invasions*, 21(2019), pp.3491–3504. <https://doi.org/https://doi.org/10.1007/s10530-019-02063-0>.
- Crawshaw, L., Buchanan, T., Shirose, L., Palahnuk, A., Cai, H.Y., Bennett, A.M., Jardine, C.M. and Davy, C.M., 2022. Widespread occurrence of *Batrachochytrium dendrobatidis* in Ontario, Canada, and predicted habitat suitability for the emerging *Batrachochytrium salamandrivorans*. *Ecology and Evolution*, 12(2022), p.e8798. <https://doi.org/https://doi.org/10.1002/ece3.8798>.
- Cruz-Cárdenas, G., López-Mata, L., Villaseñor, J.L. and Ortiz, E., 2014. Potential species distribution modeling and the use of principal component analysis as predictor variables. *Revista Mexicana de Biodiversidad*, 85(1). <https://doi.org/https://doi.org/10.7550/rmb.36723>.
- Csiszár, Á., Kézdy, P., Korda, M. and Bartha, D., 2020. Occurrence and management of invasive alien species in Hungarian protected areas compared to Europe. *FOLIA OECOLOGICA*, 47(2), pp.178–191. <https://doi.org/10.2478/foecol-2020-0021>.
- Dann, L.E., Guja, L., Kark, S. and Dwyer, J., 2024. Comparative study reveals management of a dominant invasive plant facilitates subtropical forest regeneration. *Biological Invasions*, 2024(26), pp.299–313. <https://doi.org/https://doi.org/10.1007/s10530-023-03174-5>.
- Dermawan, B.A., Herdiyeni, Y., Prasetyo, L.B. and Siswoyo, A., 2018. Predicting the Spread of *Acacia Nilotica* Using Maximum Entropy Modeling. *TELKOMNIKA*, 16(2), pp.703–712. <https://doi.org/10.12928/TELKOMNIKA.v16i2.6894>.
- Dewi, A.S.I., Putra, E.I. and Haneda, N.F., 2022. Kesehatan Areal Hutan Pasca Kebakaran di Taman Nasional Gunung Ciremai, Kuningan, Jawa Barat. *Buletin Kebun Raya*, 25(3), pp.131–141. <https://doi.org/10.55981/bkr.2022.803>.
- Dimitrakopoulos, P.G., Koukoulas, S., Michelaki, C. and Galanidis, A., 2022. Anthropogenic and environmental determinants of alien plant species spatial distribution on an island scale. *Science of the Total Environment*, 805(150314), pp.1–8.

- Donovan, T.M. and Welden, C.W., 2002. *Spreadsheet Exercises in Ecology and Evolution*. Sunderland, Massachusetts U.S.A.: Sinauer Associates.
- Dutra Silva, L., Bento Elias, R. and Silva, L., 2021. Modelling invasive alien plant distribution: A literature review of concepts and bibliometric analysis. *Environmental Modelling & Software*, [online] 145(2021), p.105203. <https://doi.org/10.1016/j.envsoft.2021.105203>.
- Dutta, H., 2018. Insights into the phenomenon of alien plant invasion and its synergistic interlinkage with three current ecological issues. *Journal of Asia-Pacific Biodiversity*, 11(2018), pp.188–198. <https://doi.org/https://doi.org/10.1016/j.japb.2018.03.002>.
- Egoh, B.N., Ntshotsho, P., Maoela, M.A., Blanchard, R., Ayompe, L.M. and Rahlaio, S., 2020. Setting the scene for achievable post-2020 convention on biological diversity targets: A review of the impacts of invasive alien species on ecosystem services in Africa. *Journal of Environmental Management*, 261(2020), p.110171. https://doi.org/https://sci-hub.se/downloads/2020-03-07/00/10.1016@j.jenvman.2020.110171.pdf#catch_YJEMA110171.
- El-Barougy, R.F., Dakhil, M.A., Halmy, M.W., Gray, S.M., Abdelaal, M., Khedr, A.-H.A. and Bersier, L.-F., 2021. Invasion risk assessment using trait-environment and species distribution modelling techniques in an arid protected area: Towards conservation prioritization. *Ecological Indicators*, 129(2021), p.107951. <https://doi.org/https://doi.org/10.1016/j.ecolind.2021.107951>.
- Elith, J. and Leathwick, J.R., 2009. Species Distribution Models: Ecological Explanation and Prediction Across Space and Time. *Annual Review of Ecology, Evolution, and Systematics*, 40(2009), pp.677–697. <https://doi.org/https://doi.org/10.1146/annurev.ecolsys.110308.120159>.
- Elith, J., Phillips, S.J., Hastie, T., Dudi'k, M., Chee, Y.E. and Yates, C.J., 2011. A statistical explanation of MaxEnt for ecologists. *Diversity and Distributions*, 17(2011), pp.43–57. <https://doi.org/https://doi.org/10.1111/j.1472-4642.2010.00725.x>.
- Enquist, B.J., Brown, J.H. and Wes, G.B., 1998. Allometric scaling of plant energetics and population density. *Nature*, 395(1998), pp.163–165.
- Erckie, L., Adedaja, O., Geerts, S., Wyk, E. van and Boatwright, J.S., 2022. Impacts of an invasive alien Proteaceae on native plant species richness and vegetation structure. *South African Journal of Botany*, 144(2022), pp.332–338. <https://doi.org/https://doi.org/10.1016/j.sajb.2021.09.017>.
- Falcón-Brindis, A., León-Cortés, J.L. and Montanez-Reyna, M., 2021. How effective are conservation areas to preserve biodiversity in Mexico? *Perspectives in Ecology and Conservation*, 19(2021), pp.399–410. <https://doi.org/https://doi.org/10.1016/j.pecon.2021.07.007>.
- Falster, D.S. and Westoby, M., 2003. Plant height and evolutionary games. *Trends in Ecology & Evolution*, 18(7), pp.337–343. [https://doi.org/https://doi.org/10.1016/S0169-5347\(03\)00061-2](https://doi.org/https://doi.org/10.1016/S0169-5347(03)00061-2).
- Fang, Y., Zhang, X., Wei, H., Wang, D., Chen, R., Wang, L. and Gu, W., 2021. Predicting the invasive trend of exotic plants in China based on the ensemble model under climate change: A case for three invasive plants of Asteraceae. *Science of the Total Environment*, 756(2021), p.143841. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2020.143841>.
- Feng, X., Park, D.S., Walker, C., Peterson, A.T., Merow, C. and Papeş, M., 2019. A checklist for maximizing reproducibility of ecological niche models. *Nature*

- Ecology & Evolution*, 3(2019), pp.1382–1395.
<https://doi.org/https://doi.org/10.1038/s41559-019-0972-5>.
- Fourniera, A., Penoneb, C., Pennino, M.G. and Courchamp, F., 2019. Predicting future invaders and future invasions. *Proceedings of the National Academy of Sciences*, 116(16), pp.7905–7910.
<https://doi.org/https://doi.org/10.1073/pnas.1803456116>.
- Foxcroft, L.C., Pysek, P., Richardson, D.M., Genovesi, P. and MacFadyen, S., 2017. Plant invasion science in protected areas: progress and priorities. *Biol Invasions*, (2017). <https://doi.org/10.1007/s10530-016-1367-z>.
- França, L.C. de J., Mucida, D.P., Santana, R.C., Santos, M., Morais, de, Gomide, L.R. and Bateira, C.V. de M., 2020. AHP Approach Applied To Multi-Criteria Decisions In Environmental Fragility Mapping. *Floresta*, 50(3), pp.1623–1632. <https://doi.org/10.5380/rf.v50 i3. 65146>.
- Gan, X., Fernandez, I.C., Guo, J., Wilson, M., Zhao, Y., Zhou, B. and Wu, J., 2017. When to use what: Methods for weighting and aggregating sustainability indicators. *Ecological Indicators*, 2017(81), pp.491–502.
<https://doi.org/http://dx.doi.org/10.1016/j.ecolind.2017.05.068>.
- Gaol, M.L. and Mudita, I.W., 2020. The Structure, Composition, and Health of Remnant Forest Vegetation of West Timor, Indonesia. *Asian Journal of Environment & Ecology*, 13(4), pp.1–14. <https://doi.org/DOI: 10.9734/AJEE/2020/v13i430186>.
- Guan, Q., Yang, L., Guan, W., Wang, F., Liu, Z. and Xu, C., 2019. Assessing vegetation response to climatic variations and human activities: spatiotemporal NDVI variations in the Hexi Corridor and surrounding areas from 2000 to 2010. *Theoretical and Applied Climatology*, 135(2019), pp.1179–1193.
<https://doi.org/https://doi.org/10.1007/s00704-018-2437-1>.
- Gunawan, H., 2015. Suksesi sekunder hutan terganggu bekas perambahan di Taman Nasional Gunung Ciremai, Jawa Barat. *Prosiding Masyarakat Biodiversitas Indonesia*, 1(7), pp.1591–1599.
<https://doi.org/https://doi.org/10.13057/psnmbi/m010709>.
- Guo, W., Liu, Y., Ng, W.L., Liao, P.-C., Huang, B.-H., Li, W., Li, C. and Huang, X.S. and Y., 2018. Comparative transcriptome analysis of the invasive weed *Mikania micrantha* with its native congeners provides insights into genetic basis underlying successful invasion. *BMC Genomics*, 19(2018), p.392.
<https://doi.org/https://doi.org/10.1186/s12864-018-4784-9>.
- Guo, Z.X.Y., Ren, H., Wei, X., Wen, S., Ouyang, K., Long, J., Wang, J., Li, D. and Hui, D., 2021. Distribution and conservation status of *Camellia longzhouensis* (Theaceae), a critically endangered plant species endemic to southern China. *Global Ecology and Conservation*, 27(2021), p.e01585.
<https://doi.org/https://doi.org/10.1016/j.gecco.2021.e01585>.
- Hegel, T.M., Cushman, S.A., Evans, J. and Huettmann, F., 2010. Current State of the Art for Statistical Modelling of Species Distributions. In: S.A. Cushman and F. Huettmann, eds. *Spatial Complexity, Informatics, and Wildlife Conservation*. Tokyo: Springer. pp.273–311. https://doi.org/10.1007/978-4-431-87771-4_16.
- Hendrati, R.L., Suwandi and Margiyanti, 2014. *Budidaya kaliandra (Calliandra calothyrsus) untuk Bahan Baku Sumber Energi*. Bogor: PT Penerbit IPB Press.
- Hernández, H.M., 1991. Taxonomy, geographical distribution, and reproductive biology of *Calliandra calothyrsus* (Leguminosae, Mimosoideae) a species of agroforestry potential. *Ser. Bot.*, 62(2), pp.121–132.

- Hewitt, A., Holford, P., Renshaw, A., Haigh, A. and Morris, E.C., 2014. Plant-level fecundity and andromonoecy in three common (*Melaleuca styphelioides*, *M. thymifolia*, *M. nodosa*) and one rare (*M. deanei*) *Melaleuca* (Myrtaceae) species of the Sydney region. *Australian Journal of Botany*, 2014(62), pp.276–285. <https://doi.org/http://dx.doi.org/10.1071/BT14081>.
- Higgins, S.I. and Richardson, D.M., 1996. A review of models of alien plant spread. *Ecological Modelling*, 87(1996), pp.249–265. [https://doi.org/https://doi.org/10.1016/0304-3800\(95\)00022-4](https://doi.org/https://doi.org/10.1016/0304-3800(95)00022-4).
- Holl, K.D. and Aide, T.M., 2011. When and where to actively restore ecosystems? *Forest Ecology and Management*, 2011(261), pp.1156–1558. <https://doi.org/https://doi.org/10.1016/j.foreco.2010.07.004>.
- Holl, K.D., Luong, J.C. and Brancalion, P.H.S., 2022. Overcoming biotic homogenization in ecological restoration. *Trends in Ecology & Evolution*, 37(9), pp.777–788. <https://doi.org/https://doi.org/10.1016/j.tree.2022.05.002>.
- Hosmer David W., Lemeshow Stanley and Sturdivant Rodney X., 2013. *Applied Logistic Regression*. Third ed. New Jersey: John Wiley & Sons.
- Hossard, L. and Chopin, P., 2019. Modelling agricultural changes and impacts at landscape scale: A bibliometric review. *Environmental Modelling and Software*, 122(2019), p.104513. <https://doi.org/https://doi.org/10.1016/j.envsoft.2019.104513>.
- Howard, C., Stephens, P.A., Pearce-Higgins, J.W., Gregory, R.D. and Willis, S.G., 2014. Improving species distribution models: the value of data on abundance. *Methods in Ecology and Evolution*, 5(6), pp.506–513.
- Huang, X., Yu, J., Liu, S., Xie, H., He, H. and Li, K., 2021. Plant morphological traits and competition index comparisons of three invasive and native submerged plants. *Knowledge and Management of Aquatic Ecosystems*, 422(11). <https://doi.org/https://doi.org/10.1051/kmae/2021012>.
- Hummel, C., Poursanidis, D., Orenstein, D., Elliott, M., Adamescu, M.C., Cazacu, C., Ziv, G., Chrysoulakis, N., Meer, J. van der and Humme, H., 2019. Protected Area management: Fusion and confusion with the ecosystem services approach. *Science of the Total Environment*, 2019(651), pp.2432–2443. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2018.10.033>.
- Ismail, A.Y., Supartono, T., Kusmana, C., Sumekar, Y., Aminudin, S., Hendrayana, Y. and Nurlaila, A., 2022. Phenology of flowering and fruiting of *Calliandra* (*Calliandra* spp.) species in submontane forest, Indonesia. *Res. Crop.*, 23(1), pp.172–179. <https://doi.org/DOI : 10.31830/2348-7542.2022.024>.
- Jarnevich, C.S., Holcombe, T.R., Barnett, D.T., Stohlgren, T.J. and Kartesz, J.T., 2010. Forecasting Weed Distributions using Climate Data: A GIS Early Warning Tool. *Invasive Plant Science and Management*, 3(2010), pp.365–375. <https://doi.org/http://dx.doi.org/10.1614/IPSM-08-073.1>.
- Jelbert, K., Stott, I., McDonald, R.A. and Hodgson, D., 2015. Invasiveness of plants is predicted by size and fecundity in the native range. *Ecology and Evolution*, 5(10), p.1933. <https://doi.org/doi: 10.1002/ece3.1432>.
- Jones, B.A. and McDermott, S.M., 2018. Health Impacts of Invasive Species Through an Altered Natural Environment: Assessing Air Pollution Sinks as a Causal Pathway. *Environmental And Resource Economics*, 71(1), pp.23–43. <https://doi.org/10.1007/s10640-017-0135-6>.
- Jones, B.A., 2019. Tree Shade, Temperature, and Human Health: Evidence from Invasive Species-induced Deforestation. *Ecological Economics*, 156(2019), pp.12–23. <https://doi.org/https://doi.org/10.1016/j.ecolecon.2018.09.006>.

- Junaedi, D.I., 2012. Invasive Plants in Mountainous Remnant Forest: Recommendation for Choosing Best Decision for Invasive Species Management of *Cestrum aurantiacum* Lindl. *Buletin Kebun Raya*, 15(1), pp.37–46.
- Kannan, R., Shackleton, C.M. and Shaanker, R.U., 2014. Invasive alien species as drivers in socio-ecological systems: local adaptations towards use of *Lantana* in Southern India. *Environ Dev Sustain*, 16(2014), pp.649–669. <https://doi.org/10.1007/s10668-013-9500-y>.
- Kannan, R., Shackleton, C.M., Krishnan, S. and Shaanker, R.U., 2016. Can local use assist in controlling invasive alien species in tropical forests? The case of *Lantana camara* in southern India. *Forest Ecology and Management*, 376(2016), pp.166–173. <https://doi.org/http://dx.doi.org/10.1016/j.foreco.2016.06.016>.
- Kariyawasam, C.S., Kumar, L. and Ratnayake, S.S., 2020. Potential Risks of Plant Invasions in Protected Areas of Sri Lanka under Climate Change with Special Reference to Threatened Vertebrates. *Climate*, 8(51), pp.2–20. <https://doi.org/10.3390/cli8040051>.
- Katz, T.S. and Zellmer, A.J., 2018. Comparison of model selection technique performance in predicting the spread of newly invasive species: a case study with *Batrachochytrium salamandrivorans*. *Biological Invasions*, 20(8), pp.2107–2119. <https://doi.org/https://doi.org/10.1007/s10530-018-1690-7>.
- Kearney, M. and Porter, W., 2009. Mechanistic niche modelling: combining physiological and spatial data to predict species ranges. *Ecology Letters*, 12(2009), pp.334–350. <https://doi.org/10.1111/j.1461-0248.2008.01277.x>.
- Keith, D.A., Elith, J. and Simpson, C.C., 2014. Predicting distribution changes of a mire ecosystem under future climates. *Diversity and Distributions*, 20(2014), pp.440–454. <https://doi.org/https://doi.org/10.1111/ddi.12173>.
- Kim, E., Choi, J. and Song, W., 2021. Introduction and Spread of the Invasive Alien Species *Ageratina altissima* in a Disturbed Forest Ecosystem. *Sustainability*, 13(6152), pp.1–15. <https://doi.org/https://doi.org/10.3390/su13116152>.
- Kumar, M., Kumar, S., Verma, A.K., Joshi, R.K. and Garkoti, S.C., 2021. Invasion of *Lantana camara* and *Ageratina adenophora* alters the soil physico-chemical characteristics and microbial biomass of chir pine forests in the central Himalaya, India. *Catena*, 207(2021), p.105624. <https://doi.org/https://doi.org/10.1016/j.catena.2021.105624>.
- Kwiesielewicz, M. and Uden, E. van, 2004. Inconsistent and contradictory judgements in pairwise comparison method in the AHP. *Computers & Operations Research*, 2004(31), pp.13 – 719. [https://doi.org/https://doi.org/10.1016/S0305-0548\(03\)00022-4](https://doi.org/https://doi.org/10.1016/S0305-0548(03)00022-4).
- Lean, C.H., 2020. Invasive species and natural function in ecology. *Synthese*, 198(4). <https://doi.org/https://doi.org/10.1007/s11229-020-02635-x>.
- Lefkovitch, L.P., 1965. The Study of Population Growth in Organisms Grouped by Stages. *Biometrics*, [online] 21(1), p.1. <https://doi.org/10.2307/2528348>.
- Li, K., Liu, X., Hu, Y., Mohammat, A., Geng, F. and Han, W., 2020a. Long-Term Increasing Productivity of High-Elevation Grassland Caused by Elevated Precipitation and Temperature. *Rangeland Ecology & Management*, 3(1), pp.156–161. <https://doi.org/https://doi.org/10.1016/j.rama.2019.08.010>.
- Li, S., Liu, Y., Yang, H., Yu, X., Zhang, Y. and Wang, C., 2021. Integrating ecosystem services modeling into effectiveness assessment of national protected areas in a typical arid region in China. *Journal of Environmental Management*,

- 297(2021), p.113408.
<https://doi.org/https://doi.org/10.1016/j.jenvman.2021.113408>.
- Li, T., Xiong, Q., Luo, P., Zhang, Y., Gu, X. and Lin, B., 2020b. Direct and indirect effects of environmental factors, spatial constraints, and functional traits on shaping the plant diversity of montane forests. *Ecology and Evolution*, [online] 10(1), pp.557–568. <https://doi.org/10.1002/ece3.5931>.
- Lipovetsky, S. and Conklin, W.M., 2002. Robust estimation of priorities in the AHP. *European Journal of Operational Research* 1, 2002(137), pp.101–122. [https://doi.org/http://dx.doi.org/10.1016/S0377-2217\(01\)00071-6](https://doi.org/http://dx.doi.org/10.1016/S0377-2217(01)00071-6).
- Liu, C., White, M. and Newell, G., 2013. Selecting thresholds for the prediction of species occurrence with presence-only data. *Journal of Biogeography*, 40(4), pp.778–789. <https://doi.org/https://doi.org/10.1111/jbi.12058>.
- Macqueen, D., 1992. *Calliandra calothyrsus*: implications of plant taxonomy, ecology and biology for seed collection. *Commonwealth Forestry Review*, 71(1), pp.20–34.
- Macqueen, D., Development, W.I.I. for A., Agency for Forestry Research and Development Republic of Indonesia, M. of F. and Forestry Research Programme on behalf of the Overseas Development Administration, U.K., 1996. *Calliandra taxonomy and distribution, with particular reference to the series Racemosae*. In: D.O. Evans, ed. *International workshop on the Genus Calliandra*. Bogor, Indonesia: Winrock International and the Taiwan Forestry Research Institute with financial support from the Council of Agriculture (Taiwan).
- Makau, D.N., VanLeeuwen, J.A., Gitau, G.K., McKenna, S.L., Walton, C., Muraya, J. and Wichtel, J.J., 2020. Effects of *Calliandra* and *Sesbania* on Daily Milk Production in Dairy Cows on Commercial Smallholder Farms in Kenya. *Veterinary Medicine International*, 2020, p.3262370. <https://doi.org/https://doi.org/10.1155/2020/3262370>.
- Marques, N.C.S., Machado, R.B., Aguiar, L.M.S., Mendonça-Galvão, L., Tidon, R., Vieira, E.M., Marini-Filho, O.J. and Bustamante, M., 2022. Drivers of change in tropical protected areas: Long-term monitoring of a Brazilian biodiversity hotspot. *Perspectives in Ecology and Conservation*, [online] 20(2), pp.69–78. <https://doi.org/10.1016/j.pecon.2022.02.001>.
- McCarthy, C., Banfill, J. and Hoshino, B., 2021. National parks, protected areas and biodiversity conservation in North Korea: opportunities for international collaboration. *Journal of Asia-Pacific Biodiversity*, 14(2021), pp.290–298. <https://doi.org/https://doi.org/10.1016/j.japb.2021.05.006>.
- McGuire, K.D.F., Schmidt, K.T., Ta, P., Long, J.J., Yurko, M. and Kimball, S., 2022. Is it best to add native shrubs to a coastal sage scrub restoration project as seeds or as seedlings? *PLoS ONE*, 2(17), pp.1–19. <https://doi.org/https://doi.org/10.1371/journal.pone.0262410>.
- Meier, E.S., Kienast, F., Pearman, P.B., Svenning, J.-C., Thuiller, W., Jo, M.B.A., Guisan, A. and Zimmermann, N.E., 2010. Biotic and abiotic variables show little redundancy in explaining tree species distributions. *Ecography*, 33(2010), p.1038 1048. <https://doi.org/10.1111/j.1600-0587.2010.06229.x>.
- Merow, C., Smith, M.J., Jr, T.C.E., Guisan, A., McMahon, S.M., Normand, S., Thuiller, W., Wüest, R.O., Zimmermann, N.E. and Elith, J., 2014. What do we gain from simplicity versus complexity in species distribution models? *Ecography*, 37(2014), pp.1267–1281. <https://doi.org/https://doi.org/10.1111/ecog.00845>.

- Moles, A.T., Falster, D.S., Leishman, M.R. and Westoby, M., 2004. Small-seeded species produce more seeds per square metre of canopy per year, but not per individual per lifetime. *Journal of Ecology*, 92(2004), pp.384–396. <https://doi.org/https://doi.org/10.1111/j.0022-0477.2004.00880.x>.
- Moodley, D., Foxcroft, L.C., Novoa, A., Pyšková, K., Pergl, J. and Pyšek, P., 2020. Invasive alien species add to the uncertain future of protected areas. *NeoBiota*, 57(2020), pp.1–5. <https://doi.org/10.3897/neobiota.57.52188>.
- Morueta-Holme, N., Fløjgaard, C. and Svenning, J.-C., 2010. Climate Change Risks and Conservation Implications for a Threatened Small-Range Mammal Species. *PLoS ONE*, 4(5). <https://doi.org/https://doi.org/10.1371/journal.pone.0010360>.
- Mukaromah, L. and Imron, M.A., 2020. Invasive Plant Species in the Disturbed Forest of Batukahu Nature Reserve, Bali, Indonesia. *Biotropia*, 27(1), pp.22–32. <https://doi.org/https://doi.org/10.11598/btb.2020.27.1.933>.
- Mwangi, P.M., Eckard, R., Gluecks, I., Merbold, L., Mulat, D.G., Gakige, J., Marquardt, S. and Pinares-Patino, C.S., 2024. Supplementation of a tropical low-quality forage with *Calliandra calothyrsus* improves sheep health and performance, and reduces methane emission. *Frontiers in Animal Science*, 5(2024), p.1296203. <https://doi.org/https://doi.org/10.3389/fanim.2024.1296203>.
- Nasihin, I., Widhiono, I., Sudiana, E., Nurdin, Herlina, N. and Imaningsih, W., 2024. Species distribution model and population dynamics of invasive alien plant *Calliandra calothyrsus* in Gunung Ciremai National Park, West Java, Indonesia. *Biodiversitas*, 25(12), pp.4806–4815. <https://doi.org/10.13057/biodiv/d251217>.
- Ngondya, I.B. and Munishi, L.K., 2021. Impact of invasive alien plants *Gutierrezia cordifolia* and *Tagetes minuta* on native taxa in the Ngorongoro crater, Tanzania. *Scientific African*, 13(2021), p.e00946. <https://doi.org/https://doi.org/10.1016/j.sciaf.2021.e00946>.
- Nolan, M.P., Luong, J.C., Valliere, J.M., Mazer, S.J. and D'Antonio, C.M., 2023. Rethinking local seed sourcing for the restoration of a foundational grass species in California. *Restoration Ecology*, 8(31), pp.1–13. <https://doi.org/http://dx.doi.org/10.1111/rec.13992>.
- Nurjannah, S., Ayuningsih, B., Hernaman, I. and Susilawati, I., 2019. Penggunaan Kaliandra (*Calliandra Calothyrsus*), Indigofera Sp. dan Campurannya dalam Ransum sebagai Pengganti Konsentrat terhadap Produktivitas Domba Garut Jantan. *Jurnal Ilmiah Peternakan Terpadu*, 7(3), pp.293–298. <https://doi.org/http://dx.doi.org/10.23960/jipt.v7i3.p293-298>.
- Nurlaila, A., Kosasih, D., Nasihin, I. and Yusuf, M., 2019. Keanekaragaman Dan Pola Sebaran Tumbuhan Spesies Asing Invasif (Invasive Alien Species) di Taman Nasional Gunung Ciremai. In: K.E. Sularso, ed. *Prosiding Seminar Nasional dan Call for Papers; Pengembangan Sumber Daya Perdesaan dan Kearifan Lokal Berkelanjutan IX*. Purwokerto 19-20 November 2019: LPPM Unsoed. pp.63–71.
- Nutto, L., Malinovsk, J.R., Castro, G.P. and Malinovski, R.A., 2016. Tropical Forestry Handbook. In: L. Pancel and M. Köhl, eds. *Tropical Forestry Handbook*. Berlin: Springer. pp.2363–2394.
- Oh, M., Heo, Y., Lee, E.J. and Lee, H., 2021. Major environmental factors and traits of invasive alien plants determine their spatial distribution: a case study in

- Korea. *Journal of Ecology and Environment*, 45(18), pp.1–8. <https://doi.org/https://doi.org/10.1186/s41610-021-00196-9>.
- Okon, K., 2018. Sustainability of wood harvesting in tropical rainforest of Nigeria. *Eurasian Journal of Forest Science*, 2(6), pp.44–55. <https://doi.org/DOI:10.31195/ejejfs.427416>.
- Oroboade, eremiah, Awotoye, O., Jegede, M. and Olusola, J., 2023. Land use effects on plant invasion, plant communities and soil properties in Southwestern Nigeria. *Acta Ecologica Sinica*, 2023(43), pp.853–860. <https://doi.org/https://doi.org/10.1016/j.chnaes.2022.12.005>.
- Orwa, C., Mutua, A., Kindt, R., Simons, A. and Jamnadass, R.H., 2009. Agroforestry Database: a tree reference and selection guide version 4.0. [online] Available at: <<https://www.worldagroforestry.org/publication/agroforestree-database-tree-reference-and-selection-guide-version-40>>.
- Osunkoya, O.O. and Perrett, C., 2010. Lantana camara L. (Verbenaceae) invasion effects on soil physicochemical properties. *Biol Fertil Soils*, 47(3), pp.349–355. <https://doi.org/http://dx.doi.org/10.1007/s00374-010-0513-5>.
- Ouko, E., Omondi, S., Mugo, R., Wahome, A., Kasera, K., Nkurunziza, E., Kiema, J., Flores, A., Adams, E.C., Kuraru, S. and Wambua, M., 2020. Modeling Invasive Plant Species in Kenya's Northern Rangelands. *Frontiers in Environmental Science*, 8(69), pp.1–10. <https://doi.org/https://doi.org/10.3389/fenvs.2020.00069>.
- Paclibar, G.C.B. and Tadosa, E.R., 2019. Ecological niche modeling of invasive alien plant species in a protected landscape. *Global Journal of Environmental Science and Management*, 5(3), pp.371–382. <https://doi.org/10.22034/gjesm.2019.03.09>.
- Padmanaba, M., Tomlinson, K.W., Hughes, A.C. and Corlett, R.T., 2017. Alien plant invasions of protected areas in Java, Indonesia. *Scientific Reports*, 7(9334), pp.1–11. <https://doi.org/10.1038/s41598-017-09768-z>.
- Pajevic, S., Borisev, M., Orcic, D., Boza, P. and Nikolic, N., 2010. Photosynthetic and Biochemical Characteristics of Invasive Species (*Ambrosia artemisiifolia* L., *Ambrosia trifida* L. and *Iva xanthifolia* Nutt.) Depending on Soil Humidity and Phenological Phase. *Russian Journal of Ecology*, 41(6). <https://doi.org/https://doi.org/10.1134/S1067413610060068>.
- Palmer, B., Macqueen, D.J. and Gutteridge, R.C., 1994. *Calliandra calothyrsus* - a multipurpose tree legume for humid locations. In: R. gutteridge and M. Shelton, eds. *Forest Tree Legumes in Tropical Agriculture*. Wallingford, UK.: CAB International. pp.65–74.
- Palmer, S.C.F., Coulon, A. and Travis, J.M.J., 2011. Introducing a 'stochastic movement simulator' for estimating habitat connectivity. *Methods in Ecology and Evolution*, 2011(2), pp.258–268. <https://doi.org/doi:10.1111/j.2041-210X.2010.00073.x>.
- Palmolina, M. and Fauziyah, E., 2020. Pemetaan Konflik Taman Nasional Gunung Ciremai di Desa Cisantana, Cigugur, Kuningan, Jawa Barat. *Jurnal WASIAN*, 7(2), pp.137–151.
- Panda, R.M., Behera, M.D. and Roy, P.S., 2017. Assessing distributions of two invasive species of contrasting habits in future climate. *Journal of Environmental Management*, xxx(2017), pp.1–11. <https://doi.org/https://doi.org/10.1016/j.jenvman.2017.12.053>.
- Pardini, E.A., Drake, J.M., Chase, J.M. and Knight, T.M., 2009. Complex population dynamics and control of the invasive biennial *Alliaria petiolata* (garlic

- mustard). *Ecological Applications*, 19(2), pp.387–397.
<https://doi.org/https://doi.org/10.1890/08-0845.1>.
- Pascoe, S., 2022. A Simplified Algorithm for Dealing with Inconsistencies Using the Analytic Hierarchy Process. *Algorithms*, 2022(15), p.442.
<https://doi.org/https://doi.org/10.3390/a15120442>.
- Pazla, R., Adrizal and Sriagtula, R., 2021. Intake, Nutrient Digestibility and Production Performance of Pesisir Cattle Fed *Tithonia diversifolia* and *Calliandra calothyrsus*-Based Rations with Different Protein and Energy Ratios. *Adv. Anim. Vet. Sci.*, 9(10), pp.1608–1615.
<https://doi.org/http://dx.doi.org/10.17582/journal.aavs/2021/9.10.1608.1615>.
- Permatasari, R., Atikayanti, M. and Ginting, E.S., 2022. Characteristic Tests of Biopellets Made of *Calliandra* Wood as a Renewable Alternative Fuel. *International Journal of Electrical, Energy and Power System Engineerin*, 5(2), pp.45–49. <https://doi.org/https://doi.org/10.31258/ijeepse.5.2.45-49>.
- Peterson, Townsend, A. and Anamza, T., 2015. Ecological niches and present and historical geographic distributions of species: a 15-year review of frameworks, results, pitfalls, and promises. *Folia Zoologica*, 64(3), pp.207–217.
<https://doi.org/https://doi.org/10.25225/fozo.v64.i3.a3.2015>.
- Phillips, S.J., Anderson, R.P. and Schapire, R.E., 2006. Maximum entropy modeling of species geographic distributions. *Ecological Modelling*, 190(2006), pp.231–259. <https://doi.org/https://doi.org/10.1016/j.ecolmodel.2005.03.026>.
- Phillips, S.J., Anderson, R.P., Dudík, M., Schapire, R.E. and Blair, M.E., 2017. Opening the black box: an open-source release of Maxent. *Ecography*, 40(2017), pp.887–893. <https://doi.org/https://doi.org/10.1111/ecog.03049>.
- Pinzone, P., Potts, D., Pettibone, G. and I, R.W.I., 2018. Do novel weapons that degrade mycorrhizal mutualisms promote species invasion? *Plant Ecology*, 219(5), pp.1–10. <https://doi.org/https://doi.org/10.1007/s11258-018-0816-4>.
- Pu, X., Ding, W., Ye, W., Nan, X. and Lu, R., 2023. Ecosystem service research in protected areas: A systematic review of the literature on current practices and future prospects. *Ecological Indicators*, 2023(154), p.110817.
<https://doi.org/https://doi.org/10.1016/j.ecolind.2023.110817>.
- Pulliam, H.R., 2000. On the relationship between niche and distribution. *Ecology Letters*, 3(2000), p.349±361. <https://doi.org/10.1046/j.1461-0248.2000.00143>.
- Rai, P.K. and Singh, J.S., 2020. Invasive alien plant species: Their impact on environment, ecosystem services and human health. *Ecological Indicators*, 111(2020), p.106020.
<https://doi.org/https://doi.org/10.1016/j.ecolind.2019.106020>.
- Rai, P.K., 2012. Assessment of multifaceted environmental issues and model development of an Indo-Burma hotspot region. *Environ Monit Assess*, 184(2012), pp.113–131. <https://doi.org/10.1007/s10661-011-1951-8>.
- Rai, P.K., 2015. Paradigm of plant invasion: multifaceted review on sustainable management. *Environ Monit Assess*, 187(2015), p.759.
<https://doi.org/10.1007/s10661-015-4934-3>.
- Ranjitkar, S., Sujakhu, N.M., Lu, Y., Wang, Q., Wang, M., He, J., Mortimer, P.E., Xu, J., Kindt, R. and Zomer, R.J., 2016. Climate modelling for agroforestry species selection in Yunnan Province, China. *Environmental Modelling & Software*, 76(2016), pp.263–272.
<https://doi.org/http://dx.doi.org/10.1016/j.envsoft.2015.10.027>.
- Ratnayake, R.M.C.S., 2014. Why plant species become invasive? Characters related to successful biological invasion. In *Proceedings of the National Symposium*

- on *Invasive Alien Species(IAS)*, [online] 1, pp.22–42. Available at: <<https://www.researchgate.net/publication/273452847>>.
- Re, D. Da, Gilbert, M., Chaiban, C., Bourguignon, P., Thanapongtharm, W., Robinson, T.P. and Vanwambeke, S.O., 2020. Downscaling livestock census data using multivariate predictive models: Sensitivity to modifiable areal unit problem. *PLoS ONE*, 15(1), p.e0221070. <https://doi.org/https://doi.org/10.1371/journal.pone.0221070>.
- Reaser, J.K., Burgiel, S.W., Kirkey, J., Brantley, K.A., Veatch, S.D. and Burgos-Rodríguez, J., 2020. The early detection of and rapid response (EDRR) to invasive species: a conceptual framework and federal capacities assessment. *Biological Invasions*, 22(2020), pp.1–19. <https://doi.org/https://doi.org/10.1007/s10530-019-02156-w>.
- Regos, A., LauraGagne, DomingoAlcaraz-Segura, Honrado, J.P. and Domínguez, J., 2019. Effects of species traits and environmental predictors on performance and transferability of ecological niche models. *Scientific Report*, 9(4221), pp.1–14. <https://doi.org/https://doi.org/10.1038/s41598-019-40766-5>.
- Renault, D., Hess, M.C.M., Braschi, J., Cuthbert, R.N., Sperandii, M.G., Bazzichetto, M., Chabrierie, O., Thiébaud, G., Buisson, E., Grandjean, F., Bittebiere, A.-K., Mouchet, M. and Masso, F., 2022. Advancing biological invasion hypothesis testing using functional diversity indices. *Science of the Total Environment*, 2022(834), p.155102. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2022.155102>.
- Rogan, J.E. and Jr, T.E.L., 2018. Impacts of Habitat Loss and Fragmentation on Terrestrial Biodiversity. *Reference Module in Earth Systems and Environmental Sciences*. <https://doi.org/https://doi.org/10.1016/B978-0-12-409548-9.10913-3>.
- Roy, H.E., Pauchard, A., Stoett, P.J., Truong, T.R., Meyerson, L.A., Bacher, S., Galil, B.S., Hulme, P.E., Ikeda, T., Kavileveetil, S., McGeoch, M.A., Nuñez, M.A., Ordonez, A., Rahlao, S.J., Schwindt, E., Seebens, H., Sheppard, A.W., Vandvik, V., Aleksanyan, A., Ansong, M., August, T., Blanchard, R., Brugnoli, E., Bukombe, J.K., Bwalya, B., Byun, C., Camacho-Cervantes, M., Cassey, P., Castillo, M.L., Courchamp, F., Dehnen-Schmutz, K., Zenni, R.D., Egawa, C., Essl, F., Fayvush, G., Fernandez, R.D., Fernandez, M., Foxcroft, L.C., Genovesi, P., Groom, Q.J., González, A.I., Helm, A., Herrera, I., Hiremath, A.J., Howard, P.L., Hui, C., Ikegami, M., Keskin, E., Koyama, A., Ksenofontov, S., Lenzner, B., Lipinskaya, T., Lockwood, J.L., Mangwa, D.C., Martinou, A.F., McDermott, S.M., Morales, C.L., Müllerová, J., Mungi, N.A., Munishi, L.K., Ojaveer, H., Pagad, S.N., Pallewatta, N.P.K.T.S., Peacock, L.R., Per, E., Pergl, J., Preda, C., Pyšek, P., Rai, R.K., Ricciardi, A., Richardson, D.M., Riley, S., 84, B.J.R., Ryan-Colton, E., Saeedi, H., Shrestha, B.B., Simberloff, D., Tawake, A., Tricarico, E., Vanderhoeven, S., Vicente, J., Vilà, M., Wanzala, W., Werenkraut, V., Weyl, O.L.F., Wilson, J.R.U., Xavier, R.O. and Ziller, S.R., 2024. Curbing the major and growing threats from invasive alien species is urgent and achievable. *Nature Ecology & Evolution*, 8(2024), pp.1216–1223. <https://doi.org/https://doi.org/10.1038/s41559-024-02412-w>.
- Runquist, R.D.B., Lake, T., PeterTifn and Moeller, DavidA., 2019. Species distribution models throughout the invasion history of Palmer amaranth predict regions at risk of future invasion and reveal challenges with modeling rapidly

- shifting geographic ranges. *Scientific Reports*, 9(9), pp.1–12. <https://doi.org/https://doi.org/10.1038/s41598-018-38054-9>.
- Ruwanza, S., 2020. Effects of *Lantana camara* invasion on vegetation diversity and composition in the Vhembe Biosphere Reserve, Limpopo Province of South Africa. *Scientific African*, 10(2020), p.e00610. <https://doi.org/https://doi.org/10.1016/j.sciaf.2020.e00610>.
- Saaty, T.L. and Özdemir, M.S., 2015. How Many Judges Should There Be in a Group ? *Annals of Data Science*, 1(2014), pp.359–368. <https://doi.org/DOI:10.1007/s40745-014-0026-4>.
- Saaty, T.L., 2008. Decision making with the analytic hierarchy process. *Int. J. Services Sciences*, 1(1), pp.83–98. <https://doi.org/https://doi.org/10.1504/IJSSCI.2008.017590>.
- Salawu, M.B., Acamovic, T., Stewart, C.S. and Maasdorp, B., 1997. Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipelicolic acid and polyethylene glycol on in vitro organic matter digestibility. *Animal Feed Science Technology*, 69(1997), pp.207–217. [https://doi.org/https://doi.org/10.1016/S0377-8401\(97\)81636-7](https://doi.org/https://doi.org/10.1016/S0377-8401(97)81636-7).
- Saputra, N.A., Darmawan, S., Efiyanti, L., Hendra, D., Wibowo, S., Santoso, A., Djarwanto, Gusmailina, Komarayati, S., Indrawan, D.A., Yuniawati, Nawawi, D.S., Maddu, A., Pari, G. and Syafii, W., 2022. A Novel Mesoporous Activated Carbon Derived from *Calliandra calothyrsus* via Physical Activation: Saturation and Superheated. *Energies*, 15(18), pp.1–16. <https://doi.org/https://doi.org/10.3390/en15186675>.
- Saranya, K.R.L., Lakshmi, T.V. and Reddy, C.S., 2021. Predicting the potential sites of *Chromolaena odorata* and *Lantana camara* in forest landscape of Eastern Ghats using habitat suitability models. *Ecological Informatics*, 66(2021), p.101455. <https://doi.org/https://doi.org/10.1016/j.ecoinf.2021.101455>.
- Sayfullloh, A., Riniarti, M. and Santoso, T., 2020. Jenis-Jenis Tumbuhan Asing Invasif di Resort Sukaraja Atas, Taman Nasional Bukit Barisan Selatan. *Jurnal Sylva Lestari*, 8(1), pp.109–120. <https://doi.org/https://doi.org/10.23960/jsl18109-120>.
- Setyawati, T., Narulita, S., Bahri, I.P., Raharjo, G.T., Partomihardjo, Prof.Dr.T., Tjitrosoedirdjo, Dr.S. and Sunaryo, Dr., 2015. *A Guide Book to Invasive Alien Plant Species in Indonesia*. Bogor: Research, Development and Innovation Agency. Ministry of Environment and Forestry.
- Shaw, N., Barak, R.S., Campbell, R.E., Kirmer, A., Pedrini, S., Dixon, K. and Frischie, S., 2020. Seed use in the field: Delivering seeds for restoration success. *Restoration Ecology*, 28(S3), pp.S276–S285. <https://doi.org/https://doi.org/10.1111/rec.13210>.
- Shrestha, U.B., Sharma, K.P., Devkota, A., Siwakoti, M. and Shrestha, B.B., 2018. Potential impact of climate change on the distribution of six invasive alien plants in Nepal. *Ecological Indicators*, 95(2018), pp.99–107. <https://doi.org/https://doi.org/10.1016/j.ecolind.2018.07.009>.
- Silveira, M.J. and Thiebaut, G., 2020. Effect of density and neighbours on interactions between invasive plants of similar growth form. *Aquatic Ecology*, 54(2). <https://doi.org/https://doi.org/10.1007/s10452-020-09753-1>.
- Singh, H.P., Batish, D.R., Dogra, K.S., Kaur, S., Kohli, R.K. and Negi, A., 2014. Negative effect of litter of invasive weed *Lantana camara* on structure and composition of vegetation in the lower Siwalik Hills, northern India.

- Environmental Monitoring and Assessment*, 186(2014), pp.3379–3389.
<https://doi.org/https://doi.org/10.1007/s10661-014-3624-x>.
- Singh, K. and Byun, C., 2023. Ecological restoration after management of invasive alien plants. *Ecological Engineering*, 2023(197), p.107122.
<https://doi.org/https://doi.org/10.1016/j.ecoleng.2023.107122>.
- Sittaro, F., Hutengs, C. and Vohland, M., 2023. Which factors determine the invasion of plant species? Machine learning based habitat modelling integrating environmental factors and climate scenarios. *International Journal of Applied Earth Observation and Geoinformation*, 2023(116), p.103158.
<https://doi.org/https://doi.org/10.1016/j.jag.2022.103158>.
- Srivastava, V., Lafond, V. and Griess, V.C., 2019. Species distribution models (SDM): applications, benefits and challenges in invasive species management. *CABI Reviews*, 14(20), pp.1–13.
<https://doi.org/https://doi.org/10.1079/PAVSNNR201914020>.
- Stevens, P.F., 2017. *Angiosperm Phylogeny Website, Version 14*. July, 2017 ed. [online] Available at: <<http://www.mobot.org/MOBOT/research/APweb/>>.
- Sujeeun, L. and Thomas, S.C., 2017. Potential of Biochar to Mitigate Allelopathic Effects in Tropical Island Invasive Plants: Evidence From Seed Germination Trials. *Tropical Conservation Science*, 2017(10), pp.1–14.
<https://doi.org/https://doi.org/10.1177/1940082917697264>.
- Supartono, T., Adhya, I., Kosasih, D. and Wildani, W., 2023. Tree species diversity adapted to *Pinus merkusii* forests in Gunung Ciremai National Park, West Java, Indonesia. *Biodiversitas*, 24(8). <https://doi.org/DOI:10.13057/biodiv/d240813>.
- Sutomo and Etten, E. van, 2017. Species distribution model of invasive alien species *Acacia nilotica* for Central-Eastern Indonesia using Biodiversity Climate Change Virtual Laboratory (BCCVL). *Tropical Drylands*, 1(1), pp.36–42.
<https://doi.org/10.13057/tropdrylands/t010106>.
- Syamsuardi, Nurainas, Yuranti, W., Yulianti, W. and Usman, S., 2016. Floristic analysis of alien invasive plant species at some conservation areas in tropical forest of West Sumatra. *Der Pharmacia Lettre*, [online] 19(8), pp.237–245. Available at: <<http://scholarsresearchlibrary.com/archive.html>>.
- Syamsuwida, D., Kurniatya, R., Putri, K.P. and Suita, E., 2014. Kaliandra (*Calliandra calothyrsus*) as a Timber for Energy: In a Point of View of Seeds and Seedlings Procurement. *Energy Procedia*, 47(2014), pp.62 – 70.
<https://doi.org/https://doi.org/10.1016/j.egypro.2014.01.197>.
- Takada, T. and Kawai, Y., 2020. An analysis of elasticity vector distribution specific to semelparous species using randomly generated population projection matrices and the COMPADRE Plant Matrix Database. *Ecological Modelling*, 431(2020 109125), p.109125.
<https://doi.org/https://doi.org/10.1016/j.ecolmodel.2020.109125>.
- Tjitrosoedirdjo, S.S., Mawardi, I. and Tjitrosoedirdjo, S., 2016. *75 Important Invasive Plant Species in Indonesia*. Bogor, Indonesia: SEAMEOBIOTROP (Southeast Asian Regional Centre for Tropical Biology).
- Tonini, F., Shoemaker, D., Petrasova, A., Harmon, B., Petras, V., Cobb, R.C., Mitasova, H. and Meentemeyer, R.K., 2017. Tangible geospatial modeling for collaborative solutions to invasive species management. *Environmental Modelling & Software*, 92(2017), pp.176–188.
<https://doi.org/http://dx.doi.org/10.1016/j.envsoft.2017.02.020>.

- Tu, W., Xiong, Q., Qiu, X. and Zhang, Y., 2021. Dynamics of invasive alien plant species in China under climate change scenarios. *Ecological Indicators*, 129(107919), pp.1–13. <https://doi.org/https://doi.org/10.1016/j.ecolind.2021.107919>.
- Uddin, M.N. and Robinson, R.W., 2017. Allelopathy and resource competition: the effects of *Phragmites australis* invasion in plant communities. *Botanical Sciences*, 58(29), pp.1–12. <https://doi.org/10.1186/s40529-017-0183-9>.
- Urban, M.C., Bocedi, G., Hendry, A.P., Mithou, J.-B., Peter, G., Singer, A., Bridle, J.R., Crozier, L.G., Meester, L. De, Godsoe, W., Gonzalez, A., Hellmann, J.J., Holt, R.D., Huth, A., Johst, K., Krug, C.B., Leadley, P.W., Palmer, S.C.F., Pantel, J.H., Schmitz, A., Zollner, P.A. and Travis, J.M.J., 2016. Improving the forecast for biodiversity under climate change. *Science*, 353(6304). <https://doi.org/https://doi.org/10.1126/science.aad8466>.
- Varela, S., Lobo, J.M. and Hortal, J., 2011. Using species distribution models in paleobiogeography: A matter of data, predictors and concepts. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 310(2011), pp.451–463. <https://doi.org/http://dx.doi.org/10.1016/j.palaeo.2011.07.021>.
- Vesk, P.A., Morris, W.K., Neal, W.C., Mokany, K. and Pollock, L.J., 2021. Transferability of trait-based species distribution models. *Ecography*, 44(2021), pp.134–147. <https://doi.org/http://dx.doi.org/10.1111/ecog.05179>.
- Vicente, J.R., Fernandes, R.F., Randin, C.F., Broennimann, O., Gonçalves, J., Marcos, B., Pôças, I., Alves, P. and A. Guisan, c J.P. Honrado, e, 2013. Will climate change drive alien invasive plants into areas of high protection value? An improved model-based regional assessment to prioritise the management of invasions. *Journal of Environmental Management*, 131(2013), pp.185–195. <https://doi.org/https://doi.org/10.1016/j.jenvman.2013.09.032>.
- Vries, C. de, Desharnais, R.A. and Caswell, H., 2020. A matrix model for density-dependent selection in stage-classified populations, with application to pesticide resistance in *Tribolium*. *Ecological Modelling*, 416(2020), p.108875. <https://doi.org/https://doi.org/10.1016/j.ecolmodel.2019.108875>.
- Wang, J., Seliskar, D.M., Gallagher, J.L. and League, M.T., 2006. Blocking *Phragmites australis* reinvasion of restored marshes using plants selected from wild populations and tissue culture. *Wetlands Ecol Manage*, 2006(14), pp.539–547. <https://doi.org/10.1007/s11273-006-9006-6>.
- Wang, R., Kang, X., Quan, G. and Zhang, J., 2015a. Influence of *Lantana camara* on soil II. Effects of *Lantana camara* leaf litter on plants and soil properties. *Allelopathy Journal*, 35(2), pp.207–216.
- Wang, R., Kang, X., Quan, G. and Zhang, J., 2015b. Influence of *Lantana camara* on soil II. Effects of *Lantana camara* leaf litter on plants and soil properties. *Allelopathy Journal*, 35(2), pp.207–216.
- Wang, R., Quan, G., Kang, X., Zhang, J. and Qin, Z., 2015c. Influence of *Lantana camara* on soil I. Effects on soil chemical properties, enzymes and microorganisms. *Allelopathy Journal*, 35(2), pp.197–206.
- Wang, W.J., He, H.S., I, F.R.T.I.I., Spetich, M.A. and Fraser, J.S., 2018. Effects of species biological traits and environmental heterogeneity on simulated tree species distribution shifts under climate change. *Science of the Total Environment*, 634(2018), pp.1214–1221. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2018.03.353>.

- Wardle, D.A., Zackrisson, O. and Nilsson, M.-C., 1998. The charcoal effect in Boreal forests: mechanisms and ecological consequences. *Oecologia*, 3(115), pp.419–426. <https://doi.org/https://doi.org/10.1007/s004420050536>.
- Watkinson, A.R., 1997. Plant Population Dynamics. In: M.J. Crawley, ed. *Plant Ecology*, Second Edition. Oxford: Blackwell Science Ltd. pp.395–400.
- Weidlich, E.W.A., Nelson, C.R., Maron, J.L., Callaway, R.M., Delory, B.M. and Temperton, V.M., 2021. Priority effects and ecological restoration. *Restoration Ecology*, 29(1). <https://doi.org/https://doi.org/10.1111/rec.13317>.
- Widyati, E., Sutiyono, Darwo, Mindawati, N., Yulianti, M., Prameswari, D., Abdulah, L., Yuniarti, K. and Baral, H., 2022. Optimum plant density and harvest age for maximizing productivity and minimizing competition in a Calliandra short-rotation-coppice plantation in West Java, Indonesia. *Forest Science and Technology*, 18(1), pp.26–35. <https://doi.org/https://doi.org/10.1080/21580103.2022.2039305>.
- Wilson, J.R.U., Gairifo, C., Gibson, M.R., Arianoutsou, M., Bakar, B.B., Baret, S., phane, Celesti-Grapow, L., DiTomaso, J.M., Dufour-Dror, J.-M., Kueffer, C., Kull, C.A., Hoffmann, J.H., Impson, F.A.C., Loope, L.L., Marchante, E., Marchante, H., lia, Moore, J.L., Murphy, D.J., Tassin, J., Witt, A., Zenni, R.D. and Richardson, D.M., 2011. Risk assessment, eradication, and biological control: global efforts to limit Australian acacia invasions. *Diversity and Distributions*, 17(5), pp.1030 – 1046. <https://doi.org/DOI:10.1111/j.1472-4642.2011.00815.x>.
- Wisn, M.S., Pottier, J., Kissling, W.D., Pellissier, L., Lenoir, J., Damgaard, C.F., Dormann, C.F., Forchhammer, M.C., Grytnes, J.-A., Guisan, A., Heikkinen, R.K., Høye, T.T., ühn, I.K., Luoto, M., Maiorano, L., Nilsson, M.-C., Normand, S., Ockinger, E., Schmidt, N.M., Termansen, M., Timmermann, A., Wardle, D.A., Aastrup, P. and Svenning, J.-C., 2013. The role of biotic interactions in shaping distributions and realised assemblages of species: implications for species distribution modelling. *Biological Reviews*, 88(1), pp.15–30.
- Xiong, Q., Luo, X., Liang, P., Xiao, Y., Xiao, Q., Sun, H., Pan, K., Wang, L., Li, L. and Pang, X., 2020. Fire from policy, human interventions, or biophysical factors? Temporal–spatial patterns of forest fire in southwestern China. *Forest Ecology and Management*, 474(2020), p.118381. <https://doi.org/https://doi.org/10.1016/j.foreco.2020.118381>.
- Xiong, Q., Xiao, Y., A, H.W., A, D.M., Liang, P., Liu, C., Zhang, L., Bikram, P., Pan, K., B, E.K.S. and Chen, J., 2019. Monitoring the impact of climate change and human activities on grassland vegetation dynamics in the northeastern Qinghai-Tibet Plateau of China during 2000–2015. *J. Arid Land*, 11(2019), pp.637–651. <https://doi.org/https://doi.org/10.1007/s40333-019-0061-2>.
- Xu, Z., Ren, H., Wei, X., Ouyang, K., Li, D., Guo, Y., Wen, S., Long, J., Wang, J. and Hui, D., 2021. Distribution and conservation status of *Camellia longzhouensis* (Theaceae), a critically endangered plant species endemic to southern China. *Global Ecology and Conservation*, 27, p.e01585. <https://doi.org/10.1016/J.GECCO.2021.E01585>.
- Yaliwal, V.S., Adaganti, S.Y., Kulkarni, B.M. and Desai, G.P., 2014. Production of renewable and sustainable fuel from *Calliandra calothyrsus* and its utilisation in compression ignition engines. *International Journal of Sustainable Engineering*, 7(1), pp.41–54. <https://doi.org/http://dx.doi.org/10.1080/19397038.2013.801530>.

- Yan, H., Feng, L., Zhao, Y., Feng, L., Zhu, C., Qu, Y. and h, H.W., 2020. Predicting the potential distribution of an invasive species, *Erigeron canadensis* L., in China with a maximum entropy model. *Global Ecology and Conservation*, 21(2020), p.e00822. <https://doi.org/https://doi.org/10.1016/j.gecco.2019.e00822>.
- Yang, H., Yang, W., Zhang, J., Connor, T. and Liu, J., 2018. Revealing pathways from payments for ecosystem services to socioeconomic outcomes. *Science Advances*, 4(3), pp.1–7. <https://doi.org/https://doi.org/10.1126/sciadv.aao6652>.
- Yudaputra, A., 2020. Modelling potential current distribution and future dispersal of an invasive species *Calliandra calothyrsus* in Bali Island, Indonesia. *Biodiversitas Journal of Biological Diversity*, [online] 21(2), pp.674–682. <https://doi.org/10.13057/biodiv/d210233>.
- Yudaputra, A., R, D.S. and Sudarmono, 2019. Projecting the Niche (Suitable Habitats) of Invasive Species: Approaches, Challenges, and Consequences. In: A.N. Rachmadiyanto and A.Y. Putra, eds. *The 3rd SATREPS Conference*. Bogor, Indonesia: Research Center for Plant Conservation and Botanic Gardens. pp.50–58.
- Yuniawati and Tampubolon, R.M., 2021. Mengurangi Keterbukaan Hutan Melalui Teknik Pemanenan Kayu yang Tepat di Hutan Alam. *Jurnal Ilmu Lingkungan*, 19(2), pp.373–382. <https://doi.org/doi:10.14710/jil.19.2.373-382>.
- Zahra, S., Hofstetter, R.W., Waring, K.M. and Gehring, C., 2020. The invasion of *Acacia nilotica* in Baluran National Park, Indonesia, and potential future control strategie. *Biodiversitas*, 21(1), pp.104–116. <https://doi.org/DOI:10.13057/biodiv/d210115>.
- Zakharova, L., Meyer, K.M. and Seifan, M., 2019. Trait-based modelling in ecology: A review of two decades of research. *Ecological Modelling*, 407(2019). <https://doi.org/https://doi.org/10.1016/j.ecolmodel.2019.05.008>.
- Zhang, B., Cadotte, M.W., Chen, S., Tan, X., You, C., Ren, T., Chen, M., Wang, S., Li, W., Chu, C., Jiang, L., Bai, Y., Huang, J. and Han, X., 2019. Plants alter their vertical root distribution rather than biomass allocation in response to changing precipitation. *Ecology*, 100(11), p.e02828. <https://doi.org/10.1002/ecy.2828>.
- Zuhri, M. and Mutaqien, Z., 2013. The Spread of Non-native Plant Species Collection of Cibodas Botanical Garden into Mt. Gede Pangrango National Park. *J. Trop. Life. Science*, 3(2), pp.74–82.
- Zulfa, I.H., Kustantinah, Indarto, E., Zuprizal and Dono, N.D., 2019. *Calliandra calothyrsus* as a protein source in goat's diets: Study of feed intake and ruminal fermentation parameters. *IOP Conference Series: Earth and Environmental And Resource Economics*, 387(2019), p.12109. <https://doi.org/10.1088/1755-1315/387/1/012109>.