

DAFTAR PUSTAKA

- Ahyong, S. T., and Yeo, D. C. J. 2007. Feral populations of the Australian Red-Claw crayfish (*Cherax quadricarinatus* von Martens) in water supply catchments of Singapore. *Biological Invasions*, **9**(8), 943–946.
- Alfianto, A., dan Soewarno. 2014. Teknosabo Untuk Mengatasi Sedimentasi Di Daerah Tangkapan Air Waduk (Kasus Waduk Mrica). *Teknik Hidraulik*, **5**, 83–98.
- Anderson, W. and Simon, T. 2015. Lenght-Weight Relationship, Body Morphometrics, and Condition based on Sexual Stage in the Rusty Crayfish, *Orconectes Rusticus* Girard, 1852 with Emphassion Management Implications. *Fishery Aquatic*, **6**(3).
- Anggraini, D., S.A., P., dan Wulandari, D. A. 2019. Analisis Ekonomi Pengendalian Sedimentasi Waduk Mrica. *Riset Dan Konseptual*, **4**(4), 567.
- Cantik, B. K. P., Legono, D., dan Rahardjo, A. P. 2021. Efektivitas Penggelontoran Sedimen (*Flushing*) Studi Kasus Waduk Pb Soedirman. *Jurnal Teknik Sipil*, **16**(1), 14–23.
- Coughran, J., and Leckie, S. 2007. Invasion of a New South Wales stream by the Tropical Crayfish, *Cherax quadricarinatus* (von Martens). In *Pest or Guest: The Zoology of Overabundance* (pp. 40–46).
- Dina, R., Wowor, D., dan Hamdani, A. 2013. Lobster Air Tawar (*Cherax quadricarinatus*), Spesies Asing Baru Di Perairan Danau Maninjau, Sumatra Barat. *Limnotek*, **20**(2), 159–168.
- Effendi, M. 2002. *Biologi Perikanan* (Vol 2). Yayasan Pustaka Nusantara, Yogyakarta.
- Efraldo, O. M., Pramonowibowo, dan Asriyanto. 2014. Perbandingan Efektivitas Penangkapan Alat Tangkap Bubu Lobster dengan Krendet Air Tawar (*Tangle Gear*) pada Perairan Rawa Pening. *Journal of Fisheries Resource Utilization Management and Technology*, **3**(July 2013), 1–9.
- Faiz, A., Danakusumah, E., dan Dhewantara, Y. L. 2021. Efektivitas Kepadatan Benih Lobster Air Tawar (*Cherax quadricarinatus*) yang Berbeda Terhadap Pertumbuhan dan Kelangsungan Hidup pada Sistem Resirkulasi. *Jurnal Ilmiah Satya Minabahari*, **6**(2), 56–70.
- Hartanto, M. T., Effendi, I., Prartono, T., Puradiredja, S. P., Lestari, D. F., Susanti, S., dan Salsabila, A. 2024. Kondisi Oseanografi dan Kesesuaian Lokasi Budidaya Lobster Di Perairan Teluk Pidada, Lampung. *Jurnal Teknologi Perikanan Dan Kelautan*, **15**(3), 285–297.
- Hasuba, T. F., Findra, M. N., Disnawati, Sudarno, Wahyudi, A. I., Zurba, N., dan Permatahati, Y. I. 2024. Rekam awal dan peta distribusi spesies invasif lobster air tawar capit merah (*Cherax quadricarinatus*) di perairan Sulawesi

- Tenggara, Indonesia. *Innovative: Journal Of Social Science Research*, **4**(4), 4124–4132.
- Idrus, S. N. ., Sallehuddin, A. S., Kamaruddin, A. S., Dali, M. Z. ., Kassim, Z., Lokman, M. I. and Ismail, N. 2021. Length-weight relationship and condition factor of Australian red claw crayfish (*Cherax quadricarinatus*) from three locations in Peninsular Malaysia. *Bioscience Research*, **18**(2), 413–420.
- Iqbal, M. A., Setyobudiandi, I., Krisanti, M., dan Wardiatno, Y. 2019. Produksi Telur *Cherax quadricarinatus* (von Martens, 1868) di Danau Lido, Jawa Barat. *Pengelolaan Perikanan Tropis*, 3(Tumembouw 2011).
- Iskandar. 2003. *Budidaya Lobster Air Tawar*. Agromedia Pustaka.
- Jamlean, Y. G., Bataragoa, N. E., dan Tombakan, J. L. 2018. Penangkapan Dan Hubungan Panjang-Berat Lobster Air Tawar *Cherax Quadricarinatus* Von Martens, 1868 Di Danau Tondano Kecamatan Kakas, Kabupaten Minahasa, Sulawesi Utara. *Jurnal Ilmiah Platax*, **6**(1), 1–8.
- Jones, C. M., and Rusco, I. M. 2000. Assessment of stocking size and density in the production of redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda: Parastacidae), cultured under earthen pond conditions. *Aquaculture*, **189**(1–2), 63–71.
- Karim, M., Rachmawati, D., dan Nugroho, R. 2017. Perbandingan Rasio Kelamin dan Laju Pertumbuhan Lobster Air Tawar *Cherax quadricarinatus* dalam Sistem Budidaya Tertutup. *Akuakultur Tropika*, **2**(1), 20–26.
- Koepper, S., Revie, C. W., Stryhn, H., Clark, K. F., Scott-Tibbetts, S., and Thakur, K. K. 2021. Spatial and temporal patterns in the sex ratio of American lobsters (*Homarus americanus*) in southwestern Nova Scotia, Canada. In *Scientific Reports* (**Vol. 11**, Issue 1). Nature Publishing Group UK.
- Krebs, C. 1989. *Ecology: The Experimental Analysis of Distribution and Abundance* (Third). Harper and Row.
- Kuhu, R., Mantiri, R. O. S. ., dan Tombakan, J. L. 2019. Beberapa Aspek Biologi Lobster Air Tawar *Cherax quadricarinatus* di Sungai Ralik Minahasa Tenggara dan Danau Tondano Minahasa. *Jurnal Ilmiah Platax*, **7**(1), 34–41.
- Kurniawan, W., Saputra, S. W., dan Solichin, A. 2016. Beberapa Aspek Biologi Lobster Air Tawar (*Cherax quadricarinatus*) Yang Ditangkap Dengan Bubu di Perairan Rawa Pening Kabupaten Semarang. *Diponegoro Journal of Maquares*, **5**(1), 24–31.
- Le Cren, E. D. 1951. The Length-Weight Relationship and Seasonal Cycle in Gonad Weight and Condition in the Perch (*Perca fluviatilis*). *Journal of Animal Ecology*, **20**(2), 201–219.
- Lempoy, R., Rondonuwu, A. B., and Bataragoa, N. E. 2020. Size, Length-Weight Relationship And Condition Factor Of Banggai Cardinal Fish, *Pterapogon Kauderni* Koumans, 1933 In Lembeh Strait North Sulawesi. *Jurnal Ilmiah*

Platax, 8(1), 30.

- Lengka, K., Kolopita, M., dan Asma, S. 2013. Teknik Budidaya Lobster (*Cherax quadricarinatus*) Air Tawar di Balai Budidaya Air Tawar (BBAT) Tatelu. *E-Journal BUDIDAYA PERAIRAN*, 1(1), 15–21.
- Lukito, A., dan Prayugo, S. 2007. *Panduan Lengkap Lobster Air Tawar* (Cet.1). Jakarta Penebar Swadaya.
- Mandiri, T. K. T. 2010. *Pedoman Budidaya Lobster Air Tawar*. Bandung : CV Nuansa Aulia.
- Marhendi, T., dan Salim, A. 2014. Penentuan Erosi Lahan Menggunakan Formula USLE dengan Dasar Karakteristik Tanah. *Techno*, 2:9–14.
- Mubarik, A. L., Rosyadi, H., Latrianto, A., Farahdilla, N., Empira, D. E. P., Nurfaiz, A., dan Damanik, W. F. 2021. Komunitas iktiofauna di zona litoral waduk Mrica, Banjarnegara, Jawa Tengah. *Prosiding Seminar Nasional Bio 2021, June*, 823–834.
- Muthahharah, I., dan Mar'ah, Z. 2024. Statistika Multivariat. In A. Isma (Ed.), *Tahta Media Group* (Pertama, M). Tahta Media Group.
- Pauly, D. 1984. *Fish Population Dynamics in Tropical Waters: A Manual for Use with Programmable Calculators*. International Centre for Living Aquatic Resource Management, Philippines.
- Putra, Y. pramana, Windarti, and Efawani. 2016. Feeding Habit Of Freshwater Lobster (*Cherax quadricarinatus*) In The Riau University Aquatic Ecosystem. *Tesis Doctoral*, 18(2), 33–37.
- Rahman. 2009. *Pertumbuhan Alometrik Pengukuran Panjang dan Berat*. Swadaya, Jakarta.
- Ramadhan, A., dan Wibowo, E. 2021. Kelimpahan dan Distribusi Lobster Air Tawar (*Cherax quadricarinatus*) di Waduk Darma, Jawa Barat. *Perikanan Tropis*, 9(1), 45–52.
- Ricker, W. 1975. *Computation and Interpretation of Biological Statistic of Fish Population*. Departement of the Environment, Pacific Biological Station.
- Riek, E. 1969. The Australian freshwater crayfish (Crustacea : Decapoda : Parastacidae), with descriptions of a new species. *Australian Journal of Zoology*, 17(5), 855–918.
- Setyanto, A., Sambah, A. B., Widhiastika, D., Soemarno, Wiadnya, D. G. R., and Prayogo, C. 2021. Population structure and biological aspects of lobster (*Panulirus spp.*) of the Madura Strait landed in Situbondo of East Java, Indonesia. In *IOP Conference Series: Earth and Environmental Science* (Vol. 919, Issue 1).
- Situmorang, J., Darmawan, dan Filawati. 2021. Perbandingan Hasil Tangkapan Lobster Air Tawar (*Cherax quadricarinatus*) pada Waktu Penangkapan Siang

- dan Malam Hari di Desa Sangkal, Danau Toba Kecamatan Simanindo Kabupaten Samosir Provinsi Sumatra Utara. *Pengelolaan Sumberdaya Perairan*, 5(1), 13–23.
- Sokal, R. R., dan Rohlf, F. J. 1981. *Biometry* (J. Wilson (ed.); 2nd ed.). W.H. Freeman and Company.
- Sparre, P., dan Venema, S. 1999. *Introduksi Pengkajian Stok Ikan Tropis (Buku 1: Manual)*. Pusat Penelitian dan Pengembangan Perikanan, Badan Penelitian dan Pengembangan Pertanian, Jakarta.
- Sparre, P., dan Venema, S. C. 1998. *Introduction to tropical stock assesment* (1st ed.). FAO.
- Suhermat, M., Dimyati, M., Supriatna, Martono, and Susanti, I. 2021. Lobster aquaculture location selection based on oceanographic conditions using remote sensing (Case study: Ciletuh Bay, Sukabumi, Indonesia). In *IOP Conference Series: Earth and Environmental Science* (Vol. 846, Issue 1).
- Sukmajaya, Y., dan Suharja, I. 2003. *Lobster Air Tawar : Komoditas Perikanan Prospektif* (1st ed.). Agro Media Pustaka, Jakarta.
- Syafei, L. S., dan Sudinno, D. 2018. Ikan Asing Invasif, Tantangan Keberlanjutan Biodiversitas Perairan. *Jurnal Penyuluhan Perikanan Dan Kelautan*, 12(3), 149–165.
- Vemilia, Puspito, G., Komarudin, D., dan Yusfiandayani, R. 2022. Konstruksi Perangkap Lipat untuk Menangkap Lobster Air Tawar (*Cherax sp.*). *ALBACORE Jurnal Penelitian Perikanan Laut*, 5(3), 251–264.
- Weya, J., Rumbiak, N., Hariyanto, S., Irawan, B., and Soegianto, A. 2017. Length-Weight Relationship and Factor Condition of Crayfish from South Sorong and Jaya Wijaya, Papua, Indonesia. *Croatian Journal of Fisheries*, 1(75), 18–24.
- Wicaksono, C. W., Mashar, A., and Wardiatno, Y. 2021. Population stimation of an invasive alien species, *Cherax quadricarinatus* (von Martens, 1868) in Lido Lake, Indonesia. *Journal of Environmental and Agricultural Studies*, 2(2), 1–10.
- Widha, W. 2003. *Beberapa Aspek Biologi Reproduksi Lobster Air Tawar Jenis Redclaw (Cherax quadricarinatus, von Martens; Crustacea; Parastacidae)*. Institut Pertanian Bogor, Indonesia.
- Wiyanto, R. H., dan Hartono, R. 2007. *Merawat Lobster Hias di Aquarium* (Cet.6). Jakarta Penebar Swadaya.
- Wulandari, D. A. 2007. Penanganan Sedimentasi Waduk Mrica. *Berkala Ilmiah Teknik Keairan*, 13(4), 264–271.
- Xiang, H., Liu, M., Zhang, C., and Wang, Y. 2023. Effects of Low Current Velocity on Sedimentation and Macroinvertebrate Dynamic in a Shallow Reservoir. *Aquatic Living Resources*, 36, 58.
- Yeh, H. S., and Rouse, D. B. 1995. Effect of Water Temperature, Density, and Sex

- Ratio on The Spawning Rate of Red Claw Crayfish *Cherax quadricarinatus* (von Martens). *Journal of the World Aquaculture Society*, **26**(2), 160–164.
- Zaky, K. A., Rahim, A. R., dan Aminin, A. 2020. Jenis Shelter Yang Berbeda Terhadap Pertumbuhan Dan Sintasan Lobster Air Tawar Red Claw (*Cherax quadricarinatus*). *Jurnal Perikanan Pantura (JPP)*, **3**(1), 23.

