

DAFTAR PUSTAKA

- Agarwal, B., Broutman, L., & Chandrashekhara. (2006). *Analysis and Performance of Fiber Composites* (3rd ed.). John Wiley & Sons, Inc.
- Ahmad, Z., Tajuddin, M., Maleque, M. A., & Halim, Z. (2019). Effects of Particle Sizes on the Properties of Binderless Boards Made from Rattan Furniture Waste. *Journal of Engineering Science*, 15, 49–61.
<https://doi.org/10.21315/jes2019.15.5>
- Ahmadi, Z. (2019). Nanostructured epoxy adhesives: A review. *Progress in Organic Coatings*, 135, 449–453.
<https://doi.org/10.1016/j.porgcoat.2019.06.028>
- Aji, S. M., & Pahmi, M. A. (2024). Peningkatan Kualitas Komponen Plate Baterai Type VA 1.2 Menggunakan Metode House Of Quality: Studi Kasus Proses Mesin Pasting. *JENIUS: Jurnal Terapan Teknik Industri*, 5(1), 156–168.
<https://doi.org/10.37373/jenius.v5i1.1054>
- Alipour, A., & Jayaraman, K. (2024). Performance of Flax/Epoxy Composites Made from Fabrics of Different Structures. *Fibers*, 12(4), 34.
<https://doi.org/10.3390/fib12040034>
- Asim, M., Saba, N., Jawaid, M., & Nasir, M. (2018). Potential of natural fiber/biomass filler-reinforced polymer composites in aerospace applications. In *Sustainable Composites for Aerospace Applications* (pp. 253–268). Elsevier. <https://doi.org/10.1016/B978-0-08-102131-6.00012-8>
- Bello, S. A., Agunsoye, J. O., Hassan, S. B., Zebase Kana, M. G., & Raheem, I. A. (2015). Epoxy Resin Based Composites, Mechanical and Tribological Properties: A Review. *Tribology in Industry*, 37(4), 500–524.
www.tribology.fink.rs
- Callister, W., & Rethwisch, D. (2018). *Materials Science and Engineering: An Introduction* (L. Ratts & A. Patterson, Eds.; 10th ed.).
- Capricho, J. C., Fox, B., & Hameed, N. (2019). Multifunctionality in Epoxy Resins. *Polymer Reviews*, 60(1), 1–41.
<https://doi.org/10.1080/15583724.2019.1650063>

- Chan, L.-K., & Wu, M.-L. (2002). Quality function deployment: A literature review. *European Journal of Operational Research*, 143(3), 463–497. [https://doi.org/10.1016/S0377-2217\(02\)00178-9](https://doi.org/10.1016/S0377-2217(02)00178-9)
- Chen, Y. (2019). Exploring Design Guidelines of Using User-Centered Design in Gamification Development: A Delphi Study. *International Journal of Human–Computer Interaction*, 35(13), 1170–1181. <https://doi.org/10.1080/10447318.2018.1514823>
- Daniel, I., & Ishai, O. (2006). *ENGINEERING MECHANICS OF COMPOSITE MATERIALS* (2nd ed.). Oxford Univesity Press, Inc.
- Desiasni, R., Azman, N., & Widyawati, F. (2023). Sifat Fisik Dan Mekanik Komposit Papan Partikel Berdasarkan Variasi Ukuran Serbuk Kayu Mahoni (*Swietenia Macrophylla*) Sebagai Material Alternatif: Papan Komposit. *TAMBORA*, 7(2), 78–83. <https://doi.org/10.36761/jt.v7i2.2714>
- Ding, L., Han, X., Cao, L., Chen, Y., Ling, Z., Han, J., He, S., & Jiang, S. (2022). Characterization of natural fiber from manau rattan (*Calamus manan*) as a potential reinforcement for polymer-based composites. *Journal of Bioresources and Bioproducts*, 7(3), 190–200. <https://doi.org/10.1016/j.jobab.2021.11.002>
- Djafar, Z., Renreng, I., & Jannah, M. (2021). Tensile and Bending Strength Analysis of Ramie Fiber and Woven Ramie Reinforced Epoxy Composite. *Journal of Natural Fibers*, 18(12), 2315–2326. <https://doi.org/10.1080/15440478.2020.1726242>
- Fadkhurosi, A. (2023). Analisis Parson Product Moment dan Alpha Cronbach dalam Pengembangan Need Assesment Bimbingan dan Konseling. *Jurnal Muria Research Guidance and Counseling (MRGC)*, 2(1), 40–47. <https://doi.org/10.24176/mrgc.v2i1.9451>
- Fiore, V. (2020). Natural Fibres and Their Composites. *Polymers*, 12(10), 2380. <https://doi.org/10.3390/polym12102380>
- Firdaus, F. E., & Dachyar, M. (2018). Fiber Surface Modification; Characterization of Rattan Fiber Reinforced Composite. *International Journal of Engineering & Technology*, 7(3), 113–116. www.sciencepubco.com/index.php/IJET

- Garvin, D. A. (1988). *Managing Quality: Strategic and Competitive Edge*. The Free Press.
- Gibson, R. F. (2016). *Principles of Composite Material Mechanics*. CRC Press.
<https://doi.org/10.1201/b19626>
- Ginting, R., Silalahi, R., & Marunduri, M. A. (2025). The Conceptual Integration of Quality Function Deployment and Value Engineering for Product Development: A Case Study of Water Dispenser. *International Journal of Technology*, 16(1), 124. <https://doi.org/10.14716/ijtech.v16i1.6326>
- Greaves, G. N., Greer, A. L., Lakes, R. S., & Rouxel, T. (2011). Poisson's ratio and modern materials. *Nature Materials*, 10(11), 823–837.
<https://doi.org/10.1038/nmat3134>
- Griffin, A., & Hauser, J. R. (1993). The Voice of the Customer. *Marketing Science*, 12(1), 1–27. <https://doi.org/10.1287/mksc.12.1.1>
- Hair, J., Black, W., Babin, B., & Anderson, R. (2010). *Multivariate Data Analysis* (7th ed.). Pearson Prentice.
- Hanski, J., Reunanen, M., Kunttu, S., Karppi, E., Lintala, M., & Nieminen, H. (2014). *Customer Observation as a Source of Latent Customer Needs and Radical New Ideas for Product-Service Systems* (pp. 395–407).
https://doi.org/10.1007/978-1-4471-4993-4_35
- Hastuti, S., Pramono, C., & Sudarto, J. (2022). Peningkatan Kekuatan Mekanik Komposit Sandwich Serat Kenaf dengan Core Kayu Albizzia Falcataria untuk Material Dinding Komposit. In *Jurnal Rekayasa Mesin* (Vol. 17, Issue 2).
<https://jurnal.polines.ac.id/index.php/rekayasa>
- Humphries, S. (2010). *Finite-element Methods for Electromagnetics*. Field Precision LLC.
- Ismail, N. F., Mohd Radzuan, N. A., Sulong, A. B., Muhamad, N., & Che Haron, C. H. (2021). The Effect of Alkali Treatment on Physical, Mechanical and Thermal Properties of Kenaf Fiber and Polymer Epoxy Composites. *Polymers*, 13(12), 2005. <https://doi.org/10.3390/polym13122005>
- Jiang, R., Jin, P., & Xu, X. (2024). Research On Optimal Design of Pleated Cheongsam Based on Kano-HOQ- Pugh Model. *Autex Research Journal*, 24(1), 1–9. <https://doi.org/10.1515/aut-2023-0025>

- Kabir, M. M., Wang, H., Lau, K. T., & Cardona, F. (2012). Chemical treatments on plant-based natural fibre reinforced polymer composites: An overview. *Composites Part B: Engineering*, 43(7), 2883–2892. <https://doi.org/10.1016/j.compositesb.2012.04.053>
- Koo, M., & Yang, S.-W. (2025). Likert-Type Scale. *Encyclopedia*, 5(1), 18. <https://doi.org/10.3390/encyclopedia5010018>
- Kostidi, E., Cui, X., & Lyridis, D. (2024). Assessing the On-Board Storage and Use of Ammonia as a Fuel Applying the House of Quality. *Journal of Marine Science and Engineering*, 12(7). <https://doi.org/10.3390/jmse12071097>
- Laksitarini, N., Purnomo, A. D., & Akmal, R. F. (2023). Implementasi Material Rotan Pada Furniture Dan Interior Hotel Sebagai Strategi Pengembangan Industri Kreatif. *SENADA*, 6, 230–235. <http://senada.idbbali.ac.id>
- Liu, & Quek. (2013). *The Finite Element Method: A Practical Course* (2nd ed., Vol. 1). Butterworth-Heinemann.
- Margem, F. M., Monteiro, S. N., Bravo Neto, J., Rodriguez, R. J. S., & Soares, B. G. (2010). The dynamic-mechanical behavior of epoxy matrix composites reinforced with ramie fibers. *Matéria (Rio de Janeiro)*, 15(2), 164–171. <https://doi.org/10.1590/S1517-70762010000200012>
- Naqvi, S. Z., Ramkumar, J., & Kar, K. K. (2022). Fly ash/glass fiber/carbon fiber-reinforced thermoset composites. In *Handbook of Fly Ash* (pp. 373–400). Elsevier. <https://doi.org/10.1016/B978-0-12-817686-3.00023-2>
- Ng, T. P., & Seang Mei, S. (2001). The Design and Assessment of Questionnaires in Clinical Research. *Singapore Med J*, 42(3), 131–135.
- Obiukwu, O., & Igboekwe, J. (2020). Abrasion and Physical Properties of Rattan Cane Fibre Based Epoxy Composites. *IJET*, 19, 23–31. <https://doi.org/10.18052/www.scipress.com/ijet.19.23>
- Pheasant, S., & Haslegrave, C. (2015). *Bodyspace: Anthropometry, Ergonomics, and The Design of Work* (3rd ed., Vol. 1). CRC Press.
- Pranata, Savira, F., & Nurmadina, N. (2024). Sifat Fisis dan Mekanis Komposit Poliester Berpenguat Serat Tandan Kosong Kelapa Sawit. *Jurnal Fisika Unand*, 13(2), 310–314. <https://doi.org/10.25077/jfu.13.2.310-314.2024>

- Pratono, A. H. (2018). Cross-Cultural Collaboration For Inclusive Global Value Chain: A Case Study Of Rattan Industry. *International Journal of Emerging Markets*, 15(1), 149–170. <https://doi.org/10.1108/IJOEM-01-2017-0028>
- Pujirahayu, N., Hadjar, N., Uslinawaty, Z., & Kurnianto, M. (2023). Pengaruh Komposisi Bahan Penggorengan Terhadap Berat Jenis Dan Kadar Air Pada Rotan Di Desa Lebo Jaya Kecamatan Konda Kabupaten Konawe Selatan . *Celebica: Jurnal Kehutanan Indonesia*, 4(1), 163–170.
- Rachmawati, & Kamiran. (2015). Simulasi Perpindahan Panas pada Lapisan Tengah Pelat Menggunakan Metode Elemen Hingga,. *JURNAL SAINS DAN SENI ITS*, 4(2), 2337–3520.
- Richard, T., Rafael, G., Gozali, L., Laricha Salomon, L., & Ali Leon Linton, A. A. (2022). Quality Improvement of Tix.id Application During Covid-19 Pandemic Using Gap Analysis, and Quality Function Development (QFD) Method by Using House of Quality (HOQ). *Proceedings of the 3rd Asia Pacific International Conference on Industrial Engineering and Operations*, 819–831. <https://www.researchgate.net/publication/367405651>
- Robert Mott, & Edward Vavrek. (2018). *Machine Elements in Mechanical Design* (6th ed., Vol. 1). Pearson Education.
- Sahoo, S. K., Mohanty, J. R., Nayak, S., & Behera, B. (2019). Chemical Treatment on Rattan Fibers: Durability, Mechanical, Thermal, and Morphological Properties. *Journal of Natural Fibers*, 18(11), 1762–1771. <https://doi.org/10.1080/15440478.2019.1697995>
- Sahoo, S. K., Mohanty, J. R., Nayak, S., Khuntia, S. K., Jena, P. K., Panda, K. R., & Sahu, R. (2021). Effectiveness of Rattan Fiber as a Reinforcing Material in Polymer Matrix Composites: An Experimental Study. *Journal of Natural Fibers*, 19(13), 6615–6624. <https://doi.org/10.1080/15440478.2021.1929650>
- Sanjeevi, S., Shanmugam, V., Kumar, S., Ganesan, V., Sas, G., Johnson, D. J., Shanmugam, M., Ayyanar, A., Naresh, K., Neisiany, R. E., & Das, O. (2021). Effects of water absorption on the mechanical properties of hybrid natural fibre/phenol formaldehyde composites. *Scientific Reports*, 11(1), 13385. <https://doi.org/10.1038/s41598-021-92457-9>

- Sarker, F., Potluri, P., Afroj, S., Koncherry, V., Novoselov, K. S., & Karim, N. (2019). Ultrahigh Performance of Nanoengineered Graphene-Based Natural Jute Fiber Composites. *ACS Applied Materials & Interfaces*, 11(23), 21166–21176. <https://doi.org/10.1021/acsami.9b04696>
- Serway, R., & Jewett, J. (2008). *Physics for Scientist and Engineers with Modern Physics* (7th ed.). David Harris.
- Shahzad, A. (2012). Hemp fiber and its composites – a review. *Journal of Composite Materials*, 46(8), 973–986. <https://doi.org/10.1177/0021998311413623>
- Shamsuri, A. A., & Darus, S. A. A. Z. M. (2020). Statistical Analysis of Tensile Strength and Flexural Strength Data from Universal Testing Machine. *Asian Journal of Probability and Statistics*, 54–62. <https://doi.org/10.9734/ajpas/2020/v9i330230>
- Shidik, B. A. A., Apriliyanto, Y. T., & Sari, V. R. (2024). Pengembangan Makanan Tradisional Apem Kesesi Menggunakan Metode Quality Function Deployment (QFD) dan Konsep Green Product Sebagai Upaya Meningkatkan Kualitas Produk. *G-Tech: Jurnal Teknologi Terapan*, 8(4), 2903–2914. <https://doi.org/10.70609/gtech.v8i4.5504>
- Sibarani, A. A., Waluyo, S., Tosalili, M. B. W., & Lutfiana, H. (2024). An Approach to Combine House of Quality and Finite Element Method in Redesigning of Rotary Shaft Multi-Spindle Wheel Nutrunner Machine. *Jurnal Teknik Industri*, 26(1), 37–48. <https://doi.org/10.9744/jti.26.1.37-48>
- Singh, J. (2022). The Sustainability Potential of Upcycling. *Sustainability*, 14(10), 5989. <https://doi.org/10.3390/su14105989>
- Sultana, J., & Varga, G. (2025). Design and Analysis of Natural Fiber-Reinforced Jute Woven Composite RVEs Using Numerical and Statistical Methods. *Journal of Composites Science*, 9(6), 283. <https://doi.org/10.3390/jcs9060283>
- Susanto, C. A., & Wipranata, D. (2023). Fasilitas Produksi Kerajinan Rotan Untuk Kaum Disabilitas. *Jurnal Sains, Teknologi, Urban, Perancangan, Arsitektur (Stupa)*, 5(2), 1285–1298. <https://doi.org/10.24912/stupa.v5i2.24277>

- Tavakol, M., & Dennick, R. (2011). Making sense of Cronbach's alpha. *International Journal of Medical Education*, 2, 53–55.
<https://doi.org/10.5116/ijme.4dfb.8dfd>
- Ulrich, K., & Eppinger, S. (2015). *Product Design and Development (6th Edition)* (6th ed., Vol. 1). McGraw-Hill Education.
- Unnikrishnan, K. P., & Thachil, E. T. (2006). Toughening of Epoxy Resins. *Designed Monomers and Polymers*, 9(2), 129–152.
<https://doi.org/10.1163/156855506776382664>
- Utami, A., Johan, Prasetyo, T. B., & Amalia, M. (2024). Ecobrick Sofa Design is Environmentally Friendly Using The House of Quality Method and The Boston Consulting Group (Bcg) Method. *Jurnal Improsci*, 2(2), 74–94.
<https://doi.org/10.62885/improsci.v2i2.376>
- van de Poel, I. (2007). Methodological problems in QFD and directions for future development. *Research in Engineering Design*, 18(1), 21–36.
<https://doi.org/10.1007/s00163-007-0029-7>
- Wang, L., Iocchi, L., Marrella, A., & Nardi, D. (2019). Developing a Questionnaire to Evaluate Customers' Perception in the Smart City Robotic Challenge. *2019 28th IEEE International Conference on Robot and Human Interactive Communication (RO-MAN)*, 1–6. <https://doi.org/10.1109/RO-MAN46459.2019.8956394>
- Wegener, C., & Aakjær, M. (2016). Upcycling – a new perspective on waste in social innovation. *Journal of Comparative Social Work*, 11(2), 242–260.
<https://doi.org/10.31265/jcsw.v11i2.143>
- Widiyatmoko. (2015). Perancangan, Perakitan, dan Pengujian Performa Mesin Pembuat Es Krim Manual Kapasitas 5 Liter. *Jurnal PETRA*, 1(1), 55–72.
<http://www.kamusilmiah.com>
- Widodo, E., & Iswanto. (2022). *Buku Ajar Mekanika Komposit dan Bio-Komposit Penulis* (M. T. Multazam & M. D. K. Wardana, Eds.; 1st ed., Vol. 1). UMSIDA Press.
- Wirakusuma, K. W., Alfian, M., Afandy, M., & Mubarak, A. H. (2024). Rancang Bangun Alat Pengering Kopra Skala Industri Kecil Menengah dengan

Pendekatan Quality Function Deployment. *Sinergi Polmed*, 5(2), 62–74.
<http://ojs.polmed.ac.id/index.php/Sinergi/index>

Yan, L., Chouw, N., & Jayaraman, K. (2014). Flax fibre and its composites – A review. *Composites Part B: Engineering*, 56, 296–317.
<https://doi.org/10.1016/j.compositesb.2013.08.014>

