

DAFTAR PUSTAKA

- Apriliani, T., Kurniasari, N., dan Yuliaty, C. 2018. Strategi Pengelolaan Perikanan di Waduk Sempor Kabupaten Kebumen, Provinsi Jawa Tengah. *Jurnal Sosek*, **13**(2): 153–166.
- Beatty, S. J., Morgan, D. L., and Gill, H. S. 2005. Life History and Reproductive Biology of The Gilgie, *Cherax quinquecarinatus*, A Freshwater Crayfish Endemic to Southwestern Australia. *Journal of Crustacean Biology*, **25**(2): 251–262.
- Boer, M., Wahyudin, R. A., Wardiatno, Y., Farajallah, A., and Hakim, A. A. 2021. Population Dynamics of Pronghorn Spiny Lobster (*Panulirus penicillatus*) In Palabuhanratu Bay, Sukabumi, West Java. *Jurnal Pengelolaan Sumberdaya Alam Dan Lingkungan*, **11**(2): 204–214. <https://doi.org/10.29244/jpsl.11.2.204-214>
- Budi, J. B., Eko, P. K., and Triarso, I. 2018. The Effect of Funnel Addition on Trap Toward Catch of Blue Swimming Crab (*Portugus pelagicus*) in Rembang Sea Waters. *Journal of Fisheries Science and Technology (IJFST)*, **13**(2): 100–104.
- Courtney, Y., Courtney, J., and Courtney, M. 2014. Improving Weight-Length Relationships in Fish to Provide More Accurate Bioindicators of Ecosystem Condition. *Aquatic Science and Technology*, **2**(2): 41. <https://doi.org/10.5296/ast.v2i2.5666>
- Damora, A., Simatupang, A. H., Hasri, I., Andriyono, S., and Fadli, N. 2023. *Cherax quadricarinatus*: Identifying Potentially Invasive Species in Lake Laut Tawar Through Their Bio-Population Aspects. *IOP Conference Series: Earth and Environmental Science*, **1221**(1). <https://doi.org/10.1088/1755-1315/1221/1/012059>
- Dina, R., dan Sulistiono, S. 2014. Beberapa Aspek Biologi Lobster Air Tawar, *Cherax quadricarinatus* di Danau Maninjau, Sumatera Barat. *Prosiding Seminar Nasional Limnologi*, **1**(1): 158–178. <https://www.researchgate.net/publication/321427503>
- Dina, R., dan Wowor, D. 2013. Lobster Air Tawar (*Cherax quadricarinatus*), Spesies Asing Baru di Perairan Danau Maninjau Sumatra Barat. *LIMNOTEK*, **20**(2), 159–168. <https://www.researchgate.net/publication/335689580>
- Effendie, I. Moch. 1997. *Biologi Perikanan*. Yayasan Pustaka Nusantara. Yogyakarta.
- Fadjar, M., Andayani, S., Retno Andriani, D., Gede, I., Putra, E., Sentanu, S., Amrillah, A. M., dan Aisyah, D. 2022. Budidaya Benih Lobster Pasir (*Panulirus homarus*) dengan Resirculation Aquaculture System (Ras) di Pokdakan “Pesona Bahari”, Grand Watudodol, Banyuwangi. *Journal Of Innovation and Applied Technology*, **8**(1): 1358–1364.

- Faiz, A., Danakusumah, E., dan Dhewantara, Y. L. 2021. Efektivitas Kepadatan Benih Lobster Air Tawar (*Cherax quadricarinatus*) yang Berbeda Terhadap Pertumbuhan dan Kelangsungan Hidup pada Sistem Resirkulasi. *Jurnal Ilmiah Satya Minabahari*, 6(2): 56–70. <https://doi.org/10.53676/jism.v6i2.148>
- Faizah, R., dan Prisantoso, I. B. 2010. Hubungan Panjang dan Bobot, Sebaran Frekuensi Panjang dan Faktor Kondisi Tuna Mata Besar (*Thunnus obesus*) yang Tertangkap di Samudera Hindia. *BAWAL Widya Riset Perikanan Tangkap*, 3(3): 183–189.
- García, V. S. 2008. *Distribution of Exotic Australian Crayfish Cherax quadricarinatus (Von Martens, 1868) In Puerto Rico*.
- García-Guerrero, M., Sandoval, P. H., and Cortes-Jacinto, E. 2013. Effect of Temperature on Weight Increase, Survival, and Thermal Preference of Juvenile Redclaw Crayfish *Cherax quadricarinatus*. *Hidrobiológica*, 23(1): 73–81. <https://www.researchgate.net/publication/258488709>
- Hajar, S., dan Idris, M. 2025. Biologi Reproduksi Lobster Air Tawar (*Cherax quadricarinatus*) di Perairan Rawa Aopa Kabupaten Konawe Sulawesi Tenggara. *Journal of Fishery Science and Innovation*, 9(2): 181–197. <https://doi.org/10.33772/jsipi.v9i2.1219>
- Hamidah, H., Abinawanto, and Bowolaksono, A. 2017. Comparative Study of Freshwater Crayfish, *Cherax* spp. (Crustaceae: Decapoda: Parastacidae) from Papua, Indonesia Based on Length-Weight Analysis. *AIP Conference Proceedings*, 1862. <https://doi.org/10.1063/1.4991205>
- Hasri, I., Taqwin, A., dan Eliyin. 2020. Distribusi Temporal dan Petumbuhan Lobster Air Tawar (*Cherax quadricarinatus*) di Danau Laut Tawar Aceh Tengah. *Prosiding Seminar Nasional Biotik*, 8(1): 293–298.
- Holthuis, L. 1986. *The freshwater crayfish of New Guinea*. *Freshwater Crayfish* (Vol. 6).
- Iqbal, A. M., Setyobudiandi, I., Krisanti, M., dan Wardianto, Y. 2019. Produksi Telur *Cherax quadricarinatus* (Von Martens, 1868) di Danau Lido, Jawa Barat. *Jurnal Pengelolaan Perikanan Tropis*, 3(2): 45–52.
- Irwani, Sabdono, A., and Wijayanti, D. P. 2019. Growth, Mortality and Exploitation Rate of Spiny Lobster (*Panulirus homarus*) from Kebumen and Cilacap Coastal. *IOP Conference Series: Earth and Environmental Science*, 246(1). <https://doi.org/10.1088/1755-1315/246/1/012081>
- Jamlean, G. Y., Bataragoa, N., dan Tombokan, J. 2018. Penangkapan dan Hubungan Panjang-Berat Lobster Air Tawar *Cherax quadricarinatus* Von Martens, 1868 di Danau Tondano Kecamatan Kakas, Kabupaten Minahasa, Sulawesi Utara. *Jurnal Ilmiah Platax*, 6(1): 85–97.
- Jones, C. 1990. *The Biology and Aquaculture Potential of Cherax quadricarinatus*.
- Jones, C. 1990. *The Biology and Aquaculture Potential of the Tropical Freshwater Crayfish*. <https://www.researchgate.net/publication/39015863>

- Jones, C., and Ruscoe, I. M. 2001. Assessment of Five Shelter Types in the Production of Redclaw Crayfish *Cherax quadricarinatus* (Decapoda: Parastacidae) Under Earthen Pond Conditions. *Journal of the World Aquaculture Society*, **32**(1): 41–52. <https://doi.org/10.1111/j.1749-7345.2001.tb00920.x>
- Julia, H. 2017. Signifikasi Skenario Pembangunan Check DAM dalam Menahan Laju Sedimentasi di Waduk Sempor. *Agrium*, **21**(1): 78–88.
- Karisma, N., Dewiyanti, I., dan Rizwan. 2017. Hubungan Panjang dan Faktor Kondisi Lobster (*Panulirus* sp.) di Perairan Pantai Simeulue Selatan. *Jurnal Ilmiah Mahasiswa Kelautan dan Perikanan Unsyiah*, **2**(1): 175–182.
- Kembaren, D. D., Lestari, P., dan Ramadhani, R. 2015. Parameter Biologi Lobster Pasir (*Panulirus homarus*) di Perairan Tabanan, Bali. *BAWAL Widya Riset Perikanan Tangkap*, **7**(1): 35. <https://doi.org/10.15578/bawal.7.1.2015.35-42>
- Koepper, S., Revie, C. W., Stryhn, H., Scott-Tibbetts, S., and Thakur, K. K. 2023. Observed Size Distribution Changes in American Lobsters Over A 12-Year Period in Southwestern Nova Scotia, Canada. *PLoS ONE*, **18**(12 December). <https://doi.org/10.1371/journal.pone.0295402>
- Kuhu, R., Mantiri, R.O., dan Tombokan, J. L. 2019. Beberapa Aspek Biologi Lobster Air Tawar *Cherax quadricarinatus* di Sungai Ralik Minahasa Tenggara dan Danau Todano Minahasa. *Jurnal Ilmiah Platax*, **7**(1). <http://ejournal.unsrat.ac.id/index.php/platax>
- Kurniawan, Adibrata, S., Lingga, R., Setiadi, J., Hidayah, R. S. N., and Wulandari, U. A. 2024. Dietary Shift for Juvenile Freshwater Redclaw Crayfish (*Cherax quadricarinatus*): A Review. *AACL Bioflux*, **17**(6): 2659–2672. <http://www.bioflux.com.ro/aac1>
- Kurniawan, W., Saputra, W., and Solichin, A. 2016. Some Aspects Biological of Freshwater Crayfish (*Cherax quadricarinatus*) Captured with Trap in Rawa Pening Waters Semarang Regency. *Diponegoro Journal Of Maquares*, **5**(1): 24–31. <http://ejournal-s1.undip.ac.id/index.php/maquares>
- Lizama, M. D. L. A. P., and Ambrosio, A. M. 2002. Condition Factor in Nine Species of Fish of The Characidae Family in The Upper Paraná River Floodplain, Brazil. *Brazilian Journal of Biology*, **62**(1): 113–124. <https://doi.org/10.1590/S1519-69842002000100014>
- Marasabessy, F. 2020. Hubungan Panjang Berat dan Faktor Kondisi Ikan Kembung Laki-Laki (*Rastrelliger kanagurta*) di Sekitar Pesisir Timur Perairan Biak. *Barakuda 45: Jurnal Ilmu Perikanan dan Kelautan*, **2**(1): 28–34. <https://doi.org/10.47685/barakuda45.v2i1.56>
- Munasinghe, N. H. D., Burrridge, P. C., and Austin, M. P. 2004. Molecular Phylogeny and Zoogeography of The Freshwater Crayfish Genus

Cherax erichson (Decapoda: Parastacidae) in Australia. *Biological Journal Of The Linnean Society*, **81**(4): 553–563.

- Muttaqin, Z., Dewiyanti, I., and Aliza, D. 2016. Study of Long-Weight Relationship and Condition Factor of *Oreochromis niloticus* and *Mugil cephalus* in Matang Guru River, Madat Subdistrict, East Aceh District. *Jurnal Ilmiah Mahasiswa Kelautan dan Perikanan Unsyiah*, **1**(3): 397–403.
- Nurhayati, Fauziyah, dan Bernas, S. 2016. Hubungan Panjang-Berat dan Pola Pertumbuhan Ikan di Muara Sungai Musi Kabupaten Banyuasin Sumatera Selatan. *Maspari Journal*, **8**(2): 111–118.
- Patoka, J., Wardiatno, Y., Mashar, A., Yonvitner, Wowor, D., Jerikho, R., Takdir, M., Purnamasari, L., Petrtyl, M., Kalous, L., Kouba, A., and Bláha, M. 2018. Redclaw Crayfish, *Cherax quadricarinatus* (Von Martens, 1868), Widespread Throughout Indonesia. *BioInvasions Records*, **7**(2): 185–189. <https://doi.org/10.3391/bir.2018.7.2.11>
- Patoka, J., Wardiatno, Y., Yonvitner, Kuřiková, P., Petrtyl, M., and Kalous, L. 2016. *Cherax quadricarinatus* (Von Martens) has Invaded Indonesian Territory West of The Wallace Line: Evidences from Java. *Knowledge and Management of Aquatic Ecosystems*, **2016** (417). <https://doi.org/10.1051/kmae/2016026>
- Pauly, D. 1984. *Fish Population Dynamics in Tropical Waters: A Manual for Use with Programmable Calculators*.
- Pillai, L., S., Radhakrishnan, E. V., Maheswarudu, G., and Radhakrishnan, M. 2017. Length-Weight Relationship and Certain Biological Aspects of The Indian White Shrimp *Fenneropenaeus indicus* (H. Milne Edwards, 1837) Exploited by Trawls in The Arabian Sea Off Kerala Coast, India. *Indian Journal of Fisheries*, **64**(4): 112–115. <https://doi.org/10.21077/ijf.2017.64.4.62352-16>
- Pramaningsih, V., Yuliawati, R., Sukisman, S., Hansen, H., Suhelmi, R., dan Daramusseng, A. 2023. Indek Kualitas Air dan Dampak terhadap Kesehatan Masyarakat Sekitar Sungai Karang Mumus, Samarinda. *Jurnal Kesehatan Lingkungan Indonesia*, **22**(3): 313–319. <https://doi.org/10.14710/jkli.22.3.313-319>
- Pulungan, C. P. 2015. Nisbah Kelamin dan Nilai Kemontokan Ikan Tabinjal (*Puntioplites bulu* Blkr) dari Sungai Siak, Riau. *Jurnal Perikanan dan Kelautan*, **20**(1): 11–16.
- Ramdayani, K., Mashar, A., Kamal, M. M., and Hasri, I. 2025. Risk Assessment of Invasive Species Freshwater Crayfish (*Cherax quadricarinatus*) in Lake Laut Tawar, Aceh. *Depik*, **14**(2): 111–120. <https://doi.org/10.13170/depik.14.2.41226>
- Rodriguez, C., Galli, O., Olsson, D., Tellechea, J. S., and Norbis, W. 2017. Length-Weight Relationships and Condition Factor of Eight Fish Species Inhabiting The Rocha Lagoon, Uruguay. *Brazilian Journal of*

Oceanography, **65** (1): 97–100. <https://doi.org/10.1590/S1679-87592017107306501>

- Rosarina, D., Laksanawati, E. K., dan Rosanti, D. 2019. Struktur Komunitas Plankton di Sungai Cisadane Kota Tangerang pada Tata Guna Lahan Berbeda. *Sainmatika: Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*, **16**(2): 185. <https://doi.org/10.31851/sainmatika.v16i2.3216>
- Senen, B., Tinggi, S., Hatta-Sjahrir, P., dan Sulistiono, S. 2017. Aspek Biologi Ikan Layang Deles (*Decapterus macrosoma*) di Perairan Banda Neira, Maluku, Indonesia. *Jurnal Pertanian dan Perikanan*, **1**, 1–41. <https://www.researchgate.net/publication/320324710>
- Setyanto, A., Sambah, A. B., Widhiastika, D., Soemarno, Wiadnya, D. G. R., and Prayogo, C. 2021. Population Structure and Biological Aspects of Lobster (*Panulirus* spp.) of The Madura Strait Landed in Situbondo of East Java, Indonesia. *IOP Conference Series: Earth and Environmental Science*, **919**(1). <https://doi.org/10.1088/1755-1315/919/1/012015>
- Sokal, R., and Rohlf, F. 1981. *Biometry* (J. Wilson, Ed.). W.H. Freeman and Company.
- Sparre, P., and Venema, S. C. 1998. *Introduction to Tropical Fish Stock Assessment*. FAO Fisheries Department.
- Tampubolon, I., and Maitindom, F. 2023. Length Weight Relationship of Fresh Water Lobster (*Cherax quadricarinatus*) in Lake Paniai, Paniao District. *Jurnal Cakrawala Ilmiah*, **2**(8): 3252–3260.
- Tumembouw, S. S. 2011. Kualitas Air pada Kolam Lobster Air Tawar (*Cherax quadricarinatus*) di BBAT Tatelu. *Jurnal Perikanan dan Kelautan Tropis*, **3**(7): 128–131.
- Umar, C., Aisyah, A dan Kartamihardja, E. S. 2016. Strategi Pengembangan Perikanan Tangkap Berbasis Budidaya di Waduk: Studi Kasus Introduksi Ikan Bandeng (*Chanos chanos*) di Waduk Sempor, Kabupaten Kebumen, Jawa Tengah. *Jurnal Kebijakan Perikanan Indonesia (JKPI)*, **8**(1): 21. <http://ejournal-balitbang.kkp.go.id/index.php/jkpi>
- Warsa, A. 2019. Optimalisasi Pemanfaatan Waduk Tilong, Nusa Tenggara Timur Untuk Pengembangan Perikanan Tangkap. *Jurnal Sumber Daya Air*, **15**(2): 95–106. <https://doi.org/10.32679/jsda.v15i2.480>
- Widodo, A. A., Trihargiyatno, I., Anggawangsa, R. F., dan Wudianto, W. 2020. Pemanfaatan dan Pengelolaan Tuna Neritik di Wilayah Pengelolaan Perikanan Negara Republik Indonesia (WPPNRI) 573. *Jurnal Penelitian Perikanan Indonesia*, **26**(1): 11. <https://doi.org/10.15578/jppi.26.1.2020.11-20>
- Wingfield, M. 2002. An Overview of The Australian Freshwater Crayfish Farming Industry. *Queensland Department of Primary Industries*, **13**: 177–184.

- Wujdi, A., Hartaty, H., dan Setyadi, B. 2020. Estimasi Parameter Populasi dan Rasio Potensi Pemijahan Tongkol Komo (*Euthynnus affinis*, Cantor 1849) di Perairan Selatan Lombok. *Jurnal Penelitian Perikanan Indonesia*, 26(2): 93. <https://doi.org/10.15578/jppi.26.2.2020.93-107>
- Yonvitner, Boer, M., Tamanyira, M., dan Akbar, H. 2019. Kerentanan Spesies Ikan Umpan dari Alat Tangkap Handline dan Bagan yang Didaratkan di Pelabuhan Perikanan Kendari, Bitung, Wakatobi dan Larantuka. *Jurnal Perikanan dan Kelautan*, 9(2): 202–215.
- Zurba, N., Intan Permatahati, Y., Fauzan Hasuba, T., Nur Findra, M., dan Imam Wahyudi, A. 2024. Rekam Awal dan Peta Distribusi Spesies Invasif Lobster Air Tawar Capit Merah (*Cherax quadricarinatus*) di Perairan Sulawesi Tenggara, Indonesia. *Journal of Social Science Research*, 4: 4124–4132.

