

DAFTAR PUSTAKA

- Akhmadi, G., Sularno, & Suwarno. 2017. Korelasi genotipik, heritabilitas dan sidik lintas karakter agronomi galur-galur padi dihaploid hasil kultur antera. *Jurnal Agronomi Indonesia*, 45(1): 1–8.
- Andriani, D., Wirnas, D., Triosoemaningtyas, T., Irawan, J., & Jasmi. 2023. Uji korelasi dan analisis lintas terhadap karakter agronomi dan hasil pada galur-galur sorgum (*Sorghum bicolor* L.). *Jurnal Agrotek Lestari*, 9(1): 23–31.
- Archana, R. S., Rani, M. S., Vardhan, K. M. V., & Fareeda, G. 2018. Correlation and path coefficient analysis for grain yield, yield components and nutritional traits in rice (*Oryza sativa* L.). *International Journal of Chemical Studies*, 6(4): 189–195.
- Badan Penelitian dan Pengembangan Pertanian. 2019. *Deskripsi Varietas Inpago Unsoed 1*. <https://www.litbang.pertanian.go.id/varietas/795/>. Diakses tanggal 5 November 2021 di Cilacap.
- Bakhtiar, B., Sembiring, B., & Siregar, L. A. M. 2010. Correlation analysis of agronomic characters of upland rice under aluminum stress. *Indonesian Journal of Agricultural Science*, 11(2): 63–69.
- Dewi, S. T. 2019. *Varietas Padi Inpago Unsoed 1*. Prosiding Seminar Nasional Pascapanen Pertanian 2019, 225-231.
- Dey, P., Sahu, S., & Kar, R. K. 2019. Estimation of phenotypic coefficients of variation (PCV), Genotypic coefficients of variation (GCV), heritability and genetic gain for yield and its components in rice landraces of Odisha. *International Journal of Agriculture, Environment and Biotechnology*, 12(3): 181-185.
- Falconer DS, Mackay TFC. 1996. *Introduction to Quantitative Genetics*, 4th ed. Longman, London.
- Fan, Y., & Li, Y. 2019. Molecular, cellular and Yin-Yang regulation of grain size and number in rice. *Molecular Breeding*, 39(12): 163.
- Fehr, W. R. 1987. *Principles of Cultivar Development: Theory and Technique. Vol 1*. Macmillan Publishing Company, New York.
- Griest, D. H. 1986. *Rice. Ed ke-6*. Longman, London.
- Guo, T., Chen, K., Dong, N. Q., Shi, C. L., Ye, W. W., Gao, J. P., & Lin, H. X. 2018. GRAIN SIZE AND NUMBER1 negatively regulates the OsMKKK10-

- OsMKK4-OsMPK6 cascade to coordinate the trade-off between grain number per panicle and grain size in rice. *The Plant Cell*, 30(4): 871-888.
- Hanudin, E. 2018. *Seleksi dan Identifikasi Karakteristik Genetik Galur-Galur Padi Inpago Unsoed*. Prosiding Seminar Nasional Inovasi Teknologi Pertanian 2018, 481-485.
- Hirano, H. Y. 2015. Grain quality of Koshihikari, a premium short-grain rice cultivar. *Journal of Applied Glycoscience*, 62(3): 77-84.
- Hoque, N., Islam, M. Z., Zarin, F., Mahmud, N., Rahman, M., & Biswas, B. 2021. Analysis of genetic variability and character relationship in rice (*Oryza sativa* L.) seed and seedling traits. *Journal of Bioscience and Agriculture Research*, 28(02): 2389-2398.
- Ishizaka S, Uehara Y, Fujita Y, Okuno K, Horiuchi H, Miura K, Nakagahra M, Yamada T, Uchiyamada H, Samoto S. 1989. Breeding process and characteristic of new released variety Kinuhikari. *Hokuriku Crop Sci.* 24: 25–27.
- Jayasinghe, H. M. A. S. B., Senanayake, D. M. J. B., Rathnathunga, E. U. U., & Geekiyanage, S. 2023. Correlation of plant height and crop age with yield potential in Sri Lankan traditional rice accessions of Ma wee: a comparative study in Kamburupitiya with selected new improved rice varieties. *Tropical Agricultural Research and Extension*, 26(4).
- Johnson, W. D. 1963. *Heritability In: W. D. Hanson and H. F. Robinson (Eds). Statistical Genetical Breeding*. Nat. Acad. Sci. Nat. Res. Come. Oubl, 982 Washington DC.
- Kartahadimaja, J., Utomo, S. D., Yuliadi, E., Salam, A. K., & Wahyudi, A. 2021. Agronomic characters, genetic and phenotypic diversity coefficients, and heritability of 12 genotypes of rice. *Biodiversitas Journal of Biological Diversity*, 22(3).
- Kawasaki-Tanaka A, Hayashi N, Yanagihara S, Fukuta Y. 2016. Diversity and distribution of rice blast (*Pyricularia oryzae* Cavara) races in Japan. *Plant Dis.* 100: 816–823.
- Khush, G. S. 1997. Origin, dispersal, cultivation and variation of rice. *Plant Molecular Biology*, 35(1–2): 25–34.
- Kobayashi, A., Hori, K., Yamamoto, T., & Yano, M. 2018. Koshihikari: a premium short-grain rice cultivar—its expansion and breeding in Japan. *Rice*, 11(1): 15.

- Koike H, Arai T, Tezuka M, Maejima H, Sakai N, Nakazawa N. 1993. Studies on physicochemical properties of major rice varieties in Nagano. 1. Studies on physicochemical properties of good eating quality varieties. *Hokuriku Crop Sci.* 28: 15–17.
- Kumar, S., Chauhan, M. P., Tomar, A., & Kasana, R. K. 2018. Coefficient of variation (GCV & PCV), heritability and genetic advance analysis for yield contributing characters in rice (*Oryza sativa* L.). *Journal of Pharmacognosy and Phytochemistry*, 7(3): 2161-2164.
- Litbang Pertanian. 2019. *Varietas Inpago Unsoed 1*. Badan Penelitian dan pengembangan Tanaman Pangan. Kementerian Pertanian, Indonesia.
- Mahaputra, I. K., Susrusa, K. B., Satriawan, I. K., & Widhiantini. 2024. System for selecting superior rice varieties and consumption needs of tourism areas in Indonesia: A case study of Bali Province. *Russian Journal of Agricultural and Socio-Economic Sciences*, 152(8): 156–166.
- Mangoendidjojo, W. 2003. *Dasar-Dasar Pemuliaan Tanaman*. Kanisius. Yogyakarta.
- Moedjiono & Mejaya, M.J. 1994. Variabilitas genetik beberapa karakter plasma nutfah jagung koleksi Balittan Malang. *Zuriat*. 5(2): 27-32.
- Naidu, B. N., Madhavalatha, L., Maraskole, S. K., Panotra, N., Singh, O. B., Kumar, A., & Anbarasan, S. 2024. Enhancing the genetic understanding of rice for strategic breeding of high yielding and superior quality varieties. *J. Adv. Biol. Biotechnol*, 27(8): 1252-1261.
- Ogawa T, Endo N, Busto GA, Jr, Tabien RE, Taura S, Khush GS. 1998. Data set on the variety group resistant to bacterial leaf blight in rice. — the variation of characteristics in the varietal differentiation of rice — research report on agricultural development in the Hokuriku area. *Res Rep Agric Dev Hokuriku Area*. 40: 1–49.
- Ozeki M, Sasaki Y, Kondo T. 1995. Comparison of sterility by cool damage due to floral impotency within rice varieties in Niigata prefecture. *Hokuriku Crop Sci.* 30: 13–14.
- Poehlman, J. M., & Sleeper, D. A. 1995. *Breeding field crops* (4th ed.). Westport, CT: AVI Publishing Company.
- Poespodarsono, S. 1988. *Dasar-Dasar Ilmu Pemuliaan Tanaman*. Pusat Antar IPB, Bogor.

- Prabhu, B. M., & Abhishree, R. 2024. Plant height in rice: Yield booster or barrier? *The Pharma Innovation Journal*, 13(2): 155–160.
- Sari, L.W., N. Nugrahaeni, Kuswanto dan N. Basuki. 2013. Interaksi genotipe x lingkungan galur-galur harapan kedelai (*Glycine max* L.). *Jurnal Produksi Tanaman*, 1(5): 434-441.
- Sari, M. F., J. Kartahadimaja, L. Budiarti, & D. Ahyuni. 2021. Pendugaan keragaman genetic berdasarkan komponen hasil pada beberapa galur padi (*Oryza sativa* L.). *Agroscript*. 3(1): 1-10.
- Sato, Y. & Masao, S. 2016. Effects of planting density on rice yield and grain quality of two Japanese premium varieties, Koshihikari and Hitomebore. *Paddy and Water Environment*, 14(4): 511-516.
- Seraj, S., Hassan, L., Begum, S. N., & Sarker, M. M. 2013. Physico-chemical attributes and correlation among grain quality traits of some exotic aromatic rice lines. *Journal of the Bangladesh Agricultural University*, 11(2): 227-232.
- Singh, R., Yadav, V., Mishra, D. N., & Yadav, A. 2018. Correlation and path analysis studies in rice (*Oryza sativa* L.). *Journal of Pharmacognosy and Phytochemistry*, 7(1S): 2084-2090.
- Soundharya, B., Edukondalu, B., G.Narender, & Dinesh, A. 2024. Genetic variability, heritability and genetic advance for yield and yield related traits in rice (*Oryza sativa* L.). *Journal of Advances in Biology & Biotechnology*, 27(12).
- Sutaryo, B. 2014. Penampilan agro-morfologi dan parameter genetik 12 genotip padi di sawah berpengairan teknis. *Ilmu Pertanian*, 17(1): 13–24.
- Sutrisno, J., & Sugiyanta. 2016. Optimasi pemupukan dan jarak tanam pada budidaya padi Japonica varietas Koshihikari. *Jurnal Ilmu Pertanian Indonesia*, 21(3): 183–190.
- Syukur, M., S. Sujiprihati, R. Yuniarti, & D.A. Kusumah. 2011. Pendugaan ragam genetik dan heritabilitas karakter komponen hasil beberapa genotip cabai. *J. Agrivigor*. 10: 148-156.
- Tabbal, D. F., Bouman, B. A. M., Bhuiyan, S. I., & Sibayan, E. B. 2002. Improving lodging resistance of wet-seeded rice. *Philippine Journal of Crop Science*, 27(2): 53–62.
- Takaya, T. & Miyasaka A. 1981. Prevention of lodging by mixed planting of rice varieties. I Effects of alternate row-planting on lodging and yield. *Jpn J Crop Sci*. 50:357–364.

- Thippani, S., Kumar, S. S., Senguttuvel, P., & Madhav, M. S. 2017. Correlation analysis for yield and yield components in rice (*Oryza sativa* L.). *Int. J. Pure App. Biosci*, 5(4): 1412-1415.
- Wardana, C. K., Karyawati, A. S., & Sitompul, S. M. 2015. Keragaman hasil, heritabilitas dan korelasi F3 hasil persilangan kedelai (*Glycine max* L. Merrill) varietas Anjasmoro dengan varietas Tanggamus, Grobogan, AP dan UB. *Jurnal Produksi Tanaman*, 3(3): 183–190.
- Yoshida, H., & Nagato, Y. 2011. Flower development in rice. *Journal of Experimental Botany*, 62(14): 4719–4730.
- Yoshida, S. 1981. *Fundamentals of Rice Crop Science*. Los Baños, Philippines. International Rice Research Institute (IRRI).
- Zhou, Y., Yang, H., Liu, E., Liu, R., Alam, M., Gao, H., & He, Y. 2024. Fine mapping of five grain size QTLs which affect grain yield and quality in rice. *International Journal of Molecular Sciences*, 25(8): 4149.

